

PRZEDSIĘBIORSTWO USŁUGOWO REMONTOWE
REMODEX
ZAKŁAD BADAŃ I WDROŻEŃ PRZEMYSŁU MEBLARSKIEGO
Spółka z o.o.

Gruszczyn, ul. Leśna 12
62-006 Kobylnica

e-mail: biuro@remodex.com.pl
KRS 0000099068

tel./fax. 61 817-49-97
tel. kom. 601 391 825

SIGN: BW/JK/262/17

DATE: 2017-12-12

Order from: 2017-11-22

TEST REPORT No: 224/17/W

Safety requirements, strength and durability

1. *Name and type of article -*

Chair OSCAR
Chair OSCAR VIP
Chair OSCAR SUPER VIP
Chair OSCAR LEVI

2. *CLIENT -*

NOWY STYL Sp. z o.o.
ul. Pużaka 49
38-400 KROSNO

3. *Documents identifying article -*

order + technical records.

This article was tested in accordance
with the test procedures described in:

PN-EN 12727
PN-EN 1728

TEST RESULTS:

POSITIVE

Test operator


/M Sc. (Eng.) Jacek Koniczny

PREZES ZARZĄDU


mgr inż. Piotr Błaszczak

TEST REPORT contain 3 pages

The test results are only valid for the article tested.

This TEST REPORT shall not be reproduced except in full, without the written approval of the laboratory.

TEST REPORT No: 224/17/W

RANKED SEATING

Name and type of article – **Chairs: OSCAR, OSCAR VIP, OSCAR SUPER VIP, OSCAR LEVI.**

SAFETY REQUIREMENTS:

point PN-EN	Test description	Requirement	Test results
5.1	accessible edges and corners	rounded or chamfered	positive
	splinters, sharp edges	inadmissible	positive
	ends of hollow components with a diameter greater than 7 mm and less than 12 mm, where the accessible depth is greater than 10 mm	are closed or capped	not applicable
	movable parts and adjustable	they do not injuries	positive
	connection of bearing parts	they do not get loosen	positive
	parts lubricated to assist sliding	does not cause staining	not applicable
5.2	shear and squeeze points when setting up and folding	acceptable	positive
	shear and squeeze points under influence of powered mechanism	inadmissible	not applicable
	shear and squeeze points during use	inadmissible	positive

SIGNED:

LABORATORIUM

TEST REPORT No: 224/17/W

RANKED SEATING

Name and type of article – **Chairs: OSCAR, OSCAR VIP, OSCAR SUPER VIP, OSCAR LEVI.**

STRENGTH and DURABILITY

Test level: **4 (intensive)**

point PN-EN 1728	Test Description	Loading P (N)	Cycles	Re- quire- ment	Test results
6.4	Static load test - seat - back	2000 760	10 10	WITHOUT DEFECTS	pass pass
6.5	Seat front edge static load test	2000	10		pass
6.7	Horizontal forward static load test on back rests	760	10		pass
6.6	Vertical load on back rests	900	10		pass
6.10	Arm rest sideways static load test	1000	10		pass
6.11	Arm rest downwards static load test	1000	10		pass
6.17	Durability test: - seat - back	1000 330	200 000		pass pass
6.18	Seat front edge durability test	800	200 000		pass
A.1	Horizontal forward durability test on backrests	330	100 000		pass
6.20	Arm durability test	400	100 000		pass
6.24	Seat impact test	drop height 300 mm	10		pass
6.25	Back impact test	height, mm angle, degrees 620/68°	10		pass
6.26	Arm impact test	height, mm angle, degrees 620/68°	10		pass
6.23	Tipping seat operation	---	100 000		pass
6.14	Vertical static test on auxiliary writing surfaces	300	10		not applicable
6.22	Auxiliary writing surfaces durability test	150	25 000		not applicable

SIGNED:
LABORATORIUM