



"EXIMOTOR" SA

Rețea de magazine auto

Anexa nr. 7

la Documentația standard nr. _____
din "___" _____ 20__

CERERE DE PARTICIPARE

Către I.M.S.P. SPITALUL CLINIC AL MINISTERULUI SANATATII, 2005, MOLDOVA,
mun.ChișinăuA. Puskin nr.51

Stimați domni,

Ca urmare a anunțului/invitației de participare/de preselecție apărut în Buletinul achizițiilor publice și/sau Jurnalul Oficial al Uniunii Europene, nr. ocds-b3wdp1-MD-1695831340932 din 05/10/2023 (ziua/luna/anul), privind aplicarea procedurii pentru atribuirea contractului Anvelope, (denumirea contractului de achiziție publică), noi „Eximotor SA” (denumirea/numele ofertantului/candidatului), am luat cunoștință de condițiile și de cerințele expuse în documentația de atribuire și exprimăm prin prezenta interesul de a participa, în calitate de ofertant/candidat, neavând obiecții la documentația de atribuire.

Data completării 04.10.2023

Cu stimă,

Ofertant/candidat

.....
(semnătura autorizată)





"EXIMOTOR" SA

Rețea de magazine auto

Anexa nr. 8
la Documentația standard nr. _____
din "_____" 20____

DECLARAȚIE privind valabilitatea ofertei

Către I.M.S.P. SPITALUL CLINIC AL MINISTERULUI SANATATII, 2005, MOLDOVA,
mun.ChișinăuA. Puskin nr.51

Stimați domni,

Ne angajăm să menținem oferta valabilă, privind Anvelope, prin procedura de achiziție ocds-b3wdp1-MD-1695831340932, pentru o durată de 40 (patruzeci) zile, (durata în litere și cifre), respectiv până la data de 14.11.2023 (ziua/luna/anul), și ea va rămâne obligatorie pentru noi și poate fi acceptată oricând înainte de expirarea perioadei de valabilitate.

Data completării 04.10.2023 Cu stimă,



Ofertant candidat

(semnătura autorizată)





SPECIFICAȚIA DE PREȚ

Numărul procedurii de achiziție nr. ocds-b3wdp1-MD-1695831340932 din 05.10.2023

Obiectul achiziției: Anvelope

Nr. d/o	Cod CPV	Denumirea Bunurilor	Unitatea de măsură	Cantitatea	Termenul de livrare	Preț, fără TVA (MDL)	Preț, inclusiv TVA (MDL)	Suma, fără TVA (MDL)	Suma, inclusiv TVA (MDL)
1	34351100-3	215/65/16 HIFLY 98H Win-turi 212 iarna	buc	4	În termen de 15 zile din momentul solicitării comenzii prin e-mail.	960,00	1 152,00	3 840,00	4 608,00
2	34351100-3	185/65/15 HIFLY 88T Win-turi 212 iarna	buc	4	În termen de 15 zile din momentul solicitării comenzii prin e-mail.	670,00	804,00	2 680,00	3 216,00
3	34351100-3	235/65/16 C HIFLY 8pr 115/113R Win-transit iarna	buc	4	În termen de 15 zile din momentul solicitării comenzii prin e-mail.	1320,00	1 584,00	5 280,00	6 336,00
TOTAL LOT 1,2,3,								11 800,00	14 160,00

Semnat: _____ Numele, Prenumele: Socolova Natalia În calitate de: Director
Ofertantul: „Eximotor SA”, Adresa: mun. Chișinău, str. Albisoara 38A, MD2005





"EXIMOTOR" SA

Rețea de magazine auto

Anexa nr. 22
la Documentația standard nr. _____
din " " 20__

SPECIFICAȚIA TEHNICĂ

Numărul procedurii de achiziție nr. ocds-b3wdp1-MD-1695831340932 din 05.10.2023


Obiectul achiziției: Anvelope

Nr. d/o	Denumirea Bunurilor	Denumirea modelului	Producătorul	Țara de origine	Specificația tehnică solicitată	Specificația tehnică oferită	Standarde de referință
LOT nr 1							
1	Anvelope protector iarna 215/65, R16	215/65/16 HIFLY 98H Win-turi iarna	Shandong Hengfeng Ruber & Plastic Co., Ltd	China	Produs 2022-2023, garanție minim 40000km, cu montare și balansare	Produs a.2023 Index viteza: H – 210km Index sarcina axa: 98 – 750kg Garanție 40000km Montare și balansare	
2	Anvelope protector iarna 185/65, R15	185/65/15 HIFLY 88T Win-turi iarna	Shandong Hengfeng Ruber & Plastic Co., Ltd	China	Produs 2022-2023, garanție minim 40000km, cu montare și balansare	Produs a.2023 Index viteza: T – 190km Index sarcina axa: 88 – 560kg Garanție 40000km Montare și balansare	
3	Anvelope protector iarna 235/65, R16C	235/65/16 C HIFLY 8pr 115/113R Win-transit iarna	Shandong Hengfeng Ruber & Plastic Co., Ltd	China	Produs 2022-2023, garanție minim 40000km, cu montare și balansare	Produs a.2023 Index viteza: R – 170km Index sarcina axa: 115 – 1250kg Garanție 40000km Montare și balansare	

Semnat: _____ Numele, Prenumele: Socolova Natalia În calitate de: Director
Ofertantul: „Eximotor SA”, Adresa: mun. Chișinău, str. Albisoara 38A, MD2005



Adresa juridică: RM, mun. Chișinău, MD-2024, str. Aerodromului 15/6
Adresa poștală: RM, mun. Chișinău, MD-2005, str. Albisoara 38A
tel. 0 22 407-747; fax. 0 22 407-956
e-mail: director@coleso.md
www.coleso.md



c/f 1002600034712
TVA 0603690
BC "ProCredit Bank" SA
c/d 2251130060160201
BIC: PRCBMD22

**THE NETHERLANDS
(N E D E R L A N D)**

COMMUNICATION

Concerning ⁽¹⁾:



- ~~approval granted~~
- ~~approval extended~~
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of pneumatic tyre for motor vehicles pursuant to Regulation number 30.

Approval number: E4-30R-0257057

Extension number: 06

1. Manufacturer's name and address : Shandong Changfeng Tyres Co., Ltd.
High-tech Development Zone, Guangrao County,
Dongying City, Shandong Province, 257335
China(PRC)
2. Tyre type designation⁽²⁾
 - 2.1. Brand-name(s) or trade mark(s) : OVATION; TORQUE; HIFLY; GALLANT;
TOWNHALL; ONYX; SUNFULL; SOLAR;
MIRAGE; ECOVISION; SENTINEL;
DURATION; CACHLAND; Satoya; VITORA;
INTERSTATE; GOLDLINE; JUBATUS;
VOLAR; BASALT; GREEN DRAGON;
DERUIBO; SUNSET; Agate; YONKING;
WOSEN; nison
 - 2.2. Trade description(s)/ Commercial name(s) : VI-182; VI-682; VI-782; VI-882; VI-388; VI-189; VI-289; VI-188; VI- 288; TQ001; TQ005; TQ006; TQ007; TQ008; TQ009; TQ010; TQ002; TQ003; HF201; HF206; HF207; HF208; HF803; HF901; HF902; HF802; GL-12; GL62; GL19; GL29; GL32; GL52; GL38; GL18; GL28; T91; T92; NY261; NY266; NY961; NY962; NY866; NY862; HF886; HP430; NY865; TQ950; TQ012; TQ800; TQ910; TQ920; TQ900; TQ930; TQ020; HF203; HF205; HF805; HF806; HF807; HF808; HF809; Win-turi 211; VI-588;




ECO VISION VI-782; ECOVISION VI-682 ;
 VI-688; VI-788; VI-888; VI-988; W582;
 GL-72; GL22; GL-58; GL88; GL68; GL78;
 GL98; S52; SNOW GRIP; WINTER MASTER;
 TOURMASTER; TQ901; TQ022; Win-turi 212;
 W586; NY-901; NY-801; SF-986; SF-982;
 VIGOROUS HT601; VI-186HT; MR-HT; SF-
 HT; TQ-HT; MR-162; MR-182; TQ021; SF-686;
 SF-886; VI-286HT; MR-HT172; TQ-HT701;
 DN-HT701; Win-turi 215; W686; TQ023; SF-
 W11; VIGOROUS HT602; MR-HT272; SF-
 HT782; TQ-HT702; SF-688; VI-386HP;
 RADIAL A/S; VIGOROUS HP801; SF-809; VI-
 689; CH-261; WinterQuest; Mont-Pro HT781;
 ALL-turi 221; VI-782 AS; TQ025; MR-762 AS;
 SF-983 AS; CH-861; CH-W2001; S-77; S-88;
 CH-W2002; CH-W2003; CITYLIFE; SUV GT;
 SPORTLIFE; TOURING GT; SPORT GT; Mont-
 Pro HP881; ALL TERRAIN GT; DURATION
 30; NY-AT187; NY-HT187; CH-AS2005;
 CH-HT7007; CH-HT7006; HF909; VI-919; MR-
 199; TQ-AT701; VIGOROUS AT601; MR-
 AT172; Mont-Pro AT781; Mont-Pro HT782;
 Mont-Pro AT782; DN-AT701; VI-186AT; VI-
 286AT; MR-W562; MR-W662; SF-888;
 VIGOROUS AT602; VIGOROUS AT603; VI-
 386AT; TQ-AT; TQ-AT702; SF-AT; MR-AT;
 MR-AT272; SF-AT782; CH-HP8006;
 HIGHLIFE; GL-HP88; GL-AT71; GL-HT72;
 VI-786HP; SUV HT1; COMFORT c1; SPORT
 s1; WINTER w1; WINTER w2; AS COMFORT
 c1; ICE1; CH-268; iGL 910; GLP 101; WINTER-
 glw1; WINTER STUD-wsgl1; GL 4Season;
 ALL SEASON GT; COUNTRYLIFE; JT-301;
 JT-302; JT-303; JT-305; JT-307; JT-308 ; JT-
 309; JT-310; JT-311; JT-312; JT-315; JT-316;
 JT-HP321; JT-HP322; JT-W331; JT-W332; JT-
 W333; JT-351AS; JT-317; JT-318; JT-361; JT-
 362; JT-363; JT-HP323; JT-AT371 ; JT-HT371;
 JT-AT372; JT-AT373; JT-AT375; JT-AT376; JT-
 HT372; JT-HT373; JT-HT375; JT-HT376; JT-
 HT377; VL-501; VL-502; VL-503; VL-505; VL-
 507; VL-508; VL-509; VL-510; VL-511; VL-512;
 VL-515; VL-516; VL-HP521; VL-HP522; VL-
 HP523; VL-W531 ; VL-W532; VL-W533; VL-551
 AS; VL-517; VL-518; VL-561; VL-562; VL-563;
 VL-HP323; VL-AT571; VL-HT571; VL-AT572;
 VL-AT573; VL-AT575; VL-AT576 ; VL-HT572;
 VL-HT573; VL-HT575; VL-HT576; VL-HT577;
 BS-601; BS-602; BS-603; BS-605; BS-607; BS-
 608; BS-609; BS-610; BS-611; BS-612; BS-615;
 BS-616; BS-HP621; BS-HP622; BS-W631; BS-
 W632; BS-W633; BS-651 AS; BS-617; BS-618;
 BS-661; BS-362;

BS-663; BS-HP623; BS-AT671; BS-HT671; BS-AT672; BS-AT673; BS-AT675 ; BS-AT676; BS-HT672; BS-HT673; BS-HT675; BS-HT676; BS-HT377; GR-788; STREETLIFE; MR-W862; NY-AS 705; NY-W703; NY-W702; NY-W701; Win turi 216; W588; TQ026; MR-W962; SF-988; CH-W2006; WINTER w3; JT-W335; VL-W535; BS-W635; iGL SUV1; SUV+GT; SUV HP1; COMFORT c2; SPORT s2; SUV HT2; SUV HP2; SUV AT2; CH-AT7001; VIGOROUS AT605; TQ-AT705; MR- AT175; Mont-Pro AT785; VI-586AT; SUV AT1; JT-AT377; VL-AT577; BS-AT677; GHT500; GD 702; GD 108; GD 107; CH-269; NY-W705; RC21; RC23; RC25; RH63; RH65; RH 67; RH68; RH69; RU72; RU75; RW83; RW86; ENZO hp ^{B1}; ENZO uhp ^{B1}; VENTTURA A/T ^{B1}; VENTTURA H/T ^{B1}; AGC21; AGC23; AGC25; AGH67; AGH68; AGH69; AGU72; AGU75; AGH65; DR-206; DR-806; DR-HT701; DR-AT701; DR-906 ; RW88; DR-606; DR-216; DR-W516; DR-W517; DR-816; DR-316; DR-HT702; DR-916; AG-206; AG-806; AG-HT701; AG-AT701; AG-906; AW88; AG-606; AG-216; AG-W516; AG-W517; AG-816; AG-316; AG-HT702; AG-916; H218; W766; W767; C199; H368; T100; U558; YK686; YK786; YK800; YK900; YKL6; YKL8; YK700; YKS8; YK200; TQ-HP701; MR-HP172; NY-HP187; VENTTURA HP ^{B1}; TQ-HP702; MR-HP272; NY-HP287; CH-HP8008; SUV HP3; JT-HP325; VL-HP525; BS-HP625; IMPERIUM; FORTIS; ALONZO; AG-208; AG-808; AG-HT703; AG-HP703; AG-AT703

- | | | |
|------|---|---|
| 3. | If applicable, name and address of the manufacturer's representative | : not applicable |
| 4. | Summarised description | |
| 4.1. | Tyre size designation | : 215/65R16 |
| 4.2. | Category of use | : normal/snow/special use/temporary use ⁽¹⁾ |
| 4.3. | Structure | : diagonal/bias belted/radial/run flat tyre ⁽¹⁾ |
| 4.4. | Speed category symbol | : H |
| 4.5. | Load-capacity index | : 98 |
| 5. | Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity | : TÜV Rheinland Kraftfahrt GmbH
Technologiezentrum Verkehrssicherheit
Typprüfstelle Fahrzeuge/Fahrzeugteile
Am Grauen Stein
D-51105 Köln (Poll) |



6. Date of report issued by that service : August 20, 2018
7. Number of report issued by that service : 86-R30-1771/18-00
8. Reason(s) of extension (if applicable) : Addition of trade mark and trade descriptions
9. Any remarks : ---
10. Place : Zoetermeer
11. Date : 19-SEP-2018
12. Signature :


P. van Tol



13. The list of documents in the approval file which are deposited at the administrative service having delivered the approval and which can be obtained upon request.
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 30.
 - The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
 - The test report as mentioned in item 7.

-
- (1) Strike out what does not apply.
- (2) A list of Brand name(s)/trademark(s) or Trade description(s)/ Commercial name(s) may be annexed to this communication



THE NETHERLANDS
(N E D E R L A N D)

COMMUNICATION

Concerning ⁽¹⁾:

- approval granted
- approval extended
- approval refused
- approval withdrawn
- production definitely discontinued

of a type of pneumatic tyre for motor vehicles pursuant to Regulation number 54.


Approval number: E4-54R- 0021240

Extension number: 05


1. Manufacturer's name or trade mark(s) on the tyre type
OVATION; TORQUE; HIFLY; GALLANT;
: TOWNHALL; TEMPO; CONVOY; BRIC;
LEXANI; ONYX; CONSTANT; FLEET;
SUNTEK; OTANI; UNIX; ZEETEX;
MIRAGE; SUNFULL; ECOVISION;
NORDEXX; INTERSTATE; CACHLAND;
Satoya; VITORA; VIRBAC; JUBATUS;
VOLAR; BASALT; GOLDLINE; GREEN
DRAGON
2. Tyre type designation by the manufacturer
SUPER2000; SUPER3000; V-01; V-02; V-05;
: TQ2000; TQ3000; TQ8100; GL-01; GL02; GL05;
T10; T20; T50; TM200; TM300; TM810; CV200;
CV300; JA200; JA300; LX200; LX300; NY02;
NY03; CNT02; CNT03; FE02; FE03; Mars
Transport; OLT-5000; XLT-2000; LT-3; V-06;
TQ-02; TQ-05; TQ8200; SUPER6000; NY06;
MR100; MR200; SF-01; SF-02; Win-transit; WV-
03; WTQ5000; SF-W05; WMR300; Nivius Van
Win-transit 2; WV-05; WTQ6000; SF-W06;
WMR400; ALL-transit; V-07 AS; TQ7000 AS;
MR-700 AS; SF-08 AS; WORKLIFE; VAN GT;
CH-W5001; CH-W5002; NY-05; NY-06; S-01;
S-02; Cargo S; SF-W07; MR-W300; MR-W600;
ICE-transit; WV-06; SF-05; Win-transit II;
WTQ8000; MR-W400; CH-W5005; CH-AS5003;
CH-VAN100; VR-20; ALL SEASON VAN GT;
NY-W287; NY-W387; NY-W587; NY-AS 687;
VAN WINTER v1; VAN ICE1; VAN WINTER
v2; AS VAN v1; VAN v1; JT-01; JT-02; JT-03;



- JT-05; JT-06; JT-W336; JT-W337; JT-W338; JT-352 AS; JT-07; JT-08; VL-01; VL-02; VL-03; VL-05; VL-06; VL-W536; VL-W537; VL-W538; VL-552 AS; VL-07; VL-08; BS-01; BS-02; BS-03; BS-05; BS-06; BS-W636; BS-W637; BS-W638; BS-652 AS; BS-07; BS-08; LIGHT TRUCK glv-1; LT WINTER – gltw91; GL 4Season LT; GR-01
3. Manufacturer's name and address : Shandong Hengfeng Rubber & Plastic Co., Ltd.
Economic Development Zone, Dawang Town,
Guangrao County, Dongying City, Shandong
Province, 257335 P.R.China
4. If applicable, name and address of the manufacturer's representative : not applicable
5. Summarized description:
- 5.1. Size of tyre : 235/65R16C
- 5.2. Category of use : normal/~~special~~/snow ⁽¹⁾
- 5.3. Structure : ~~diagonal (bias-ply)~~/radial ⁽¹⁾
- 5.4. Tyre class : C2/~~C3~~ ⁽¹⁾
- 5.5. Speed category symbol:
- 5.5.1. nominal : R
- 5.5.2. additional (if applicable) : ---
- 5.6. Load-capacity indices:
- 5.6.1. Corresponding to nominal speed:
- single : 115
- twinned (dual) : 113
- 5.6.2. Corresponding to additional speed:
- single : ---
- twinned (dual) : ---
6. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : TÜV NORD Mobilität GmbH & Co. KG
Institut für Fahrzeugtechnik und Mobilität
Adlerstr. 7, D-45307 Essen
7. Date of report issued by that service : June 25, 2016
8. Number of report issued by that service : CS054-F0-2016-01719
9. Reason(s) for extension (if applicable) : Addition of trademarks and tread patterns
10. Any remarks : --
11. Place : Zoetermeer
12. Date : 13-JUL-2016



13. Signature


F.L.A. Rodenburg



14. Annexed to this communication is a list of documents in the approval file deposited at the administrative service having delivered the approval and which can be obtained upon request.
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 54.
 - The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
 - The test report as mentioned in item 8.

⁽¹⁾ Strike out what does not apply.





THE NETHERLANDS
(N E D E R L A N D)



COMMUNICATION

Concerning ⁽¹⁾:

- approval granted
- approval extended
- approval refused
- approval withdrawn
- production definitely discontinued

of a type of pneumatic tyre for motor vehicles pursuant to Regulation number 30.

Approval number: E4-30R-0251236


Extension number: 05


1. Manufacturer's name or trade mark(s) : OVATION; TORQUE; HIFLY; GALLANT;
on the tyre type TOWNHALL; ONYX; SUNFULL; SOLAR;
MIRAGE; ECOVISION; SENTINEL;
DURATION; CACHLAND; Satoya; VITORA;
INTERSTATE;
GOLDLINE; JUBATUS; VOLAR; BASALT;
GREEN DRAGON
2. Tyre type designation by the : VI-182; VI-682; VI-782; VI-882; VI-388; VI-
manufacturer 189; VI-289; VI-188; VI-288; TQ001; TQ005;
TQ006; TQ007; TQ008; TQ009; TQ010;
TQ002; TQ003; HF201; HF206; HF207; HF208;
HF803; HF901; HF902; HF802; GL-12; GL62;
GL19; GL29; GL32; GL52; GL38; GL18; GL28;
T91; T92; NY261; NY266; NY961; NY962;
NY866; NY862; HF886; HP430; NY865;
TQ950; TQ012; TQ800; TQ910; TQ920;
TQ900; TQ930; TQ020; HF203; HF205; HF805;
HF806; HF807; HF808; HF809; Win-turi 211;
VI-588; ECO VISION VI-782; ECO VISION
VI-682; VI-688; VI-788; VI-888; VI-988; W582;
GL72; GL22; GL-58; GL88; GL68; GL78;
GL98; S52; SNOW GRIP; WINTER MASTER;
TOURMASTER; TQ901; TQ022; Win-turi 212;
W586; NY-901; NY-801; SF-986; SF-982;
VIGOROUS HT601; VI-186HT; MR-HT; SF-
HT; TQ-HT; MR-162; MR-182; TQ021; SF-686;
SF-886; VI-286HT; MR-HT172; TQ-HT701;




DN-HT701; Win-turi 215; W686; TQ023; SF-W11; VIGOROUS HT602; MR-HT272; SF-HT782; TQ-HT702; SF-688; VI-386HP; RADIAL A/S; VIGOROUS HP801; SF-809; VI-689; CH-261; WinterQuest; Mont-Pro HT781; ALL-turi 221; VI-782 AS; TQ025; MR-762 AS; SF-983 AS; CH-861; CH-W2001; S-77; S-88; CH-W2002; CH-W2003; CITYLIFE; SUV GT; SPORTLIFE; TOURING GT; SPORT GT; Mont-Pro HP881; ALL TERRAIN GT; DURATION 30; NY-AT187; NY-HT187; CH-AS2005; CH-HT7007; CH-HT7006; HF909; VI-919; MR-199; TQ-AT701; VIGOROUS AT601; MR-AT172; Mont-Pro AT781; Mont-Pro HT782; Mont-Pro AT782; DN-AT701; VI-186AT; VI-286AT; MR-W562; MR-W662; SF-888; VIGOROUS AT602; VIGOROUS AT603; VI-386AT; TQ-AT; TQ-AT702; SF-AT; MR-AT; MR-AT272; SF-AT782; CH-HP8006; HIGHLIFE; GL-HP88; GL-AT71; GL-HT72; VI-786HP; SUV HT1; COMFORT c1; SPORT s1; WINTER w1; WINTER w2; AS COMFORT c1; ICE1; CH-268; iGL910; GLP101; WINTER-glwl; WINTER STUD-wsgll; GL 4Season; ALL SEASON GT; COUNTRYLIFE; JT-301; JT-302; JT-303; JT-305; JT307; JT-308; JT-309; JT-310; JT-311; JT-312; JT-315; JT-316; JT-HP321; JT-HP322; JT-HP323; JT-W331; JT-W332; JT-W333; JT-351 AS; JT-317; JT-318; JT-361; JT-362; JT-363; JT-HP323; JT-AT371; JT-HT371; JT-AT372; JT-AT373; JT-AT375; JT-AT376; JT-HT372; JT-HT373; JT-HT375; JT-HT376; JT-HT377; VL-501; VL-502; VL-503; VL-505; VL-507; VL-508; VL-509; VL-510; VL-511; VL-512; VL-515; VL-516; VL-HP521; VL-HP522; VL-HP523; VL-W531; VL-W532; VL-W533; VL-551 AS; VL-517; VL-518; VL-561; VL-562; VL-563; VL-HP323; VL-AT571; VL-HT571; VL-AT572; VL-AT573; VL-AT575; VL-AT576; VL-HT572; VL-HT573; VL-HT575; VL-HT576; VL-HT577; BS-601; BS-602; BS-603; BS-605; BS-607; BS-608; BS-609; BS-610; BS-611; BS-612; BS-615; BS-616; BS-HP621; BS-HP622; BS-HP623; BS-W631; BS-W632; BS-W633; BS-651 AS; BS-617; BS-618; BS-661; BS-362; BS-663; BS-HP623; BS-AT671; BS-HT671; BS-AT672; BS-AT673; BS-AT675; BS-AT676; BS-HT672; BS-HT673; BS-HT675; BS-HT676; BS-HT377; GR-788; STREETLIFE; MR-W862; NY-AS 705; NY-W703; NY-W702; NY-W701; Win turi 216; W588; TQ026; MR-W962; SF-988; CH-W2006; WINTER w3; JT- W335; VL-W535; BS-W635



3. Manufacturer's name and address : Shandong Hengfeng Rubber & Plastic Co., Ltd.
Economic Development Zone, Dawang Town,
Guangrao County, Dongying City,
Shandong Province 257335, P.R. China
4. If applicable, name and address of the manufacturer's representative : not applicable
5. Summarised description
- 5.1. Tyre size designation : 185/65R15
- 5.2. Category of use : normal/snow/~~special use~~/temporary use⁽¹⁾
- 5.3. Structure : ~~diagonal/bias belted~~/radial/~~run flat~~ tyre⁽¹⁾
- 5.4. Speed category symbol : T
- 5.5. Load-capacity index : 88
6. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : TÜV Rheinland Kraftfahrt GmbH
Technologiezentrum Verkehrssicherheit
Typprüfstelle Fahrzeuge/Fahrzeugteile
Am Grauen Stein
D-51105 Köln (Poll)
7. Date of report issued by that service : June 10, 2016
8. Number of report issued by that service : 86-R30-1503/16-00
9. Reason(s) of extension (if applicable) : addition of trade marks and tyre type designations
10. Any remarks : ---
11. Approval : ~~granted~~/extended/~~refused~~/~~withdrawn~~⁽¹⁾
12. Place : Zoetermeer
13. Date : 23-JUN-2016
14. Signature : 
15. The list of documents in the approval file which are deposited at the administrative service having delivered the approval and which can be obtained upon request:
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 30.
- The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
- The test report as mentioned in item 8.



⁽¹⁾ Strike out what does not apply.

BC „EXIMBANK” SA
03. OCT. 2023**SCRISOARE DE GARANȚIE BANCARĂ nr. 10764/3**
pentru participare cu ofertă la procedura de atribuire a contractului de achiziție publică

Către **IMSP Spitalul Clinic al Ministerului Sănătății**, mun. Chișinău, str. Pușkin, nr. 51, cu privire la procedura de atribuire a contractului, pentru **achiziționarea anvelopelor**, conform LP nr. **ocds-b3wdp1-MD-1695831340932** din **05.10.2023**, subsemnatii B.C. „Eximbank” S.A., înregistrat la MD2004, Republica Moldova, mun. Chișinău, bd. Ștefan cel Mare și Sfânt, 171/1, ne obligăm față de **IMSP Spitalul Clinic al Ministerului Sănătății**, să plătim suma de **248-00 (două sute patruzeci și opt) lei 00 bani**, la prima sa cerere scrisă și fără ca acesta să aibă obligația de a-și motiva cererea respectivă, cu condiția, ca în cererea sa autoritatea contractantă să specifice că suma cerută de ea și datorată ei este din cauza existenței uneia sau mai multora dintre situațiile următoare:

1. Ofertantul „**Eximotor**” SA își retrace sau modifică oferta în perioada de valabilitate a acesteia.
2. Oferta sa fiind stabilită câștigătoare, ofertantul „**Eximotor**” SA nu a constituit garanția de bună execuție.
3. Oferta sa fiind stabilită câștigătoare, ofertantul „**Eximotor**” SA a refuzat să semneze contractul de achiziție publică de bunuri/servicii;
4. Nu se execută vreo condiție, specificată în documentația de atribuire înainte de semnarea contractului de achiziție publică de bunuri/servicii.

Prezenta garanție este valabilă din data de **05.10.2023** până la data de **14.11.2023**.

Parafată de Banca

Galina Merzleacova
Director-adjunct, Sucursala № 20

Data 03.10.2023

