


Fiber light cable



- High-performance fiber optic material "made in Germany"
- Fast "snap-on" precision connection between endoscope and light cable
- Anti-kink protection made of steel allows for a particularly high number of usage cycles
- Suitable for low-temperature procedure
- **Steam-sterilizable**
- Standardized color coding of light cables and endoscopes based on their diameters
- Adapters for compatibility with light sources and endoscopes from different manufacturers



Fiber light cable

with color coding

Fiber light cable, complete	Color coding on endoscope side	Ø of fiber bundle and color code	Length	Fiber light cable without adapter Product no.	Complete Product no.
 Fiber light cable, bndl Comprising: Fiber light cable, Adapter, projector side (8095.07), and adapter, endoscope side (809509)		1.6 mm blue	1.8 m	80661618*	806616181
			2.3 m	80661623*	806616231
			3.0 m	80661630*	806616301
		2.5 mm green	1.8 m	80662518*	806625181
			2.3 m	80662523*	806625231
			3.0 m	80662530*	806625301
		3.5 mm orange	1.8 m	80663518*	806635181
			2.3 m	80663523*	806635231
			3.0 m	80663530*	806635301
			3.5 m	80663535*	806635351
		5.0 mm grey	2.3 m	80665023*	806650231
			3.0 m	80665030*	806650301
			3.5 m	80665035*	806650351


- * The light cables can also be ordered without adapter.
Adapters for connecting products from other manufacturers are offered as separate items in our product range.

Adapter


for RICHARD WOLF light cables

**Connection with fiber light cable (RICHARD WOLF)
to light sources and endoscopes (other manufacturers)**


Light source from other manufacturer



Fiber light cable



Endoscope from other manufacturer



Light source made by:	Adapter on projector side	Adapter on endoscope side	Endoscope made by:
Storz	fits directly		ACMI + Circon Henke-Hass-Wolf without adapter
Olympus	 8096.811	 807002	Storz without adapter
Stryker	 8095.07* * Standard in the V set		Olympus without adapter
		 807001	Stryker without adapter
			ACMI + Circon Henke-Hass-Wolf
			Storz
			Olympus
			Stryker

Electrodes

for resectoscopes, 4 mm telescope,
30°, 25°, 12°

Elektroden

für Resektoskope, Optik 4 mm,
30°, 25°, 12°

für Schaft for sheath			22 Charr. / Fr.	24 Charr. / Fr.	26 Charr. / Fr.	28 Charr. / Fr.
für Dauerspül-Schaft for continuous-irrigation sheath	Bügel Loop		24.5 / 25.5 Charr. / Fr.	26 / 27 Charr. / Fr.	28.9 Charr. / Fr.	
	0.3 mm	Gabel Branches	blau / blue	grün / green	weiß / white	
			8422.131	8424.131	8426.131 oder / or 8426.132*	
		Stiel Stem	rot / red	rot / red	rot / red	
	0.35 mm	Gabel Branches	blau / blue			
			8422.351			
		Stiel Stem	rot / red			
	0.4 mm	Gabel Branches		grün / green	weiß / white	gelb / yellow
				8424.141	8426.141 oder / or 8426.142*	8428.142*
		Stiel Stem		blau / blue	blau / blue	blau / blue
	0.35 mm	Gabel Branches	blau / blue			
			8422.335			
		Stiel Stem	rot / red			
	0.35 mm	Gabel Branches	blau / blue			
			8422.235			
		Stiel Stem	rot / red			
		Gabel Branches	blau / blue			
			8423.04			
		Stiel Stem	blau / blue			

* Electrode with guide stud for better stabilization. Suitable only for working elements with guide stud.

* Elektrode mit Führungsnase zur besseren Stabilisierung. Nur für Elektroden-Arbeits-Element mit Führungsschlitz geeignet.

Lot : 89

HF CONNECTION CABLE MONO 8106xxx

Instrument connector	Device connector		Product no.
WOLF Instruments/surgical generator  HF electrodes, monopolar 		HF connection cable mono L 3 m	8106.032
	Erbe (ACC/ICC/VIO)/BOWA (EU) R. Wolf HF surgical generator 400 kHz 2260002	HF connection cable mono L 5 m	8106.052
		HF connection cable mono L 3 m	8106.132
	Erbe (T series)	HF connection cable mono L 5 m	8106.152
		HF connection cable mono L 3 m	8106.031
	Martin (M-version)/Berchtold/ Aesculap	HF connection cable mono L 5 m	8106.051
		HF connection cable mono L 3 m	8106.033
	Bovie/Valleylab/Erbe (Int.)/ BOWA (Int.) R. Wolf HF surgical generator 400 kHz 2260001	HF connection cable mono L 5 m	8106.053
		HF connection cable mono L 3 m	8106.034
	BOWA (Int./EU) Eschmann and other devices with 4 mm plugs R. Wolf HF surgical generator 400 kHz 2260001/2260002	HF connection cable mono L 5 m	8106.054