

# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 1 of 11

**Applicant** : Ningbo SCG Lighting CO., LTD

**Address** : PANHUO ROAD, PANHUO STREET, YINZHOU DISTRICT. NINGBO ZHEJIANG

The following sample(s) was /were submitted and identified on behalf of the clients as :

**Sample Name** : LED Streetlight

**Sample Model** : SL708-200W

**Sample Received Date** : Feb. 03, 2023

**Testing Period** : Feb. 03, 2023 To Feb. 10, 2023

**Test Requested** : Selected test (s) in the selected parts as requested by client with the RoHS 2 Directive 2011/65/EU Annex II (EU) 2015/863 as last amended by Directive (EU) 2017/2102.

**Test Method** : 1. As specified by client, to screen Lead(Pb), Cadmium(Cd), Mercury(Hg), Chromium(Cr) and Bromine(Br) in the submitted sample(s) by XRF.  
2. As specified by client, when screening results exceed the XRF screening limit in IEC 62321-3-1: 2013, further use of wet chemical methods are required to test Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), Polybrominated Biphenyls(PBBs), Polybrominated Diphenyl Ethers(PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutylphthalate (DBP), and Diisobutyl phthalate (DIBP) in the submitted sample(s).

**Test Result** : Please refer to next page(s).

**Conclusion** : **PASS** (Based on test results)

Signed for and on behalf of



**Tony Qian/Approved Signatory**

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng, Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: <http://www.keys-lab.com>

# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 2 of 11

**Additional models:**

SL701-50W,SL701-100W,SL701-150W,SL702-30W,SL702-50W,SL702-80W,SL702-100W,SL702-120W,  
SL702-150W,SL702-200W,SL-703-30W,SL-703-50W,SL-703-60W,SL-703-80W,SL-703-100W,  
SL-703-120W,SL-703-150W,SL-703-200W,SL705-30W,SL705-50W,SL705-100W,SL705-150W,  
SL705-200W,SL706-50W,SL706-100W,SL706-150W,SL706-200W,SL707-30W,SL707-50W,SL707-80W,  
SL707-100W,SL707-120W,SL707-150W,SL707-200W,SL708-50W,SL708-100W,SL708-150W,  
SL709-60W,SL709-100W,SL709-150W,SL709-200W,SL710-50W,SL710-100W,SL710-150W,SL710-200W

**Summary of Test Results:**

TEST REQUEST	CONCLUSION
RoHS Directive 2011/65/EU and its subsequent amendments Directive (EU) 2015/863	--
(1)To determine Lead (Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)),Polybrominated Biphenyls (PBBs) and Polybrominated DiphenylEthers (PBDEs)content by screening test and chemical test	<b>PASS</b>
(2) To determine Phthalates (DBP, BBP, DEHP, DIBP) content by chemical test	<b>PASS</b>

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng, Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: http://www.keys-lab.com

# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 3 of 11

## Sample Description:

No.	Name
1	White Metal Housing
2	Screws
3	Black Wire Skin
4	Blue Wire Skin
5	Brown Wire Cover
6	Yellow-Green Wire Skin
7	Core
8	Transparent Plastic
9	PCB
10	Resistors
11	Capacitor
12	Diode
13	Triode
14	Inductors
15	Transformer
16	Bridge Stack
17	Aluminum Substrate
18	LED

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng,  
Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng,  
Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: <http://www.keys-lab.com>

# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 4 of 11

## 1. XRF Test Result:

No.	XRF Result(mg/kg)					Chemical Test (mg/kg)	Conclusion
	Pb	Cd	Hg	Cr	Br		
1	BL	BL	BL	BL	--	--	Pass
2	BL	BL	BL	BL	--	--	Pass
3	BL	BL	BL	BL	BL	--	Pass
4	BL	BL	BL	BL	BL	--	Pass
5	BL	BL	BL	BL	BL	--	Pass
6	BL	BL	BL	BL	BL	--	Pass
7	BL	BL	BL	BL	--	--	Pass
8	BL	BL	BL	BL	BL	--	Pass
9	BL	BL	BL	BL	BL	--	Pass
10	BL	BL	BL	BL	--	--	Pass
11	BL	BL	BL	BL	--	--	Pass
12	BL	BL	BL	BL	--	--	Pass
13	BL	BL	BL	BL	--	--	Pass
14	BL	BL	BL	BL	--	--	Pass
15	BL	BL	BL	BL	--	--	Pass
16	BL	BL	BL	BL	--	--	Pass
17	BL	BL	BL	BL	--	--	Pass

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng, Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: http://www.keys-lab.com

# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 5 of 11

No.	XRF Result(mg/kg)					Chemical Test (mg/kg)	Conclusion
	Pb	Cd	Hg	Cr	Br		
18	BL	BL	BL	BL	BL	--	Pass

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng,  
Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng,  
Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: <http://www.keys-lab.com>

# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 6 of 11

**Remark:**

1. It is the result on total Br while test item on restricted substances in PBBs/PBDEs. It is the result on total Cr while test item on restricted substances is Cr(VI).

2. Screening test by XRF spectroscopy

XRF screening limits in mg/kg for regulated elements according to IEC 62321-3-1: 2013 Annex A.

Element	Polymer Material	Metallic Material	Composite Material
Pb	$BL \leq 700 - 3\sigma \leq X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma \leq X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma \leq X < 1500 + 3\sigma \leq OL$
Cd	$BL \leq 70 - 3\sigma \leq X < 130 + 3\sigma \leq OL$	$BL \leq 70 - 3\sigma \leq X < 130 + 3\sigma \leq OL$	$LOD < X < 150 + 3\sigma \leq OL$
Hg	$BL \leq 700 - 3\sigma \leq X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma \leq X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma \leq X < 1500 + 3\sigma \leq OL$
Cr	$BL \leq 700 - 3\sigma < X$	$BL \leq 700 - 3\sigma < X$	$BL \leq 500 - 3\sigma < X$
Br	$BL \leq 300 - 3\sigma < X$	--	$BL \leq 250 - 3\sigma < X$

**XRF detection limits in mg/kg for regulated elements in various material**

Element	Polymer Material	Metallic Material	Composite Material
Pb	10	50	50
Cd	10	50	50
Hg	10	50	50
Cr	10	50	50
Br	10	50	50

**Note:**

-BL = Under the XRF screening limit

-OL = Future chemical test will be conducted while result is above the screening limit

-X = The symbol "X" marks the region where further investigation is necessary

-3σ = The reproducibility of analytical instruments

-LOD = Detection limit

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng, Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: http://www.keys-lab.com

# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 7 of 11

## 2. Wet Chemical Test

Test Item(s)	Test Method/ Test Equipment	Unit	Limit	MDL
Cadmium(Cd)	IEC 62321-5:2013, ICP-OES	mg/kg	100	2
Lead(Pb)	IEC 62321-5:2013, ICP-OES	mg/kg	1000	2
Mercury(Hg)	IEC 62321-4:2013+AMD1:2017, ICP-OES	mg/kg	1000	2
Hexavalent Chromium(CrVI) (Metal)	IEC 62321-7-1:2015, UV-Vis	µg/cm <sup>2</sup>	0.13	0.1
Hexavalent Chromium(CrVI) (Nonmetal)	IEC 62321-7-2:2017, UV-Vis	mg/kg	1000	8
PBBs (Next form)	IEC 62321-6:2015, GC-MS	mg/kg	1000	5
PBDEs (Next form)	IEC 62321-6:2015, GC-MS	mg/kg	1000	5
Dibutyl Phthalate(DBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Butyl benzyl phthalate (BBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Di-(2-ethylhexyl) Phthalate(DEHP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30
Diisobutyl phthalate (DIBP)	IEC 62321-8:2017, GC-MS	mg/kg	1000	30

PBBs		PBDEs	
Monobromobiphenyl	Hexabromobiphenyl	Monobromodiphenyl ether	Hexabromodiphenyl ether
Dibromobiphenyl	Heptabromobiphenyl	Dibromodiphenyl ether	Heptabromodiphenyl ether
Tribromobiphenyl	Octabromobiphenyl	Tribromodiphenyl ether	Octabromodiphenyl ether
Tetrabromobiphenyl	Nonabromobiphenyl	Tetrabromodiphenyl ether	Nonabromodiphenyl ether
Pentabromobiphenyl	Decabromobiphenyl	Pentabromodiphenyl ether	Decabromodiphenyl ether

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng, Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: <http://www.keys-lab.com>

# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 8 of 11

- Note:**
1. mg/kg= ppm=0.0001%
  2. N.D.= Not Detected(<MDL)
  3. MDL = Method Detection Limit
  4. -- = No Testing
  5. When Cr (VI) in a sample is detected below the 0.10  $\mu\text{g}/\text{cm}^2$  LOQ (limit of quantification), the sample is considered to be negative for Cr (VI). Since Cr (VI) may not be uniformly distributed in the coating even within the same sample batch, a "grey zone" between 0.10  $\mu\text{g}/\text{cm}^2$  and 0.13  $\mu\text{g}/\text{cm}^2$  has been established as "inconclusive" to reduce inconsistent results due to unavoidable coating variations. In this case, additional testing may be necessary to confirm the presence of Cr (VI). When Cr (VI) is detected above 0.13  $\mu\text{g}/\text{cm}^2$ , the sample is considered to be positive for the presence of Cr (VI) in the coating layer. Unavoidable coating variations may influence the determination Information on storage conditions and production date of the tested sample is unavailable and thus Cr (VI) results represent status of the sample at the time of testing.

### 3. Phthalate Test Result:

Test Item(s)	No.3	No.4	No.5	No.6	No.8
Dibutyl Phthalate (DBP)	N.D.	N.D.	N.D.	N.D.	N.D.
Butyl benzyl phthalate (BBP)	N.D.	N.D.	N.D.	N.D.	N.D.
Di-(2-ethylhexyl) Phthalate(DEHP)	N.D.	N.D.	N.D.	N.D.	N.D.
Diisobutyl phthalate (DIBP)	N.D.	N.D.	N.D.	N.D.	N.D.
Test Item(s)	No.9	No.18	--	--	--
Dibutyl Phthalate (DBP)	N.D.	N.D.	--	--	--
Butyl benzyl phthalate (BBP)	N.D.	N.D.	--	--	--
Di-(2-ethylhexyl) Phthalate (DEHP)	N.D.	N.D.	--	--	--
Diisobutyl phthalate (DIBP)	N.D.	N.D.	--	--	--

- Note:**
1. mg/kg= ppm=0.0001%
  2. N.D.= Not Detected(<MDL)

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.


**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng, Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: http://www.keys-lab.com




**Test Process:**

1. Test for Cd/Pb Content




2. Test for Hg Content




This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

### 3. Test for Chromium (VI) Content



### 4. Test for DBP, BBP, DEHP, DIBP, PBB, PBDE Content



This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng, Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng, Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: <http://www.keys-lab.com>


# Test Report

Report No: KEYS23020810004RH-03

Date: Feb. 10, 2023

Page 11 of 11

**Sample Photo:**



\*\*\* End of Report \*\*\*

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

**Guangdong KEYS Testing Technology Co., Ltd.**

Address: Room 206, Building 1, Huagu Technology Center, No. 6 Hehe Street, Hengkeng,  
Liaobu Town, Dongguan City, Guangdong Province  
6/F., Building B, Chuangyigu Industrial Park, No.5, Hehe Street, Songxi Road, Hengkeng,  
Liaobu, Dongguan, Guangdong, China/523413  
Tel: 0769-89798319 E-mail: info@keys-lab.com Web: <http://www.keys-lab.com>