



Adress : Barış Mahallesi,1805/3 Sokak.No:5/A Gebze Kocaeli.
Tel :+90 262 644 00 20 PBX
Fax :+90 216 515 48 86
Web :www.sonmezlermetal.com.tr

MALZEME TEST SERTİFİKASI MILL TEST CERTIFICATE

Müşteri Adı ve Adresi:
Name and Address of the Customer:

LLC METALICA-ZUEV
MD-2028, Moldova, Chisinau st. G. Asaki, 62 – 22

CE
2138

EN 10219 NO: 2138-CPR-250/22

EN 10219 DOP NO: SNM.DOP.001

Sertifika No/Certificate No : 298
Sayfa/Page : 1
Sevk Tarihi/Date of Dispatch : 6.11.2023
Sertifika Tarihi/Certificate Date : 7.11.2023
Sertifika Normu/Certificate Norm : EN 10204:2004/3.1
Satış Belgesi/Order No : SSPA-017089
Sefer Numarası/Shipment No : HXX860

Ürün Bilgisi ve Mekanik Testler/Product Information and Mechanical Tests

Sıra Item	Tip Type	Ebat Size	Barkod Barcode	Döküm Heat	KG	Lot No	Üretim Normu Production Norm	Kalite Steel Grade	YS N/mm ²	TS N/mm ²	E %	N. Bölgesi S. Location	N. Yönü S. Direction	N. Şekli S. Type	IE 1 J	IE 2 J	IE 3 J	IE AV. J	TT °C	N. Şekli S. Type	N. Genişliği S. Width	HT BAR	HT TIME Sec.
1		14.0 mm Plaka	1500x6000	B000374234	ND33109-010	13948,6	SSPA-017089	UR20-058893	S235JR	306	472	28,3											
2		20.0 mm Plaka	1500x6000	B000365177	PA01259-201	1425	SSPA-017089	UR20-057277-002-001	S235JR	292	445	30,8											
3		25.0 mm Plaka	1500x6000	B000397954	PA02412-204	7126,4	SSPA-017089	UR20-062882-052-001	S235JR	298	459	31,8											
4																							
5																							

Kimyasal ve Diğer Testler / Chemical and Other Tests

Kimyasal ve Diğer Testler / Chemical and Other Tests																													
Sıra Item	Barkod Barcode	C %	Si %	S %	Mn %	P %	Al %	Cr %	Mo %	Ni %	Cu %	N %	Ti %	V %	Nb %	Ceq %	CEIW %	CEPCM %	M	Heat Treatment		VDC	FT	BD	EX	Non Destructive Testin			B
																				Type	Temp.					ECT	UT	PA	
1	B000374234	0,17	0,02	0,008	0,90	0,014		0,01	0,006	0,01	0,02		0,001	0,001	0,001	0,321													
2	B000365177	0,17	0,02	0,004	0,70	0,023		0,10	0,020	0,11	0,42		0,001	0,003	0,001	0,346													
3	B000397954	0,16	0,02	0,002	0,80	0,012		0,06	0,018	0,08	0,24		0,001	0,005	0,001	0,330													
4																													
5																													

G İyi/Good
YS :Akma Muk./Yield Strength(N/mm²)
TS :Çekme Muk./Tensile Strength(N/mm²)
E :Uzama/Elongation (%)
B: Havsalı/ Bevelled
VDC: Görsel Kontrol/ Visual Dimensional Check
EK: Geniletilme/ Expanding
HT: Hidrostatik Test/ Hydrostatic Test(Bar)
IE :Darbe Enerjisi/Impact Energy
TT :Test Sıcaklığı/ Test Temp.for Impact Testing
HT TIME: Saniye/ Second
FT: Yassılma/ Flattening
BD: Bükme/Bending

WS: Kaynak Dikisi/Weld Seam
FB: Tüm Gövde/Full Body
M: Markalama/Marking
PA/PPB: Paket (ç) adedi/Pieces per bundle
L: Boyunluk/Length(Inch)
T: Enine/Transverse
WS: Kaynak Dikisi/Weld Seam
ECT: Eddy Current Test
UT: Ultrasonic Test
PA: Phased Array
R: Düz/Flat
P: Boru/Pipe

EN 10219-1 CE Kapsamı/Scope:
20mmX20mm' den - 120mmX120mm 'ye kadar,
kalınlık 1,50 mm'den 6 mm'ye kadar: kare profil
From 20mmX20mm up to 120mmX120mm
Thickness: from 1,50mm up to 6mm square profile
10mmX30 mm 'den 100x150 mm'ye kadar,
kalınlık 1,50 mm'den 6 mm'ye kadar: dikdörtgen profil
From 10mmX30mm up to 100mmX150mm
Thickness: from 1,50mm up to 6mm rectangular profile
Ø 19mm'den -Ø 165,1mm'ye kadar
kalınlık 1,50 mm'den 6 mm'ye kadar: kare dairesel profil
From Ø 19mm Ø165,1 mm
Thickness: from 1,50mm up to 6mm circular profile

Onay/Approved By

Kalite Müdürü/Quality Manager
OĞUZ KEMAL ÖNER
oguzoner@sonmezlermetal.com.tr

SÖNMEZLER METAL DEMİR ÇELİK
İNŞ. SAN. VE TİC. A.Ş.
19 Mayıs Mah. Gebze Sok. No:4
KAPALIÇAYIRI KÜLTÜR BLD.
Tic.Sic.No: 221168 Şişli Şişli No:5779280500820001
KAPALIÇAYIRI V.D. : 779 080 5008

Bu Sertifika SÖNMEZLER METAL DEMİR ÇELİK İNŞ SAN VE TİC. A.Ş. tarafından üretilen standartlara ve sipariş kontratına uygun olduğunu teyit ederiz.
These results are certified by SÖNMEZLER METAL DEMİR ÇELİK İNŞ SAN VE TİC. A.Ş. and comply with the requirements of the product description.

DISPOSITION	"METALLICA" 5 X 1
PROBATION	20000000
PROBATION DATE	10 04 1988

© 2004 Jones & Bartlett Publishers
Printed in the United States of America

STEEL GRADE & SPECIFICATION: S235JR DIN EN10025
TYPE OF PRODUCT DESCRIPTION: HOT ROLLED STEEL SHEETS/PLATES

DATE: 30.1.2023
REPORT NO: 6235

[illegible]

WE (SUPPLIER) HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN MADE BY THE BASIC OXYGEN PROCESS AND TESTED IN ACCORDANCE WITH THE RULES OF DIN EN 10346:2015 AND STATED GRADES BY MANUFACTURER.

NOTE: T = Top, M = Middle, E = End, T = Transverse, L = Longitudinal, P.S. = Piece of Soap, P.P. = Piece of Plate



Alfred



Adress : Barış Mahallesi.1805/3 Sokak.No:5/A Gebze Kocaeli.
Tel :+90 262 644 00 20 PBX
Fax :+90 216 515 48 86
Web :www.sonmezlermetal.com.tr

MALZEME TEST SERTİFİKASI MILL TEST CERTIFICATE

Müşteri Adı ve Adresi:
Name and Address of the Customer:

LLC METALICA-ZUEV
MD-2028, Moldova, Chisinau st. G. Asaki, 62 - 22



2797 CPR 795327

0086 CPR 784543

EN 10219 NO: 2797 CPR 795327

EN 10219 DOP NO: SNM.DOP.001

Sertifika No/Certificate No : 464
Sayfa/Page : 1
Sevk Tarihi/Date of Dispatch : 23.01.2024
Sertifika Tarihi/Certificate Date : 23.01.2024
Sertifika Normu/Certificate Norm : EN 10204:2004/3.1
Satış Belgesi/Order No : SSPA-017864
Sefer Numarası/Shipment No : RGR789

Ürün Bilgisi ve Mekanik Testler/Product Information and Mechanical Tests

Sıra Item	Tip Type	Ebat Size	Barkod Barcode	Döküm Heat	KG	Lot No	Üretim Normu Production Norm	Kalite Steel Grade	YS N/mm ²	TS N/mm ²	E %	N. Bölgesi S. Location	N. Yönü S. Direction	N. Şekli S. Type	IE 1 J	IE 2 J	IE 3 J	IE AV J	TT °C	N. Şekli S. Type	N. Geniştir S. Width	HT BAR	HT TIME Sec.
1		10.0 mm Plaka	1500x6000	B000437750	PE20439-011	10620	SSPA-017864	UR20-069622-001-001	S235JR	305	420	33,2											
2		10.0 mm Plaka	1500x6000	B000436389	PE20439-011	11330	SSPA-017864	UR20-069622-001-002	S235JR	305	420	33,2											
3																							
4																							
5																							

Kimyasal ve Diğer Testler / Chemical and Other Tests

Sıra Item	Barkod Barcode	C %	Si %	S %	Mn %	P %	Al %	Cr %	Mo %	Ni %	Cu %	N %	Ti %	V %	Nb %	Coq %	CEIW %	CEPCM %	M	Heat Treatment		VDC	FT	BD	EX	Non Destructive Testin			B
																				Type	Temp.					ECT	UT	PA	
1	B000437750	0,16	0,01	0,012	0,61	0,018		0,03	0,006	0,02	0,06		0,001	0,002	0,002	0,270													
2	B000436389	0,16	0,01	0,012	0,61	0,018		0,03	0,006	0,02	0,06		0,001	0,002	0,002	0,270													
3																													
4																													
5																													

G iyi/Good

YS :Akma Muk./Yield Strength(N/mm²)

TS :Çekme Muk./Tensile Strength(N/mm²)

E :Uzama/Elongation (%)

B :Havsalı/Bevelled

VDC: Görsel Kontrol/ Visual&Dimensional Check

EX: Geniletme/ Expanding

HT: Hidrostatik Test/ Hydrostatic Test(Bar)

IE :Darbe Enerjisi/Impact Energy

TT :Test Sıcaklığı/ Test Temp.for Impact Testing

HT TIME: Saniye/ Second

FT: Yassılma/ Flattening

BD: Bükme/Bending

WS: Kaynak Dikisi/Weld Seam

FB: Tüm Gövde/Full Body

M: Markalama/Marking

PIAPPB: Paket içi adet/Pieces per bundle

E: Boyunlu/Longitudinal

T: Enine/Transverse

WS: Kaynak Dikisi/Weld Seam

ECT: Eddy Current Test

UT: Ultrasonic Test

PA: Phased Array

F: Düz/Flat

P: Boru/Pipe

EN 10219-1 CE Kapsam/Scope:

20mmX20mm' den - 120mmX120mm' ye kadar,
kalınlık 1,50 mm'den 6 mm'ye kadar kare profil
From 20mmx20mm up to 120mmx120mm
Thickness: from 1,50mm up to 6mm square profile
10mmX30 mm' den 100x150 mm'ye kadar,
kalınlık 1,50 mm'den 6 mm'ye kadar dikdörtgen profil
From 10mmx30mm up to 100mmx150mm
Thickness: from 1,50mm up to 6mm rectangular profile
Ø 19mm'den -Ø 165,1mm'ye kadar
kalınlık 1,50 mm'den 6 mm'ye kadar kare profil dairesel profil
From Ø 19mm Ø165,1 mm
Thickness: from 1,50mm up to 6mm circular profile

Onay/Approved By

Kalite Müdürü/Quality Manager

OGUZ KEMAL ÖNER

oguzoner@sonmezlermetal.com.tr

Bu Sertifika SÖNMEZLER METAL DEMİR ÇELİK İNŞ SAN VE TİC. A.Ş. tarafından üretilen standartlara ve sipariş kontratına uygun olduğunu teyit ederiz.
These results are certified by SÖNMEZLER METAL DEMİR ÇELİK İNŞ SAN VE TİC. A.Ş. and compl with the requirements of the product description.

Manufacturer: BAS STEEL PROFILE SRL str.Vozalinea 28, Taraclia, Moldova Phone:+373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		Transport:			
Customer: METALICA-ZUEV		No. 2031 Date: 22.03.2024		B03-B06		B12	
Contract No. 1D Specification № 0015/1D Order No. Destination Moldova		A06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded A07 Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 1089, Plain ends, straight cut from mill		Total weight, Kg 22624		Total Length, m 1 728,00 (meters)	
				Pieces: 144 Bundles: 9		EN 10219-1/2 S235JRH	
						 2174	


Mechanical Test											
B09	B10	Steel	B07	Heat	C02	C03	C11	C12	C13	D02	D03
Dimension(mm)	W.T.(mm)	Grade	Nr. Bundles	Direction of the		Test	ReH	Rm	A	Ra	Hydraulic
				test pieces		temperature				µm	sure, bar, min.
140x100	4	S235JRH	0019\152	813288-9	L	ambient	289	402	30	-	
140x100	4	S235JRH	0020\152	813288-9	L	ambient	289	402	30	-	
140x100	4	S235JRH	0021\152	813288-9	L	ambient	289	402	30	-	
140x100	4	S235JRH	0018\152	813288-9	L	ambient	289	402	30	-	
140x100	4	S235JRH	0017\152	713423	L	ambient	284	378	36	-	
140x100	4	S235JRH	0016\152	713423	L	ambient	284	378	36	-	
140x100	4	S235JRH	7\152	813288	L	ambient	294	427	29	-	
140x100	4	S235JRH	0014\152	813288	L	ambient	294	427	29	-	
140x100	4	S235JRH	0015\152	813288	L	ambient	294	427	29	-	



We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.

Visual inspection: checked without any objection
 Tolerances on dimensions and shape: pass

Drawn by,
 Eng. Filipov Nicolai



Signature of the QCD representative,
 Eng. Neki Yuri



Manufacturer: BAS STEEL PROFILE SRL str.Vocalinaia 28, Taraclia, Moldova Phone:+373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		Transport:			
Customer: METALICA-ZUEV		No. 2031 Date: 22.03.2024		B03-B06		B12	
Contract No. 1D Specification № 0015/1D Order No. Destination Moldova		A06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded A07 Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 1085 , Plain ends, straight cut from mill		Total weight, Kg 22624		Total Length, m 1 728,00 (meters)	
				B08		Pieces: 144 Bundles: 9	
				EN 10219-1/2 S235JRH		 2174	

						Chemical Composition										
B09		B08	Steel	B07		C71-C92										
Dimension(mm)	W.T.(mm)		Grade	Nr. Bundles	Heat	C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al
						x100	x100	x100	x1000	x1000	x100	x100	x100	x100	x1000	x1000
140x100		4	S235JRH	0019\152	813288-9	12,0	2,0	43,0	27,0	19,0	3,0	1,0	1,0		9	
140x100		4	S235JRH	0020\152	813288-9	12,0	2,0	43,0	27,0	19,0	3,0	1,0	1,0		9	
140x100		4	S235JRH	0021\152	813288-9	12,0	2,0	43,0	27,0	19,0	3,0	1,0	1,0		9	
140x100		4	S235JRH	0018\152	813288-9	12,0	2,0	43,0	27,0	19,0	3,0	1,0	1,0		9	
140x100		4	S235JRH	0017\152	713423	12,0	1,4	38,0	24,0	18,0	2,0	1,0	1,0		9	
140x100		4	S235JRH	0016\152	713423	12,0	1,4	38,0	24,0	18,0	2,0	1,0	1,0		9	
140x100		4	S235JRH	7\152	813288	12,0	2,0	43,0	27,0	19,0	3,0	1,0	1,0		9	
140x100		4	S235JRH	0014\152	813288	12,0	2,0	43,0	27,0	19,0	3,0	1,0	1,0		9	
140x100		4	S235JRH	0015\152	813288	12,0	2,0	43,0	27,0	19,0	3,0	1,0	1,0		9	



«BAS STEEL PROFILE» S.R.L.
OTK

Manufacturer: BAS STEEL PROFILE SRL str.Voizalniaia 28, Taracia, Moldova Phone:+373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1)		Transport:							
Customer: METALICA-ZUEV		No. 2031 Date: 22.03.2024		B03-B06		B12 Total weight, Kg 22624		B08 Total Length, m 1 728,00 (meters)		Pieces: 144 Bundles: 9	
Contract No. 1D Specification № 0015/1D Order No. Destination Moldova		A06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded		A07 Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO 1085 ,		EN 10219-1/2 S235JRH				2174	
		Plain ends, straight cut from mill									

Product description

Nr.	B07		B01-B02				B09		B10		B11				B08		B12		B13	
crt.	Nr. Bundles	Heat	Product		Dimension(mm)		Thickness(mm)		Length(mm)		Deviation		Bundles	Pieces	Netto Weight (Kg)	Brutto weight, kg	Meters			
1	0019\152	813288-9	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2500	-	192			
2	0020\152	813288-9	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2477	-	192			
3	0021\152	813288-9	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2510	-	192			
4	0018\152	813288-9	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2491	-	192			
5	0017\152	713423	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2515	-	192			
6	0016\152	713423	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2543	-	192			
7	7\152	813288	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2496	-	192			
8	0014\152	813288	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2541	-	192			
9	0015\152	813288	S235JRH-EN 10219-1/2		140x100		4		12 000		+50/-0		1	16	2551	-	192			



«BAS STEEL PROFILE» S.R.L.
OTK

CERTIFICAT DE INSPECTIE / INSPECTION CERTIFICATE
SR EN 10204:2005 (EN 10204:2004) 3.1

ArcelorMittal HUNEDOARA S.A:
Quality Inspection & Statistics
Hunedoara-Romania Cod 331111

stinatar / Destined to:
Thyssenkrupp Materials Romania
resa/Address: b-dul Basarabiei, 256, 030171, BUCURESTI
ra/State: România
gon/Wagon / Auto/Truck:
03VYD/HD09VYD

Nr. / No.: 1450092081 Data / Date: 14.03.2024
Comanda nr. / Order no.: 5332 Comanda data / Order date: 23.01.2024

ndard de marca / Material norm: SR EN 10025-2:2019

rcaj color:

IP: AMHU-2/05 CPR-13-1

servatii / Remarks:

Nr.Sarja / Heat No	Marca / Quality	Produs / Product	Buc. / Pieces	Cantitate / Quantity [to]	Lungime / Length [mm]	Toleranta la lungime / Tolerance To length [mm]	Incerari mecanice/Mechanical tests								
							ReH	Rm	A5	Incovoiere prin soc / Charpy impact test					
										[N/mm ²]	[N/mm ²]	[%]	Tip epruveta / Type of sample	Temp [°C]	KV1 [J]
73266	S275JO+M	IPE300	8	4.102	12100	-0 / +100	333	455	32,0	300/10	0	76,0	72,0	64,0	70,7

Compozitie chimica pe otel lichid/Chemical analysis of the liquid steel [%]

rt / om	Nr.Sarja / Heat No	C	Mn	Si	S	P	Cr	Ni	Cu	Mo	Ti	V	Al	Sn	B	Nb	N	O(ppm)	H(ppm)	CEV
1	73266	0,150	0,580	0,220	0,015	0,017	0,070	0,090	0,350	0,020	0,001	0,003	0,002	0,014	0,0002	0,0008	0,0085			0,295



hereby declare that the invoiced goods are processed without incorporating iron and steel products originating in Russia or Belarus and that the invoiced goods are in conformity with the EU Regulation no. 833/2014 of July 2014 and all further amendments accordingly.

lizare preconizata/Intended uses: Structuri metalice si/sau structuri mixte otel-beton/Metalic structures and/or mixed structures steel-concrete

abilitate/Durability: Compozitie chimica / Chemical analysis

abilitate/Weldability: CEV

stanta reglementata/Regulated substance: Performanta nedeterminata/No performance determined

rcaj/Marked: SR EN 10025-1:2005 (EN 10025-1:2004)

rafata/Surface: SR EN 10163-3:2005, clasa C, subcl.1 (EN 10163-3:2004)

nensiuni/Dimension: SR EN 10365/2017; EN 10365/2017

la dim. si forma / Tolerances on dimension and shape: SR EN 10034/1995; EN 10034/1993


terialul mai sus mentionat nu prezinta radioactivitate
above mentioned material has not displayed any radioactivity

pectia Calitatii si Statistici/Quality Inspection & Statistics
Quality Manager:Ileana Cristea Eng.



Intocmit/Elaborate:

FLORIN VIOREL DRAGOI





THE INSPECTION CERTIFICATE AS PER EN 10204 CLAUSE 3.1 CONFORMING TO THE DEFINITION IN EN 10168

YESİL MAHALLE SANAYİ BOLGESİ NO:50 78000 KARABUK, TURKEY

DATE: 20.02.2023

REF: 2310375

CERTIFICATE NO:

TO WHOM IT MAY CONCERN

HOT ROLLED STEEL U CHANNELS

273-2023

COMMODITY:

CHEMICAL COMPOSITION

[illegible]

WE HEREBY CERTIFY THAT THE MATERIAL HEREIN HAS BEEN MADE
AND TESTED IN ACCORDANCE WITH ABOVE SPECIFICATION AND THE
RESULTS OF ALL TEST ARE ACCEPTANCE

(1) VALUES ARE FOR KV150 TEST UNDER ROOM TEMPERATURE

(2) "L" MEANS "LONGITUDINAL" "T" MEANS "TRANSVERSE"

CE NUMBER:2344-CPR-0004

acc. to audit report numbered 17270-09-01/ÇU
İSG 0001-2015 C-Şifresi No: QMS 10270 01

ISO 9001:2015 Certificate No: QMIS 19270-01
ISO 27001:2013 Certificate No: 190801059001



MANUFACTURER