

SLANETZ BARTLEY AGAR + TTC

Selective medium for fecal streptococci enumeration and isolation, according to the formulation reported by ISO 7899-2:2000.

TYPICAL FORMULA (q/I)

Tryptose	20.0
Glucose	2.0
Yeast Extract	5.0
Dipoatssium Hydrogen Phosphate	4.0
Sodium Azide	0.4
Triphenyl Tetrazolium Chloride	0.1
Agar	13.0
Final pH 7.2 ± 0.2	

DESCRIPTION

SLANETZ BARTLEY AGAR + TTC is a selective medium for fecal streptococci enumeration and isolation in water and foods by membrane filtration or pour plate technique prepared according to the formulation reported by ISO 7899-2:2000.

PRINCIPLE

Tryptose is a peptone obtained by the enzymatic hydrolysis of a mix containing meat, yeast and casein. It is utilized for the growth and isolation of fastidious microorganisms. Glucose is a source of energy. Yeast extract is a source of aminoacids and vitamins of group B. Dipotassium hydrogen phosphate allows to maintain the osmotic balance of the medium. Sodium azide inhibits the growth of Gramnegative and staphylococci. TTC is a redox indicator and it is colorless in the oxidized form and is reduced in the insoluble red triphenyl formazan. Agar is the solidifying agent.

PREPARATION

Suspend 44.5 g in 1 litre of distilled or deionized water. Heat until completely dissolved. Autoclave at 98°C for 2 minutes. Cool to 45-50°C. Mix well, dispense into Petri dishes and allow to solidify.

TECHNIQUE

Inoculate the plates by streaking the sample onto the agar surface. Incubate at 36+/-1 for 18-24 hours.

INTERPRETATION of RESULTS

Observe the colonies on the agar surface: all the colonies which cultivate with the typical red or reddish-brown color can be considered enterococci.

STORAGE

10-30°C away from light, until the expiry date on the label or until signs of deterioration or contamination are evident.

WARNING and PRECAUTIONS

The product is not classified as hazardous by current legislation and does not contain harmful substances in concentrations of ≥1%. The product is designed for *In vitro* diagnostic use and must be used only by properly trained operators.

DISPOSAL of WASTE

Disposal of waste must be carried out according to national and local regulations in force.

REFERENCES

- 1. Burkwal, M.K., and P.A. Hartman. (1964). App. Microbiol. 12,18.
- 2. Slanetz, L.W., and C.H. Bartley (1957). J. Bact., 74,591.
- 3. ISO 7899-2: 2000 Recherche et denombrement des streptocoques fecaux. Partie 2: methode par filtration sur membrane.





PRODUCT SPECIFICATIONS

NAME

SLANETZ BARTLEY AGAR + TTC

PRESENTATION

Dehydrated culture medium.

STORAGE

10-30°C

PACKAGING

	ACKAGI	NG					
	Code	Content	Packaging				
[6	310147	500 g	500 g of powder in plastic bottle				
[6	320147	100 g	100 g of powder in plastic bottle				

pH OF THE MEDIUM

 7.2 ± 0.2

USE

SLANETZ BARTLEY AGAR + TTC is a selective medium for fecal streptococci enumeration and isolation in water and foods by membrane filtration or pour plate technique prepared according to the formulation reported by ISO 7899-2:2000.

TECHNIQUE

Refer to technical sheet of the product.

APPEARANCE of the MEDIUM

Dehydrated medium

Appearance: free-flowing, homogeneous.

Colour: light beige Prepared medium

Appearance: slightly opalescent Colour: light to medium amber

SHELFLIFE

4 years

QUALITY CONTROL

 $1. \quad \hbox{Control of general characteristics, label and print} \\$

2. Microbiological control

Inoculum for productivity: 10-100 UFC/ml Inoculum for selectivity: 10^4 - 10^5 UFC/ml. Inoculum for specificity: $\leq 10^4$ UFC/ml

Incubation conditions:18-24 h at 36 \pm 1°C,in aerobiosis

Microorganism		Growth	Characteristics
Enterococcus faecalis	ATCC 19433	Good	Red colonies
Enterococcus faecalis	ATCC 29212	Good	Red colonies
Streptococcus pyogenes	ATCC 19615	Inhibited	
Escherichia coli	ATCC 25922	Inhibited	

TABLE OF SYMBOLS									
IVD	In Vitro Diagnostic Medical Device	8	Do not reuse	**	Manufacturer	Σ	Contains sufficient for <n> tests</n>	1	Temperature limitation
REF	Catalogue number	Ţ	Fragile, handle with care	\square	Use by		Caution, consult accompanying documents	LOT	Batch code





