

EC Design-Examination Certificate

Directive 93/42/EEC on Medical Devices, Annex II Section 4

No.**CE 538238**

Issued To:

**Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA**

In respect of:

Angiographic and Guide Catheters

BSI has performed a design examination on the above devices in accordance with the Council Directive 93/42/EEC, Annex II Section 4. The design conforms to the requirements of this directive. For marketing of these products an additional Annex II excluding Section 4 certificate is required.

For and on behalf of BSI, a Notified Body for the above Directive (Notified Body Number 2797):



Gary E Slack, Senior Vice President Medical Devices

First Issued: **2008-10-03**Date: **2020-01-08**Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 1 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Product: Angiographic Catheters

Intended purpose per IFU: Angiographic Catheters are designed to be used for delivering radiopaque media to selected sites in the vascular system in conjunction with routine diagnostic procedures. Angiographic Catheters with marker bands may also be used for anatomical measurements.

Classification: Class III

Catalogue Number	Device Name	Model, Type
1308-25-0085	FEP Angiographic Catheters	FEP.PIGTAIL.5F.80 cm.Pediatric.6 Side Ports 0.025" (0.64 mm) Non-Braided
1308-35-0005	FEP Angiographic Catheters	FEP.PIGTAIL.5F.100 cm.Pediatric.6 Side Ports.0.035" (0.89 mm) Non-Braided
1308-35-0006	FEP Angiographic Catheters	FEP.PIGTAIL.6F.100 cm.Pediatric.6 Side Ports.0.035" (0.89 mm) Non-Braided
1308-35-0007	FEP Angiographic Catheters	FEP.PIGTAIL.7F.100 cm.Pediatric.6 Side Ports.0.035" (0.89 mm) Non-Braided
1308-35-0065	FEP Angiographic Catheters	FEP.PIGTAIL.5F.65 cm.Pediatric.6 Side Ports.0.035" (0.89 mm) Non-Braided
1308-35-0085	FEP Angiographic Catheters	FEP.PIGTAIL.5F.80 cm.Pediatric.6 Side Ports.0.035" (0.89 mm) Non-Braided
1308-35-0086	FEP Angiographic Catheters	FEP.PIGTAIL.6F.80 cm.Pediatric.6 Side Ports.0.035" (0.89 mm) Non-Braided
1308-38-0006	FEP Angiographic Catheters	FEP.PIGTAIL.6F.100 cm.Pediatric.6 Side Ports.0.038" (0.97 mm) Non-Braided
1308-38-0007	FEP Angiographic Catheters	FEP.PIGTAIL.7F.100 cm.Pediatric.6 Side Ports.0.038" (0.97 mm) Non-Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 2 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1310-21-0043	FEP Angiographic Catheters	FEP.PIGTAIL.3F.40 cm.Pediatric.4 Side Ports.0.021" (0.53 mm) Non-Braided
1310-21-0053	FEP Angiographic Catheters	FEP.PIGTAIL.3F.50 cm.Pediatric.4 Side Ports.0.021" (0.53 mm) Non-Braided
1310-21-0054	FEP Angiographic Catheters	FEP.PIGTAIL.4F.50 cm.Pediatric.4 Side Ports.0.021" (0.53 mm) Non-Braided
1310-21-0064	FEP Angiographic Catheters	FEP.PIGTAIL.4F.65 cm.Pediatric.4 Side Ports.0.021" (0.53 mm) Non-Braided
1310-25-0054	FEP Angiographic Catheters	FEP.PIGTAIL.4F.50 cm.Pediatric.4 Side Ports.0.025" (0.64 mm) Non-Braided
1310-25-0064	FEP Angiographic Catheters	FEP.PIGTAIL.4F.65 cm.Pediatric.4 Side Ports.0.025" (0.64 mm) Non-Braided
1310-25-0065	FEP Angiographic Catheters	FEP.PIGTAIL.5F.60 cm.Pediatric.4 Side Ports.0.025" (0.64 mm) Non-Braided
1310-25-0084	FEP Angiographic Catheters	FEP.PIGTAIL.4F.80 cm.Pediatric.4 Side Ports.0.025" (0.64 mm) Non-Braided
1310-25-0085	FEP Angiographic Catheters	FEP.PIGTAIL.5F.80 cm.Pediatric.4 Side Ports.0.025" (0.64 mm) Non-Braided
1623-A72M	Performa® Angiographic Catheters	Custom Catheter.Performa® NIH-1 4F.60 cm.6 Side Ports.0.038" (0.97 mm) 2 Bands.Non-Braided
1623-D3	Performa® Angiographic Catheters	Custom Catheter.Performa® UHF PIGTAIL 4F.65 cm.10 Side Ports.0.035" (0.89 mm) Non-Braided
1623-D6	Performa® Angiographic Catheters	Custom Catheter.Performa® STRAIGHT 4F.70 cm.0 Side Ports.0.035" (0.89 mm) Non-Braided
1623-E320M	Performa® Angiographic Catheters	Custom Catheter.Performa® UHF PIGTAIL 4F.125 cm.5 Side Ports.0.035" (0.89 mm) 20 Bands.Non-Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 3 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1623-E6	Impress® Angiographic Catheters	Custom Catheter.Impress® GENSINI 4F (1.3 mm).100 cm.6 Side Ports.0.038" (0.97 mm) Non-Braided
1623-E93M	Performa® Angiographic Catheters	Custom Catheter.Performa® STRAIGHT 4F.65 cm.0 Side Ports.0.035" (0.89 mm) 3 Bands.Non-Braided
1623-F9	Impress® Angiographic Catheters	Custom Catheter.Impress® GENSINI 4F.100 cm.4 Side Ports.0.035" (0.89 mm) Non-Braided
1623-G1	Impress® Angiographic Catheters	Custom Catheter.Impress® MODIFIED HOOK 4F.90 cm.8 Side Ports.0.035" (0.89 mm) Non-Braided
1624-71	Performa® Angiographic Catheters	Custom Catheter.Performa® GENSINI 5F.50 cm.6 Side Ports.0.038" (0.97 mm) Non-Braided
1624-B220M	Performa® Angiographic Catheters	Custom Catheter.Performa® UHF PIGTAIL 5F.125 cm.10 Side Ports.0.035" (0.89 mm) 20 Bands.Non-Braided
1624-C7	Impress® Angiographic Catheters	Custom Catheter.Impress® STRAIGHT FLUSH 5F.110 cm.10 Side Ports.0.035" (0.89 mm) Non-Braided
1624-D110M	Performa® Angiographic Catheters	Custom Catheter.Performa® UHF PIGTAIL 145 DEGREE 5F.125 cm.5 Side Ports.0.038" (0.97 mm) 10 Bands.Non-Braided
1624-D5	Impress® Angiographic Catheters	Custom Catheter.Impress® GENSINI 5F (1.7 mm).100 cm.6 Side Ports.0.038" (0.97 mm) Non-Braided
1624-D9	Performa® Angiographic Catheters	Custom Catheter.Performa® PIGTAIL 5F (1.7 mm).125 cm.0 Side Ports.0.035" (0.89 mm) Non-Braided
1624-E6	Impress® Angiographic Catheters	Custom Catheter.Impress® GENSINI 5F.100 cm.4 Side Ports.0.035" (0.89 mm) Non-Braided
1624-E8	Performa® Angiographic Catheters	Custom Catheter.Performa® SHEPHERD FLUSH 5F.125 cm.6 Side Ports.0.038" (0.97 mm) Non-Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1624-E9	Performa® Angiographic Catheters	Custom Catheter.Performa® GROLLMAN SPIRAL PIGTAIL 5F.110 cm.7 Side Ports.0.035" (0.89 mm) Non-Braided
1625-26	Performa® Angiographic Catheters	Custom Catheter.Performa® GENSINI 6F.50 cm.6 Side Ports.0.038" (0.97 mm) Non-Braided
1625-31	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ LEFT 2 6F (2.0 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Non-Braided
1625-32	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ LEFT 3 6F (2.0 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Non-Braided
1625-33	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ LEFT 4 6F (2.0 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Non-Braided
1625-34	Performa® Angiographic Catheters	Custom Catheter.Performa® INTERNAL MAMMARY 6F (2.0 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Non-Braided
1625-36	Performa® Angiographic Catheters	Custom Catheter.Performa® PIGTAIL 6F (2.0 mm).125 cm.0 Side Ports.0.035" (0.89 mm) Non-Braided
1625-37	Performa® Angiographic Catheters	Custom Catheter.Performa® SPIRAL ANGLED PIGTAIL 6F (2.0 mm).100 cm.10 Side Ports.0.038" (0.97 mm) Non-Braided
1625-38	Performa® Angiographic Catheters	Custom Catheter.Performa® GROLLMAN SPIRAL PIGTAIL 6F.125 cm.7 Side Ports.0.035" (0.89 mm) Non-Braided
1628-016	Impress® Angiographic Catheters	Custom Catheter.Impress® HOOK 0.8 cm 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-017	Impress® Angiographic Catheters	Custom Catheter.Impress® CS VERTEBRAL 5F.75 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-017M	Impress® Angiographic Catheters	Impress® Braided.5F.75 cm.CS VERTEBRAL 0 Side Ports.0.038" (0.97 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-019	Impress® Angiographic Catheters	Custom Catheter.Impress® CS HOOK 5F.75 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-019M	Impress® Angiographic Catheters	Impress® Braided.5F.75 cm.CS HOOK 0 Side Ports.0.038" (0.97 mm)
1628-021	Impress® Angiographic Catheters	Custom Catheter.Impress® GROLLMAN SPIRAL PIGTAIL 5F.110 cm.7 Side Ports.0.035" (0.89 mm) Non-Braided
1628-031	Performa® Angiographic Catheters	Custom Catheter.Performa® VERTEBRAL 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-032	Performa® Angiographic Catheters	Custom Catheter.Performa® MULTIPURPOSE A1 5F (1.7 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-037	Impress® Angiographic Catheters	Custom Catheter.Impress® SHEPHERD HOOK 1.0 5F.90 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-043	Impress® Angiographic Catheters	Custom Catheter.Impress® AZYGOS RIGHT 5F (1.7 mm).75 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-044	Impress® Angiographic Catheters	Custom Catheter.Impress® AZYGOS LEFT 5F (1.7 mm).75 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-049	Performa® Angiographic Catheters	Custom Catheter.Performa® ULTIMATE 3.BUMPER TIP 5F (1.7 mm).100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-050	Impress® Angiographic Catheters	Custom Catheter.Impress® RIM 5F.65 cm.6 Side Ports.0.035" (0.89 mm) Braided
1628-054	Impress® Angiographic Catheters	Custom Catheter.Impress® SHEPHERD FLUSH 5F.65 cm.6 Side Ports.0.035" (0.89 mm) Braided
1628-059	Impress® Angiographic Catheters	Custom Catheter.Impress® MODIFIED HOOK 2 5F.120 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-060	Impress® Angiographic Catheters	Custom Catheter.Impress® MODIFIED HOOK 3 5F.120 cm.0 Side Ports.0.035" (0.89 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-061	Impress® Angiographic Catheters	Custom Catheter.Impress® COBRA 2 5F.120 cm.0 Side Ports.0.035" (0.89 mm)Braided
1628-062	Impress® Angiographic Catheters	Custom Catheter.Impress® BERENSTEIN 5F.120 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-063	Impress® Angiographic Catheters	Custom Catheter.Impress® RENAL, BIFURCATION, ILIAC 5F.120 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-064	Impress® Angiographic Catheters	Custom Catheter.Impress® RENAL DOUBLE CURVE 5F.120 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-065	Impress® Angiographic Catheters	Custom Catheter.Impress® COBRA 3 5F.65 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-073	Impress® Angiographic Catheters	Custom Catheter.Impress® MINI-U 5F.40 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-082	Performa® Angiographic Catheters	Custom Catheter.Performa® ULTIMATE 2.BUMPER TIP 5F (1.7 mm).110 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-083	Impress® Angiographic Catheters	Custom Catheter.Impress® AMPLATZ LEFT 2 5F (1.7 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-085	Performa® Angiographic Catheters	Custom Catheter.Performa® JUDKINS LEFT 7.0 cm 5F (1.7 mm).125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-086	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ RIGHT 2 5F (1.7 mm).125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-094	Impress® Angiographic Catheters	Custom Catheter.Impress® SIMMONS 2 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-095H	Impress® Angiographic Catheters	Custom Catheter.Impress® SIMMONS 2 5F.125 cm.0 Side Ports.0.038" (0.97 mm). Hydrophilic Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-100	Impress® Angiographic Catheters	Custom Catheter.Impress® INTERNAL MAMMARY MODIFIED 5F (1.7 mm).125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-105	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ LEFT 1 5F (1.7 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-106	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ LEFT 2 5F (1.7 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-111	Performa® Angiographic Catheters	Custom Catheter.Performa® SIMMONS 2 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-112	Performa® Angiographic Catheters	Custom Catheter.Performa® SIMMONS 3 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-113	Impress® Angiographic Catheters	Custom Catheter.Impress® SIMMONS 2 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-118	Impress® Angiographic Catheters	Custom Catheter.Impress® KA 2 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-121	Impress® Angiographic Catheters	Custom Catheter.Impress® BENTSON 2 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-122	Performa® Angiographic Catheters	Custom Catheter.Performa® SIMMONS 1 5F.100 cm.2 Side Ports.0.035" (0.89 mm) Braided
1628-123	Performa® Angiographic Catheters	Custom Catheter.Performa® SIMMONS 2 5F.100 cm.2 Side Ports.0.035" (0.89 mm) Braided
1628-124	Performa® Angiographic Catheters	Custom Catheter.Performa® SIMMONS 4 5F.100 cm.2 Side Ports.0.035" (0.89 mm) Braided
1628-132	Performa® Angiographic Catheters	Custom Catheter.Performa® STRAIGHT SELECTIVE 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-133	Impress® Angiographic Catheters	Custom Catheter.Impress® STRAIGHT SELECTIVE 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-134	Performa® Angiographic Catheters	Custom Catheter.Performa® SPINAL ANGIOGRAPHIC 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-149	Performa® Angiographic Catheters	Custom Catheter.Performa® SHERHERD HOOK 1.0 cm 5F.90 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-150	Performa® Angiographic Catheters	Custom Catheter.Performa® MODIFIED SHEPHERD HOOK 5F.90 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-151	Impress® Angiographic Catheters	Custom Catheter.Impress® Mod.Uterine Artery Catheter 5F.90 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-152	Impress® Angiographic Catheters	Custom Catheter.Impress® Mod.Uterine Artery Catheter 5F.90 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-155	Impress® Angiographic Catheters	Custom Catheter.Impress® KHAIR 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-157	Performa® Angiographic Catheters	Custom Catheter.Performa® BRONCHIAL 1 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-176	Performa® Angiographic Catheters	Custom Catheter.Performa® V2 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-180	Performa® Angiographic Catheters	Custom Catheter.Performa® V3 5F.80 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-181	Impress® Angiographic Catheters	Custom Catheter.Impress® KHAIR-UT 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-182	Impress® Angiographic Catheters	Custom Catheter.Impress® KHAIR-HEP1 5F.110 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-183	Impress® Angiographic Catheters	Custom Catheter.Impress® KHAIR-HEP2 5F.110 cm.0 Side Ports.0.035" (0.89 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-184	Performa® Angiographic Catheters	Custom Catheter.Performa® V2.5 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-187	Performa® Angiographic Catheters	Custom Catheter.Performa® V1.5 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-189	Impress® Angiographic Catheters	Custom Catheter.Impress® CROSSOVER U-SHAPE 5F.110 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-191	Performa® Angiographic Catheters	Custom Catheter.Performa® PISCO PROSTATIC CATHETER 5F.90 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-192	Impress® Angiographic Catheters	Custom Catheter.Impress® V3 5F.80 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-193	Performa® Angiographic Catheters	Custom Catheter.Performa® SONS 1 5F (1.7 mm).125 cm.4 Side Ports.0.038" (0.97 mm) Braided
1628-202	Impress® Angiographic Catheters	Custom Catheter.Impress® VTK Shuttle 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-203	Performa® Angiographic Catheters	Custom Catheter.Performa® MINI RIM SHORT TIP 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-204	Impress® Angiographic Catheters	Custom Catheter.Impress® MINI RIM SHORT TIP 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-206H	Impress® Angiographic Catheters	Custom Catheter.Impress® COBRA 2 5F.80 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-207	Impress® Angiographic Catheters	Custom Catheter.Impress® Merit Vector™3 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-208	Impress® Angiographic Catheters	Custom Catheter.Impress® Merit Vector™4 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-209	Impress® Angiographic Catheters	Custom Catheter.Impress® Merit Vector™5 5F.65 cm.0 Side Ports.0.035" (0.89 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-216	Impress® Angiographic Catheters	Custom Catheter.Impress® HEADHUNTER 1 Shuttle 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-217	Impress® Angiographic Catheters	Custom Catheter.Impress® SIMMONS 2 Shuttle 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-220	Impress® Angiographic Catheters	Custom Catheter.Impress® VSC 3 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-221	Impress® Angiographic Catheters	Custom Catheter.Impress® VTK 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-222	Impress® Angiographic Catheters	Custom Catheter.Impress® RENAL, BIFURCATION, ILIAC 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-223	Impress® Angiographic Catheters	Custom Catheter.Impress® CHG 2.5 5F.80 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-224	Impress® Angiographic Catheters	Custom Catheter.Impress® CHG A 5F.80 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-225	Impress® Angiographic Catheters	Custom Catheter.Impress® CHG B 5F.80 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-228	Impress® Angiographic Catheters	Custom Catheter.Impress® NEWTON 2..5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-234	Impress® Angiographic Catheters	Custom Catheter.Impress® STRAIGHT SELECTIVE 5F.110 cm.6 Side Ports.0.035" (0.89 mm) Braided
1628-235	Performa® Angiographic Catheters	Custom Catheter.Performa® HUNTER UAC 2 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-236	Impress® Angiographic Catheters	Custom Catheter.Impress® HUNTER UAC 1 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-237	Impress® Angiographic Catheters	Custom Catheter.Impress® Merit Vector™1 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 11 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-238	Impress® Angiographic Catheters	Custom Catheter.Impress® Merit Vector™2 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-239	Impress® Angiographic Catheters	Custom Catheter.Impress® Merit Vector™3 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-240	Impress® Angiographic Catheters	Custom Catheter.Impress® Merit Vector™4 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-241	Impress® Angiographic Catheters	Custom Catheter.Impress® Merit Vector™5 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-242	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™1 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-243	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™2 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-244	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™3 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-245	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™4 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-246	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™5 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-247	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™3 5F.65 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-248	Impress® Angiographic Catheters	Custom Catheter.Impress® VISCERAL CPS 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-249	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™4 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-250	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™5 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 12 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-251	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™2 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-252	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™5 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-253	Impress® Angiographic Catheters	Custom Catheter.Impress® JS HOOK 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-254	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™1 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-255	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™2 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-256	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™3 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-257	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™3 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-258	Performa® Angiographic Catheters	Custom Catheter.Performa® Merit Vector™4 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-259	Performa® Angiographic Catheters	Custom Catheter.Performa® MODIFIED HOOK 2 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-260	Performa® Angiographic Catheters	Custom Catheter.Performa® MC 1 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-261	Impress® Angiographic Catheters	Custom Catheter.Impress® MODIFIED UTERINE ARTERY 5F.90 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-262	Performa® Angiographic Catheters	Custom Catheter.Performa® WC 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-264	Performa® Angiographic Catheters	Custom Catheter.Performa® PISCO PROSTATIC CATHETER 2 5F.90 cm.0 Side Ports.0.038" (0.97 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-265	Performa® Angiographic Catheters	Custom Catheter.Performa® B SPINE I 5F.90 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-266	Performa® Angiographic Catheters	Custom Catheter.Performa® B SPINE II 5F.90 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-267	Performa® Angiographic Catheters	Custom Catheter.Performa® B SPINE III 5F.90 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-268	Impress® Angiographic Catheters	Custom Catheter.Impress® RVS 1 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-269	Impress® Angiographic Catheters	Custom Catheter.Impress® RVS 2 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-270	Impress® Angiographic Catheters	Custom Catheter.Impress® VERTEBRAL 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-271	Performa® Angiographic Catheters	Custom Catheter.Performa® BENTSON 2 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-272	Impress® Angiographic Catheters	Custom Catheter.Impress® BENTSON 1 5F.50 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-274	Performa® Angiographic Catheters	Custom Catheter.Performa®CARDIAC PIGTAIL 155 DEGREE 5F (1.7 mm).100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-275	Impress® Angiographic Catheters	Custom Catheter.Impress® MODIFIED UTERINE ARTERY 5F.75 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-276	Performa® Angiographic Catheters	Custom Catheter.Performa® COBRA 2 5F.100 cm.2 Side Ports.0.038" (0.97 mm) Braided
1628-C1	Performa® Angiographic Catheters	Custom Catheter.Performa® HEADHUNTER 1 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-D1	Performa® Angiographic Catheters	Custom Catheter.Performa® BERENSTEIN 1 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-E1	Performa® Angiographic Catheters	Custom Catheter.Performa® BENTSON 1 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-E8	Performa® Angiographic Catheters	Custom Catheter.Performa® COBRA 2 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-F7	Performa® Angiographic Catheters	Custom Catheter.Performa® INTERNAL MAMMARY 5F (1.7 mm).125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-F8	Performa® Angiographic Catheters	Custom Catheter.Performa® NEWTON 2 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-G4	Performa® Angiographic Catheters	Custom Catheter.Performa® NIH 5F (1.7 mm).80 cm.6 Side Ports.0.038" (0.97 mm) Braided
1628-G5	Performa® Angiographic Catheters	Custom Catheter.Performa® SIMMONS 1 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-G9	Performa® Angiographic Catheters	Custom Catheter.Performa® SIMMONS 2 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-H1	Performa® Angiographic Catheters	Custom Catheter.Performa® HEADHUNTER 1 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-H2	Performa® Angiographic Catheters	Custom Catheter.Performa® SONDE MEDULLAIRE 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-J1	Performa® Angiographic Catheters	Custom Catheter.Performa® RIGHT SPERMATIC 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-J2	Performa® Angiographic Catheters	Custom Catheter.Performa® LEFT SPERMATIC 5F.70 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-J3	Performa® Angiographic Catheters	Custom Catheter.Performa® RIGHT SPERMATIC LONG 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 15 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-J5	Performa® Angiographic Catheters	Custom Catheter.Performa® G.K.M 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-J8	Performa® Angiographic Catheters	Custom Catheter.Performa® MEDULLARY ARTERY 5F.100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-K1	Performa® Angiographic Catheters	Custom Catheter.Performa® MODIFIED VERTEBRAL 5F.125 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-L3	Performa® Angiographic Catheters	Custom Catheter.Performa® INTERNAL MAMMARY 5F (1.7 mm).60 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-L7	Performa® Angiographic Catheters	Custom Catheter.Performa® NIH 5F (1.7 mm).80 cm.4 Side Ports.0.038" (0.97 mm) Braided
1628-M3	Performa® Angiographic Catheters	Custom Catheter.Performa® JUDKINS RIGHT 3.5 cm 5F (1.7 mm).50 cm.2 Side Ports.0.038" (0.97 mm) Flatwire Braid
1628-N5	Performa® Angiographic Catheters	Custom Catheter.Performa® MODIFIED SHEPHERD HOOK 5F.70 cm.10 Side Ports.0.035" (0.89 mm) Braided
1628-N6	Performa® Angiographic Catheters	Custom Catheter.Performa® MULTIPURPOSE A2 5F (1.7 mm).125 cm.2 Side Ports.0.038" (0.97 mm) Braided
1628-R1	Performa® Angiographic Catheters	Custom Catheter.Performa® JUDKINS LEFT 3.0 cm.BUMPER TIP 5F (1.7 mm).100 cm.0 Side Ports.0.038" (0.97 mm) Flatwire Braid
1628-R9	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ RIGHT 1.0 cm.BUMPER TIP 5F (1.7 mm).100 cm.0 Side Ports.0.038" (0.97 mm) Flatwire Braid
1628-S1	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ RIGHT 1.5 cm.BUMPER TIP 5F (1.7 mm).100 cm.0 Side Ports.0.038" (0.97 mm) Flatwire Braid

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-S2	Performa® Angiographic Catheters	Custom Catheter.Performa® AMPLATZ RIGHT 2.0 cm.BUMPER TIP 5F (1.7 mm).100 cm.0 Side Ports.0.038" (0.97 mm) Flatwire Braid
1628-T1	Performa® Angiographic Catheters	Custom Catheter.Performa® JUDKINS RIGHT 3.5 cm 5F (1.7 mm).80 cm.2 Side Ports.0.038" (0.97 mm) Flatwire Braid
1628-T6	Performa® Angiographic Catheters	Custom Catheter.Performa® SIMMONS 3 5F.125 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-U2	Performa® Angiographic Catheters	Custom Catheter.Performa® NIH 5F (1.7 mm).100 cm.4 Side Ports.0.038" (0.97 mm) Braided
1628-U5	Performa® Angiographic Catheters	Custom Catheter.Performa® HEADHUNTER 1 5F.100 cm.4 Side Ports.0.035" (0.89 mm) Braided
1628-V5	Performa® Angiographic Catheters	Custom Catheter.Performa® EBU 3.5 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-V6	Performa® Angiographic Catheters	Custom Catheter.Performa® MODIFIED RIM 5F.65 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-V7	Performa® Angiographic Catheters	Custom Catheter.Performa® MIKAELSSON 5F.80 cm.2 Side Ports.0.038" (0.97 mm) Braided
1628-Y1	Performa® Angiographic Catheters	Custom Catheter.Performa® BRONCHIQUE BRONCHIAL 5F.100 cm.0 Side Ports.0.035" (0.89 mm) Braided
1628-Y8	Impress® Angiographic Catheters	Custom Catheter.Impress® CORONARY SINUS 5F (1.7 mm).75 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-Y8M	Impress® Angiographic Catheters	Impress® Braided.5F.75 cm.CORONARY SINUS 0 Side Ports.0.038" (0.97 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
1628-Y9	Performa® Angiographic Catheters	Custom Catheter.Performa® CARDIAC PIGTAIL 145 DEGREE 5F (1.7 mm).65 cm.5 Side Ports.0.035" (0.89 mm) Braided
1628-Z1	Performa® Angiographic Catheters	Custom Catheter.Performa® JUDKINS LEFT 7.0 cm 5F (1.7 mm).100 cm.0 Side Ports.0.038" (0.97 mm) Braided
1628-Z8	Performa® Angiographic Catheters	Custom Catheter.Performa® UCSD-S 5F.80 cm.0 Side Ports.0.038" (0.97 mm) Braided
410035B1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.BENTSON 1 0 Side Ports.0.035" (0.89 mm)
410035B2	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.BENTSON 2 0 Side Ports.0.035" (0.89 mm)
410035BER	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.BERENSTEIN 0 Side Ports.0.035" (0.89 mm)
410035HH1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.HEADHUNTER 1 0 Side Ports.0.035" (0.89 mm)
410035HH3	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.HEADHUNTER 3 0 Side Ports.0.035" (0.89 mm)
410035MANI	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.MANI 0 Side Ports.0.035" (0.89 mm)
410035MC	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.MODIFIED CEREBRAL 0 Side Ports.0.035" (0.89 mm)
410035MOT	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.AMIR MOTARJEME™ 0 Side Ports.0.035" (0.89 mm)
410035MOTC	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.AMIR MOTARJEME™ CANE 0 Side Ports.0.035" (0.89 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 18 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
410035OSB1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.OSBORN 1 0 Side Ports.0.035" (0.89 mm)
410035SIM1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.SIMMONS 1 0 Side Ports.0.035" (0.89 mm)
410035SIM2	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.SIMMONS 2 0 Side Ports.0.035" (0.89 mm)
410035VER	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.VERTEBRAL 0 Side Ports.0.035" (0.89 mm)
410035VER-PNB	Performa® Angiographic Catheters	Performa® Non-Braided.4F.100 cm.VERTEBRAL 0 Side Ports.0.035" (0.89 mm)
4100381ULT1	Performa® Angiographic Catheters	Performa® ULTIMATE 1.4F.100 cm 1 Side Port.0.038" (0.97 mm) Braided
4100381ULT2	Performa® Angiographic Catheters	Performa® ULTIMATE 2.4F.100 cm 1 Side Port.0.038" (0.97 mm) Braided
4100381ULT4-T40	Performa® Angiographic Catheters	Performa® ULTIMATE 4-T40.4F.100 cm 1 Side Port.0.038" (0.97 mm) Braided
4100381ULT4-T45	Performa® Angiographic Catheters	Performa® ULTIMATE 4-T45.4F.100 cm 1 Side Port.0.038" (0.97 mm) Braided
4100382ULT3	Performa® Angiographic Catheters	Performa® ULTIMATE 3.4F.100 cm 2 Side Ports.0.038" (0.97 mm) Braided
410038B1	Impress® Angiographic Catheters	Impress® Braided 4F.100 cm.BENTSON 1 0 Side Ports.0.038" (0.97 mm)
410038B1-H	Impress® Angiographic Catheters	Impress® Braided 4F.100 cm.BENTSON 1.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038B2-H	Impress® Angiographic Catheters	Impress® Braided 4F.100 cm.BENTSON 2.Hydrophilic.0 Side Ports.0.038" (0.97 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
410038BER	Impress® Angiographic Catheters	Impress® Braided 4F.100 cm.BERENSTEIN 0 Side Ports.0.038" (0.97 mm)
410038BER-H	Impress® Angiographic Catheters	Impress® Braided 4F.100 cm.BERENSTEIN.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038CB1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.COBRA 1 0 Side Ports.0.038" (0.97 mm)
410038CB2	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.COBRA 2..0 Side Ports.0.038" (0.97 mm)
410038CB2-H	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.COBRA 2.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038HH1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.HEADHUNTER 1 0 Side Ports.0.038" (0.97 mm)
410038HH1-H	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.HEADHUNTER 1.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038HH3	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.HEADHUNTER 3 0 Side Ports.0.038" (0.97 mm)
410038HS	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.HOCKEY STICK 1 0 Side Ports.0.038" (0.97 mm)
410038MANI	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.MANI 0 Side Ports.0.038" (0.97 mm)
410038MANI-H	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.MANI.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038MC	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.MODIFIED CEREBRAL 0 Side Ports.0.038" (0.97 mm)
410038MPA1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.MULTIPURPOSE A1 0 Side Ports.0.038" (0.97 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 20 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
410038MPA1-H	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.MULTIPURPOSE A1.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038N1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.NEWTON 1 0 Side Ports.0.038" (0.97 mm)
410038N2	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.NEWTON 2 0 Side Ports.0.038" (0.97 mm)
410038N3	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.NEWTON 3 0 Side Ports.0.038" (0.97 mm)
410038N4	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.NEWTON 4 0 Side Ports.0.038" (0.97 mm)
410038SIM1	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.SIMMONS 1 0 Side Ports.0.038" (0.97 mm)
410038SIM1-H	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.SIMMONS 1.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038SIM2	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.SIMMONS 2 0 Side Ports.0.038" (0.97 mm)
410038SIM2-H	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.SIMMONS 2.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038STS-H	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.STRAIGHT SELECTIVE.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
410038ULT1	Performa® Angiographic Catheters	Performa® ULTIMATE 1.4F.100 cm 0 Side Ports.0.038" (0.97 mm) Braided
410038ULT2	Performa® Angiographic Catheters	Performa® ULTIMATE 2.4F.100 cm 0 Side Ports.0.038" (0.97 mm) Braided
410038ULT3	Performa® Angiographic Catheters	Performa® ULTIMATE 3.4F.100 cm 0 Side Ports.0.038" (0.97 mm) Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
410038ULT4-T40	Performa® Angiographic Catheters	Performa® ULTIMATE 4-T40.4F.100 cm 0 Side Ports.0.038" (0.97 mm) Braided
410038ULT4-T45	Performa® Angiographic Catheters	Performa® ULTIMATE 4-T45.4F.100 cm 0 Side Ports.0.038" (0.97 mm) Braided
410038VER	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.VERTEBRAL 0 Side Ports.0.038" (0.97 mm)
410038VER-H	Impress® Angiographic Catheters	Impress® Braided.4F.100 cm.VERTEBRAL.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
41103510PIG-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.110 cm.PIGTAIL FLUSH 10 Side Ports.0.035" (0.89 mm)
411035STS	Impress® Angiographic Catheters	Impress® Braided.4F.110 cm.STRAIGHT SELECTIVE 0 Side Ports.0.035" (0.89 mm)
411038RADIM	Impress® Angiographic Catheters	Impress® Braided.4F.110 cm.RADIAL INTERNAL MAMMARY 0 Side Ports.0.038" (0.97 mm)
411038STS	Impress® Angiographic Catheters	Impress® Braided.4F.110 cm.STRAIGHT SELECTIVE 0 Side Ports.0.038" (0.97 mm)
412535HH1	Impress® Angiographic Catheters	Impress® Braided.4F.125 cm.HEADHUNTER 1 0 Side Ports.0.035" (0.89 mm)
412535VER	Impress® Angiographic Catheters	Impress® Braided.4F.125 cm.VERTEBRAL 0 Side Ports.0.035" (0.89 mm)
412538BER	Impress® Angiographic Catheters	Impress® Braided.4F.125 cm.BERENSTEIN 0 Side Ports.0.038" (0.97 mm)
412538BER-H	Impress® Angiographic Catheters	Impress® Braided.4F.125 cm.BERENSTEIN.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
412538HH1-H	Impress® Angiographic Catheters	Impress® Braided.4F.125 cm.HEADHUNTER 1.Hydrophilic.0 Side Ports.0.038" (0.97 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
412538MPA1	Impress® Angiographic Catheters	Impress® Braided.4F.125 cm.MULTIPURPOSE A1 0 Side Ports.0.038" (0.97 mm)
412538STS-H	Impress® Angiographic Catheters	Impress® Braided.4F.125 cm.STRAIGHT SELECTIVE.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
412538ULT1	Performa® Angiographic Catheters	Performa® ULTIMATE 1.4F.125 cm 0 Side Ports.0.038" (0.97 mm) Braided
412538ULT1-RAD	Performa® Angiographic Catheters	Performa® ULTIMATE 1.4F.125 cm 0 Side Ports.0.038" (0.97 mm) Braided, Radial branded
412538ULT2	Performa® Angiographic Catheters	Performa® ULTIMATE 2.4F.125 cm 0 Side Ports.0.038" (0.97 mm) Braided
412538ULT3	Performa® Angiographic Catheters	Performa® ULTIMATE 3.4F.125 cm 0 Side Ports.0.038" (0.97 mm) Braided
412538ULT4-T40	Performa® Angiographic Catheters	Performa® ULTIMATE 4-T40.4F.125 cm 0 Side Ports.0.038" (0.97 mm) Braided
412538ULT4-T45	Performa® Angiographic Catheters	Performa® ULTIMATE 4-T45.4F.125 cm 0 Side Ports.0.038" (0.97 mm) Braided
4303510PIG-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.30 cm.PIGTAIL FLUSH 10 Side Ports.0.035" (0.89 mm)
43035BER	Impress® Angiographic Catheters	Impress® Braided.4F.30 cm.BERENSTEIN 0 Side Ports.0.035" (0.89 mm)
43035KA2	Impress® Angiographic Catheters	Impress® Braided.4F.30 cm.KA 2 0 Side Ports.0.035" (0.89 mm)
43035MODCB1	Impress® Angiographic Catheters	Impress® Braided.4F.30 cm.MODIFIED COBRA 1 0 Side Ports.0.035" (0.89 mm)
43035RIM	Impress® Angiographic Catheters	Impress® Braided.4F.30 cm.RIM 0 Side Ports.0.035" (0.89 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 23 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
43035STR	Impress® Angiographic Catheters	Impress® Braided.4F.30 cm.STRAIGHT SELECTIVE 0 Side Ports.0.035" (0.89 mm)
44035RIM	Impress® Angiographic Catheters	Impress® Braided.4F.40 cm.RIM 0 Side Ports.0.035" (0.89 mm)
44035STS	Impress® Angiographic Catheters	Impress® Braided.4F.40 cm.STRAIGHT SELECTIVE 0 Side Ports.0.035" (0.89 mm)
44038KA2	Impress® Angiographic Catheters	Impress® Braided.4F.40 cm.KA 2 0 Side Ports.0.038" (0.97 mm)
44038KA2-H	Impress® Angiographic Catheters	Impress® Braided.4F.40 cm.KA 2.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
44038MW2	Impress® Angiographic Catheters	Impress® Braided.4F.40 cm.MW 2 0 Side Ports.0.038" (0.97 mm)
44038STS	Impress® Angiographic Catheters	Impress® Braided.4F.40 cm.STRAIGHT SELECTIVE 0 Side Ports.0.038" (0.97 mm)
4653510PIG-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.65 cm.PIGTAIL FLUSH 10 Side Ports.0.035" (0.89 mm)
4653510PIG-PNB	Performa® Angiographic Catheters	Performa® Non-Braided.4F.65 cm.UHF PIGTAIL 10 Side Ports.0.035" (0.89 mm)
4653510STF-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.65 cm.STRAIGHT 10 Side Ports.0.035" (0.89 mm)
4653510UBF-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.65 cm.ULTRA BOLUS FLUSH 10 Side Ports.0.035" (0.89 mm)
465352CB1	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 1 2 Side Ports.0.035" (0.89 mm)
465352CB2	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 2 2 Side Ports.0.035" (0.89 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 24 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
465352HK0-8	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.HOOK 0.8 2 Side Ports.0.035" (0.89 mm)
465352HK1-0	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.HOOK 1.0 2 Side Ports.0.035" (0.89 mm)
465352RC	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.RENAL DOUBLE CURVE 2 Side Ports.0.035" (0.89 mm)
465352SH0-8	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.SHEPHERD HOOK 0.8 2 Side Ports.0.035" (0.89 mm)
465352SH1-0	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.SHEPHERD HOOK 1.0 2 Side Ports.0.035" (0.89 mm)
465354RBI	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.RENAL, BIFURCATION, ILIAC 4 Side Ports.0.035" (0.89 mm)
465356MHK-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.65 cm.MODIFIED HOOK 6 Side Ports.0.035" (0.89 mm)
465356SHP-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.65 cm.SHEPHERD FLUSH 6 Side Ports.0.035" (0.89 mm)
46535AVS20MHK	Performa® Angiographic Catheters	Performa® Non-Braided.4F.65 cm.MODIFIED HOOK 6 Side Ports.0.035" (0.89 mm), 20 marker bands
46535B1	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.BENTSON 1 0 Side Ports.0.035" (0.89 mm)
46535BER	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.BERENSTEIN 0 Side Ports.0.035" (0.89 mm)
46535CB2	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 2 0 Side Ports.0.035" (0.89 mm)
46535MOT	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.AMIR MOTARJEME™ 0 Side Ports.0.035" (0.89 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 25 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
46535MOTC	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.AMIR MOTARJEME™ CANE 0 Side Ports.0.035" (0.89 mm)
46535RC	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.RENAL DOUBLE CURVE 0 Side Ports.0.035" (0.89 mm)
46535RIM	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.RIM 0 Side Ports.0.035" (0.89 mm)
46535SIM1	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.SIMMONS 1 0 Side Ports.0.035" (0.89 mm)
4653810MUBF-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.65 cm.MODIFIED ULTRA BOLUS FLUSH 10 Side Ports.0.038" (0.97 mm)
465382CB1	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 1 2 Side Ports.0.038" (0.97 mm)
465382CB2	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 2 2 Side Ports.0.038" (0.97 mm)
46538BER	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.BERENSTEIN 0 Side Ports.0.038" (0.97 mm)
46538BER-H	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.BERENSTEIN 0 Side Ports.0.038" (0.97 mm), hydrophilic
46538CB1	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 1 0 Side Ports.0.038" (0.97 mm)
46538CB1-H	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 1.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
46538CB2	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 2 0 Side Ports.0.038" (0.97 mm)
46538CB2-H	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.COBRA 2.Hydrophilic.0 Side Ports.0.038" (0.97 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 26 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
46538KA2	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.KA 2 0 Side Ports.0.038" (0.97 mm)
46538KA2-H	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.KA 2.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
46538MPA1	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.MULTIPURPOSE A1 0 Side Ports.0.038" (0.97 mm)
46538SIM1	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.SIMMONS 1 0 Side Ports.0.038" (0.97 mm)
46538SIM2	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.SIMMONS 2 0 Side Ports.0.038" (0.97 mm)
46538STS	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.STRAIGHT SELECTIVE 0 Side Ports.0.038" (0.97 mm)
46538STS-H	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.STRAIGHT SELECTIVE.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
46538VER	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.VERTEBRAL 0 Side Ports.0.038" (0.97 mm)
46538VER-H	Impress® Angiographic Catheters	Impress® Braided.4F.65 cm.VERTEBRAL.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
48035MHK1	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MODIFIED HOOK 1 0 Side Ports.0.035" (0.89 mm)
48035MHK2	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MODIFIED HOOK 2 0 Side Ports.0.035" (0.89 mm)
48035MHK3	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MODIFIED HOOK 3 0 Side Ports.0.035" (0.89 mm)
48035MODS	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MODIFIED SIMMONS 0 Side Ports.0.035" (0.89 mm)

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

EC Design-Examination Certificate

Supplementary Information to CE 538238

Issued To:

Merit Medical Systems, Inc.
1600 West Merit Parkway
South Jordan
Utah
84095
USA

Catalogue Number	Device Name	Model, Type
48038MHK1-H	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MODIFIED HOOK 1.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
48038MHK2-H	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MODIFIED HOOK 2.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
48038MHK3-H	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MODIFIED HOOK 3.Hydrophilic.0 Side Ports.0.038" (0.97 mm)
48038MIK	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MIKAELESSON 0 Side Ports.0.038" (0.97 mm)
48038MODS	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.MODIFIED SIMMONS 0 Side Ports.0.038" (0.97 mm)
48038RE	Impress® Angiographic Catheters	Impress® Braided.4F.80 cm.REUTER 0 Side Ports.0.038" (0.97 mm)
4903510PIG-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.90 cm.PIGTAIL FLUSH 10 Side Ports.0.035" (0.89 mm)
4903510STF-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.90 cm.STRAIGHT 10 Side Ports.0.035" (0.89 mm)
4903510UBF-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.90 cm.ULTRA BOLUS FLUSH 10 Side Ports.0.035" (0.89 mm)
490356MHK-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.90 cm.MODIFIED HOOK 6 Side Ports.0.035" (0.89 mm)
490356SHP-NB	Impress® Angiographic Catheters	Impress® Non-Braided.4F.90 cm.SHEPHERD FLUSH 6 Side Ports.0.035" (0.89 mm)
4RPL110	Performa® Angiographic Catheters	Performa® MIV RAD PIG LT.4F.110 cm 6 Side Ports.0.038" (0.97 mm) Braided
4RPL110-NB	Performa® Angiographic Catheters	Performa® MIV RAD PIG LT.4F.110 cm 6 Side Ports.0.038" (0.97 mm) Non-Braided

First Issued: **2008-10-03**

Date: **2020-01-08**

Expiry Date: **2023-10-02**

...making excellence a habit.™

Page 28 of 151

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.