

# **Phago'derm Asept**

# Foaming solution for hygienic hand washing



# **Strenghts**

- ✓ Skin-friendly formula even in case of frequent washing
- ✓ Leaves the hands feeling soft
- ✓ Enriched with glycerine
- ✓ Without perfum

## **Packaging**

Packing	Ref.	Unit / Box
500 ml bottle + pump	65120	20 units
1000 ml bottle + pump	65121	12 units
1000 ml airless bottle	65122	12 units
5 Litres can	65123	2 units



31, rue de la Maladrie - 44120 VERTOU - France Tel : +33 (0)2 40 80 27 27 / Fax : +33 (0)2 40 03 09 73

www.christeyns.com



# **Phago'derm Asept**

#### Use

- Phago'derm Asept is a liquid washing and disinfecting soap specially formulated for hygienic hand washing.
- ✓ Phago'derm Asept is used before any aseptic gesture (catheters, ...) and systematically before and after any contact with a patient or contaminated material.
- ✓ Specially formulated for the medical, food and institutional sectors.

#### Composition

- ✓ Disinfectant active substance:
  - Ethanol (N° CAS 64-17-5): 55 % w/w
- ✓ Washing base:
  - Anionic and amphoteric surfactants

#### Characteristics

- ✓ Appearance: gel, opalescent
- ✓ Color: colorless✓ Odor: alcohol
- ✓ pH at 20 ° C (pure product): 7.0 ± 0.5
- ✓ Density at 20 ° C (g / ml): 0.905 ± 0,005

#### Precautions for use

- ✓ Use biocides safely. Before use, read the label and product information
- ✓ Consult the instructions in the safety data sheet available on: <a href="https://www.quickfds.com">www.quickfds.com</a>

#### **Directions for use**

Wearing gloves does not exclude handwashing

- ✓ Have short, unvarnished nails, short or rolled up sleeves and avoid wearing jewelry
- ✓ Wet hands with tap water
- ✓ Pour a dose of Phago'derm Asept = 3ml
- ✓ Soap carefully for at least 1 minute without forgetting the fingertips, around the nails, wrists and the space between the fingers
- ✓ Rinse thoroughly with water for at least 15 seconds
- ✓ Dry by dabbig with a paper towel
- ✓ If necessary, close the tap using the paper towel

#### **Antimicrobial activity**

STANDARDS	CONCENTRATION	TIME
BACTERICIDAL		
EN 1276 Dirty cond. (P.aeruginosa, S. aureus, E. coli and E. hirae)	80 %	1 min.
EN 1499	3 ml	1 min.
<u>YEASTICIDAL</u>		
EN 1650 + A1 (C. albicans)	80 %	1 min.





#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Review date: 23/08/2022 Supersedes version of: 03/11/2021 Version: 4.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : PHAGO'DERM ASEPT
UFI : \$2K3-QFAH-T00H-YKCP

Product code : 1580

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional uses
Use of the substance/mixture : Disinfectant
Liquid Soap

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Christeyns France 31 rue de la Maladrie 44120 VERTOU France

T +33 (0)240 80 27 27 - F +33 (0)240 03 09 73 health-security@christeyns.fr - www.christeyns.com

#### Distributor

Christeyns UK Ltd. Rutland Street GB– Bradford BD4 7EA United Kingdom

T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43 info@christeyns.be - www.christeyns.com

#### Distributor

Christeyns Food Hygiene Ltd. Ltd 2, Cameron Court, Winwick Quay GB- WA2 8RE Warrington – Cheshire United Kingdom T +44 (0)1925 23 46 96 - F +44 (0)1925

T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93 <u>UK-foodinfo@christeyns.com</u> - <u>www.christeyns.com</u>

#### 1.4. Emergency telephone number

#### Distributor

Casoria Company Ltd. Ltd 1 Farnham Street IE- H12 A9K0 Cavan - Co. Cavan

Ireland

T 00353 49 4361869 - F 00353 49 436 1869

sds@casoria.ie - www.casoria.ie

#### Distributor

Christeyns Technologies Ltd. Mazars, Block 3, Harcout Centre, Harcourt Road

IE- 2 Dublin Ireland

T +353 1 8146022

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

CLP Signal word : Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

J.Z. Wilkfules			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol (Active substance (Biocide)) substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, LT, LV, NL, PL, PT, RO, SE, SI, SK, IS, NO, CH)	CAS-no: 64-17-5 Einecs nr: 200-578-6 EG annex nr: 603-002-00-5 REACH-no: 01-2119457610- 43	30 – 60	Flam. Liq. 2, H225 Eye Irrit. 2, H319
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts	CAS-no: 147170-44-3 REACH-no: 01-2119489410- 39	≥1-<3	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Glycerol substance with national workplace exposure limit(s) (BE, CZ, DE, EE, ES, FI, FR, GB, GR, HR, IE, PL, SK, CH)	CAS-no: 56-81-5 Einecs nr: 200-289-5 REACH-no: 01-2119471987- 18	≥ 1	Not classified
Propan-2-ol substance with national workplace exposure limit(s) (AT, BE, BG, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-no: 67-63-0 Einecs nr: 200-661-7 EG annex nr: 603-117-00-0 REACH-no: 01-2119457558- 25	≥ 1 – < 3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts	CAS-no: 147170-44-3 REACH-no: 01-2119489410- 39	( 4 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">( 10 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c></c>

Full text of H- and EUH-statements: see section 16

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General advice : In all cases of doubt, or when symptoms persist, seek medical attention.

Inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing.

Skin contact : Take off contaminated clothing and wash it before reuse. Wash skin with plenty of water

and soap.

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion : Rinse mouth with water, do not induce vomiting, call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : No data available.

Acute effects skin : No data available.

Acute effects eyes : Causes eye irritation.

Acute effects oral route : No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Hazardous decomposition products in case of fire : Combustion products may include the following: carbon oxides (CO, CO2) (carbon

monoxide, carbon dioxide) nitrogen oxides (NO, NO<sub>2</sub> etc.).

#### 5.3. Advice for firefighters

Precautionary measures fire : Eliminate all ignition sources if safe to do so.

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire fighting water

from entering the environment.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Concerning personal protective equipment to use, see section 8.

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Evacuate unnecessary personnel. Do not breathe vapours. Avoid contact with skin and

eyes. Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Use self-contained breathing apparatus and chemically protective clothing.

Emergency procedures : Prevent from entering sewers, basements and workpits, or any place where its

accumulation can be dangerous. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain large spillage with sand or earth.

Methods for cleaning up : Clear up rapidly by scoop or vacuum. Flush residue with large amounts of water.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

CECTION 7. Handling and stayons

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Ground/bond container and receiving equipment. Use explosion-proof equipment.

23/08/2022 (Revision date) EN (English) 3/11

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures : Handle in accordance

: Handle in accordance with good industrial hygiene and safety procedures. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or

smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store at ambient temperature. Protect from sunlight.

Storage temperature :  $5 - 30 \, ^{\circ}\text{C}$ 

Storage area : Store in a well-ventilated place.

**7.3. Specific end use(s)**No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Propan-2-ol (67-63-0)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL STEL	980 mg/m³
IOEL STEL [ppm]	400 ppm
Ireland - Occupational Exposure Limits	
Local name	Isopropyl alcohol [Propan-2-ol]
OEL TWA [2]	200 ppm
OEL STEL [ppm]	400 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Glycerol (56-81-5)	
Ireland - Occupational Exposure Limits	
Local name	Glycerol, mist
OEL TWA [1]	10 mg/m³
United Kingdom - Occupational Exposure Limits	
Local name	Glycerol
WEL TWA (OEL TWA) [1]	10 mg/m³ mist
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Ethanol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m³
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

Eye protection:

EN 166. Safety glasses

#### 8.2.2.2. Skin protection

#### Protective equipment:

Not required

#### Hand protection:

Not required

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No personal breathing protective equipment is normally required.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Physical state/form : Opalescent Gel.
Odour : odourless.
Odour threshold : Not available

Melting point/range : Not determined as it is not relevant for the characterization of the product
Freezing point : Not determined as it is not relevant for the characterization of the product
Softening point : Not determined as it is not relevant for the characterization of the product

Boiling point/Boiling range : 68 °C

Flammability : Not applicable

Explosive properties : Heating may cause an explosion.

Explosive limits : Not available
Lower explosion limit : 3.1 vol % Ethanol
Upper explosion limit : 27.7 vol % Ethanol

Flash point : 22.1 °C
Autoignition temperature : 425 °C Ethanol

Decomposition temperature : Not determined as it is not relevant for the characterization of the product

pH : 6.5 – 7.5 Viscosity, kinematic : 1661.13 mm²/s

Viscosity, dynamic : 1500 (1000 – 2000) mPa.s

Solubility : Water: 100 %
Partition coefficient n-octanol/water (Log Kow) : Not available

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Log Pow : Not applicable for preparations

Vapour pressure : 1.59 Ethanol
Vapour pressure at 50°C : Not available
Density : 0.903 g/cm³
Relative density : 0.898 – 0.908
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 56.47 % (VOC Swiss)

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable liquid and vapour.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Nitrogen oxides.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 Inhalation - Rat	> 25 mg/l/4h

# 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

#### Ethanol (64-17-5)

	LC50 Inhalation - Rat (Vapours)	51 mg/l/4h
	Skin corrosion/irritation :	Not classified

pH: 6.5 – 7.5

pri. 6.5 – 7.5

Serious eye damage/irritation : Causes serious eye irritation.

pH: 6.5 – 7.5 : Not classified : Not classified

: Not classified

#### Propan-2-ol (67-63-0)

Germ cell mutagenicity

Carcinogenicity

Respiratory or skin sensitisation

IARC group 3 - Not classifiable	1 10puil 2 01 (07 00 0)	
	IARC group	3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
Ethanol (64-17-5)	
NOAEL (oral, rat)	1730 mg/kg bodyweight (90d, female)
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
PHAGO'DERM ASEPT	
Viscosity, kinematic	1661.13 mm²/s

#### 11.2. Information on other hazards

No additional information available

#### **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Not rapidly degradable

Propan-2-ol (67-63-0)				
LC50 - Fish [1]	9640 mg/l			
EC50 - Crustacea [1]	9714 mg/l			
EC50 72h - Algae [1]	> 100 mg/l (Scenedesmus subspicatus)			
1-Propagaminium 3-amino-N-(carboxymethyl)-N N-dimethyl- N-(C8-18 and C18-unsatd acyl) derivs inner salts (147170-				

# 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 and C18-unsatd. acyl) derivs., inner salts (147170-44-3)

LC50 - Fish [1]	1.11 mg/l
EC50 - Crustacea [1]	1.9 mg/l
NOEC chronic fish	≤ 1 mg/l

#### 12.2. Persistence and degradability

Propan-2-ol (67-63-0)			
Persistence and degradability Biodegradable.			
Ethanol (64-17-5)			

#### 12.3. Bioaccumulative potential

PHAGO'DERM ASEPT	
Log Pow	Not applicable for preparations

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods
Product/Packaging disposal recommendations

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. Refer to manufacturer/supplier for information on recovery/recycling.

23/08/2022 (Revision date) EN (English) 7/11

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Waste / unused products

: Collect all waste in suitable and labelled containers and dispose according to local legislation.

HP Code

- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

UN 1170 THANOL (ETHYL ALCOHOL) ETHANOL (ETHYL ALCOHOL), 3, III	UN 1170  Ethanol solution  UN 1170 Ethanol solution, 3, III				
THANOL (ETHYL ALCOHOL)	Ethanol solution				
ETHANOL (ETHYL ALCOHOL), 3, III	UN 1170 Ethanol solution, 3, III				
ETHANOL (ETHYL ALCOHOL), 3, III	UN 1170 Ethanol solution, 3, III				
	·				
3 3 3					
3	3				
III	III				
	Dangerous for the environment: No				
	III  Ingerous for the environment: No				

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1
Special provisions (ADR) : 144, 601
Limited quantities (ADR) : 5I

Packing instructions (ADR) : P001, IBC03, LP01, R001

: TP1

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2
(ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Orange plates :

30 1170

Tunnel code : D/E
EAC code : •2YE

Transport by sea

Special provisions (IMDG) : 144, 223
Limited quantities (IMDG) : 5 L
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03

Air transport

PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L

Special provisions (IATA) : A3, A58, A180 **14.7. Maritime transport in bulk according to IMO instruments** 

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content : 56.47 % (VOC Swiss)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 16: Other information**

Indication of changes				
Section	Changed item	Change	Comments	
14		Modified		
	Regulatory framework	Modified		

Abbreviations and acr	onyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH	H-statements:
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapour.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
H412	Harmful to aquatic life with long lasting effects.		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Flam. Liq. 2	H225	Calculation method		
Eye Irrit. 2	H319	Calculation method		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



# **CERTIFICATE OF EQUIVALENCE**

I, the undersigned, Jérôme DUBOURGEOIS, Head of Research and Development of healthcare division of Christeyns France certify that the products:

#### **PHAGO'DERM ASEPT**

and

1580

have a strictly identical formula.

At Nantes, on 18 janvier 2018

Jérôme DUBOURGEOIS



# **5. Activité antimicrobienne** / Antimicrobial activity

Activité Activity	NORMES Standards	Microbe testé <i>Microbe tested</i>	<b>Temps</b> Time	Rapport (N°, Date) Report (N°, Date)	Laboratoire Laboratory
Activite bactéricide  Bactericidal activity	EN 1276	P. aeruginosa, S. aureus, E. hirae, E. coli	1 min.	4705-1 24/10/2017	Laboratoire LMH
	EN 1499	E. coli	1 min.	B21142 12/09/17	HYGCEN
Activité fongicide Fongicidal activity	EN 1650+ A1	C. albicans	1 min.	4706-1 24/10/2017	Laboratoire LMH

Les rapports d'études sont consultables en annexes.

The study reports are available as appendices.



# CERTIFICATE

for a management system as per

EN ISO 9001:2015

Evidence of conformity has been furnished.



CHRISTEYNS France SA 31 rue de la Maladrie, F-44120 Vertou Les Farges, F-24580 Rouffignac-Saint-Cernin de Reilhac

#### scope:

Design, production, distribution, technical assistance and trading of cleaning, hygiene, care and disinfection products and their associated equipment. Sale of products and services for the control and supervision of industrial cleaning processes, provision, installation and maintenance of systems.

Certificate registration No. 73 100 7239

Certificate valid\* from 2021-04-21 to 2024-04-04

Audit report No. 4381 6529

First certification 2018-04-05







O. Shald

Darmstadt, 2021-04-21 Certification body of TÜV Hessen – Head of Certification body –