

SPECIFICAȚII TEHNICE (F4.1)

Numărul LP: ocds-b3wdp1-MD-1555415616647 din 24.04.2019, Echipament IT	Data: 24.04.2019	Alternativa nr. N/A
Denumirea Beneficiar: LT Principesa Natalia Dadiani	Valabilitatea ofertei: 30 zile	Pagina __ din __

Nr d/o	Cod CPV	Denumirea bunurilor și/sau a serviciilor	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standard de referință
1	30200000-1	PC1 (Case, monitor, keyboard, mouse, Boxe)	În conformitate cu Specificațiile tehnice pentru Lotul 1	Bloc de sistem AVM_ R2600 AMD Ryzen 5 2600, Socket AM4, 3.9GHz (6C/12T), 16MB L3, 12nm 65W, Box (with Cooler) MB ASUS PRIME B450M, Socket AM4, AMD B450, Dual 4xDDR4-3200, APU AMD graphics, DVI, HDMI, 1xPCIe X16, 6xSATA3, RAID, 2xM.2, ALC887 HDA, 2xPCIe X1, GbE LAN, 2xUSB3.1 Gen 2, 6xUSB3.1, Aura Sync RGB, mATX. Memorie Memorie RAM 8GB DDR4-3200 Kingston HyperX® FURY DDR4, PC25600, CL18, 1.2V 2.5" SSD 240GB GOODRAM IRDM, SATAIII, Sequential Reads: 550 MB/s, Sequential Writes: 540 MB/s, Maximum Random 4k: Read: 61,000 IOPS / Write: 87,000 IOPS, Thickness- 7mm, Controller Phison PS3110-S10, NAND MLC 3.5" HDD 1.0TB Western Digital WD10EZEX Caviar® Blue™, 7200rpm, 64MB, SATAIII Case ATX 550W Soho 5911BK, 1xUSB3.0 2xUSB2.0, Black, ATX-550W-12cm 1 x 120 mm front intake fans (optional) 1 x 120 mm rear fan (optional) 2 x 120 mm left fans (optional) PSU 550W: 1x20+4PIN, 1x4PIN, 3xMolex, 1xFDD, 3xSATA, 1xPCI 6PIN, 12cm Fan, Cable length 40cm, 1.2m power cord Kit Keyboard & Mouse Gigabyte KM3100, Spill-Resistant, Ergonomic, Laser Engraving, US Layout, Black, USB & Optical, 800 dpi, 3 buttons, Ambidextrous SVEN SPS-517 Black, 2.0 / 2x3W RMS, USB or 5V DC power supply, volume control, wooden, 2.4" 21.5" ACER IPS LED SA220Q ZeroFrame Black (4ms, 100M:1, 250cd, 1920x1080, VGA, DVI, HDMI, Audio Line-out, Stylishly Ultrathin 6.6mm) [UM.WS0EE.002] Soft preinstalat: Win Pro 10 64Bit Eng Intl 1pk DSP OEI DVD GARANTIA: 24 LUNI	ISO9001 ISO14001 Moldova Standard
2	30200000-1	PC2 (Case, monitor, keyboard, mouse, Boxe)	În conformitate cu Specificațiile tehnice pentru Lotul 2	Bloc de sistem AVM_ R2200 AMD Ryzen 3 2200G, Socket AM4, 3.5-3.7GHz (4C/4T), 4MB L3, Integrated Radeon Vega 8 Graphics, 14nm 65W, Box (with Wraith Stealth Cooler) Placa de baza GIGABYTE B450M S2H, Socket AM4, AMD B450, Dual 2xDDR4-3200, APU AMD graphics, VGA, DVI, HDMI, 1xPCIe X16, 4xSATA3, RAID, 1xM.2, 2xPCIe X1, ALC887 HDA, GbE LAN, 6xUSB3.1, RGB Fusion, mATX Memorie Memorie RAM 4GB DDR4-2400 GOODRAM, PC19200, CL17, 1.2V Kit Serieux SRX-MKM5500, Multimedia Keyboard + Optical Mouse, USB, Black Case ATX 550W Soho 5911BK, 1xUSB3.0 2xUSB2.0, Black, ATX-550W-12cm 1 x 120 mm front intake fans (optional) 1 x 120 mm rear fan (optional) 2 x 120 mm left fans (optional) PSU 550W: 1x20+4PIN, 1x4PIN, 3xMolex, 1xFDD, 3xSATA, 1xPCI 6PIN, 12cm Fan, Cable length 40cm, 1.2m power cord Kit Serieux SRX-MKM5500, Multimedia Keyboard + Optical Mouse, USB, Black SVEN 300 Black (USB), 2.0 / 2x3W RMS, USB power supply Monitor 19.5" PHILIPS 200V4LAB2, HD+ 1600*900, TN, WLED, 16:9, 60hz, 5 ms, 200 cd/m2, 90/65, 10M:1/600:1, VGA, DVI-D, VESA, Speakers, Kensington lock, Black Soft preinstalat: Win Pro 10 64Bit Eng Intl 1pk DSP OEI DVD GARANTIA: 24 LUNI	ISO9001 ISO14001 Moldova Standard

3	30200000-1	Accesorii	În conformitate cu Specificațiile tehnice pentru Lotul 3	TP-LINK TL-SG1024 24-port Gigabit Switch, 24 10/100/1000M ports, 1U 19 rack-mountable steel case Wireless Router TP-LINK "TL-WR1043ND", Atheros, 3T3R, 450Mbps, 4-port Gigabit Ultimate wireless N Gigabit Router, Atheros, 3T3R, 2.4GHz, 802.11n Draft 2.0, 802.11g/b, Built-in 4-port Gigabit Switch, with 3 detachable antennas Surge Protector 5 Sockets, 3.0m, Sven "SF-05L", Black, retail box, flame-retardant material Surge Protector 5 Sockets, 5.0m, Sven "SF-05L", BLACK flame-retardant material Mouse Gigabyte KM3100 Optical, 800 dpi, 3 buttons, Ambidextrous Keyboard Gigabyte KM3100, Spill-Resistant, Ergonomic, Laser Engraving, US Layout, Black, USB 16GB USB2.0 Flash Drive Apacer "AH23B", Black, Matte Metal Shell, Classic Cap (AP16GAH23BB-1) Gembird USB Hub UHB-U2P4-03, 4 ports, USB 2.0	ISO9001 ISO14001 Moldova Standard
4	302000000-1	Tabla interactiva cu soft integrat	În conformitate cu Specificațiile tehnice pentru Lotul 4	Set Interactiv Tabla Interactiva IQboard Light 87" 221 cm & InFocus IN136ST IQboard - tabla interactiva, diagonala 87" 221 cm, raport Multi-touch 10 puncte / Rezolutie: 32768×32768/ aspect: 4:3, (1776×1334×35), suprafata activa: 1726×1247 mm/ Alimentare: USB / writable Porcelain steel or painted steel surface/ Aluminum / Software: IQ Interactive Education Platform, IQClass; IQClass Plus in Limba Romana / Manual de utilizare: Limba Romana/ soft hotkeys, sistem de operare: Windows XP/2003/ Vista/ 7/ 8/8.1, Linux, Mac 10.X; Instalare: perete/ cabinet/ (optional stand mobil); Certificari: CE, FCC, RoHS, ISO9001, ISO14001, ISO14021; manual de utilizare in limba romana (hardware + software) /Kit de montare pe perete – inclus + butoane laterale personalizabile Caracteristici si functii: Rezolutie Minim 32000 x 32000 Puncte de contact Minim 10 puncte independente Deget/Marker Touch Tehnologie Minim IR Cell Optical LED Calibrare Minim 9 puncte Format 16:9 - Suprafata tabla Ceramic-steel (E3) / Pre-painted Steel - Reflexie lumina ambientala Zero Diagonala suprafata activa 242 cm - Interfata minim USB 2.0 (HID Compliant) Grosime Minim 30 mm - Greutate Maxim 30 Kg – Suprafata anti-zgariere, anti-reflexie si speciala pentru proiectie Folosire simultana Pana la 10 utilizatori pot scrie simultan cu culori diferite - Suporta penray interactiv DA Certificari minim CE, RoHS, ISO 9001, ISO 14001 Software inclus Limba romana, multidisciplinar: minim matematica, chimie, - biologie, fizica, geografie Recunoastere gesturi si scris de mana Biblioteca incorporate updatabila de catre user Biblioteca contine minim: imagini, flash, audio, - video, modele 3D Unelte specializate de scris, desen - Permite scriere si stergere simultana - Functie de calibrare automata, printr-un singur - buton Functie de inregistrare, salvare si reacesare a lectiilor intr-un numar mare de formate (word, pdf, jpeg, etc.); Functie Text Speech care pronunta cuvintele tastate / scrie; Suporta machete 3D - Accesorii incluse - Minim cablu USB lungime 6 m, Software-ul educational gratuit 1 in limba romana; Manual software in limba romana, Manual table interactiva in limba romana; viteza impresionanta de procesare si rulare in cel mai scurt timp a continuturilor multimedia; soft-ul in limba romana sporeste interactiunea didactica intre profesor si elev; 18 butoane complet personalizabile pe fiecare laterala a tablei (36 in total);	ISO9001 ISO14001 Declaratie UE

			software multidisciplinar integrat in curricula specifica pentru: chimie, biologie, fizica, etc.; functii avansate de inregistrare, salvare si reacesare a lectiilor intr-un numar mare de formate (word, pdf, jpeg, etc.); integrare cu IQclass pentru functii avansate de voting si classroom response system (optional); integrare nativa in solutiile de videoconferinta; zero costuri de intretinere; software licentiat pentru un numar nelimitat de utilizatori si disponibil in limba tuturor minoritatilor; suprafata de scriere pentru marker tip whiteboard inclusa; dispune de o suita diversificata de accesorii si optiuni, click aici pentru detalii; Software-ul educational gratuit care insoteste tabla interactiva Suprafata de scriere cu marker tip whiteboard, usor de curatat; Suprafata speciala pentru proiectie anti-reflexii; Recunoastere gestuala si a scrisului de mana; Suport pentru aplicatii educationale 3rd-party; Videoplayer integrat; Instalare rapida si configurare facila; Servicii de livrare gratuita si instalare gratuite; <u>Short-Throw DLP Projector InFocus IN136ST</u> DLP/WXGA (1280 x 800) supported Maximum: Full HD 1080p - 1920 x 1080/ 4,000 lumens/28,500:1/up to 15,000 hours/4:3, 16:9, 2.35:1, 1:1, 2:1, 13:9, 15:9, 5:4/High Speed 6 Segment RYGCWB/Image Size — Minimum/Maximum: 36"-300"/Throw Ratio 0.521/Throw Distance (focus range) 1.31' (0.4m) ~ 11.15' (3.4m) Throw and Zoom/Mono 10W x 1/3.5mm audio, Composite video, VGA, HDMI 1.4a x3 (with 1.4a 3D support), USB-A (TechStation Connection)/3.5mm audio output, Monitor out (VGA)/RS232, IR Remote, Network (RJ45, Telnet, ProjectorNet, Crestron Roomview, AMX Device Discovery, Browser)/3D support: 1080p @ 60Hz, All HDMI 1.4a 3D formats, DLP Link 3D glasses required <u>Universal Short Throw Projector Wall Mount PRB-16-03L</u> Solid ball-joint structure offers 360 rotation and 20 tilting for multi-angle viewing/1300x221x415mm / 180~400mm (7.1"~15.7")/ 26KG/360°/+20°-20°/ Cable Management/ Accesorii: Cablu USB 8 m, 2 markere tip stylus, 2 markere tip whiteboard, Accesorii pentru montaj perete, Cable VGA Coaxial 3+4 HDB15M/HDB15M,CP6009-B-10m,dual shield,10M Cable HDMI - 10m - Brackton "Basic" K-HDE-SKB-1000.B, 10 m, High Speed HDMI® Cable USB2.0 - 3m - SVEN Am-Bm, 3m, A-plug B-plug, Black <u>GARANTIA: 12 LUNI</u>	
--	--	--	--	--

Semnat: 

Nume: Gheorghe STOIAN

SPECIFICAȚII DE PREȚ (F4.2)

Numărul LP: ocds-b3wdp1-MD-1555415616647 din 24.04.2019 , Echipament IT	Data: 24.04.2019	Alternativa nr. N/A
Denumirea Beneficiar: LT Principesa Natalia Dadiani	Valabilitatea ofertei: 30 zile	Pagina __ din __

Nr d/o	Cod CPV	Denumirea bunurilor și/sau a serviciilor	Unitatea de măsură	C-te	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare
	1	2	3	4	5	6	7	8	9
1	30200000-1	PC1 (Case, monitor, keyboard, mouse, Boxe)	Buc	2	12915,00	15498,00	25830,00	30996,00	În decurs de 30 zile de la solicitarea instituției, cu transportul furnizorului, anul 2019
2	30200000-1	PC2 (Case, monitor, keyboard, mouse, Boxe)	Buc	20	9250,00	11100,00	185000,00	222000,00	
3	30200000-1	24-port Gigabit Switch	Buc	1	1780,00	2136,00	1780,00	2136,00	
		Wireless Router 450Mbps	Buc	1	890,00	1068,00	890,00	1068,00	
		Surge Protector 5 Sockets, 3.0m	Buc	5	60,00	72,00	300,00	360,00	
		Surge Protector 5 Sockets, 5.0m	Buc	3	75,00	90,00	225,00	270,00	
		Mouse Optical, Ambidextrous	Buc	5	175,00	210,00	875,00	1050,00	
		Keyboard Black, USB	Buc	10	165,00	198,00	1650,00	1980,00	
		USB2.0 Flash Drive	Buc	1	65,00	78,00	65,00	78,00	
		USB Hub 4 ports, USB 2.0	Buc	2	55,00	66,00	110,00	132,00	
4	302000000-1	Tabla interactiva cu soft integrat	Buc	1	33250,00	39900,00	33250,00	39900,00	
SUMA TOTALA PE OFERTA (fara TVA/cu TVA)							249 975.00	299 970.00	

Semnat:

Nume: Gheorghe STOIAN

În calitate de: Manager Vanzari,

Ofertantul: „AV-MACROCOM” SRL.

Adresa: mun. Chisinau, str. Gradina Botanica 15

Data: 24.04.2019