




3-HOLE YASARGIL-STYLE FORCEPS

BAYONET 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	CCS-300-100-03	CCS-300-100-04	CCS-300-100-05	CCS-300-100-07	CCS-300-100-10	CCS-300-100-15
15 cm Non-Stick	CCS-300-100-03NS	CCS-300-100-04NS	CCS-300-100-05NS	CCS-300-100-07NS	CCS-300-100-10NS	CCS-300-100-15NS
18 cm	CCS-300-105-03	CCS-300-150-04	CCS-300-105-05	CCS-300-105-07	CCS-300-105-10	CCS-300-150-15
18 cm Non-Stick	CCS-300-105-03NS	CCS-300-105-04NS	CCS-300-105-05NS	CCS-300-105-07NS	CCS-300-105-10NS	CCS-300-105-15NS
20 cm	CCS-300-110-03	CCS-300-110-04	CCS-300-110-05	CCS-300-110-07	CCS-300-110-10	CCS-300-110-15
20 cm Non-Stick	CCS-300-110-03NS	CCS-300-110-04NS	CCS-300-110-05NS	CCS-300-110-07NS	CCS-300-110-10NS	CCS-300-110-15NS
22 cm	CCS-300-115-03	CCS-300-115-04	CCS-300-115-05	CCS-300-115-07	CCS-300-115-10	CCS-300-115-15
22 cm Non-Stick	CCS-300-115-03NS	CCS-300-115-04NS	CCS-300-115-05NS	CCS-300-115-07NS	CCS-300-115-10NS	CCS-300-115-15NS
24 cm	CCS-300-120-03	CCS-300-120-04	CCS-300-120-05	CCS-300-120-07	CCS-300-120-10	CCS-300-120-15
24 cm Non-Stick	CCS-300-120-03NS	CCS-300-120-04NS	CCS-300-120-05NS	CCS-300-120-07NS	CCS-300-120-10NS	CCS-300-120-15NS



Cable Cat code : 190-310



NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



3-HOLE YASARGIL-STYLE FORCEPS

BAYONET (ANGLED DOWN) AŞAĞI AÇILI 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	CCS-300-125-03	CCS-300-125-04	CCS-300-125-05	CCS-300-125-07	CCS-300-125-10	CCS-300-125-15
15 cm Non-Stick	CCS-300-125-03NS	CCS-300-125-04NS	CCS-300-125-05NS	CCS-300-125-07NS	CCS-300-125-10NS	CCS-300-125-15NS
18 cm	CCS-300-130-03	CCS-300-130-04	CCS-300-130-05	CCS-300-130-07	CCS-300-130-10	CCS-300-130-15
18 cm Non-Stick	CCS-300-130-03NS	CCS-300-130-04NS	CCS-300-130-05NS	CCS-300-130-07NS	CCS-300-130-10NS	CCS-300-130-15NS
20 cm	CCS-300-135-03	CCS-300-135-04	CCS-300-135-05	CCS-300-135-07	CCS-300-135-10	CCS-300-135-15
20 cm Non-Stick	CCS-300-135-03NS	CCS-300-135-04NS	CCS-300-135-05NS	CCS-300-135-07NS	CCS-300-135-10NS	CCS-300-135-15NS
22 cm	CCS-300-140-03	CCS-300-140-04	CCS-300-140-05	CCS-300-140-07	CCS-300-140-10	CCS-300-140-15
22 cm Non-Stick	CCS-300-140-03NS	CCS-300-140-04NS	CCS-300-140-05NS	CCS-300-140-07NS	CCS-300-140-10NS	CCS-300-140-15NS
24 cm	CCS-300-145-03	CCS-300-145-04	CCS-300-145-05	CCS-300-145-07	CCS-300-145-10	CCS-300-145-15
24 cm Non-Stick	CCS-300-145-03NS	CCS-300-145-04NS	CCS-300-145-05NS	CCS-300-145-07NS	CCS-300-145-10NS	CCS-300-145-15NS



Cable Cat code : 190-310


NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



3-HOLE YASARGIL-STYLE FORCEPS

BAYONET (ANGLED UP) YUKARI AÇILI 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	CCS-300-150-03	CCS-300-150-04	CCS-300-150-05	CCS-300-150-07	CCS-300-150-10	CCS-300-150-15
15 cm Non-Stick	CCS-300150-03NS	CCS-300150-04NS	CCS-300150-05NS	CCS-300-150-07NS	CCS-300-150-10NS	CCS-300-150-15NS
18 cm	CCS-300-155-03	CCS-300-155-04	CCS-300-155-05	CCS-300-155-07	CCS-300-155-10	CCS-300-155-15
18 cm Non-Stick	CCS-300155-03NS	CCS-300155-04NS	CCS-300155-05NS	CCS-300-155-07NS	CCS-300155-10NS	CCS-300-155-15NS
20 cm	CCS-300-160-03	CCS-300-160-04	CCS-300-160-05	CCS-300-160-07	CCS-300-160-10	CCS-300-160-15
20 cm Non-Stick	CCS-300160-03NS	CCS-300160-04NS	CCS-300160-05NS	CCS-300-160-07NS	CCS-300-160-10NS	CCS-300-160-15NS
22 cm	CCS-300165-03	CCS-300165-04	CCS-300165-05	CCS-300165-07	CCS-300-165-10	CCS-300-165-15
22 cm Non-Stick	CCS-300165-03NS	CCS-300165-04NS	CCS-300165-05NS	CCS-300165-07NS	CCS-300-165-10NS	CCS-300-165-15NS
24 cm	CCS-300170-03	CCS-300170-04	CCS-300170-05	CCS-300170-07	CCS-300-170-10	CCS-300-170-15
24 cm Non-Stick	CCS-300170-03NS	CCS-300170-04NS	CCS-300170-05NS	CCS-300170-07NS	CCS-300-170-10NS	CCS-300-500-15NS



Cable Cat code : 190-310

NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



3-HOLE YASARGIL-STYLE FORCEPS

STRAIGHT (DÜZ) 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	CCS-300175-03	CCS-300175-04	CCS-300175-05	CCS-300-175-07	CCS-300-175-10	CCS-300-175-15
15 cm Non-Stick	CCS-300175-03NS	CCS-300175-04NS	CCS-300175-05NS	CCS-300175-07NS	CCS-300-175-10NS	CCS-300-175-15NS
18 cm	CCS-300180-03	CCS-300180-04	CCS-300180-05	CCS-300-180-07	CCS-300-180-10	CCS-300-180-15
18 cm Non-Stick	CCS-300180-03NS	CCS-300180-04NS	CCS-300180-05NS	CCS-300-180-07NS	CCS-300-180-10NS	CCS-300-180-15NS
20 cm	CCS-300185-03	CCS-300185-04	CCS-300185-05	CCS-300185-07	CCS-300185-10	CCS-300-185-15
20 cm Non-Stick	CCS-300185-03NS	CCS-300185-04NS	CCS-300185-05NS	CCS-300185-07NS	CCS-300185-10NS	CCS-300-185-15NS
22 cm	CCS-300-185-03	CCS-300-185-04	CCS-300-185-05	CCS-300-185-07	CCS-300185-10	CCS-300-185-15
22 cm Non-Stick	CCS-300-185-03NS	CCS-300-185-04NS	CCS-300-185-05NS	CCS-300-185-07NS	CCS-300185-10NS	CCS-300-185-15NS
24 cm	CCS-300-190-03	CCS-300-190-04	CCS-300-190-05	CCS-300-190-07	CCS-300-190-10	CCS-300-190-15
24 cm Non-Stick	CCS-300-190-03NS	CCS-300-190-04NS	CCS-300-190-05NS	CCS-300-190-07NS	CCS-300-190-10NS	CCS-300-190-15NS



Cable Cat code : 190-310

NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



3-HOLE YASARGIL-STYLE FORCEPS

STRAIGHT ANGLED (DÜZ AÇILI) 610 SERIES

	0.3 Tip	0.4 Tip	0.5 Tip	0.7 Tip	1.00 Tip	1.5 Tip
15 cm	CCS-300-195-03	CCS-300-195-04	CCS-300-195-05	CCS-300-195-07	CCS-300-195-10	CCS-300-195-15
15 cm Non-Stick	CCS-300-195-03NS	CCS-300-195-04NS	CCS-300-195-05NS	CCS-300-195-07NS	CCS-300-195-10NS	CCS-300-195-15NS
18 cm	CCS-300-200-03	CCS-300-200-04	CCS-300-200-05	CCS-300-200-07	CCS-300-200-10	CCS-300-200-15
18 cm Non-Stick	CCS-300-200-03NS	CCS-300-200-04NS	CCS-300-200-05NS	CCS-300-200-07NS	CCS-300-200-10NS	CCS-300-200-15NS
20 cm	CCS-300-205-03	CCS-300-205-04	CCS-300-205-05	CCS-300-205-07	CCS-300-205-10	CCS-300-205-15
20 cm Non-Stick	CCS-300-205-03NS	CCS-300-205-04NS	CCS-300-205-05NS	CCS-300-205-07NS	CCS-300-205-10NS	CCS-300-205-15NS
22 cm	CCS-300-210-03	CCS-300-210-04	CCS-300-210-05	CCS-300-210-07	CCS-300-210-10	CCS-300-210-15
22 cm Non-Stick	CCS-300-210-03NS	CCS-300-210-04NS	CCS-300-210-05NS	CCS-300-210-07NS	CCS-300-210-10NS	CCS-300-210-15NS
24 cm	CCS-300-215-03	CCS-300-215-04	CCS-300-215-05	CCS-300-215-07	CCS-300-215-10	CCS-300-215-15
24 cm Non-Stick	CCS-300-215-03NS	CCS-300-215-04NS	CCS-300-215-05NS	CCS-300-215-07NS	CCS-300-215-10NS	CCS-300-215-15NS



Cable Cat code : 190-310

NON-STICK : No more undesirable tissue sticking during coagulation procedure. New AG-TECH non-stick technology (produced tip fully blocked silver), the forceps stay clean-virtually eliminating the need for cleaning during coagulation.

YAPIŞMAYAN TEKNOLOJİ: Yeni non-stick yapışmayan teknoloji ile uçları özel blok olarak gümüşten imal edilmiş forcepslerle coagulasyon anında uç temizleme gereksinimi ve doku yapışma sorunu tamamen ortadan kalkmıştır.

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



IRIS (STR) Düz Forseps

	0.5 Tip	0.7 Tip	1.0 Tip
11 cm 2 pin connector	CCS-300-400-05	CCS-300-400-07	CCS-300-400-10
11 cm 2 pin connector Non-Stick	CCS-300-400-05	CCS-300-400-07	CCS-300-400-10
11 cm European connector	CCS-300-405-05	CCS-300-405-07	CCS-300-405-10
11 cm European connector Non-Stick	CCS-300-405-05	CCS-300-405-07	CCS-300-405-10



IRIS (CRV) Kıvrık Forseps

	0.5 Tip	0.7 Tip	1.0 Tip
11 cm 2 pin connector	CCS-300-410-05	CCS-300-410-07	CCS-300-410-10
11 cm 2 pin connector Non-Stick	CCS-300-410-05	CCS-300-410-07	CCS-300-410-10
11 cm European connector	CCS-300-415-05	CCS-300-415-07	CCS-300-415-10
11 cm European connector Non-Stick	CCS-300-415-05	CCS-300-415-07	CCS-300-415-10



COAPTATION NADLER

	0.3 Tip	0.5 Tip	0.7 Tip
10 cm 2 pin connector	CCS-300-420-03	CCS-300-420-05	CCS-300-420-07
10 cm 2 pin connector Non-Stick	CCS-300-420-03	CCS-300-420-05	CCS-300-420-07
10 cm European connector	CCS-300-425-03	CCS-300-425-05	CCS-300-425-07
10 cm European connector Non-Stick	CCS-300-425-03	CCS-300-425-05	CCS-300-425-07



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



IRIS (STR) Düz Forseps

	0.5 Tip	0.7 Tip	1.0 Tip
11 cm 2 pin connector	CCS-300-400-05	CCS-300-400-07	CCS-300-400-10
11 cm 2 pin connector Non-Stick	CCS-300-400-05 NS	CCS-300-400-07 NS	CCS-300-400-10 NS
11 cm European connector	CCS-300-405-05	CCS-300-405-07	CCS-300-405-10
11 cm European connector Non-Stick	CCS-300-405-05 NS	CCS-300-405-07 NS	CCS-300-405-10 NS



IRIS (CRV) Kıvrık Forseps

	0.5 Tip	0.7 Tip	1.0 Tip
11 cm 2 pin connector	CCS-300-410-05	CCS-300-410-07	CCS-300-410-10
11 cm 2 pin connector Non-Stick	CCS-300-410-05 NS	CCS-300-410-07 NS	CCS-300-410-10 NS
11 cm European connector	CCS-300-415-05	CCS-300-415-07	CCS-300-415-10
11 cm European connector Non-Stick	CCS-300-415-05 NS	CCS-300-415-07 NS	CCS-300-415-10 NS



COAPTATION NADLER

	0.3 Tip	0.5 Tip	0.7 Tip
10 cm 2 pin connector	CCS-300-420-03	CCS-300-420-05	CCS-300-420-07
10 cm 2 pin connector Non-Stick	CCS-300-420-03 NS	CCS-300-420-05 NS	CCS-300-420-07 NS
10 cm European connector	CCS-300-425-03 EU	CCS-300-425-05 EU	CCS-300-425-07 EU
10 cm European connector Non-Stick	CCS-300-425-03 NSEU	CCS-300-425-05 NSEU	CCS-300-425-07 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



COAPTATION

	0.3 Tip	0.5 Tip	0.7 Tip
11 cm 2 pin connector	CCS-300-430-03	CCS-300-430-05	CCS-300-430-07
11 cm 2 pin connector Non-Stick	CCS-300-430-03 NS	CCS-300-430-05 NS	CCS-300-430-07 NS
11 cm European connector	CCS-300-435-03 EU	CCS-300-435-05 EU	CCS-300-435-07 EU
11 cm European connector Non-Stick	CCS-300-435-03 NSEU	CCS-300-435-05 NSEU	CCS-300-435-07 NSEU



JEWELER #4

	0.3 Tip	0.5 Tip
11.5 cm 2 pin connector	CCS-300-440-03	CCS-300-440-05
11.5 cm 2 pin connector Non-Stick	CCS-300-440-03 NS	CCS-300-440-05 NS
11.5 cm European connector	CCS-300-445-03 EU	CCS-300-445-05 EU
11.5 cm European connector Non-Stick	CCS-300-445-03 NSEU	CCS-300-445-05 NSEU



JEWELER # 5

	0.3 Tip	0.5 Tip
11.5 cm 2 pin connector	CCS-300-450-03	CCS-300-450-05
11.5 cm 2 pin connector Non-Stick	CCS-300-450-03 NS	CCS-300-450-05 NS
11.5 cm European connector	CCS-300-455-03	CCS-300-455-05
11.5 cm European connector Non-Stick	CCS-300-455-03 NSEU	CCS-300-455-05 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



JEWELER # 5 ANGLE Kivrik

	0.3 Tip	0.5 Tip
11.5 cm 2 pin connector	CCS-300-460-03	CCS-300-460-05
11.5 cm 2 pin connector Non-Stick	CCS-300-460-03 NS	CCS-300-460-05 NS
11.5 cm European connector	CCS-300-465-03 EU	CCS-300-465-05 EU
11.5 cm European connector Non-Stick	CCS-300-465-03 NSEU	CCS-300-465-05 NSEU



JEWELER # 7

	0.3 Tip	0.5 Tip
11.5 cm 2 pin connector	CCS-300-470-03	CCS-300-470-05
11.5 cm 2 pin connector Non-Stick	CCS-300-470-03 NS	CCS-300-470-05 NS
11.5 cm European connector	CCS-300-475-03 EU	CCS-300-475-05 EU
11.5 cm European connector Non-Stick	CCS-300-475-03 NSEU	CCS-300-475-05 NSEU



TENZEL

	0.3 Tip	0.5 Tip
10 cm 2 pin connector	CCS-300-480-03	CCS-300-480-05
10 cm 2 pin connector Non-Stick	CCS-300-480-03 NS	CCS-300-480-05 NS
10 cm European connector	CCS-300-485-03 EU	CCS-300-485-05 EU
10 cm European connector Non-Stick	CCS-300-485-03 NSEU	CCS-300-485-05 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



McPHERSON (STR.) Düz Forseps

	0.3 Tip	0.5 Tip	0.7 Tip
9 cm 2 pin connector	CCS-300-490-03	CCS-300-490-05	CCS-300-490-07
9 cm 2 pin connector Non-Stick	CCS-300-490-03 NS	CCS-300-490-05 NS	CCS-300-490-07 NS
10 cm European connector	CCS-300-495-03	CCS-300-495-05	CCS-300-495-07
10 cm European connector Non-Stick	CCS-300-495-03 NS	CCS-300-495-05 NS	CCS-300-495-07 NS



McPHERSON (CRV.) Kıvrık Forseps

	0.3 Tip	0.5 Tip	0.7 Tip
9 cm 2 pin connector	CCS-300-500-03	CCS-300-500-05	CCS-300-500-07
9 cm 2 pin connector Non-Stick	CCS-300-500-03 NS	CCS-300-500-05 NS	CCS-300-500-07 NS
10 cm European connector	CCS-300-505-03	CCS-300-505-05	CCS-300-505-07
10 cm European connector Non-Stick	CCS-300-505-03 NS	CCS-300-505-05 NS	CCS-300-505-07 NS



NEEDLE 0.5 mm 0.7 mm 1.0 mm 1.5 mm 2.0 mm
Sample Available Tip Widths - Örnek Uç Kalınlıkları



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



ADSON

	0.5 Tip	0.7 Tip	1.0 Tip
12 cm 2 pin connector	CCS-300-510-05	CCS-300-510-07	CCS-300-510-10
12 cm 2 pin connector Non-Stick	CCS-300-510-05 NS	CCS-300-510-07 NS	CCS-300-510-10 NS
12 cm European connector	CCS-300-515-05EU	CCS-300-515-07 EU	CCS-300-515-10 EU
12 cm European connector Non-Stick	CCS-300-515-05	CCS-300-515-07 NSEU	CCS-300-515-10 NSEU
15 cm 2 pin connector	CCS-300-520-05	CCS-300-520-07	CCS-300-520-10
15 cm 2 pin connector Non-Stick	CCS-300-520-05 NS	CCS-300-520-07 NS	CCS-300-520-10 NS
15 cm European connector	CCS-300-525-05 EU	CCS-300-525-07 EU	CCS-300-525-10 EU
15 cm European connector Non-Stick	CCS-300-525-05NSEU	CCS-300-525-07NSEU	CCS-300-525-10 NSEU



SEMKIN

	0.3 Tip	0.5 Tip	0.7 Tip
14 cm 2 pin connector	CCS-300-530-03	CCS-300-530-05	CCS-300-530-07
14 cm 2 pin connector Non-Stick	CCS-300-530-03 NS	CCS-300-530-05 NS	CCS-300-530-07 NS
14 cm European connector	CCS-300-535-03EU	CCS-300-535-05 EU	CCS-300-535-07 EU
14 cm European connector Non-Stick	CCS-300-535-03NSEU	CCS-300-535-05NSEU	CCS-300-535-07 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code
Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



CUSHING

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15.9 cm 2 pin connector	CCS-300-540-07	CCS-300-540-10	CCS-300-540-15	CCS-300-540-20
15.9 cm 2 pin connector Non-Stick	CCS-300-540-07 NS	CCS-300-540-10 NS	CCS-300-540-15 NS	CCS-300-540-20 NS
15.9 cm European connector	CCS-300-545-07EU	CCS-300-545-10 EU	CCS-300-545-15 EU	CCS-300-545-20 EU
15.9 cm European connector Non-Stick	CCS-300-545-07NSEU	CCS-300-545-10NSEU	CCS-300-545-15NSEU	CCS-300-545-20 NSEU
17.8 cm 2 pin connector	CCS-300-550-07	CCS-300-550-10	CCS-300-550-15	CCS-300-550-20
17.8 cm 2 pin connector Non-Stick	CCS-300-550-07 NS	CCS-300-550-10 NS	CCS-300-550-15 NS	CCS-300-550-20 NS
17.8 cm European connector	CCS-300-555-07 EU	CCS-300-555-10 EU	CCS-300-555-15 EU	CCS-300-555-20 EU
17.8 cm European connector Non-Stick	CCS-300-555-07NSEU	CCS-300-555-10NSEU	CCS-300-555-15NSEU	CCS-300-555-20 NSEU



CUSHING (Grush)

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
17.8 cm 2 pin connector	CCS-300-560-07	CCS-300-560-10	CCS-300-560-15	CCS-300-560-20
17.8 cm 2 pin connector Non-Stick	CCS-300-560-07 NS	CCS-300-560-10 NS	CCS-300-560-15 NS	CCS-300-560-20 NS
17.8 cm European connector	CCS-300-565-07 EU	CCS-300-565-10 EU	CCS-300-565-15 EU	CCS-300-565-20 EU
17.8 cm European connector Non-Stick	CCS-300-565-07NSEU	CCS-300-565-10NSEU	CCS-300-565-15NSEU	CCS-300-565-20 NSEU



NEEDLE 0.5 mm 0.7 mm 1.0 mm 1.5 mm 2.0 mm
Sample Available Tip Widths - Örnek Uç Kalınlıkları



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



GERALD (STR.)

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
17.8 cm 2 pin connector	CCS-300-570-07	CCS-300-570-10	CCS-300-570-15	CCS-300-570-20
17.8 cm 2 pin connector Non-Stick	CCS-300-570-07 NS	CCS-300-570-10 NS	CCS-300-570-15 NS	CCS-300-570-20 NS
17.8 cm European connector	CCS-300-575-07 EU	CCS-300-575-10 EU	CCS-300-575-15 EU	CCS-300-575-20 EU
17.8 cm European connector Non-Stick	CCS-300-575-07NSEU	CCS-300-575-10NSEU	CCS-300-575-15NSEU	CCS-300-575-20 NSEU



GERALD (CRV.)

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
17.8 cm 2 pin connector	CCS-300-500-580-07	CCS-300-580-10	CCS-300-580-15	CCS-300-580-20
17.8 cm 2 pin connector Non-Stick	CCS-300-580-07 NS	CCS-300-580-10 NS	CCS-300-580-15 NS	CCS-300-580-20 NS
17.8 cm European connector	CCS-300-585-07 EU	CCS-300-585-10 EU	CCS-300-585-15 EU	CCS-300-585-20 EU
17.8 cm European connector Non-Stick	CCS-300-585-07NSEU	CCS-300-585-10NSEU	CCS-300-585-15NSEU	CCS-300-585-20 NSEU



GERALD BAYONET

	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
18.4 cm 2 pin connector	CCS-300-590-07	CCS-300-590-10	CCS-300-590-15	CCS-300-590-20
18.4 cm 2 pin connector Non-Stick	CCS-300-590-07 NS	CCS-300-590-10 NS	CCS-300-590-15 NS	CCS-300-590-20 NS
18.4 cm European connector	CCS-300-595-07 EU	CCS-300-595-10 EU	CCS-300-595-15 EU	CCS-300-595-20 EU
18.4 cm European connector Non-Stick	CCS-300-595-07NSEU	CCS-300-595-10NSEU	CCS-300-595-15NSEU	CCS-300-595-20 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



JANSEN BAYONET

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15.2 cm 2 pin connector	CCS-300-600-05	CCS-300-600-07	CCS-300-600-10	CCS-300-600-15	CCS-300-600-20
15.2 cm 2 pin connector Non-Stick	NS CCS-300-600-05	NS CCS-300-600-07	NS CCS-300-600-10	NS CCS-300-600-15	NS CCS-300-600-20
15.2 cm European connector	EU CCS-300-605-05	EU CCS-300-605-07	EU CCS-300-605-10	EU CCS-300-605-15	EU CCS-300-605-20
15.2 cm European connector Non-Stick	NSEU CCS-300-605-05	NSEU CCS-300-605-07	NSEU CCS-300-605-10	NSEU CCS-300-605-15	NSEU CCS-300-605-20
17.8 cm 2 pin connector	CCS-300-610-05	CCS-300-610-07	CCS-300-610-10	CCS-300-610-15	CCS-300-610-20
17.8 cm 2 pin connector Non-Stick	NS CCS-300-610-05	NS CCS-300-610-07	NS CCS-300-610-10	NS CCS-300-610-15	NS CCS-300-610-20
17.8 cm European connector	EU CCS-300-615-05	EU CCS-300-615-07	EU CCS-300-615-10	EU CCS-300-615-15	EU CCS-300-615-20
17.8 cm European connector Non-Stick	NSEU CCS-300-615-05	NSEU CCS-300-615-07	NSEU CCS-300-615-10	NSEU CCS-300-615-15	NSEU CCS-300-615-20
20.4 cm 2 pin connector	CCS-300-620-05	CCS-300-620-07	CCS-300-620-10	CCS-300-620-15	CCS-300-620-20
20.4 cm 2 pin connector Non-Stick	NS CCS-300-620-05	NS CCS-300-620-07	NS CCS-300-620-10	NS CCS-300-620-15	NS CCS-300-620-20
20.4 cm European connector	EU CCS-300-625-05	EU CCS-300-625-07	EU CCS-300-625-10	EU CCS-300-625-15	EU CCS-300-625-20
20.4 cm European connector Non-Stick	NSEU CCS-300-625-05	NSEU CCS-300-625-07	NSEU CCS-300-625-10	NSEU CCS-300-625-15	NSEU CCS-300-625-20



SCOVILLE GREENWOOD

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
19.1 cm 2 pin connector	CCS-300-630-05	CCS-300-630-07	CCS-300-630-10	CCS-300-630-15	CCS-300-630-20
19.1 cm 2 pin connector Non-Stick	NS CCS-300-630-05	NS CCS-300-630-07	NS CCS-300-630-10	NS CCS-300-630-15	NS CCS-300-630-20
19.1 cm European connector	EU CCS-300-635-05	EU CCS-300-635-07	EU CCS-300-635-10	EU CCS-300-635-15	EU CCS-300-635-20
19.1 cm European connector Non-Stick	NSEU CCS-300-635-05	NSEU CCS-300-635-07	NSEU CCS-300-635-10	NSEU CCS-300-635-15	NSEU CCS-300-635-20



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



YASARGIL

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
19.7 cm 2 pin connector	CCS-300-640-05	CCS-300-640-07	CCS-300-640-10	CCS-300-640-15	CCS-300-640-20
19.7 cm 2 pin connector Non-Stick	CCS-300-640-05 NS	CCS-300-640-07 NS	CCS-300-640-10 NS	CCS-300-640-15 NS	CCS-300-640-20 NS
19.7 cm European connector	CCS-300-645-05 EU	CCS-300-645-07 EU	CCS-300-440-10 EU	CCS-300-645-15 EU	CCS-300-645-20 EU
19.7 cm European connector Non-Stick	CCS-300-645-05 NSEU	CCS-300-645-07 NSEU	CCS-300-645-10 NSEU	CCS-300-645-15 NSEU	CCS-300-645-20 NSEU
22 cm 2 pin connector	CCS-300-650-05	CCS-300-650-07	CCS-300-650-10	CCS-300-650-15	CCS-300-650-20
22 cm 2 pin connector Non-Stick	CCS-300-650-05 NS	CCS-300-650-07 NS	CCS-300-650-10 NS	CCS-300-650-15 NS	CCS-300-650-20 NS
22 cm European connector	CCS-300-655-05 EU	CCS-300-655-07 EU	CCS-300-655-10 EU	CCS-300-655-15 EU	CCS-300-655-20 EU
22 cm European connector Non-Stick	CCS-300-655-05 NSEU	CCS-300-655-07 NSEU	CCS-300-655-10 NSEU	CCS-300-655-15 NSEU	CCS-300-655-20 NSEU



MALIS

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
17.8 cm 2 pin connector	CCS-300-660-05	CCS-300-660-07	CCS-300-660-10	CCS-300-660-15	CCS-300-660-20
17.8 cm 2 pin connector Non-Stick	CCS-300-660-05 NS	CCS-300-660-07 NS	CCS-300-660-10 NS	CCS-300-660-15 NS	CCS-300-660-20 NS
17.8 cm European connector	CCS-300-665-05 EU	CCS-300-665-07 EU	CCS-300-665-10 EU	CCS-300-665-15 EU	CCS-300-665-20 EU
17.8 cm European connector Non-Stick	CCS-300-665-05 NSEU	CCS-300-665-07 NSEU	CCS-300-665-10 NSEU	CCS-300-665-15 NSEU	CCS-300-665-20 NSEU
22 cm 2 pin connector	CCS-300-670-05	CCS-300-670-07	CCS-300-670-10	CCS-300-670-15	CCS-300-670-20
22 cm 2 pin connector Non-Stick	CCS-300-670-05 NS	CCS-300-670-07 NS	CCS-300-670-10 NS	CCS-300-670-15 NS	CCS-300-670-20 NS
22 cm European connector	CCS-300-675-05 EU	CCS-300-675-07 EU	CCS-300-675-10 EU	CCS-300-675-15 EU	CCS-300-675-20 EU
22 cm European connector Non-Stick	CCS-300-675-05 NSEU	CCS-300-675-07 NSEU	CCS-300-675-10 NSEU	CCS-300-675-15 NSEU	CCS-300-675-20 NSEU



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.



HARDY BAYONET

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
21.6 cm 2 pin connector	CCS-300-680-05	CCS-300-680-07	CCS-300-680-10	CCS-300-680-15	CCS-300-680-20
21.6 cm 2 pin connector Non-Stick	SB-500-680-05 NS	SB-500-680-07 NS	SB-500-680-10 NS	SB-500-680-15 NS	SB-500-680-20 NS
21.6 cm European connector	CCS-300-685-05 EU	CCS-300-685-07 EU	CCS-300-685-10 EU	CCS-300-685-15 EU	CCS-300-685-20 EU
21.6 cm European connector Non-Stick	SB-500-685-05 NSEU	SB-500-685-07 NSEU	SB-500-685-10 NSEU	SB-500-685-15 NSEU	SB-500-685-20 NSEU



HARDY BAYONET (ANGLED)

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
21.6 cm 2 pin connector	CCS-300-690-05	CCS-300-690-07	CCS-300-690-10	CCS-300-690-15	CCS-300-690-20
21.6 cm 2 pin connector Non-Stick	CCS-300-690-05 NS	CCS-300-690-07 NS	CCS-300-690-10 NS	CCS-300-690-15 NS	CCS-300-690-20 NS
21.6 cm European connector	CCS-300-695-05 EU	CCS-300-695-07 EU	CCS-300-695-10 EU	CCS-300-695-15 EU	CCS-300-695-20 EU
21.6 cm European connector Non-Stick	CCS-300-695-05 NSEU	CCS-300-695-07 NSEU	CCS-300-695-10 NSEU	CCS-300-695-15 NSEU	CCS-300-695-20 NSEU



NEEDLE 0.5 mm 0.7 mm 1.0 mm 1.5 mm 2.0 mm
Sample Available Tip Widths - Örnek Uç Kalınlıkları



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

JEWELER # 4
CCS-300-700



JEWELER # 7
CCS-300-705



ADSON
CCS-300-710



POTTS-SMITH
CCS-300-715



POTTS-SMITH
CCS-300-720




MALIS
CCS-300-725



JANSEN BAYONET
CCS-300-730



JANSEN BAYONET
(ANGLED UP) CCS-300-740



Cat #	Description	Tip (mm)	Size
CCS-300-700	JEWELLER # 4	MICRO	4½" (11.5 cm)
CCS-300-705	JEWELLER # 7	MICRO	4½" (11.5 cm)
CCS-300-710	ADSON	1.0	4¾" (12.1 cm)
CCS-300-715	POTTS-SMITH	2.0	7" (17.8 cm)
CCS-300-717	POTTS-SMITH	2.0	8¾" (21.0 cm)
CCS-300-720	POTTS-SMITH	2.0	9½" (24.1 cm)
CCS-300-725	MALIS	1.0 - 1.5	7" (17.8 cm)
CCS-300-730	JANSEN BAYONET	1.5	5¼" (13.3 cm)
CCS-300-732	JANSEN BAYONET	1.5	6¼" (15.9 cm)
CCS-300-734	JANSEN BAYONET	2.0	7½" (19.1 cm)
CCS-300-736	JANSEN BAYONET	2.0	8¾" (21.0 cm)
CCS-300-740	JANSEN BAYONET (UPWARD CURVED TIP)	2.0	7½" (19.1 cm)
CCS-300-742	JANSEN BAYONET (UPWARD CURVED TIP)	2.0	8¾" (21.0 cm)



European Bipolar Bayonet (Angled Down) Forceps

	0.5 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	CCS-300-850-05	CCS-300-850-10	CCS-300-850-15	CCS-300-850-20
15 cm European connector Non-Stick	CCS-300-850-05 NS	CCS-300-850-10 NS	CCS-300-850-15 NS	CCS-300-850-20 NS
15 cm European connector Irrigation	CCS-300-855-05 IR	CCS-300-855-10 IR	CCS-300-855-15 IR	CCS-300-855-20 IR
15 cm European connector Non-Stick Irrigation	CCS-300-855-05 NS-IR	CCS-300-855-10 NS-IR	CCS-300-855-15 NS-IR	CCS-300-855-20 NS-IR
18 cm European connector	CCS-300-860-05	CCS-300-860-10	CCS-300-860-15	CCS-300-860-20
18 cm European connector Non-Stick	CCS-300-860-05 NS	CCS-300-860-10 NS	CCS-300-860-15 NS	CCS-300-860-20 NS
18 cm European connector Irrigation	CCS-300-865-05 IR	CCS-300-865-10 IR	CCS-300-865-15 IR	CCS-300-865-20 IR
18 cm European connector Non-Stick Irrigation	CCS-300-865-05 NS-IR	CCS-300-865-10 NS-IR	CCS-300-865-15 NS-IR	CCS-300-865-20 NS-IR
20 cm European connector	CCS-300-870-05	CCS-300-870-10	CCS-300-870-15	CCS-300-870-20
20 cm European connector Non-Stick	CCS-300-870-05 NS	CCS-300-870-10 NS	CCS-300-870-15 NS	CCS-300-870-20 NS
20 cm European connector Irrigation	CCS-300-875-05 IR	CCS-300-875-10 IR	CCS-300-875-15 IR	CCS-300-875-20 IR
20 cm European connector Non-Stick Irrigation	CCS-300-875-05 NS-IR	CCS-300-875-10 NS-IR	CCS-300-875-15 NS-IR	CCS-300-875-20 NS-IR
22 cm European connector	CCS-300-880-05	CCS-300-880-10	CCS-300-880-15	CCS-300-880-20
22 cm European connector Non-Stick	CCS-300-880-05 NS	CCS-300-880-10 NS	CCS-300-880-15 NS	CCS-300-880-20 NS
22 cm European connector Irrigation	CCS-300-885-05 IR	CCS-300-885-10 IR	CCS-300-885-15 IR	CCS-300-885-20 IR
22 cm European connector Non-Stick Irrigation	CCS-300-885-05 NS-IR	CCS-300-885-10 NS-IR	CCS-300-885-15 NS-IR	CCS-300-885-20 NS-IR
24 cm European connector	CCS-300-890-05	CCS-300-890-10	CCS-300-890-15	CCS-300-890-20
24 cm European connector Non-Stick	CCS-300-890-05 NS	CCS-300-890-10 NS	CCS-300-890-15 NS	CCS-300-890-20 NS
24 cm European connector Irrigation	CCS-300-895-05 IR	CCS-300-895-10 IR	CCS-300-895-15 IR	CCS-300-895-20 IR
24 cm European connector Non-Stick Irrigation	CCS-300-895-05 NS-IR	CCS-300-895-10 NS-IR	CCS-300-895-15 NS-IR	CCS-300-895-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Bayonet (Angled Up) Forceps

	0.5 Tip	0.7Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	CCS-300-900-05	CCS-300-900-07	CCS-300-900-10	CCS-300-900-15	CCS-300-900-20
15 cm European connector Non-Stick	CCS-300-900-05 NS	CCS-300-900-07 NS	CCS-300-900-10 NS	CCS-300-900-15 NS	CCS-300-900-20 NS
15 cm European connector Irrigation	CCS-300-905-05 IR	CCS-300-905-07 IR	CCS-300-905-10 IR	CCS-300-905-15 IR	CCS-300-905-20 IR
15 cm European connector Non-Stick Irrigation	CCS-300-905-05 NS-IR	CCS-300-905-07 NS-IR	CCS-300-905-10 NS-IR	CCS-300-905-15 NS-IR	CCS-300-905-20 NS-IR
18 cm European connector	CCS-300-910-05	CCS-300-910-07	CCS-300-910-10	CCS-300-910-15	CCS-300-910-20
18 cm European connector Non-Stick	CCS-300-910-05 NS	CCS-300-910-07 NS	CCS-300-910-10 NS	CCS-300-910-15 NS	CCS-300-910-20 NS
18 cm European connector Irrigation	CCS-300-915-05 IR	CCS-300-915-07 IR	CCS-300-915-10 IR	CCS-300-915-15 IR	CCS-300-915-20 IR
18 cm European connector Non-Stick Irrigation	CCS-300-915-05 NS-IR	CCS-300-915-07 NS-IR	CCS-300-915-10 NS-IR	CCS-300-915-15 NS-IR	CCS-300-915-20 NS-IR
20 cm European connector	CCS-300-920-05	CCS-300-920-07	CCS-300-920-10	CCS-300-920-15	CCS-300-920-20
20 cm European connector Non-Stick	CCS-300-920-05 NS	CCS-300-920-07 NS	CCS-300-920-10 NS	CCS-300-920-15 NS	CCS-300-920-20 NS
20 cm European connector Irrigation	CCS-300-925-05 IR	CCS-300-925-07 IR	CCS-300-925-10 IR	CCS-300-925-15 IR	CCS-300-925-20 IR
20 cm European connector Non-Stick Irrigation	CCS-300-925-05 NS-IR	CCS-300-925-07 NS-IR	CCS-300-925-10 NS-IR	CCS-300-925-15 NS-IR	CCS-300-925-20 NS-IR
22 cm European connector	CCS-300-930-05	CCS-300-930-07	CCS-300-930-10	CCS-300-930-15	CCS-300-930-20
22 cm European connector Non-Stick	CCS-300-930-05 NS	CCS-300-930-07 NS	CCS-300-930-10 NS	CCS-300-930-15 NS	CCS-300-930-20 NS
22 cm European connector Irrigation	CCS-300-935-05 IR	CCS-300-935-07 IR	CCS-300-935-10 IR	CCS-300-935-15 IR	CCS-300-935-20 IR
22 cm European connector Non-Stick Irrigation	CCS-300-935-05 NS-IR	CCS-300-935-07 NS-IR	CCS-300-935-10 NS-IR	CCS-300-935-15 NS-IR	CCS-300-935-20 NS-IR
24 cm European connector	CCS-300-940-05	CCS-300-940-07	CCS-300-940-10	CCS-300-940-15	CCS-300-940-20
24 cm European connector Non-Stick	CCS-300-940-05 NS	CCS-300-940-07 NS	CCS-300-940-10 NS	CCS-300-940-15 NS	CCS-300-940-20 NS
24 cm European connector Irrigation	CCS-300-945-05 IR	CCS-300-945-07 IR	CCS-300-945-10 IR	CCS-300-945-15 IR	CCS-300-945-20 IR
24 cm European connector Non-Stick Irrigation	CCS-300-945-05 NS-IR	CCS-300-945-07 NS-IR	CCS-300-945-10 NS-IR	CCS-300-945-15 NS-IR	CCS-300-945-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Bayonet (Angled Up) Forceps

	0.5 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	CCS-300-950-05	CCS-300-950-10	CCS-300-950-15	CCS-300-950-20
15 cm European connector Non-Stick	CCS-300-950-05 NS	CCS-300-950-10 NS	CCS-300-950-15 NS	CCS-300-950-20 NS
15 cm European connector Irrigation	CCS-300-955-05 IR	CCS-300-955-10 IR	CCS-300-955-15 IR	CCS-300-955-20 IR
15 cm European connector Non-Stick Irrigation	CCS-300-955-05 NS-IR	CCS-300-955-10 NS-IR	CCS-300-955-15 NS-IR	CCS-300-955-20 NS-IR
18 cm European connector	CCS-300-960-05	CCS-300-960-10	CCS-300-960-15	CCS-300-960-20
18 cm European connector Non-Stick	CCS-300-960-05 NS	CCS-300-960-10 NS	CCS-300-960-15 NS	CCS-300-960-20 NS
18 cm European connector Irrigation	CCS-300-965-05 IR	CCS-300-965-10 IR	CCS-300-965-15 IR	CCS-300-965-20 IR
18 cm European connector Non-Stick Irrigation	CCS-300-965-05 NS-IR	CCS-300-965-10 NS-IR	CCS-300-965-15 NS-IR	CCS-300-965-20 NS-IR
20 cm European connector	CCS-300-970-05	CCS-300-970-10	CCS-300-970-15	CCS-300-970-20
20 cm European connector Non-Stick	CCS-300-970-05 NS	CCS-300-970-10 NS	CCS-300-970-15 NS	CCS-300-970-20 NS
20 cm European connector Irrigation	CCS-300-975-05 IR	CCS-300-975-10 IR	CCS-300-975-15 IR	CCS-300-975-20 IR
20 cm European connector Non-Stick Irrigation	CCS-300-975-05 NS-IR	CCS-300-975-10 NS-IR	CCS-300-975-15 NS-IR	CCS-300-975-20 NS-IR
22 cm European connector	CCS-300-980-05	CCS-300-980-10	CCS-300-980-15	CCS-300-980-20
22 cm European connector Non-Stick	CCS-300-980-05 NS	CCS-300-980-10 NS	CCS-300-980-15 NS	CCS-300-980-20 NS
22 cm European connector Irrigation	CCS-300-985-05 IR	CCS-300-985-10 IR	CCS-300-985-15 IR	CCS-300-985-20 IR
22 cm European connector Non-Stick Irrigation	CCS-300-985-05 NS-IR	CCS-300-985-10 NS-IR	CCS-300-985-15 NS-IR	CCS-300-985-20 NS-IR
24 cm European connector	CCS-300-990-05	CCS-300-990-10	CCS-300-990-15	CCS-300-990-20
24 cm European connector Non-Stick	CCS-300-990-05 NS	CCS-300-990-10 NS	CCS-300-990-15 NS	CCS-300-990-20 NS
24 cm European connector Irrigation	CCS-300-995-05 IR	CCS-300-202-10 IR	CCS-300-995-15 IR	CCS-300-995-20 IR
24 cm European connector Non-Stick Irrigation	CCS-300-995-05 NS-IR	CCS-300-995-10 NS-IR	CCS-300-995-15 NS-IR	CCS-300-995-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Bayonet Forceps

	1.0 Tip	1.3 Tip	1.5 Tip	2.0 Tip
15 cm European connector	CCS-300-1050-10	CCS-300-1050-13	CCS-300-1050-15	CCS-300-1050-20
15 cm European connector Non-Stick	CCS-300-1050-10 NS	CCS-300-1050-13 NS	CCS-300-1050-15 NS	CCS-300-1050-20 NS
15 cm European connector Irrigation	CCS-300-1055-10 IR	CCS-300-1055-13 IR	CCS-300-1055-15 IR	CCS-300-1055-20 IR
15 cm European connector Non-Stick Irrigation	CCS-300-1055-10 NSIR	CCS-300-1055-13 NSIR	CCS-300-1055-15 NSIR	CCS-300-1055-20 NSIR
18 cm European connector	CCS-300-1060-10	CCS-300-1060-13	CCS-300-1060-15	CCS-300-1060-20
18 cm European connector Non-Stick	CCS-300-1060-10 NS	CCS-300-1060-13 NS	CCS-300-1060-15 NS	CCS-300-1060-20 NS
18 cm European connector Irrigation	CCS-300-1065-10 IR	CCS-300-1065-13 IR	CCS-300-1065-15 IR	CCS-300-1065-20 IR
18 cm European connector Non-Stick Irrigation	CCS-300-1065-10 NS-IR	CCS-300-1065-13 NS-IR	CCS-300-1065-15 NS-IR	CCS-300-1065-20 NS-IR
20 cm European connector	CCS-300-1070-10	CCS-300-1070-13	CCS-300-1070-15	CCS-300-1070-20
20 cm European connector Non-Stick	CCS-300-1070-10 NS	CCS-300-1070-13 NS	CCS-300-1070-15 NS	CCS-300-1070-20 NS
20 cm European connector Irrigation	CCS-300-1075-10 IR	CCS-300-1075-13 IR	CCS-300-1075-15 IR	CCS-300-1075-20 IR
20 cm European connector Non-Stick Irrigation	CCS-300-1075-10 NS-IR	CCS-300-1075-13 NS-IR	CCS-300-1075-15 NS-IR	CCS-300-1075-20 NS-IR
22 cm European connector	CCS-300-1080-10	CCS-300-1080-13	CCS-300-1080-15	CCS-300-1080-20
22 cm European connector Non-Stick	CCS-300-1080-10 NS	CCS-300-1080-13 NS	CCS-300-1080-15 NS	CCS-300-1080-20 NS
22 cm European connector Irrigation	CCS-300-1085-10 IR	CCS-300-1085-13 IR	CCS-300-1085-15 IR	CCS-300-1085-20 IR
22 cm European connector Non-Stick Irrigation	CCS-300-1085-10 NSIR	CCS-300-1085-13 NSIR	CCS-300-1085-15 NSIR	CCS-300-1085-20 NSIR
24 cm European connector	CCS-300-1090-10	CCS-300-1090-13	CCS-300-1090-15	CCS-300-1090-20
24 cm European connector Non-Stick	CCS-300-1090-10 NS	CCS-300-1090-13 NS	CCS-300-1090-15 NS	CCS-300-1090-20 NS
24 cm European connector Irrigation	CCS-300-1095-10 IR	CCS-300-1095-13 IR	CCS-300-1095-15 IR	CCS-300-1095-20 IR
24 cm European connector Non-Stick Irrigation	CCS-300-1095-10 NS-IR	CCS-300-1095-13 NS-IR	CCS-300-1095-15 NS-IR	CCS-300-1095-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Straight Angled Forceps

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	CCS-300-1100-05	CCS-300-1100-07	CCS-300-1100-10	CCS-300-1100-15	CCS-300-1100-20
15 cm European connector Non-Stick	CCS-300-1100-05 NS	CCS-300-1100-07 NS	CCS-300-1100-10 NS	CCS-300-1100-15 NS	CCS-300-1100-20 NS
15 cm European connector Irrigation	CCS-300-1105-05 IR	CCS-300-1105-07 IR	CCS-300-1105-10 IR	CCS-300-1105-15 IR	CCS-300-1105-20 IR
15 cm European connector Non-Stick Irrigation	CCS-300-1105-05 NS-IR	CCS-300-1105-07 NS-IR	CCS-300-1105-10 NSIR	CCS-300-1105-15 NS-IR	CCS-300-1100-20 NS-IR
18 cm European connector	CCS-300-1110-05	CCS-300-1110-07	CCS-300-1110-10	CCS-300-1110-15	CCS-300-1110-20
18 cm European connector Non-Stick	CCS-300-1110-05 NS	CCS-300-1110-07 NS	CCS-300-1110-10 NS	CCS-300-1110-15 NS	CCS-300-1110-20 NS
18 cm European connector Irrigation	SB-500-1115-05 IR	CCS-300-1115-07 IR	CCS-300-1115-10 IR	CCS-300-1115-15 IR	SB-500-1115-20 IR
18 cm European connector Non-Stick Irrigation	CCS-300-1115-05 NS-IR	CCS-300-1115-07 NS-IR	CCS-300-1115-10 NSIR	CCS-300-1115-15 NS-IR	CCS-300-1115-20 NS-IR
20 cm European connector	CCS-300-1120-05	CCS-300-1120-07	CCS-300-1120-10	CCS-300-1120-15	CCS-300-1125-20
20 cm European connector Non-Stick	CCS-300-1120-05 NS	CCS-300-1120-07 NS	CCS-300-1120-10 NS	CCS-300-1120-15 NS	CCS-300-1120-20 NS
20 cm European connector Irrigation	CCS-300-1125-05 IR	CCS-300-1125-07 IR	CCS-300-1125-10 IR	CCS-300-1125-15 IR	CCS-300-1125-20 IR
20 cm European connector Non-Stick Irrigation	CCS-300-1125-05 NS-IR	CCS-300-1125-07 NS-IR	CCS-300-1125-10 NSIR	CCS-300-1125-15 NS-IR	CCS-300-1125-20 NS-IR
22 cm European connector	CCS-300-1130-05	CCS-300-1130-07	CCS-300-1130-10	CCS-300-1130-15	CCS-300-1130-20
22 cm European connector Non-Stick	CCS-300-1130-05 NS	CCS-300-1130-07 NS	CCS-300-1130-10 NS	CCS-300-1130-15 NS	CCS-300-1130-20 NS
22 cm European connector Irrigation	CCS-300-1135-05 IR	CCS-300-1135-07 IR	CCS-300-1135-10 IR	CCS-300-1135-15 IR	CCS-300-1135-20 IR
22 cm European connector Non-Stick Irrigation	CCS-300-1135-05 NS-IR	CCS-300-1135-07 NS-IR	CCS-300-1135-10 NSIR	CCS-300-1135-15 NS-IR	CCS-300-1135-20 NS-IR
24 cm European connector	CCS-300-1140-05	CCS-300-1140-07	CCS-300-1140-10	CCS-300-1140-15	CCS-300-1140-20
24 cm European connector Non-Stick	CCS-300-1140-05 NS	CCS-300-1140-07 NS	CCS-300-1140-10 NS	CCS-300-1140-15 NS	CCS-300-1140-20 NS
24 cm European connector Irrigation	CCS-300-1145-05 IR	CCS-300-1145-07 IR	CCS-300-1145-10 IR	CCS-300-1145-15 IR	CCS-300-1145-20 IR
24 cm European connector Non-Stick Irrigation	CCS-300-1145-05 NS-IR	CCS-300-1145-07 NS-IR	CCS-300-1145-10 NSIR	CCS-300-1145-15 NS-IR	CCS-300-1145-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz..

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Straight Angled Forceps

	0.5 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	CCS-300-1150-05	CCS-300-1150-10	CCS-300-1150-15	CCS-300-1150-20
15 cm European connector Non-Stick	CCS-300-1150-05 NS	CCS-300-1150-10 NS	CCS-300-1150-15 NS	CCS-300-1150-20 NS
15 cm European connector Irrigation	CCS-300-1155-05 IR	CCS-300-1155-10 IR	CCS-300-1155-15 IR	CCS-300-1155-20 IR
15 cm European connector Non-Stick Irrigation	CCS-300-1150-05 NS-IR	CCS-300-1150-10 NS-IR	CCS-300-1150-15 NS-IR	CCS-300-1150-20 NS-IR
18 cm European connector	CCS-300-1155-05	CCS-300-1155-10	CCS-300-1155-15	CCS-300-1155-20
18 cm European connector Non-Stick	CCS-300-1155-05 NS	CCS-300-1155-10 NS	CCS-300-1155-15 NS	CCS-300-1155-20 NS
18 cm European connector Irrigation	CCS-300-1160-05 IR	CCS-300-1160-10 IR	CCS-300-1160-15 IR	CCS-300-1160-20 IR
18 cm European connector Non-Stick Irrigation	CCS-300-1160-05 NS-IR	CCS-300-1160-10 NS-IR	CCS-300-1160-15 NS-IR	CCS-300-1160-20 NS-IR
20 cm European connector	CCS-300-1165-05	CCS-300-1165-10	CCS-300-1165-15	CCS-300-1165-20
20 cm European connector Non-Stick	CCS-300-1165-05 NS	CCS-300-1165-10 NS	CCS-300-1165-15 NS	CCS-300-1165-20 NS
20 cm European connector Irrigation	CCS-300-1170-05 IR	CCS-300-1170-10 IR	CCS-300-1170-15 IR	CCS-300-1170-20 IR
20 cm European connector Non-Stick Irrigation	CCS-300-1170-05 NS-IR	CCS-300-1170-10 NS-IR	CCS-300-1170-15 NS-IR	CCS-300-1170-20 NS-IR
22 cm European connector	CCS-300-1175-05	CCS-300-1175-10	CCS-300-1175-15	CCS-300-1175-20
22 cm European connector Non-Stick	CCS-300-1175-05 NS	CCS-300-1175-10 NS	CCS-300-1175-15 NS	CCS-300-1175-20 NS
22 cm European connector Irrigation	CCS-300-1180-05 IR	CCS-300-1180-10 IR	CCS-300-1180-15 IR	CCS-300-1180-20 IR
22 cm European connector Non-Stick Irrigation	CCS-300-1180-05 NS-IR	CCS-300-1180-10 NS-IR	CCS-300-1180-15 NS-IR	CCS-300-1180-20 NS-IR
24 cm European connector	CCS-300-1185-05	CCS-300-1185-10	CCS-300-1185-15	CCS-300-1185-20
24 cm European connector Non-Stick	CCS-300-1185-05 NS	CCS-300-1185-10 NS	CCS-300-1185-15 NS	CCS-300-1185-20 NS
24 cm European connector Irrigation	CCS-300-1190-05 IR	CCS-300-1190-10 IR	CCS-300-1190-15 IR	CCS-300-1190-20 IR
24 cm European connector Non-Stick Irrigation	CCS-300-1190-05 NS-IR	CCS-300-1190-10 NS-IR	CCS-300-1190-15 NS-IR	CCS-300-1190-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Siyah renkte üretilmektedir.



European Bipolar Straight Forceps

	0.5 Tip	0.7 Tip	1.0 Tip	1.5 Tip	2.0 Tip
15 cm European connector	CCS-300-1195-05	CCS-300-1195-07	CCS-300-1195-10	CCS-300-1195-15	CCS-300-1195-20
15 cm European connector Non-Stick	CCS-300-1195-05 NS	CCS-300-1195-07 NS	CCS-300-1195-10 NS	CCS-300-1195-15 NS	CCS-300-1195-20 NS
15 cm European connector Irrigation	CCS-300-1200-05 IR	CCS-300-1200-07 IR	CCS-300-1200-10 IR	CCS-300-1200-15 IR	CCS-300-1200-20 IR
15 cm European connector Non-Stick Irrigation	CCS-300-1200-05 NS-IR	CCS-300-1200-07 NS-IR	CCS-300-1200-10 NS-IR	CCS-300-1200-15 NS-IR	CCS-300-1200-20 NS-IR
18 cm European connector	CCS-300-1205-05	CCS-300-1205-07	CCS-300-1205-10	CCS-300-1205-15	CCS-300-1205-20
18 cm European connector Non-Stick	CCS-300-1205-05 NS	CCS-300-1205-07 NS	CCS-300-1205-10 NS	CCS-300-1205-15 NS	CCS-300-1205-20 NS
18 cm European connector Irrigation	CCS-300-1210-05 IR	CCS-300-1210-07 IR	CCS-300-1210-10 IR	CCS-300-1210-15 IR	CCS-300-1210-20 IR
18 cm European connector Non-Stick Irrigation	CCS-300-1210-05 NS-IR	CCS-300-1210-07 NS-IR	CCS-300-1210-10 NS-IR	CCS-300-1210-15 NS-IR	CCS-300-1210-20 NS-IR
20 cm European connector	CCS-300-1215-05	CCS-300-1215-07	CCS-300-1215-10	CCS-300-1215-15	CCS-300-1215-20
20 cm European connector Non-Stick	CCS-300-1215-05 NS	CCS-300-1215-07 NS	CCS-300-1215-10 NS	CCS-300-1215-15 NS	CCS-300-1215-20 NS
20 cm European connector Irrigation	CCS-300-1220-05 IR	CCS-300-1220-07 IR	CCS-300-1220-10 IR	CCS-300-1220-15 IR	CCS-300-1220-20 IR
20 cm European connector Non-Stick Irrigation	CCS-300-1220-05 NS-IR	CCS-300-1220-06 NS-IR	CCS-300-1220-10 NS-IR	CCS-300-1220-15 NS-IR	CCS-300-1220-20 NS-IR
22 cm European connector	CCS-300-1225-05	CCS-300-1225-07	CCS-300-1225-10	CCS-300-1225-15	CCS-300-1225-20
22 cm European connector Non-Stick	CCS-300-1225-05 NS	CCS-300-1225-07 NS	CCS-300-1225-10 NS	CCS-300-1225-15 NS	CCS-300-1225-20 NS
22 cm European connector Irrigation	CCS-300-1230-05 IR	CCS-300-1230-07 IR	CCS-300-1230-10 IR	CCS-300-1230-15 IR	CCS-300-1230-20 IR
22 cm European connector Non-Stick Irrigation	CCS-300-1230-05 NS-IR	CCS-300-1230-07 NS-IR	CCS-300-1230-10 NS-IR	CCS-300-1230-15 NS-IR	CCS-300-1230-20 NS-IR
24 cm European connector	CCS-300-1235-05	CCS-300-1235-07	CCS-300-1235-10	CCS-300-1235-15	CCS-300-1235-20
24 cm European connector Non-Stick	CCS-300-1235-05 NS	CCS-300-1235-07 NS	CCS-300-1235-10 NS	CCS-300-1235-15 NS	CCS-300-1235-20 NS
24 cm European connector Irrigation	CCS-300-1240-05 IR	CCS-300-1240-07 IR	CCS-300-1240-10 IR	CCS-300-1240-15 IR	CCS-300-1240-20 IR
24 cm European connector Non-Stick Irrigation	CCS-300-1240-05 NS-IR	CCS-300-1240-07 NS-IR	CCS-300-1240-07 NS-IR	CCS-300-1240-15 NS-IR	CCS-300-1240-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Sivah renkte üretilmektedir.



European Bipolar Straight Forceps

	1.0 Tip	1.3 Tip	1.5 Tip	2.0 Tip
15 cm European connector	CCS-300-1245-10	CCS-300-1245-13	CCS-300-1245-15	CCS-300-1245-20
15 cm European connector Non-Stick	CCS-300-1245-10 NS	CCS-300-1245-13 NS	CCS-300-1245-15 NS	CCS-300-1245-20 NS
15 cm European connector Irrigation	CCS-300-1250-10 IR	CCS-300-1250-13 IR	CCS-300-1250-15 IR	CCS-300-1250-20 IR
15 cm European connector Non-Stick Irrigation	CCS-300-1250-10 NS-IR	CCS-300-1250-13 NS-IR	CCS-300-1250-15 NS-IR	CCS-300-1250-20 NS-IR
18 cm European connector	CCS-300-1255-10	CCS-300-1255-13	CCS-300-1255-15	CCS-300-1255-20
18 cm European connector Non-Stick	CCS-300-1255-10 NS	CCS-300-1255-13 NS	CCS-300-1255-15 NS	CCS-300-1255-20 NS
18 cm European connector Irrigation	CCS-300-1260-10 IR	CCS-300-1260-13 IR	CCS-300-1260-15 IR	CCS-300-1260-20 IR
18 cm European connector Non-Stick Irrigation	CCS-300-1260-10 NS-IR	CCS-300-1260-13 NS-IR	CCS-300-1260-15 NS-IR	CCS-300-1260-20 NS-IR
20 cm European connector	CCS-300-1265-10	CCS-300-1265-13	CCS-300-1265-15	CCS-300-1265-20
20 cm European connector Non-Stick	CCS-300-1265-10 NS	CCS-300-1265-13 NS	CCS-300-1265-15 NS	CCS-300-1265-20 NS
20 cm European connector Irrigation	CCS-300-1270-10 IR	CCS-300-1270-13 IR	CCS-300-1270-15 IR	CCS-300-1270-20 IR
20 cm European connector Non-Stick Irrigation	CCS-300-1270-10 NS-IR	CCS-300-1270-13 NS-IR	CCS-300-1270-15 NS-IR	CCS-300-1270-20 NS-IR
22 cm European connector	CCS-300-1275-10	CCS-300-1275-13	CCS-300-1275-15	CCS-300-1275-20
22 cm European connector Non-Stick	CCS-300-1275-10 NS	CCS-300-1275-13 NS	CCS-300-1275-15 NS	CCS-300-1275-20 NS
22 cm European connector Irrigation	CCS-300-1280-10 IR	CCS-300-1280-13 IR	CCS-300-1280-15 IR	CCS-300-1280-20 IR
22 cm European connector Non-Stick Irrigation	CCS-300-1280-12 NS-IR	CCS-300-1280-13 NS-IR	CCS-300-1280-15 NS-IR	CCS-300-1280-20 NS-IR
24 cm European connector	CCS-300-1285-10	CCS-300-1285-13	CCS-300-1285-15	CCS-300-1285-20
24 cm European connector Non-Stick	CCS-300-1285-12 NS	CCS-300-1285-13 NS	CCS-300-1285-15 NS	CCS-300-1285-20 NS
24 cm European connector Irrigation	CCS-300-1290-10 IR	CCS-300-1290-13 IR	CCS-300-1290-15 IR	CCS-300-1290-20 IR
24 cm European connector Non-Stick Irrigation	CCS-300-1290-10 NS-IR	CCS-300-1290-13 NS-IR	CCS-300-1290-15 NS-IR	CCS-300-1290-20 NS-IR



2 Pin



European

All forceps available Tip Length 4,5,6,7,8,9,10 MM

For your convenience, add the following Tip Length (TL 4,5,6,7,8,9,10) to product code

Sipariş Ürün koduna 'TL 4,5,6,7,8,9,10' ilave ederek Tip uzunluğu belirtebilirsiniz.

Standard olarak Normal Forcepsler Mavi ve Non-Stick Forcepsler Sivah renkte üretilmektedir.

BAYONET
CCS-300-100-IR



BAYONET
CCS-300-105-IR



BAYONET
CCS-300-110-IR



BAYONET
CCS-300-115-
IR




JEWELER # 4
CCS-300-120 HS





SEMKIN
CCS-300-125 HS




JANSEN BAYONET
CCS-300-130 HS



SCOVILLE-GREENWOOD
CCS-300-135 HS



3 PIN CONNECTOR




Cat #	Description	Tip (mm)	Size
CCS-300-120HS	JEWELLER# 4	0.5	4½" (11.5 cm)
CCS-300-125HS	SEMKIN	0.75	5½" (14.0 cm)
CCS-300-130HS	JANSEN BAYONET	0.75	7½" (19.1 cm)
CCS-300-135HS	SCOVILLE-GREENWOOD	1.5	7¾" (19.7 cm)


JANSEN BAYONET
CCS-300-140 HS



JANSEN BAYONET
CCS-300-145 HS



POTTS-SMITH
CCS-300-150 HS



POTTS-SMITH
CCS-300-155 HS



Cat #	Description	Tip (mm)	Size
CCS-300-140 HS	JANSEN BAYONET	2.0	5½" (14.0 cm)
CCS-300-145 HS	JANSEN BAYONET	2.0	7½" (19.0 cm)
CCS-300-150 HS	JANSEN BAYONET	2.0	8¼" (21.0 cm)
CCS-300-155 HS	POTTS-SMITH	2.0	7" (18.0 cm)
CCS-300-160 HS	POTTS-SMITH	2.0	8¼" (21.0 cm)
CCS-300-165 HS	POTTS-SMITH	2.0	9½" (24.0 cm)



GERALD (Str)
CCS-300-170



JANSEN BAYONET
(IRRIGATION)
CCS-300-175 IR



JANSEN BAYONET
CCS-300-180



JEWELER #5
CCS-300-185



ADSON
CCS-300-190



DISPOSABLE BIPOLAR CABLE
CCS-300-192 D



Forceps are supplied with 3m cable.
Available in Sterile/Non-Sterile packaging.
Sterilization by Ethylene Oxide (EO).

More designs are available in Disposable
Bipolar Forceps.
Use 2 10-Series with any regular Bipolar
Forceps for conversion into Disposable Bipolar
Forceps.




JEWELER #5
CCS-300-195



DISPOSABLE BIPOLAR CABLE
CCS-300-213 D



STRAIGHT FORCEPS
CCS-300-200



BAYONET FORCEPS
CCS-300-205



STRAIGHT FORCEPS
(Disposable without cable)
CCS-300-210



STRAIGHT ANG (Disposable
without cable)
CCS-300-215

Forceps are supplied with 3m cable.
Available in Sterile/Non-Sterile packaging.
Sterilization by Ethylene Oxide (EO).
Available in Everycolor

More designs are available in Disposable
Bipolar Forceps.
Use 2 10-Series with any regular Bipolar
Forceps for conversion into Disposable Bipolar
Forceps.



TUNER WARWICK (STR.) SB-
CCS-300-220



TUNER WARWICK (CRV.)
CCS-300-225



SURGICAL SCISSORS (STR.)
CCS-300-230



SURGICAL SCISSORS (CRV.)
CCS-300-235



WILSON HEY FORCEPS (STR.)
CCS-300-240



WILSON HEY FORCEPS (CRV.)
CCS-300-245



ARTERY FORCEPS (STR.)
CCS-300-250



ARTERY FORCEPS (CRV.)
CCS-300-255



ABBEY NEEDLE (17.5 cm)
CCS-300-260



RICHIE FORCEPS (STR.)
CCS-300-260

(Male 4.8 mm CONNECTOR)

Cat #	Description	Size	Cat #	Description	Size
CCS-300-220	Turner Warwick str 17.8 cm English monopolar male 4.8 mm	7" (17.8 cm)	CCS-300-225	Turner Warwick (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
CCS-300-222	Turner Warwick str 17.8 cm English monopolar male 4.8 mm	9" (23.0 cm)	CCS-300-227	Turner Warwick (Crv.) 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
CCS-300-230	Surgical scissors Düz 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)	CCS-300-235	Surgical scissors (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
CCS-300-232	Surgical scissors Düz 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)	CCS-300-237	Surgical scissors (Crv.) 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
CCS-300-240	Wilson Hey Forceps Düz 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)	CCS-300-245	Wilson Hey Forceps (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
CCS-300-242	Wilson Hey Forceps Düz 23cm English monopolar male 4.8 mm girişli	9" (23.0 cm)	CCS-300-247	Wilson Hey Forceps (Crv.) 23cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
CCS-300-250	Artery forceps Düz 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)	CCS-300-255	Artery forceps (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
CCS-300-252	Artery forceps Düz 17.8 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)	CCS-300-257	Artery forceps (Crv.) 17.8 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)
CCS-300-260	Richie forceps 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)	CCS-300-265	Richie forceps 17.8 cm English monopolar male 4.8 mm girişli	7" (17.8 cm)
CCS-300-262	Richie forceps 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)	CCS-300-267	Richie forceps 23 cm English monopolar male 4.8 mm girişli	9" (23.0 cm)

□



**ADSON
CCS-300-265**



**McINDOE
CCS-300-270**



**GILLIES
CCS-300-275**



**DISSECTING
CCS-300-280**



**GERALD (1x2)
CCS-300-285**



**ADSON BAYONET SB
CCS-300-290**



**ADSON BAYONET (ANG. UP)
CCS-300-295**



**REMINGTON HOBBS
CCS-300-300**

Cat#	Description	Tip (mm)	Size
350-100	Adson isi cerrahi forceps 12 cm	1.0	4 ^{3/4} " (12.0 cm)
350-110	McINDOE isi cerrahi forceps 15 cm	1.0 - 2.0	6" (15 cm)
350-120	Gillies isi cerrahi forceps 15 cm	-	6" (15 cm)
350-122	Gillies isi cerrahi forceps 17.8 cm	-	7" (17.8 cm)
350-124	Gillies isi cerrahi forceps 20 cm	-	8" (20 cm)
350-126	Gillies isi cerrahi forceps 24 cm	-	9" (24.0 cm)
350-130	Dissecting isi cerrahi forceps 15 cm	1.0 - 2.0	6" (15 cm)

Cat#	Description	Tip (mm)	Size
CCS-300-265	Adson isi cerrahi forceps 12 cm	1.0	4 ^{3/4} " (12.0 cm)
CCS-300-270	McINDOE isi cerrahi forceps 15 cm	1.0 - 2.0	6" (15 cm)
CCS-300-275	Gillies isi cerrahi forceps 15 cm	-	6" (15 cm)
CCS-300-276	Gillies isi cerrahi forceps 17.8 cm	-	7" (17.8 cm)
CCS-300-277	Gillies isi cerrahi forceps 20 cm	-	8" (20 cm)
CCS-300-278	Gillies isi cerrahi forceps 24 cm	-	9" (24.0 cm)
CCS-300-280	Dissecting isi cerrahi forceps 15 cm	1.0 - 2.0	6" (15 cm)
CCS-300-281	Dissecting isi cerrahi forceps 17.8 cm	1.0 - 2.0	7" (17.8 cm)
CCS-300-282	Dissecting isi cerrahi forceps 21 cm	1.0 - 2.0	8 ^{1/4} " (21.0 cm)
CCS-300-283	Dissecting isi cerrahi forceps 24.1 cm	1.0 - 2.0	9 ^{1/2} " (24.1 cm)
CCS-300-285	Gerald isi cerrahi forceps 17.8 cm	-	7" (17.8 cm)
CCS-300-290	Adson bayonet isi cerrahi forceps 16 cm	1.0 - 2.0	6 ^{1/4} " (16 cm)
CCS-300-291	Adson bayonet isi cerrahi forceps 19.1 cm	1.0 - 2.0	7 ^{1/2} " (19.1 cm)
CCS-300-295	Adson Bayonet angled up isi cerrahi forceps 16 cm	1.0 - 2.0	6 ^{1/4} " (16 cm)
CCS-300-296	Adson Bayonet angled up isi cerrahi forceps 19.1 cm	1.0 - 2.0	7 ^{1/2} " (19.1 cm)
CCS-300-297	Adson Bayonet angled up isi cerrahi forceps 21 cm	1.0 - 2.0	8 ^{1/4} " (21.0 cm)
CCS-300-300	Remington HOBBS isi cerrahi forceps 24.1 cm	1.0 - 2.0	9 ^{1/2} " (24.1 cm)

Cat#	Description	Tip (mm)	Size
CCS-300-265	Adson isi cerrahi forceps 12 cm	1.0	4 ^{3/4} " (12.0 cm)
CCS-300-270	McINDOE isi cerrahi forceps 15 cm	1.0 - 2.0	6" (15 cm)
CCS-300-275	Gillies isi cerrahi forceps 15 cm	-	6" (15 cm)
CCS-300-276	Gillies isi cerrahi forceps 17.8 cm	-	7" (17.8 cm)
CCS-300-277	Gillies isi cerrahi forceps 20 cm	-	8" (20 cm)
CCS-300-278	Gillies isi cerrahi forceps 24 cm	-	9" (24.0 cm)
CCS-300-280	Dissecting isi cerrahi forceps 15 cm	1.0 - 2.0	6" (15 cm)
CCS-300-281	Dissecting isi cerrahi forceps 17.8 cm	1.0 - 2.0	7" (17.8 cm)
CCS-300-282	Dissecting isi cerrahi forceps 21 cm	1.0 - 2.0	8 ^{1/4} " (21.0 cm)
CCS-300-283	Dissecting isi cerrahi forceps 24.1 cm	1.0 - 2.0	9 ^{1/2} " (24.1 cm)
CCS-300-285	Gerald isi cerrahi forceps 17.8 cm	-	7" (17.8 cm)
CCS-300-290	Adson bayonet isi cerrahi forceps 16 cm	1.0 - 2.0	6 ^{1/4} " (16 cm)
CCS-300-291	Adson bayonet isi cerrahi forceps 19.1 cm	1.0 - 2.0	7 ^{1/2} " (19.1 cm)
CCS-300-295	Adson Bayonet angled up isi cerrahi forceps 16 cm	1.0 - 2.0	6 ^{1/4} " (16 cm)
CCS-300-296	Adson Bayonet angled up isi cerrahi forceps 19.1 cm	1.0 - 2.0	7 ^{1/2} " (19.1 cm)
CCS-300-297	Adson Bayonet angled up isi cerrahi forceps 21 cm	1.0 - 2.0	8 ^{1/4} " (21.0 cm)
CCS-300-300	Remington HOBBS isi cerrahi forceps 24.1 cm	1.0 - 2.0	9 ^{1/2} " (24.1 cm)

Cat#	Description	Tip (mm)	Size
CCS-300-265	Adson isi cerrahi forceps 12 cm	1.0	4 ^{3/4} " (12.0 cm)
CCS-300-270	McINDOE isi cerrahi forceps 15 cm	1.0 - 2.0	6" (15 cm)
CCS-300-275	Gillies isi cerrahi forceps 15 cm	-	6" (15 cm)
CCS-300-276	Gillies isi cerrahi forceps 17.8 cm	-	7" (17.8 cm)
CCS-300-277	Gillies isi cerrahi forceps 20 cm	-	8" (20 cm)
CCS-300-278	Gillies isi cerrahi forceps 24 cm	-	9" (24.0 cm)
CCS-300-280	Dissecting isi cerrahi forceps 15 cm	1.0 - 2.0	6" (15 cm)
CCS-300-281	Dissecting isi cerrahi forceps 17.8 cm	1.0 - 2.0	7" (17.8 cm)
CCS-300-282	Dissecting isi cerrahi forceps 21 cm	1.0 - 2.0	8 ^{1/4} " (21.0 cm)
CCS-300-283	Dissecting isi cerrahi forceps 24.1 cm	1.0 - 2.0	9 ^{1/2} " (24.1 cm)
340-140	Gerald isi cerrahi forceps 17.8 cm	-	7" (17.8 cm)
340-150	Adson bayonet isi cerrahi forceps 16 cm	1.0 - 2.0	6 ^{1/4} " (16 cm)
340-152	Adson bayonet isi cerrahi forceps 19.1 cm	1.0 - 2.0	7 ^{1/2} " (19.1 cm)
340-160	Adson Bayonet angled up isi cerrahi forceps 16 cm	1.0 - 2.0	6 ^{1/4} " (16 cm)
340-162	Adson Bayonet angled up isi cerrahi forceps 19.1 cm	1.0 - 2.0	7 ^{1/2} " (19.1 cm)
340-164	Adson Bayonet angled up isi cerrahi forceps 21 cm	1.0 - 2.0	8 ^{1/4} " (21.0 cm)
340-170	Remington HOBBS isi cerrahi forceps 24.1 cm	1.0 - 2.0	9 ^{1/2} " (24.1 cm)

350-132	Dissecting isi cerrahi forceps 17.8 cm	1.0 - 2.0	7" (17.8 cm)
350-134	Dissecting isi cerrahi forceps 21 cm	1.0 - 2.0	8 ^{1/4} " (21.0 cm)
350-136	Dissecting isi cerrahi forceps 24.1 cm	1.0 - 2.0	9 ^{1/2} " (24.1 cm)
350-140	Gerald isi cerrahi forceps 17.8 cm	-	7" (17.8 cm)
350-150	Adson bayonet isi cerrahi forceps 16 cm	1.0 - 2.0	6 ^{1/4} " (16 cm)
350-152	Adson bayonet isi cerrahi forceps 19.1 cm	1.0 - 2.0	7 ^{1/2} " (19.1 cm)
350-160	Adson Bayonet angled up isi cerrahi forceps 16 cm	1.0 - 2.0	6 ^{1/4} " (16 cm)
350-162	Adson Bayonet angled up isi cerrahi forceps 19.1 cm	1.0 - 2.0	7 ^{1/2} " (19.1 cm)
350-164	Adson Bayonet angled up isi cerrahi forceps 21 cm	1.0 - 2.0	8 ^{1/4} " (21.0 cm)
350-170	Remington HOBBS isi cerrahi forceps 24.1 cm	1.0 - 2.0	9 ^{1/2} " (24.1 cm)



ARTERY SEALER
CCS-300-305



ARTERY SEALER (NON-STICK)
CCS-300-310NS



DETACHABLE CONNECTING CABLE
CCS-300-315



ARTERY SEALER
CCS-300-320



ARTERY SEALER (NON-STICK)
CCS-300-325NS



ARTERY SEALER
CCS-300-335



ARTERY SEALER
CCS-300-330

Cat#	Description	Size
CCS-300-305	Damar kapatma Bipolar	10" ²⁵ (26 cm)
CCS-300-320	Damar kapatma Bipolar	9" ²⁴ (24 cm)
CCS-300-330	Damar kapatma Bipolar	6" ¹⁶ (16 cm)
CCS-300-332	Damar kapatma Bipolar	7" ¹⁸ (19 cm)
CCS-300-334	Damar kapatma Bipolar	8" ²² (22 cm)
CCS-300-336	Damar kapatma Bipolar	9" ²⁴ (24 cm)
CCS-300-338	Damar kapatma Bipolar	10" ²⁶ (26 cm)
CCS-300-315	Silikon Bipolar Kablo	10' (3 m)

Cat#	Description	Size
CCS-300-340	Bipolar Electrode	18 cm
CCS-300-342	Bipolar Electrode	20 cm
CCS-300-344	Bipolar Electrode	22 cm
CCS-300-346	Bipolar Electrode	27 cm
CCS-300-360	Angled Bipolar Electrode	18 cm
CCS-300-362	Angled Bipolar Electrode	20 cm
CCS-300-364	Angled Bipolar Electrode	22 cm
CCS-300-380	Angled upward Bipolar Electrode	16.5 cm
CCS-300-382	Angled upward Bipolar Electrode	20 cm
CCS-300-370	Angled 45d Bipolar Electrode	19 cm
CCS-300-375	Angled 90d Bipolar Electrode	16 cm




STRAIGHT
CCS-300-340



ANGLED
(Upward Tip)
CCS-300-345



ANGLED
CCS-300-350




ANGLED 45°
CCS-300-355



ANGLED 90°
CCS-300-360



BI-TURBINATE PROBE (17.5 cm)
CCS-300-380



Cat#	Description	Size
CCS-300-380	Bipolar Electrode	18 cm
CCS-300-392	Bipolar Electrode	20 cm
CCS-300-394	Bipolar Electrode	22 cm
CCS-300-395	Bipolar Electrode	27 cm
CCS-300-410	Angled Bipolar Electrode	18 cm
CCS-300-412	Angled Bipolar Electrode	20 cm
CCS-300-414	Angled Bipolar Electrode	22 cm
CCS-300-400	Angled upward Bipolar Electrode	16.5 cm
CCS-300-402	Angled upward Bipolar Electrode	20 cm
CCS-300-420	Angled 45d Bipolar Electrode	19 cm
CCS-300-430	Angled 90d Bipolar Electrode	16 cm



STRAIGHT
CCS-300-365



ANGLED
(Upward Tip)
CCS-300-370



ANGLED
CCS-300-375



ANGLED 45°
CCS-300-380



ANGLED 90°
CCS-300-385



SILICONE BIPOLAR CABLE

CCS-300-100 - 3M CCS-300-105 - 5M

Instrument Connector : USA 2-Pin Plug

Generator Connector : 4mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



SILICONE EUROPEAN BIPOLAR CABLE

CCS-300-110 - 3M CCS-300-115 - 5M

Instrument Connector : European Flat Plug

Generator Connector : 4mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



SILICONE EUROPEAN BIPOLAR CABLE

CCS-300-120 - 3M CCS-300-125 - 5M

Instrument Connector : European Flat Plug

Generator Connector : Martin Type

Compatibility: Aesculap, Martin, Borchold, Wolf



SILICONE BIPOLAR CABLE

CCS-300-130 - 3M CCS-300-135 - 5M

Instrument Connector : USA 2-Pin Plug

Generator Connector : Martin Type

Compatibility: Aesculap, Martin, Borchold, Wolf



SILICONE EUROPEAN BIPOLAR CABLE

CCS-300-140 - 3M CCS-300-145 - 5M

Instrument Connector : European Flat Plug

Generator Connector : Erbe Type

Compatibility: Erbe, Downs, Siemens



SILICONE BIPOLAR CABLE

CCS-300-150-3M CCS-300-155-5M

Instrument Connector : USA 2-Pin Plug

Generator Connector : Erbe Type

Compatibility: Erbe, Downs, Siemens



SILICONE EUROPEAN BIPOLAR CABLE

CCS-300-160-3M CCS-300-165-5M

Instrument Connector : European Flat Plug

Generator Connector : Pin Distance 29mm

Compatibility: Valleylab, EMC, Dolley



SILICONE BIPOLAR CABLE

CCS-300-170-3M CCS-300-175-5M

Instrument Connector : USA 2-Pin Plug

Generator Connector : Pin Distance 29mm

Compatibility: Valleylab, EMC, Dolley



SILICONE BIPOLAR CABLE

CCS-300-180-3M CCS-300-185-5M

Instrument Connector : Bipolar Artery Sealer

Generator Connector : 4mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



SILICONE BIPOLAR CABLE

CCS-300-190-3M CCS-300-195-5M

Instrument Connector : Ethicon

Generator Connector : 4mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



SILICONE MONOPOLAR CABLE
 CCS-300-200 - 3M CCS-300-205 - 5M
 Instrument Connector : Screw Type
 Generator Connector : Standart Bovie® 8mm Plug
 Compatibility: Valleylab, Conmed, Bovie®



SILICONE MONOPOLAR ENDOSCOPIC CABLE
 CCS-300-210 - 3M CCS-300-215 - 5M
 Instrument Connector : 4mm Female Fitting
 Generator Connector : Standart Bovie® 8mm Plug
 Compatibility: Valleylab, Conmed, Bovie®



SILICONE MONOPOLAR ENDOSCOPIC CABLE
 CCS-300-220 - 3M CCS-300-225 - 5M
 Instrument Connector : 4mm Female Fitting Generator
 Connector : Standart 4mm Banana Plug
 Compatibility: Most EB Generators



SILICONE DIATHERMY CABLE
 CCS-300-230 - 3M CCS-300-235 - 5M
 Instrument Connector : 4mm Male Fitting (European Diathermy)
 Generator Connector : Standart 4mm Banana Plug
 Compatibility: Most EB Generators



SILICONE DIATHERMY CABLE
 CCS-300-280 - 3M CCS-300-280 - 5M
 Instrument Connector : 4.8mm Female Fitting (English Diathermy)
 Generator Connector : Standart 4mm Banana Plug
 Compatibility: Most EB Generators



SILICONE DIATHERMY CABLE
 CCS-300-240 - 3M CCS-300-245 - 5M
 Instrument Connector : 4.8mm Female Fitting(English Diathermy)
 Generator Connector : Standart Bovie® 8mm Plug
 Compatibility: Valleylab, Conmed, Bovie®



ROCKER-SWITCH PENCIL
 Single Use
 CCS-300-250 (3m Cable)



FOOT CONTROL PENCIL
 Single Use
 CCS-300-255 (3m Cable)
 300-103 (5m Cable)



FINGER-SWITCH PENCIL
 Reusable
 CCS-300-250 (3m Silicon Cable)



ELECTRODE HANDLE
 Reusable
 CCS-300-255 (3m Silicon Cable)



FINGER-SWITCH PENCIL
 Single Use
 CCS-300-270 (3m Cable)
 CCS-300-275 (5m Cable)



BLADE ELECTRODE
 Disposable: CCS-300-100, Reusable: SB-720-105
 Non-Stick: CCS-300-110 NS



BLADE ELECTRODE CRV.
 Disposable: CCS-300-115, Reusable: SB-720-120
 Non-Stick: CCS-300-125 NS



NEEDLE ELECTRODE
 Disposable: CCS-300-130, Reusable: SB-720-135
 Non-Stick: CCS-300-140 NS



NEEDLE ELECTRODE CRV.
 Disposable: CCS-300-145, Reusable: SB-720-145
 Non-Stick: CCS-300-150 NS



BALL ELECTRODE (2mm)
 Disposable: CCS-300-155, Reusable: SB-720-160
 Non-Stick: CCS-300-165 NS



BALL ELECTRODE CRV. (2mm)
 Disposable: CCS-300-170, Reusable: SB-720-175
 Non-Stick: CCS-300-180 NS



BALL ELECTRODE (3mm)
 Disposable: CCS-300-185, Reusable: SB-720-190
 Non-Stick: CCS-300-195 NS



BALL ELECTRODE CRV. (3mm)
 Disposable: CCS-300-200, Reusable: SB-720-205
 Non-Stick: CCS-300-210 NS



BALL ELECTRODE (4mm)
 Disposable: CCS-300-215, Reusable: SB-720-220
 Non-Stick: CCS-300-225 NS



BALL ELECTRODE CRV. (4mm)
 Disposable: CCS-300-230, Reusable: SB-720-235
 Non-Stick: CCS-300-240 NS



BALL ELECTRODE (5mm)
 Disposable: CCS-300-245, Reusable: SB-720-250
 Non-Stick: CCS-300-255 NS



BALL ELECTRODE CRV. (5mm)
 Disposable: CCS-300-260, Reusable: SB-720-265
 Non-Stick: CCS-300-270 NS



BLADE ELECTRODE (Shaft 13cm)
 Disposable: CCS-300-275, Reusable: SB-720-280
 Non-Stick: CCS-300-285 NS



NEEDLE ELECTRODE (Shaft 13cm)
 Disposable: CCS-300-290, Reusable: SB-720-295
 Non-Stick: CCS-300-300 NS



BALL ELECTRODE 3mm (Shaft 13cm)
 Disposable: CCS-300-305, Reusable: SB-720-310
 Non-Stick: CCS-300-315 NS



BALL ELECTRODE 5mm (Shaft 13cm)
 Disposable: CCS-300-320, Reusable: SB-720-325
 Non-Stick: CCS-300-330 NS



CONIZATION ELECTRODE
 Disposable: CCS-300-335, Reusable: SB-720-340
 Non-Stick: CCS-300-345 NS



CIRCLE LOOP ELECTRODE (4mm)
 Reusable: CCS-300-350
 Non-Stick: CCS-300-350 NS



CIRCLE LOOP ELECTRODE (6mm)
 Reusable: CCS-300-355
 Non-Stick: CCS-300-360 NS



CIRCLE LOOP ELECTRODE (8mm)
 Reusable: CCS-300-365
 Non-Stick: CCS-300-370 NS



DIAMOND ELECTRODE
 Reusable: CCS-300-375
 Non-Stick: CCS-300-380 NS



FINE NEEDLE ELECTRODE
 Reusable: CCS-300-385
 Non-Stick: CCS-300-390 NS



TIP CLEANER
 CCS-300-395



HOLSTER
 CCS-300-300



Size	1.0 x 0.4 cm	1.0 x 0.5 cm	1.0 x 0.7 cm	1.0 x 0.8 cm	1.0 x 1.0 cm
Tek Kullanımlik	CCS-300-100-04	CCS-300-115-05	CCS-300-130-07	CCS-300-145-08	CCS-300-160-10
Çok Kullanımlik	CCS-300-105-04	CCS-300-120-05	CCS-300-135-07	CCS-300-150-08	CCS-300-160-10
Non-Stick	CCS-300-110 NS	CCS-300-125-05 NS	CCS-300-140-07 NS	CCS-300-155-08 NS	CCS-300-165-10 NS



Size	1.0 x 0.5 cm	1.0 x 0.7 cm	1.0 x 0.8 cm	1.0 x 1.0 cm	1.0 x 1.5 cm
Tek Kullanımlik	CCS-300-170-05	CCS-300-185-07	CCS-300-200-08	CCS-300-215-10	CCS-300-230-15
Çok Kullanımlik	CCS-300-175-05	CCS-300-190-07	CCS-300-205-08	CCS-300-220-10	CCS-300-235-15
Non-Stick	CCS-300-180-05 NS	CCS-300-195-07 NS	CCS-300-210-08 NS	CCS-300-225-10 NS	CCS-300-240-15 NS



Size	1.5 x 0.5 cm	1.5 x 0.7 cm	1.5 x 0.8 cm	1.5 x 1.0 cm	1.5 x 1.2 cm	1.5 x 1.5 cm
Tek Kullanımlik	CCS-300-245-05	CCS-300-260-07	CCS-300-275-08	CCS-300-290-10	CCS-300-305-12	CCS-300-320-15
Çok Kullanımlik	CCS-300-250-05	CCS-300-265-07	CCS-300-280-08	CCS-300-295-10	CCS-300-310-12	CCS-300-325-15
Non-Stick	CCS-300-255-05 NS	CCS-300-270-07 NS	CCS-300-285-08 NS	CCS-300-300-10 NS	CCS-300-315-12 NS	CCS-300-330-15 NS



Size	2.0 x 0.8 cm	2.0 x 1.0 cm	2.0 x 1.2 cm	2.0 x 1.3 cm	2.0 x 1.5 cm	2.0 x 2.0 cm
Tek Kullanımlik	CCS-300-335-08	CCS-300-350-10	CCS-300-365-12	CCS-300-380-13	CCS-300-395-15	CCS-300-410-20
Çok Kullanımlik	CCS-300-340-08	CCS-300-355-10	CCS-300-370-12	CCS-300-385-13	CCS-300-400-15	CCS-300-415-20
Non-Stick	CCS-300-345-08 NS	CCS-300-360-10 NS	CCS-300-375-12 NS	CCS-300-390-13 NS	CCS-300-405-15 NS	CCS-300-420-20 NS



BLADE ELECTRODE
Reusable: CCS-300-100
Non-Stock: CCS-300-105 NS



BLADE ELECTRODE CRV.
Reusable: CCS-300-110
Non-Stock: CCS-300-115 NS



NEEDLE ELECTRODE
Reusable: CCS-300-120
Non-Stock: CCS-300-125 NS



NEEDLE ELECTRODE CRV.
Reusable: CCS-300-130
Non-Stock: CCS-300-135 NS



BALL ELECTRODE (2mm)
Reusable: CCS-300-140
Non-Stock: CCS-300-145 NS



BALL ELECTRODE CRV. (2mm)
Reusable: CCS-300-150
Non-Stock: CCS-300-155 NS



BALL ELECTRODE (3mm)
Reusable: CCS-300-160
Non-Stock: CCS-300-165 NS



BALL ELECTRODE CRV. (3mm)
Reusable: CCS-300-170
Non-Stock: CCS-300-175 NS



BALL ELECTRODE (4mm)
Reusable: CCS-300-180
Non-Stock: CCS-300-185 NS



BALL ELECTRODE CRV. (4mm)
Reusable: CCS-300-190
Non-Stock: CCS-300-195 NS



BALL ELECTRODE (5mm)
Reusable: CCS-300-200
Non-Stock: CCS-300-205 NS



BALL ELECTRODE CRV. (5mm)
Reusable: CCS-300-210
Non-Stock: CCS-300-215 NS



BLADE ELECTRODE (Shaft 13cm)
Reusable: CCS-300-220
Non-Stock: CCS-300-225 NS



NEEDLE ELECTRODE (Shaft 13cm)
Reusable: CCS-300-230
Non-Stock: CCS-300-235 NS



BALL ELECTRODE 3mm (Shaft 13cm)
Reusable: CCS-300-240
Non-Stock: CCS-300-245 NS



BALL ELECTRODE 4mm (Shaft 13cm)
Reusable: CCS-300-250
Non-Stock: CCS-300-255 NS



BALL ELECTRODE 5mm (Shaft 13cm)
Reusable: CCS-300-260
Non-Stock: CCS-300-265 NS



ROUND LOOP ELECTRODE 4mm (7 cm)
Reusable: CCS-300-270-04
Non-Stock: CCS-300-275-04 NS



ROUND LOOP ELECTRODE 6mm (7 cm)
Reusable: CCS-300-280-06
Non-Stock: CCS-300-285-06 NS



ROUND LOOP ELECTRODE 8mm (7 cm)
Reusable: CCS-300-290-08
Non-Stock: CCS-300-295-08 NS



ROUND LOOP ELECTRODE 10mm (7 cm)
Reusable: CCS-300-300-10
Non-Stock: CCS-300-305-10 NS



PLATE ELECTRODE SMALL
Reusable: CCS-300-310
Non-Stock: CCS-300-315 NS








PLATE ELECTRODE LARGE
Reusable: CCS-300-320
Non-Stock: CCS-300-325 NS









					
Size	1.0 x 0.4 cm	1.0 x 0.5 cm	1.0 x 0.7 cm	1.0 x 0.8 cm	1.0 x 1.0 cm
Çok Kullanımlık	CCS-300-330-04	CCS-300-340-05	CCS-300-350-07	CCS-300-360-08	CCS-300-370-10
Non-Stick	CCS-300-335-04 NS	CCS-300-345-05 NS	CCS-300-355-07 NS	CCS-300-365-08 NS	CCS-300-375-10 NS









					
Size	1.0 x 0.5 cm	1.0 x 0.7 cm	1.0 x 0.8 cm	1.0 x 1.0 cm	1.0 x 1.5 cm
Çok Kullanımlık	CCS-300-380-05	CCS-300-390-07	CCS-300-400-08	CCS-300-410-10	CCS-300-420-15
Non-Stick	CCS-300-385-05 NS	CCS-300-395-07 NS	CCS-300-405-08 NS	CCS-300-415-10 NS	CCS-300-425-15 NS




						
Size	1.5 x 0.5 cm	1.5 x 0.7 cm	1.5 x 0.8 cm	1.5 x 1.0 cm	1.5 x 1.2 cm	1.5 x 1.5 cm
Çok Kullanımlık	CCS-300-430-05	CCS-300-440-07	CCS-300-450-08	CCS-300-460-10	CCS-300-470-12	CCS-300-480-15
Non-Stick	CCS-300-435-05 NS	CCS-300-445-07 NS	CCS-300-455-08 NS	CCS-300-465-10 NS	CCS-300-475-12 NS	CCS-300-485-15 NS



						
Size	2.0 x 0.8 cm	2.0 x 1.0 cm	2.0 x 1.2 cm	2.0 x 1.3 cm	2.0 x 1.5 cm	2.0 x 2.0 cm
Çok Kullanımlık	CCS-300-490-08	CCS-300-500-10	CCS-300-510-12	CCS-300-520-13	CCS-300-530-15	CCS-300-540-20
Non-Stick	CCS-300-495-08 NS	CCS-300-505-10 NS	CCS-300-515-12 NS	CCS-300-525-13 NS	CCS-300-535-15 NS	CCS-300-545-20 NS



PATIENT RETURN PLATE REUSABLE
CCS-300-100 (5m cable)




PATIENT RETURN PLATE REUSABLE
CCS-300-125 (5m cable)




PATIENT RETURN CABLE
CCS-300-105 (5m cable)
CCS-300-110 (5m cable)



PATIENT RETURN CABLE
CCS-300-115 (5m cable)
CCS-300-120 (5m cable)




S.S. PATIENT RETURN PLATE (16 x 12 cm)
CCS-300-130



POLYPECTOMY SNARE (Single Use)
CCS-300-135



MONOPOLAR
CCS-300-140



BIPOLAR
CCS-300-150



ERBE
CCS-300-145



VALLEYLAB
CCS-300-155



SILICONE RETURN PLATE
CCS-300-160 (5m cable)
Aesculap, Martin, Berchold, Wolf



WITHOUT SUCTION

L-HOOK ELECTRODE (36 cm)
CCS-300-100

J-HOOK ELECTRODE (36 cm)
CCS-300-105

NEEDLE ELECTRODE (36 cm)
CCS-300-110

SPATULA ELECTRODE (36 cm)
CCS-300-115

BALL ELECTRODE (36 cm)
CCS-300-120



WITH SUCTION

L-HOOK ELECTRODE (36 cm)
CCS-300-125

J-HOOK ELECTRODE (36 cm)
CCS-300-130

NEEDLE ELECTRODE (36 cm)
CCS-300-135

SPATULA ELECTRODE (36 cm)
CCS-300-140

BALL ELECTRODE (36 cm)
CCS-300-145





DRAGGER (12 cm)
CCS-300-150



DRAGGER (18 cm)
CCS-300-155



HOOK (12 cm)
CCS-300-160



HOOK (18 cm)
CCS-300-165



HOCKEY (12 cm)
CCS-300-170



HOCKEY (18 cm)
CCS-300-175



FRAZIER SUCTION TUBE 11FRENCH (13.5 cm) CCS-300-180



FRAZIER SUCTION TUBE 11FRENCH (20.5 cm) CCS-300-185



FRAZIER SUCTION TUBE 11FRENCH (40.5 cm) CCS-300-190



GRAVES VAGINAL SPECULUM
With Smoke Evacuation Tube

LARGE CCS-300-100
MEDIUM CCS-300-105
SMALL CCS-300-110



DISPOSABLE TUBE
LARGE CCS-300-140-DT MEDIUM
CCS-300-145-DT
SMALL
CCS-300-150-DT



VU-MORE (GRAVES) SPECULUM
With Smoke Evacuation Tube

LARGE CCS-300-180
MEDIUM CCS-300-185



VU-MAX SPECULUM
With Smoke Evacuation Tube

GRAVES (MEDIUM) CCS-300-115
PEDERSON (MEDIUM) CCS-300-120



DISPOSABLE TUBE
LARGE CCS-300-190-DT
MEDIUM CCS-300-190-DT



DISPOSABLE TUBE
GRAVES (MEDIUM)
CCS-300-155-DT
PEDERSON (MEDIUM)
CCS-300-160-DT



PEDERSON VAGINAL SPECULUM
With Smoke Evacuation Tube

LARGE CCS-300-125
MEDIUM CCS-300-130
SMALL CCS-300-135



DISPOSABLE TUBE
LARGE CCS-300-165-DT MEDIUM
CCS-300-170-DT SMALL CCS-300-175-DT



COLLIN SPECULUM
With Smoke Evacuation Tube

LARGE CCS-300-195
MEDIUM CCS-300-200
SMALL CCS-300-205



CUSCO SPECULUM
With Smoke Evacuation Tube

LARGE CCS-300-265
MEDIUM CCS-300-270
SMALL CCS-300-275



VEISMAN SPECULUM
Left Open

LARGE CCS-300-210
MEDIUM CCS-300-215



VEISMAN SPECULUM
Right Open

LARGE CCS-300-280
MEDIUM CCS-300-285

DRESSING FORCEPS
CCS-300-220 (21 cm)
CCS-300-225 (25 cm)



TISSUE FORCEPS
CCS-300-230 (21 cm)
CCS-300-235 (25 cm)



IRIS HOOK
CCS-300-240 (25 cm)



EMMET HOOK
CCS-300-245 (25 cm)



STRAIGHT HOOK
CCS-300-250 (25 cm)



TWO-PRONG HOOK
CCS-300-255 (25 cm)



THREE-PRONG HOOK
CCS-300-260 (25 cm)





LATERAL VAGINAL RETRACTOR
CCS-300-100



KOGAN ENDOCERVICAL SPECULUM
CCS-300-105



3 mm CCS-300-125



4 mm CCS-300-130



5 mm CCS-300-135



LATERAL RETRACTOR
(Wide Open)
CCS-300-110



RIGBY RETRACTOR
CCS-300-115



GELPI RETRACTOR
CCS-300-120



SCHROEDER TANACULUM (24 cm) CCS-300-140



SCHROEDER TANACULUM
CCS-300-145



SINGLE TOOTH TANACULUM (24 cm) CCS-300-150



CAMPION FORCEPS (22 cm)
CCS-300-155



RING FORCEPS (22 cm)
CCS-300-160



GRAVES VAGINAL SPECULUM
With Smoke Evacuation Tube

LARGE CCS-300-100
MEDIUM CCS-300-105
SMALL CCS-300-110



PEDERSON VAGINAL SPECULUM
With Smoke Evacuation Tube

LARGE CCS-300-115
MEDIUM CCS-300-120
SMALL CCS-300-125



COLLIN SPECULUM
With Smoke Evacuation Tube

LARGE CCS-300-130
MEDIUM CCS-300-135
SMALL CCS-300-140



LATERAL VAGINAL RETRACTOR
CCS-300-145



KOGAN ENDOCERVICAL SPECULUM



3 mm CCS-300-150



4 mm CCS-300-155



5 mm CCS-300-160



GELPI RETRACTOR
CCS-300-165



RIGBY RETRACTOR
CCS-300-170



SCHROEDER RETRACTOR
CCS-300-175



IRIS HOOK
CCS-300-180



EMMETT HOOK
CCS-300-185



STRAIGHT HOOK
CCS-300-190



TWO-PRONG HOOK
CCS-300-195



THREE-PRONG HOOK
CCS-300-200