



## **Gema Oil Moto XP 4T 10W-40**

High Performance Synthetic Technology Motorcycle Engine Oil

SAE Grade: 10W-40

Moto XP 4T, 10W-40 is a premium grade semi synthetic technology engine oil specially designed for all kind of new generation high performance motorcycles. Due to recently developed additives keeps the engine parts clean at optimum level. Provides excellent lubrication and protection against wear, corrosion and deposit formation under all kind of driving conditions. Optimum viscometry and lubricity minimize friction increase power output of the engine. Recommended for use in 4-stroke high performance engines of all size.

### **BENEFITS**

- Aşınma ve korozyona karşı etkin koruma, motor gücünün devamlılığını sağlar.
- Motorun ileri derecedeki temizliği, optimum yağlama yaparak motorun ömrünü uzatır.
- Üstün viskozite stabilitesi ve kayganlığı, motorun düzgün ve düşük sesle çalışmasını sağlar.
- Hava ve su-soğutmalı, debriyaj ve şanzımanında tek yağ kullanan motorlar için tasarlanmıştır.
- Önde gelen Japon, Hindistan ve Avrupa imalatçılarının standartlarını karşılar.



## PERFORMANCE

API	SL	JASO
-----	----	------

## TYPICAL PROPERTIES

Viscosity Grade	10W-40
<b>Property</b>	<b>Values</b>
Viscosity, 40 °C, cSt.	99
Viscosity, 100 °C, cSt.	15,7
Viscosity Index	169
Visc. dynamic cP, -20 °C de	6800
Density, g/cm <sup>3</sup> 15 °C de	0,87
Flash Point °C	230
Pour Point °C	-36

