

Wallgard

Specification

Homogeneous heavy duty wall covering. Unique PU-Shield surface for better hygiene and cleanliness. Subtle and discreet design in modern colour. Can be installed vertically or horizontally. Heat welded seams with colour co-ordinated rods.

CERTIFICATION & CLASSIFICATION		STANDARDS	Wallgard
Type of wall covering			Homogeneous vinyl wall covering
CE certification		EN 15102	Yes
ISO certification			Ronneby ISO 9001/Ronneby ISO 14001
TECHNICAL CHARACTERISTICS		STANDARDS	Wallgard
PU-Shield			Yes
Total thickness		ISO 24346 - EN 428	1.3 mm
Total weight/m ²		ISO 23997 - EN 430	2,100 g
Form of delivery		ISO 24341 - EN 426 Sheet (rolls)	Approx. 30 m x 200 cm art. no. 21055 ____ 3 digit colour number
TECHNICAL PERFORMANCES		STANDARDS	Wallgard
Dimensional stability		ISO 23999 - EN 434	≤ 0.40%
Reaction to fire		EN 13501-1 AS/NZS 3837	Class B-s2,d0 Class B
Wetroom approval		GBR Class VT	Approved
Airborne particle emissions		ISO 14644-1 ASTM F24 F51	ISO class 4 Class A
Total VOC emissions		ISO 16000-6 AgBB/DIBt	≤ 10 µg/m ³ (after 28 days) Confirm
Outgassing VOC (23°C/90°C)		ISO-Acc _m class	≤ 9.6
Light fastness		EN ISO 105-B02	≥ level 7
Chemical resistance		ISO 26987 - EN 423	Excellent
Bacteria resistance		ISO 846: Part C	Does not favour growth
Seam strength		EN 684	Average value: ≥ 240 N/50 mm Individual values: ≥ 180 N/50 mm
Colours			13

The above information is subject to modification for the benefit of further improvement. (07/15).

CUSTOMS TARIFF : 482050000000F

Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

Our Sustainability tag explains the content of our products and how they contribute to our sustainability strategy and human well-being.



Wallgard No.	NCS No.	Welding Rod No.	Wallgard No.	NCS No.	Welding Rod No.	Wallgard No.	NCS No.	Welding Rod No.	Wallgard No.	NCS No.	Welding Rod No.
220	S 0500-N	1290 011	224	S 0510-Y20R	1287 723	228	S 0530-Y10R	1287 725	232	S 4020-R80B	1287 724
221	S 1000-N	1288 125	225	S 0505-G30Y	1287 726	229	S 1020-G60Y	1287 721			
222	S 1002-Y50R	1287 728	226	S 1005-R90B	1288 157	230	S 1020-R90B	1287 727			
223	S 0804-Y30R	1287 729	227	S 0530-Y50R	1287 722	231	NCS S 4500-N	1287 730			