

Conductor marker carrier - PATG 2/30



0822453

<https://www.phoenixcontact.com/ro/produse/0822453>

Vă rugăm să țineți cont de faptul că datele afișate în acest document PDF au fost generate din catalogul nostru online. Datele complete sunt disponibile în documentația pentru utilizator. În cazul descărcărilor, se aplică Termenii și condițiile generale de utilizare ale companiei noastre.



Conductor marker carrier, transparent, unlabeled, mounting type: slide-on, cable diameter range: 2 ... 4 mm, lettering field size: 30 x 4 mm

Avantajele dumneavoastră

- The corresponding UC-WMT ..., US-WMT ..., and EMT ... insert labels are used for marking
- These conductor marking systems consist of marker carriers and insert labels
- The PATG ... collar is a captive marker carrier
- Can be used to mark conductors with a diameter of 0.6 mm ... 50 mm

Date comerciale

Număr articol	0822453
Unitate de ambalare	500 Bucată
Cantitate minimă pentru comandă	500 Bucată
Cod produs	BG221A
Pagina de catalog	Pagina 248 (C-3-2019)
GTIN	4046356326223
Greutate pe bucată (inclusiv ambalajul)	0,49 g
Greutate pe bucată (fără ambalaj)	0,442 g
Cod tarifar vamal	39269097
Țara de origine	DE

Conductor marker carrier - PATG 2/30



0822453

<https://www.phoenixcontact.com/ro/produse/0822453>

Date tehnice

Product properties

Product type	Marker carrier cable
Type	Profile

Dimensions

Width	5 mm
Length	30 mm

External dimensions

Outside diameter	2 mm ... 4 mm
------------------	---------------

Material specifications

Color	transparent
RoHS compliant	Yes
Material	PVC
Flammability rating according to UL 94	V0
Components	Silicone-free

Cable / line

External cable diameter	2 mm ... 4 mm
-------------------------	---------------

Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

	VW PV 3.10.7:2005-02
Result	Test passed

Ambient conditions

Ambient temperature (operation)	-50 °C ... 80 °C
---------------------------------	------------------

Mounting

Mounting type	slide-on
---------------	----------

Conductor marker carrier - PATG 2/30



0822453

<https://www.phoenixcontact.com/ro/produse/0822453>

Clasificări

ECLASS

ECLASS-9.0	27400401
ECLASS-10.0.1	27400401
ECLASS-11.0	27281105

ETIM

ETIM 8.0	EC001530
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produse/0822453>

Accesorii

Conductor marker

Conductor marker - UCT-WMT (30X4) - 0801422

<https://www.phoenixcontact.com/ro/produse/0801422>



Conductor marker, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 30

Conductor marker

Conductor marker - UCT-WMT (30X4) YE - 0801423

<https://www.phoenixcontact.com/ro/produse/0801423>



Conductor marker, Sheet, yellow, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 30

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Conductor marker

Conductor marker - UCT-WMT (30X4) RD - 0801424

<https://www.phoenixcontact.com/ro/produce/0801424>



Conductor marker, Sheet, red, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 30

Conductor marker

Conductor marker - UCT-WMT (30X4) OG - 0801425

<https://www.phoenixcontact.com/ro/produce/0801425>



Conductor marker, Sheet, orange, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 30

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Conductor marker

Conductor marker - UCT-WMT (30X4) GN - 0801426

<https://www.phoenixcontact.com/ro/produce/0801426>



Conductor marker, Sheet, green, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 30

Conductor marker

Conductor marker - UCT-WMT (30X4) VT - 0801427

<https://www.phoenixcontact.com/ro/produce/0801427>



Conductor marker, Sheet, violet, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 30

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Conductor marker

Conductor marker - UCT-WMT (30X4) BU - 0801428

<https://www.phoenixcontact.com/ro/produce/0801428>



Conductor marker, Sheet, blue, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 30

Cable marker

Cable marker - UC-WMT (30X4) - 0819437

<https://www.phoenixcontact.com/ro/produce/0819437>



Cable marker, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 16

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Cable marker

Cable marker - UC-WMT (30X4) YE - 0819440

<https://www.phoenixcontact.com/ro/produce/0819440>



Cable marker, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 16

Cable marker

Cable marker - UC-WMT (30X4) BU - 0821153

<https://www.phoenixcontact.com/ro/produce/0821153>



Cable marker, Sheet, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 16

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produse/0822453>

Cable marker

Cable marker - UC-WMT (30X4) RD - 0821166

<https://www.phoenixcontact.com/ro/produse/0821166>



Cable marker, Sheet, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 16

Cable marker

Cable marker - UC-WMT (30X4) OG - 0824150

<https://www.phoenixcontact.com/ro/produse/0824150>



Cable marker, Sheet, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 16

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Cable marker

Cable marker - UC-WMT (30X4) GN - 0824163

<https://www.phoenixcontact.com/ro/produce/0824163>



Cable marker, Sheet, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 16

Cable marker

Cable marker - UC-WMT (30X4) VT - 0825364

<https://www.phoenixcontact.com/ro/produce/0825364>



Cable marker, Sheet, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: insert, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 16

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Cable marker

Cable marker - US-WMT (30X4) - 0828770

<https://www.phoenixcontact.com/ro/produce/0828770>



Cable marker, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 42

Cable marker

Cable marker - US-WMT (30X4) YE - 0828957

<https://www.phoenixcontact.com/ro/produce/0828957>



Cable marker, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 42

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Cable marker

Cable marker - US-WMT (30X4) RD - 0829308

<https://www.phoenixcontact.com/ro/produce/0829308>



Cable marker, Card, red, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 42

Cable marker

Cable marker - US-WMT (30X4) OG - 0829309

<https://www.phoenixcontact.com/ro/produce/0829309>



Cable marker, Card, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 42

Conductor marker carrier - PATG 2/30

0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Cable marker

Cable marker - US-WMT (30X4) VT - 0829311

<https://www.phoenixcontact.com/ro/produce/0829311>




Cable marker, Card, violet, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 42

Cable marker

Cable marker - US-WMT (30X4) BU - 0829312

<https://www.phoenixcontact.com/ro/produce/0829312>



Cable marker, Card, blue, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 42

Conductor marker carrier - PATG 2/30


0822453

<https://www.phoenixcontact.com/ro/produce/0822453>

Cable marker

Cable marker - US-WMT (30X4) GN - 0829313

<https://www.phoenixcontact.com/ro/produce/0829313>



Cable marker, Card, green, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: slide-on, cable diameter range: 1.5 ... 14 mm, lettering field size: 30 x 4 mm, Number of individual labels: 42

Insert label

Insert label - MM-EMT (EX4)R C1 WH/BK - 1169312

<https://www.phoenixcontact.com/ro/produce/1169312>



Insert label, Roll, white/black, unlabeled, can be labeled with: THERMOFOX, THERMOMARK GO, THERMOMARK GO.K, mounting type: snapped, lettering field size: continuous x 3 mm

Phoenix Contact 2022 © - Toate drepturile rezervate
<https://www.phoenixcontact.com>

PHOENIX CONTACT România
Splaiul Unirii 165 Timpuri Noi Square TNO1, Etaj 1
Bucuresti 030133
+40 21 350 88 12 - 3
sales.ro@phoenixcontact.com