



VALVEGATE™ PRO

SPECIALIST





10

11

12

13



14

15

16

17

18

19

20

Graspers

Art.-No.	Description	Shaft	Tip
1 38-7934	TC straight	2,7	1.2 mm
2 38-7935	TC 10° angled	2,7	1.0 mm
3 38-7936	TC 25° angled	2,7	1.0 mm
4 38-7824	Grasper Resano, with catch	5,0	2.9x16 mm
5 38-7929	Grasper Russian, with catch	5,0	6.8x35 mm
6 38-7565	Grsaper Node, straight, atraumatic, with catch	5,0	8.0x12 mm
6 38-7566	Grsaper Node, straight, atraumatic, without catch	5,0	8.0x12 mm
7 38-7567	Grsaper Node, angled up, atraumatic, with catch	5,0	8.0x12 mm

Gentle Graspers


Art.-No.	Description	Shaft	Tip
8 38-7816	Gentle Grasper, extra wide, TC straight	5,0	4.5x14 mm
9 38-7826	Gentle Grasper, extra wide, 2x3 teeth, straight, soft	5,0	4.7x14 mm

Graspers with DeBakey Jaws 1x2 teeth

Art.-No.	Description	Shaft	Tip
10 38-7820	narrow, straight	5,0	1.5x11 mm
11 38-7821	narrow, angled up	5,0	1.5x14 mm
12 38-7822	narrow, angled sideways, vertical opening	5,0	1.5x18 mm
13 38-7825	wide jaw, straight	5,0	2.8x11 mm
14 38-7827	narrow, malleable	3,0	1.5x11 mm
15 38-7881	narrow, straight	5,0	1.5x22 mm
16 38-7917	narrow, slightly curved	5,0	1.5x14 mm
17 38-7918	narrow, angled sideways 10°	5,0	1.5x14 mm
18 38-7919	narrow, angled sideways 25°	5,0	1.5x14 mm
11 38-7921	narrow, angled up	5,0	1.5x19 mm
19 38-7922	narrow, angled sideways, horizontally opening	5,0	1.5x14 mm
20 38-7928	wide jaw, straight, long	5,0	2.8x40 mm

Standard working length 25 cm/10". Total length = working length plus ~13 cm / 4 ¾".
For different length add "B", "C", "S", "L" or "XL" behind article number.

B = 12 cm/5" **C** = 15 cm/6" **S** = 17 cm/6¾" **L** = 30 cm/12" **XL** = 35 cm/14"

**34-7288**

Application and Steering Support
for flexible clamps


Length: 41 cm

Fig.: not 1:1

Flexible Clamps

Flexible shaft, DeBakey serrations

Art.-No.	Jaw Length	
34-7285	50 mm	
34-7285.GB	50 mm	curved
34-7286	75 mm	
34-7286.GB	75 mm	curved
34-7287	100 mm	
34-7287.GB	100 mm	curved
34-7292	50 mm Lambert-Kay	

Flexible shaft, without inserts

Art.-No.	Jaw Length
34-7290.33	33 mm
34-7290.61	61 mm
34-7290.86	86 mm

Jaw inserts, reusable*, 3 pairs/pack

	Art.-No.	Length	Shore (hardness)
A+B	25-5081	33 mm hard/soft	80/20
A+A	25-5082	33 mm hard/hard	80/80
B+B	25-5083	33 mm soft/soft	20/20
C+D	25-5084	61 mm hard/soft	80/20
C+C	25-5085	61 mm hard/hard	80/80
D+D	25-5086	61 mm soft/soft	20/20
E+F	25-5087	86 mm hard/soft	80/20
E+E	25-5088	86 mm hard/hard	80/80
F+F	25-5089	86 mm soft/soft	20/20

* limited up to 20 cycles

● = hard

● = soft

* **bold** = shown