





HASTA KARYOLALARI
/ HOSPITAL BEDS

HBY-4 HOSPITAL BED WITH 4 MOTORS



TEKNİK ÖZELLİKLER / TECHNICAL DETAILS

- • Electrical operated backrest, height and legrest adjustment.
- • Electrical operated trendelenburg, reverse trendelenburg, fowler and vascular position.
- • Patient hondset.
- • Nurse control unit. (O)*
- • Auto-CPR. (O)*
- • Hygienic design (PP), lockoble and tuck away siderails.
- • Profile frame with easy removable ABS plastic covers.
- • Removable head ond foot ends.
- • Cross lockable castors
- • Electrostatic painted metal frame.
- • Central brake castors (O)*
- • Height adjustable serum holder
- • Easy adjustable knee break position.
- • Plastic crash bumners.
- • Batterv Back-uo. (O)*
- • Dual sided manual CPR at backrest. (O)*
- • Cardiac chair position with one buttan. (O)*
- • Shock position with one button. (O)*
- • Bed exit position with one button.
- • Examination position with one button.
- • Dual sided control panel on side -rails. (O)*
- • Lifting Pole. (O)*
- • X-Ray translucent backrest and cassette carrier. (O)*
- • Underbed light. (O)*
- • Twin castors . (O)*
- (O) : Optional
- Overall Lenght :2150 mm
- Overall Width : 1020 mm
- Height Range : 370-750 mm.
- Trendelenburg (Max) : 16,5°
- Reverse trendelenburg (Max): 17,5°
- Backrest angle (Max) 71°
- Legrest Angle (Max.): 30°
- Castor Diameter : 125 mm
- Safe working load: 250 kg