



Nanning Century United Office Furniture Manufacturing Co.,Ltd.

Factory Add: 20 Meters North of Sitang Coal Mining Area(old mine), Santang Town, Xingning District, Nanning City,China

TEL: +86 18076571734 E-mail: sales01@lianhejiaju.com Contact: Ms.Nicole Chen

PRODUCT CATALOG					
No.	Product name	Photo	Specification	Weight (About)	Size(H*L*Dmm)
File Cabinet Series					
1	File cabinets#1		1.Material: high quality 0.5 mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: yes 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	35,00	1850*900*400mm
2	File cabinets#2		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	35,00	1850*900*400mm
3	File cabinets#3		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: yes 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	35,00	1850*900*400mm
4	File cabinets#4		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: yes 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	34,00	1850*900*400mm
5	File cabinets#5		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	34,00	1850*900*400mm
6	File cabinets#6		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: yes 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	36,00	1850*900*400mm

7	File cabinets#7		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: yes 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	40,00	1850*900*400mm
8	Low file cabinet#1		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	20,00	1090*900*400mm
9	Low file cabinet#1		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	17,50	1090*900*400mm
10	Low file cabinet#1		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: yes 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	17,50	1090*900*400mm
Locker series					
12	2 Doors		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	34,00	1850*900*450mm
13	3 Doors		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	39,00	1850*900*450mm
14	4 Doors		1.Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	38,00	1850*900*450mm

15	6 Doors		1. Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	42,00	1850*900*500mm
16	9 Doors		1. Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	38,00	1850*900*400mm
17	10 Doors		1. Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	37,00	1850*900*400mm
18	12 Doors		1. Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	40,00	1850*900*400mm
19	Single door		1. Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	19,00	1850*380*450mm
20	2 Doors		1. Material: high quality 0.5mm, cold rolled steel sheet, anti-rust and strong (thickness can be customized) 2. Whether glass: no 3. Color: gray-white (color can be customized) 4. Surface treatment: electrostatic environmental protection powder coating 5. Lock: key lock	19,00	1850*380*450mm