



Series	PICTURE	Model Number & Description	Order code	Standard configuration	Qty	speed
N series orthopedic power tools for big bone RJ-MP		RJ-MP multifunctional drill saw system	NM-500	Handpiece	1	
			PJCG003	NI-MH battery Charger	1	
			PJDC1441	NI-MH Battery (lithium battery available)	2	
			PJXD003	Battery aseptic transfer kit	2	
			PJYS002	Key for drill chuck	1	
			NM5-6001	K wire adapter $\Phi 0.8 - \Phi 1.8$	1	0-1200rpm
		(optional)		K wire adapter $\Phi 1.5 - \Phi 2.5$	1	0-1200rpm
				K wire adapter $\Phi 2.0 - \Phi 3.2$	1	0-1200rpm
			NM5-1001	Bone drill adapter	1	0-1200rpm
			NM5-3011	Acetabular reaming drill adapter-Stryker interface	1	0-300rpm
				Acetabular reaming drill adapter-AO synthes interface	1	0-300rpm
			NM5-2001	Canulate drill adapter	1	0-1000rpm
			NM5-S011	Oscillating saw adapter with two saw blades	1	0-18000cpm
			NM5-S091	Cranial mill adapter with two mill blades	1	0-36000rpm
			NM5-4011	Cranial drill adapter with one drill burr	1	0-800rpm
			NM5-S032	Sternum saw adapter with two mill blades	1	0-14000cpm
			NM5-S031	Reciprocating saw adapter with two blades	1	0-14000cpm
			NM5-S071	TPLO saw adapter (blades are additional cost)	1	0-16000cpm
		PJDB002	Sterilization case for multifunctional drill saw - four adapters			
N series orthopedic power tools for big bone RJ-PD		RJ-PD Acetabular reaming drill	ND-3511	Handpiece	1	0-300rpm
			PJCG003	NI-MH battery Charger	1	
			PJDC1441	NI-MH Battery (lithium battery available)	2	
			PJXD003	Battery aseptic transfer kit	2	
			PJYS002	Key for drill chuck	1	
				Aluminum case	1	
N series orthopedic power tools for big bone RJ-PD		RJ-PD Bone drill - trauma (drill chuck fixed)	ND-1501 (1)	Handpiece	1	0-1200 rpm
			PJCG003	NI-MH battery Charger	1	
			PJDC1441	NI-MH Battery (lithium battery available)	2	
			PJXD003	Battery aseptic transfer kit	2	
			PJYS002	Key for drill chuck	1	
				Aluminum case	1	
N series orthopedic power tools for big bone RJ-PD		RJ-PD Dual functional Bone drill -trauma (drill chuck detachable)	ND-1501 (2)	Handpiece	1	0-1200 rpm
			PJCG003	NI-MH battery Charger	1	
			PJDC1441	NI-MH Battery (lithium battery available)	2	
			PJXD003	Battery aseptic transfer kit	2	
			PJYS002	Key for drill chuck	1	
				Aluminum case	1	
N series orthopedic power tools for big bone RJ-PD		RJ-PD Cranial drill	ND-4511	Handpiece	1	0-800 rpm
			PJCG003	NI-MH battery Charger	1	
			PJDC1441	NI-MH Battery (lithium battery available)	2	
			PJXD003	Battery aseptic transfer kit	2	
				Cranial drill burr (size can be chose)	1	
				Aluminum case	1	

Series	PICTURE	Model Number &	Order code	Standard configuration	Qty	speed
RJ-PD Micro medical electric spine drill		RJ-PD Micro medical electric spine drill	MZKZX001	Power console	1	
			MZJT001	Pedal switch	1	
			MZZJ001	Handpiece	2	0-40000rpm
			MZZSB001	Straight attachment	2	
			MZWSB001	Angeled attachment	1	
			MZMT001	Cutting drill bit (Φ1/Φ2/Φ3/Φ4/Φ5 MM)	5	
			MZMT002	Diamond drill bit (Φ1/Φ2/Φ3/Φ4/Φ5 MM)	5	
			PJDB010	Sterilization case for spine drill	1	
RJ-PS Electric saw - TPLO SAW		RJ-PS TPLO SAW	NS-1511 (H)	Handpiece	1	0-16000cpm
			PJCG007	NI-MH battery Charger	1	
			PJDC0120	NI-MH Battery	2	
			PJXD007	Battery aseptic transfer kit	2	
			PJBS001	Spanner	1	
				Aluminum case	1	
		TPLO SAW BLADE		TPLO saw blade (R8/R10/R12/R15/R18/R20/R21/R24/R27/R30/R33)	1	
			PJDB011	TPLO SAW STERILIZATION CASE	1	
Plaster saw		RJ-PS plaster saw	NS-4041/4042	Handpiece	1	0-13000 cpm
			110V/220V	Saw blade Φ52	1	
				Saw blade Φ43	2	
				Saw blade Φ64	2	
			PJBS002	Spanner	1	
				Aluminum case	1	
RJ-PS Autopsy saw		RJ-PS Autopsy saw	NS-4041 (J)	Handpiece	1	0-16000 cpm
				Saw blade Φ52	1	
				Saw blade Φ43	2	
				Saw blade Φ64	2	
			PJBS002	Spanner	1	
				Aluminum case	1	

Series	PICTURE	Model Number & Description	Order code	Standard configuration	Qty																														
Accessories - Acetabular reamer		Acetabular reamer head	PJAM002	Available size <table><tr><th>SIZE (Φ)</th><td>33</td><td>36</td><td>38</td><td>39</td><td>40</td></tr><tr><td>41</td><td>42</td><td>44</td><td>45</td><td>46</td><td>47</td></tr><tr><td>48</td><td>49</td><td>50</td><td>51</td><td>52</td><td>53</td></tr><tr><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>60</td></tr><tr><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td></tr></table>	SIZE (Φ)	33	36	38	39	40	41	42	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	60	61	62	63	64	65	66	1
	SIZE (Φ)	33	36	38	39	40																													
	41	42	44	45	46	47																													
	48	49	50	51	52	53																													
54	55	56	57	58	60																														
61	62	63	64	65	66																														
	Acetabular reamer shaft	PJAM001		1																															
		Sterilization case	PJDB012	Sterilization case for acetabular reamer system	1																														
Accessories - Flexible reamer		Flexible reamer (fixed)	PJFR002	Available sizes for Stryker interface Φ6×460 /Φ6.5×460/ Φ7×460/Φ7.2×460/Φ7.5×460/Φ8×460/Φ8.5×460/Φ9×460/Φ9.5×460/Φ10×460/Φ10.5×460/Φ11×460/Φ11.5×460/Φ12×460/Φ12.5×460/Φ13×460/Φ13.5×460/Φ14×460/Φ14.5×460/Φ15×460/ Available sizes for AO interface Φ7×460/Φ7.2×460/Φ7.5×460/Φ8×460/Φ8.5×460/Φ9×460/Φ9.5×460/Φ10×460/Φ10.5×460/Φ11×460/Φ11.5×460/Φ12×460/Φ12.5×460/Φ13×460/Φ13.5×460/Φ14×460/Φ14.5×460/Φ15×460/	1																														
		Detachable flexible reamer shaft	PJFR003	flexible reamer shaft size: Φ7×440 (Stryker interface); Φ7.2×440 (AO interface)	1																														
		Detachable flexible reamer head		Available sizes Stryker interface shaft for flexible reamer head : Φ7.2/Φ7.5/Φ8/Φ8.5/Φ9/Φ9.5/Φ10/Φ10.5/Φ11/Φ11.5/Φ12/Φ12.5/Φ13/Φ13.5/Φ14/Φ14.5/Φ15 Available sizes AO interface shaft for flexible reamer head : Φ7.2/Φ7.5/Φ8/Φ8.5/Φ9/Φ9.5/Φ10/Φ10.5/Φ11/Φ11.5/Φ12/Φ12.5/Φ13/Φ13.5/Φ14/Φ14.5/Φ15/Φ15.5/Φ16/Φ16.5	2																														
		Flexible reamer STERILIZATION CASE	PJDB013	FLEXIBLE REAMER STERILIZATION CASE	1																														
	Accessories - twist drill bits		Twist drill bit	diameter*	Φ0.8*110	1																													
				available length	Φ1.0*110/150	1																													
				Φ1.2*150	1																														
				Φ1.5*110/150	1																														
				Φ1.8*110	1																														
				Φ2.0*110/150	1																														
				Φ2.5*115/110/150	1																														
				Φ2.8*115/150/200	1																														
				Φ3.0*150/200	1																														
				Φ3.2*150/180/200	1																														
				Φ3.5*150	1																														
				Φ4.0*150/180/200	1																														

Accessories - AO twist drill bits		AO twist drill bits	Φ2.0*100/125	1						
			Φ2.4*80	1						
			Φ2.5*110/225	1						
			Φ2.7*120	1						
			Φ3.2*225	1						
			Φ3.5*110/225	1						
			Φ4.0*100/150/225	1						
			Φ4.1*220	1						
			Φ4.2*300/360	1						
			Φ4.5*145/180/225	1						
			Φ5.0*115	1						
			Φ5.5*115	1						
Accessories - Flexible drill bits		Flexible drill bits diameter* available length *drill bits length	Φ2.5*195/200*40/50	1						
			Φ3.2*195/200*40/50	1						
			Φ3.5*195/200*40/50	1						
Accessories - Canulate drill bits		Canulate drill bits diameter* available length	Φ2.0*150	1						
			Φ1.0*110/150	1						
			Φ3.0*150	1						
			Φ3.2*150	1						
			Φ3.5*150	1						
			Φ4.8*150	1						
			Φ5.0*250	1						
			Φ5.5*250	1						
Accessories - Ruijin saw blades		Saw blades	Effective length : 90 mm					1		
			Length*Width (mm)	Thickness (mm)	Ruijin	Linvatec	Stryker		Zimmer/Synt	
			90 X 24	0.8						
				1.0	118902410	120902410	125902410			
				1.2	118902412		125902412			
				1.27						
			90 X 22	0.8	118902208					
				1.0	118902210	120902210				112902210
				1.2	118902212	120902212	125902212			112902212
				1.27	118902217	120902217	125902217			112902217
			90 X 19	0.8						
				1.0	118901910		125901910			
				1.2	118901912					
				1.27	118901917					
			90 X 13	0.8	118901308					
				1.0	118901310	120901310	125901310			
				1.2	118901312	120901312	125901312			112901312
				1.27	118901317	120901317	125901317			
			Effective length : 70 mm						1	
			70 X 24	0.8						
				1.0	98702410	100702410	105702410			96702410
				1.2	98702412					
			70 X 22	0.8	98702208					
				1.0		100702210				
				1.2			110702212			
				1.27	98702217					
			70 X 13	1.0	98701310					
				Saw blades Effective length: special dimension						
			50*13	0.8	78501308					
			45*32	1.2	73453212		80453212			
			30*10	0.5	58301005					
			28*58	1.0	54285810					
			65*27				91652708			

MEDICAL INSTRUMENT																																																
Accessories - Ruijin micro saw blades	Saw blades 	<table><thead><tr><th>Length*Width (mm)</th><th>Thickness (mm)</th><th></th></tr></thead><tbody><tr><td>22*12</td><td>0.3</td><td>37*22*12*0.3</td></tr><tr><td>22*8</td><td>0.5</td><td>40*22*8*05</td></tr><tr><td>22*12</td><td>0.5</td><td>40*22*12*05</td></tr><tr><td>22*15</td><td>0.5</td><td>40*22*15*0.5</td></tr><tr><td>25*5.5</td><td>0.5</td><td>43*25*5.5*0.5</td></tr><tr><td>25*9.5</td><td>0.5</td><td>43*25*9.5*0.5</td></tr><tr><td>29.5*7</td><td>0.5</td><td>47.5*29.5*7*0.5</td></tr><tr><td>31*9.5</td><td>0.5</td><td>49*31*9.5*0.5</td></tr><tr><td>35*8</td><td>0.5</td><td>53*35*8*0.5</td></tr><tr><td>35*10</td><td>0.5</td><td>53*35*10*0.5</td></tr><tr><td>39*13</td><td>0.5</td><td>57*39*13*0.5</td></tr><tr><td>40*15</td><td>0.5</td><td>55*40*15*0.5</td></tr><tr><td>40*24</td><td>0.8</td><td>55*40*24*0.8</td></tr><tr><td>50*14</td><td>0.5</td><td>68*50*14*0.5</td></tr></tbody></table>	Length*Width (mm)	Thickness (mm)		22*12	0.3	37*22*12*0.3	22*8	0.5	40*22*8*05	22*12	0.5	40*22*12*05	22*15	0.5	40*22*15*0.5	25*5.5	0.5	43*25*5.5*0.5	25*9.5	0.5	43*25*9.5*0.5	29.5*7	0.5	47.5*29.5*7*0.5	31*9.5	0.5	49*31*9.5*0.5	35*8	0.5	53*35*8*0.5	35*10	0.5	53*35*10*0.5	39*13	0.5	57*39*13*0.5	40*15	0.5	55*40*15*0.5	40*24	0.8	55*40*24*0.8	50*14	0.5	68*50*14*0.5	1
Length*Width (mm)	Thickness (mm)																																															
22*12	0.3	37*22*12*0.3																																														
22*8	0.5	40*22*8*05																																														
22*12	0.5	40*22*12*05																																														
22*15	0.5	40*22*15*0.5																																														
25*5.5	0.5	43*25*5.5*0.5																																														
25*9.5	0.5	43*25*9.5*0.5																																														
29.5*7	0.5	47.5*29.5*7*0.5																																														
31*9.5	0.5	49*31*9.5*0.5																																														
35*8	0.5	53*35*8*0.5																																														
35*10	0.5	53*35*10*0.5																																														
39*13	0.5	57*39*13*0.5																																														
40*15	0.5	55*40*15*0.5																																														
40*24	0.8	55*40*24*0.8																																														
50*14	0.5	68*50*14*0.5																																														
Accessories - Reciprocating saw blades	Saw blades 	<table><thead><tr><th>Length*Width (mm)</th><th>Thickness (mm)</th><th></th></tr></thead><tbody><tr><td>106*77.5</td><td>1.0</td><td>10677508(10)</td></tr></tbody></table> <table><thead><tr><th>Length*Width (mm)</th><th>Thickness (mm)</th><th></th></tr></thead><tbody><tr><td>92*13.4</td><td>1.0</td><td>9213410</td></tr></tbody></table>	Length*Width (mm)	Thickness (mm)		106*77.5	1.0	10677508(10)	Length*Width (mm)	Thickness (mm)		92*13.4	1.0	9213410	1																																	
Length*Width (mm)	Thickness (mm)																																															
106*77.5	1.0	10677508(10)																																														
Length*Width (mm)	Thickness (mm)																																															
92*13.4	1.0	9213410																																														
Accessories - Sternum saw blades	Saw blades 	<table><thead><tr><th>Length*Width (mm)</th><th>Thickness (mm)</th><th></th></tr></thead><tbody><tr><td>60*6</td><td>0.8</td><td>60608</td></tr></tbody></table>	Length*Width (mm)	Thickness (mm)		60*6	0.8	60608	1																																							
Length*Width (mm)	Thickness (mm)																																															
60*6	0.8	60608																																														
Accessories - Toothbrush saw blades	Saw blades 	<table><thead><tr><th>Length (mm)</th><th>Thickness (mm)</th><th>Ruijin</th></tr></thead><tbody><tr><td>110</td><td>3.3</td><td></td></tr></tbody></table> <table><thead><tr><th>Length (mm)</th><th>Thickness (mm)</th><th>Lintratec</th></tr></thead><tbody><tr><td>121</td><td>3.8</td><td></td></tr></tbody></table>	Length (mm)	Thickness (mm)	Ruijin	110	3.3		Length (mm)	Thickness (mm)	Lintratec	121	3.8		1																																	
Length (mm)	Thickness (mm)	Ruijin																																														
110	3.3																																															
Length (mm)	Thickness (mm)	Lintratec																																														
121	3.8																																															