

Specificații tehnice

Numărul procedurii de achiziție: ocds-b3wdp1-MD-1748349395958 din 02.06.2025					
Obiectul achiziției <i>Echipament și accesorii pentru computer (Server, UPS, cabinet metal)</i>					
Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant
1	2	3	4	5	6
1.1 Server	<i>PowerEdge R660xs</i>	USA	DELL	Exemplu - HPE DL360 Gen11 8SFF CTO Server INT Xeon-G 5515+ CPU for HPE – 1 buc; HPE 32GB 2Rx8 PC5-5600B-R Smart Kit – 1 buc; HPE DL360 G11 8SFF x1 U.3 TM BP Kit – 1 buc; HPE 960GB SATA RI SFF BC MV SSD – 2 buc; HPE MR216i-o Gen11 SPDM Storage Cntrlr – 1 buc; INT I350 1GbE 4p BASE-T OCP3 Adptr – 1 buc; HPE DL3X0 Gen11 1U High Perf Fan Kit – 1 buc;	<i>Model: PowerEdge R660xs</i> Trusted Platform Module 2.0 V5- x1 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 1 CPU -x1 Intel Xeon Gold 6534 3.9G, 8C/16T, 20GT/s, 22.5M Cache, Turbo, HT (195W) DDR5-4800 – x1 Heatsink for 1 CPU configuration (CPU more than 150W) -x1 Performance Optimized – x1 5600MT/s RDIMMs-x1 16GB RDIMM, 5600MT/s, Single Rank- x2 No RAID- x1 PERC H355 Controller Front -x1

				HPE 800W FS Plat Ht Plg LH Pwr Sply Kit – 2 buc; HPE iLO Adv 1-svr Lic 3yr Support – 1 buc; HPE Cmp Cloud Mgmt Srv FIO Enablement – 1 buc; HPE DL360 Gen11 CPU1/OCP2 x8 Enable Kit – 1 buc; HPE DL360 Gen11 OROC TM Cbl Kit – 1 buc; HPE DL3XX Gen11 1U Bezel Kit – buc; HPE CE Mark Removal FIO Enable Kit – 1 buc; HPE NS204i-u Gen11 Ht Plg Boot Opt Dev – 1 buc; HPE DL360 Gen11 High Perf Heat Sink Kit – 1 buc; HPE DL3XX Gen11 Easy Install Rail 3 Kit – 1 buc; HPE DL360 Gen11 NS204i-u Rear Cbl Kit – 1 buc; HPE COM Std 3yr Up ProLiant SaaS – 1 buc;	Front PERC Mechanical Parts, front load -x1 960GB SSD SATA Read Intensive 6Gbps 512e 2.5in Hot-plug AG Drive, 1 DWPD -x2 Power Saving BIOS Settings – x1 UEFI BIOS Boot Mode with GPT Partition-x1 Standard Fan X5 - x1 Dual, (1+1) Redundant, Hot-Plug Power Supply, 800W MM (100-240Vac) -x1 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord – x2 No PCIe Riser PowerEdge R660xs Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM, MLK – x1 Intel i350 Quad Port 1GbE Base-T Adapter, OCP 3.0 -x1 Dell Luggage Tag, 0/6/8/10 – x1 PowerEdge 1U Standard Bezel -x1 No Operating System No Media Required iDRAC9, Enterprise 16G- x1
--	--	--	--	---	---

				HPE 3Y Tech Care Basic SVC – 1 buc; HPE DL360 Gen11 Support – 1 buc	Secured Component Verification Dell Connectivity Client - Enabled Dell Connectivity Module No Quick Sync iDRAC,Factory Generated Password -x1 iDRAC Service Module (ISM), NOT Installed iDRAC Group Manager, Enabled A11 drop-in/stab-in Combo Rails Without Cable Management Arm (A11) – x1 No Systems Documentation, No OpenManage DVD Kit Parts Only Warranty Extension, 24 Month(s)
1.2 UPS	<i>Eaton 9E 3000i</i> <i>(9E3000I) - Tower</i>	USA	EATON	Exemplu - APC Easy UPS SRV3KI 3000VA/2400W,Tower,Sinewave,Online,LCD,AVR,USB,RS232,Comm. slot,6*C13/1*C19	Eaton 9E 3000i (9E3000I) - Tower - Dual Conversion (Online), Output power capacity (VA): 3000 VA, Output power: 2400 W. AC output types: C13 connector, C19 connector, Power socket: C20 connector, Quantity Outlets: 7 AC output(s). Garantie 24 Luni
1.3 Şcaf metal (cabinet)	<i>TOTEN</i>	China	TOTEN	19" 22U Standard Rack Metal Cabinet, NP6822, 600*800*1000	19" Rack-Mount 27U/600*800 19" Dulap Rack de podea 27U/600x800 19" Напольный шкаф 27U/600x800 - front perforated door / usa fata metal perforat / передняя дверь

					перфорированная - rear double peforated door / usa spate metal perforat dublu / задняя дверь двойная перфорированная - removeable side panels with locks / laterale detasabile cu yala / съемные боковые панели с замками - 4 feet and 4 castors / 4 picioare si 4 roti / 4 ножки и 4 колеса в комплекте - 20 set M6 square screw and nuts / contine 20 seturi surub+piulita M6 / 20 винтов и гаек M6 - disassembled / dezasamblat / поставляется в разобранном виде - height 1400mm / inaltime 1400mm / высота 1400мм - black color / culoare negru / цвет черный - without fan unit / nu contine unitate ventilatie / вентиляторы в комплекте не идут (Rack-Mount 27U/600*800) Garantie 24 Luni
--	--	--	--	--	---

Numele, Prenumele: **Vitalie BÎRSAN**, În calitate de: Administrator

Ofertantul: **Î.C.S. Reliable Solutions Distributor S.R.L.**, Adresa: mun. Chişinău, Str. Alexandru cel Bun, 85

Nota: Transport, montaj si instalare din contul agent economic. Garanție pentru tehnica de calcul – 24 luni.