

CERTIFICAT DE CONFORMITATENr. de înregistrare **OCP_{GSP} MD 015 13C 48036-21**

Data emiterii 25 februarie 2021 Valabil pînă la 25 februarie 2024

ORGANISMUL DE CERTIFICARE A PRODUSELOR CU GRAD SPORIT DE PERICOL

din cadrul SRL "Centrul Tehnic pentru Securitate Industrială și Certificare",
certificat de acreditare OCpr-015, MD-2004, mun. Chișinău, str. S.Lazo, 48;
sediul central: mun. Chișinău, str. Meleștiu 22/A, tel.: 022208156, 022208186

PRIN PREZENTUL DOCUMENT SE CONFIRMĂ FAPTUL, CĂ PRODUSELE IDENTIFICATE ASTFEL:

DENUMIREA / DESCRIEREA

Corpuri de iluminat stradale în sortiment, marca comercială LUXLIGHT, modelul: GR;
livrarea conform contractului nr.2020H6058 din 11.12.2020;
păstrarea: depozitul firmei (RM, mun. Chișinău, str. Petricani, 21/8)

Codul NC MD
9405

SUNT CONFORME CU CERINȚELE OBLIGATORII STABILITE ÎN
SM SR EN 60598-2-3:2010 (cap.3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 3.10, 3.11, 3.13, 3.14)

PRODUCĂTOR

JLIP GROUP CO, LTD, or. GUANGDONG, China

Codul țării
CN**CLIENT**CEGOLTAR SRL,
RM, mun. Chișinău, str. Nuferilor, 25, tel. (022) 273-582Codul IDNO
1003600017268**CERTIFICATUL ESTE ELIBERAT ÎN BAZA**

Raportului de identificare a produselor nr.10/0099 din 17.02.2021
Raportului de încercări nr.629/02/21 din 22.02.2021,
eliberate de LÎ "INSPECT TEST", certificat de acreditare nr.LÎ-129.
Raportului de evaluare nr.10b/085-ev din 25.02.2021.

INFORMAȚIE SUPLIMENTARĂ

Schema de tip 2.

Este stabilită 1 supraveghere cu identificarea de către OC PGSP a fiecărui lot de produse importate.
Produsele date se comercializează numai în prezența informației în limba de stat.

Seria C nr. 005416



Conducătorul organismului de certificare

Nicolai Manolov

În atenția antreprenorilor și organelor de control!
Copiile certificatului de conformitate se legalizează în modul stabilit de
Organismul de Certificare a Produselor cu Grad Sporit de Pericol

Test Report

Product Name : LED STREET LIGHT
Applicant : Changzhou Gaorui Electric CO.,LTD
Report No. : EY191113003RE

Testing Laboratory Name : EMTEK(Guangzhou) Co.,Ltd.
Address : 1/F&4/F, Building A, No.38, Nanxiang 3rd Road, Sciencetech
Park, Guangzhou,Guangdong,China

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Test Report

Report No.: EY191113003RE

Date: Nov. 15, 2019

Page 1 of 4

Applicant : Changzhou Gaorui Electric CO.,LTD
Address : NO.131,Houlu Road,Niutang Town,Wujin District,Changzhou,China.

Product : LED STREET LIGHT
Model : GL1113-100W
Material : /
Quantity : 1 pc

Date of receipt of test item : Nov. 13, 2019

Testing Period : Nov. 14, 2019

Summary of testing

No.	Test Item	Standard	Conclusion
1	IK10	IEC 62262:2002	Pass

Remark:

Pass: Test item meet the requirement;

Fail: Test item does not meet the requirement;

N/A: Test case does not apply to the test object, or provide test results only.

Tested by: Kell Zhu
Kell. Zhu
Test engineer

Reviewed by: Zuo Luo
Zuo Luo
Audit director

Signed for and on behalf of
EMTEK(Guangzhou) Co.,Ltd.

Approved by: Lewis Lian
Lewis. Lian *
Authorized signatory
Nov. 15, 2019



Test Report

Report No.: EY191113003RE

Date: Nov. 15, 2019

Page 2 of 4

Sample information:

No.	Sample Name	Sample Model	Test Status
1	LED STREET LIGHT	SL1-8-100W	Main test
		GR1113-30W; GR1113-50W; GR1113-60W; GR1113-80W; GR1113-90W; GR1113-100W; GR1113-120W; GR1113-150W; GR1113-180W; GR1113-200W; GR1113-240W; GR1126A-30W; GR1126A-40W; GR1126A-50W; GR1126A-60W; GR1126A-80W; GR1126A-90W; GR1126A-100W; GR1126A-120W; GR1126A-150W; GR1126A-180W;	/

Test Report

Report No.: EY191113003RE

Date: Nov. 15, 2019

Page 3 of 4

1. Test Item: IK10

1.1 Sample No.: EY191113003R-1-1

1.2 Test Instrument:

Instrument Name	Model	Internal Code	Calibration Exp.
Drop hammer test equipment	GR1113	ER-278	2020.06.26

1.3 Laboratory Conditions: Temperature: 25.3℃; Humidity: 60%RH

1.4 Test Standard: IEC 62262:2002

1.5 Test Method and Conditions:

Table: Relation between IK code and impact energy											
IK code	IK00	IK01	IK02	IK03	IK04	IK05	IK06	IK07	IK08	IK09	IK10
Impact energy (J)	0	0.14	0.2	0.35	0.5	0.7	1	2	5	10	20
Remark: A characteristic group numeral of two figures has been chosen to avoid confusion with some national standards which used a single numeral for a specific impact energy.											

1.6 Evaluation Criteria: After the test, the appearance of the sample did not break.

1.7 Test Result(s):

Sample No.	Description	Judgment
EY191113003R-1-1	After the test, the appearance of the sample did not break.	Pass

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

The test report is effective only with both signature and specialized stamp. Without written approval of EMTEK, this report can't be reproduced except in full. The result(s) shown in this report refer only to the sample(s) tested.

*** End of Report ***

签发测试报告条款 Conditions of Issuance of Test Reports

1. 广州信测标准技术服务有限公司（以下简称[本公司]）为提供符合下述条款的测试和报告，而接受有关样品和货品。本公司基于下述条款提供服务，下述条款为本公司与申请服务的个人，企业或公司（以下简称[客户]）的协议。
All samples and goods are accepted by the EMTEK(Guangzhou) Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
2. 由此测试申请所发出的任何报告（以下简称[报告]），本公司会严格为客户保密。未经本公司的书面同意，报告的整体或部分不得复制，也不得用于广告或授权的其他用途。然而，客户可以将本公司印制的报告或认可的副本，向其客户、供货商或直接相关的其他人出示或提交。除非相关政府部门、法律或法规要求，否则未经客户同意，本公司不得将报告内容向任何第三方讨论或披露。
Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. 除非相关政府部门、法律或法院要求，否则未经公司预先书面同意，本公司毋庸，也并无义务到法院对有关报告作证。
The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. 除非本公司进行抽样，并已在报告中说明，否则报告中适用于送测的样品（样品信息为客户提供），不适用于批量。
The Report refers only to the tested sample (Sample information is provided by customer) and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
5. 如果本公司确定报告被不当地使用，本公司保留撤回报告的权利，并有权要求其它适当的额外赔偿。
In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
6. 本公司接受样品进行测试的前提是，该测试报告不能作为针对本公司法律行动的依据。
Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
7. 如因使用本公司中心任何报告内的资料，或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害，本公司概不负责。
The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
8. 若需要在法院审理程序或者仲裁过程中使用测试报告，客户必须在提交测试样品前将该意图告知本公司。
Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
9. 该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的，检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限，数据和信息将被处理掉。任何情况下，本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害，本公司在任何情况下也不必承担任何损害，包括（但不限于）补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权（包括疏忽）、产品责任或其他原因的惩罚性损害。
Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.
10. 报告的签发记录可通过登录 <http://www.emtek.com.cn/zhengshuchaxun.html> 查询。如需进一步查询报告有效性或核实报告，需与本公司联系。
Issuance records of the Report are available on the internet at <http://www.emtek.com.cn/zhengshuchaxun.html>. Further enquiry of validity or verification of the Report should be addressed to the company.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.