



RETAIL EQUIPMENT

CONFECTIONERY COUNTERS

2021

vik-hitline.com

Digitally signed by Moșcovici Anatoli
Date: 2025.08.21 12:35:53 EEST
Reason: MoldSign Signature
Location: Moldova

MOLDOVA EUROPEANA



HOW HITLINE WORKS

The background is a dark, blue-tinted photograph of an industrial facility. In the foreground, a large, flat, rectangular object, possibly a mold or a piece of machinery, is visible. In the background, a machine with the label 'Prima Power ES4' is partially visible. A curved, semi-transparent blue overlay covers the middle section of the image, serving as a backdrop for the title text. A thin, curved red line is also visible, passing behind the blue overlay.

closed production cycle

You can select equipment for any type of product. The company offers more than 3000 pieces of refrigeration designer, for stores of any format.

You can order an individual design for your store.

TODAY

2021



Successfully operating on the market for over 25 years



More than 800 employees



Export to 45 countries



More than 24,000 sq. m of the working area



More than 3000 names for the produced equipment




More than 50000 projects equipped with our products

since

1997

WE ARE
DEVELOPING



MAP OF OUR PRESENCE

[illegible]



BUREAU VERITAS
 Certification

VIK HITLINE

90, Moskovskiy ave., Kharkov, 61001, Ukraine

Demon V-1000 Certificate (Building 5, C-1-C-1) Direct audits. This is a demonstration of the system registration. The system registration is not available and therefore is not available with the registration of the management system standard. Detailed below.

ISO 22000:2018

Scope: production

Production of commercial refrigeration equipment (refrigeration and freezing (flat and vertical) display cases / specialized display cases) for demonstration and temporary storage of food products

Product category 1 – Equipment manufacturing

<i>Original certificate date:</i> <i>Expiry date of previous cycle:</i> <i>Certificate / Recertification Audit date:</i> <i>Continuation / Recertification cycle start date:</i> <i>Subject to the continued annual operation of the organization's Management System, the certificate expires on:</i>	31 May 2020 Non Applicable 27 April 2020 31 May 2020 30 May 2020
---	--

Certificate No.

202000015

Version: 1

Revision date 31 May 2020



Signature of the authorized representative of the organization

Signature of the authorized representative of the organization

Signature of the authorized representative of the organization

Authorized representative of the organization

Authorized representative of the organization

Authorized representative of the organization

CONTENTS

MISSOURI ENIGMA MC 122 PATISSERIE OS M.....	20
MISSOURI COLD DIAMOND MC 126 PATISSERIE PS M.....	21
MISSOURI COLD DIAMOND MC 126 CHOCOLATE SELF M/A.....	22
MISSOURI COLD DIAMOND MC 115 PATISSERIE PS M/A.....	23
MISSOURI COLD DIAMOND MC 115 PATISSERIE OS M/A.....	24
MISSOURI MC 120 PATISSERIE OS M/A.....	25
MISSOURI MC 120 PATISSERIE PS M/A.....	26
MISSOURI MC 120 PATISSERIE CH SP M/A.....	27
MISSOURI AC 120 PATISSERIE OS A.....	29
MISSOURI MC 100 PATISSERIE PS M/A	31
MISSOURI MC 100 PATISSERIE M/A.....	32
MISSOURI MC 100 PATISSERIE CH SP A.....	33
MISSOURI SAPPHIRE MK 115 PATISSERIE PS M.....	34
SYMPHONY MG 120 PATISSERIE PS M.....	35
SYMPHONY MG 120 PATISSERIE T M.....	36
SYMPHONY MG 120 PATISSERIE T2 M.....	37
SYMPHONY LUXE MG 120 PATISSERIE PS M.....	38
SYMPHONY MG 120 PATISSERIE T M.....	39
SYMPHONY MG 120 PATISSERIE T2 M.....	40

GEORGIA AG 120 PATISSERIE PS A.....	41
SONATA AG 119 PATISSERIE OS A.....	42
DAKOTA SNACK AG 080 PATISSERIE OS A.....	43
DAKOTA AG 085 PATISSERIE OS A.....	44
DAKOTA AC 085 PATISSERIE OS/SELF A.....	45
DAKOTA AC 085 PATISSERIE OS 130 A.....	46
DAKOTA AC 085 PATISSERIE PS 130 A.....	47
DAKOTA AC 060 PATISSERIE OS A.....	48
DAKOTA AC 090 PATISSERIE RS A.....	49
DAKOTA VP 085 PATISSERIE OS A.....	50
DAKOTA GA 085 PATISSERIE SELF SL A.....	51
DAKOTA SAPPHIRE KA 090 PATISSERIE PS A.....	52

CONFECTIONARY CABINETS

KANSAS 1 S4 070/183 PATISSERIE R D A.....	56
KANSAS 1 S4 070/198 PATISSERIE D A.....	57

CONFECTIONERY COUNTERS

























MISSOURI ENIGMA MC 122


PÂTISSERIE OS M

Length without sidewalls: 1250, 1875, 2500

Temperature class: H1



■ Pull-out trays of display part



Missouri Enigma MC 122 pâtisserie OS 115-DLM

MISSOURI COLD DIAMOND MC 126


PÂTISSERIE PS M

Length without sidewalls: 937,
1250, 1875, 2500, 3125, 3750

Temperature class: H1



- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Missouri Cold Diamond MC 126 patisserie PS 130-DLM


MISSOURI COLD DIAMOND MC 126 CHOCOLATE SELF M/A

Length without sidewalls: 937, 1250
1875, 2500, 3125, 3750

Temperature class: H1



- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Missouri Cold Diamond MC 126 chocolate self 084-DLM
Missouri Cold Diamond MC 126 chocolate self 084-DLA

MISSOURI COLD DIAMOND MC 115 PATISSERIE PS M/A

Length without sidewalls: 1250,
1875, 2500


Temperature class: H1



In agreement with the manufacturer
it is available with a Refrigerant R290



- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Missouri cold diamond MC 115 patisserie PS 121-DLM
Missouri cold diamond MC 115 patisserie PS 121-DLA

MISSOURI COLD DIAMOND MC 115 PATISSERIE OS M/A

Length without sidewalls: 1250,
1500, 1875, 2500


Temperature class: H1



In agreement with the manufacturer
it is available with a Refrigerant R290



- Pull-out trays of display part
- Pushing front panel with glass



Missouri cold diamond MC 115 patisserie OS 121-DLM
Missouri cold diamond MC 115 patisserie OS 121-DLA


MISSOURI MC 120 PATISSERIE OS M/A

Length without sidewalls: 1250,
1875, 2500


Temperature class: H1




- Pull-out trays of display part
- Pushing front panel with glass



Missouri MC 120 patisserie OS 130-DLM
Missouri MC 120 patisserie OS 130-DLA



Missouri MC 120 patisserie OS 140-DLM
Missouri MC 120 patisserie OS 140-DLA




Missouri MC 120 patisserie OS 160-DLM
Missouri MC 120 patisserie OS 160-DLA



MISSOURI MC 120 PATISSERIE PS M/A


Length without sidewalls: 1250, 1875, 2500

Temperature class: H1




- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system

Missouri MC 120 patisserie PS 160-DLM
Missouri MC 120 patisserie PS 160-DLA



Missouri MC 120 patisserie PS 130-DLM
Missouri MC 120 patisserie PS 130-DLA



Missouri MC 120 patisserie PS 140-DLM
Missouri MC 120 patisserie PS 140-DLA


MISSOURI MC 120 PATISSERIE CH SP M/A

Length without sidewalls: 1250, 1875, 2500

Temperature class: H1



- Pull-out trays of display part
- Sliding upper glass



Missouri MC 120 patisserie CH SP 090-DLM
Missouri MC 120 patisserie CH SP 090-DLA


MISSOURI MC 120 PATISSERIE CH SP M/A

Length without sidewalls: 1250, 1875, 2500

Temperature class: H1



- Pull-out trays of display part
- Sliding upper glass



Missouri MC 120 patisserie CH SP 110-DLM
Missouri MC 120 patisserie CH SP 110-DLA

MISSOURI AC 120 PATISSERIE OS A

Length without sidewalls: 1250, 1875, 2500


Temperature class: H1




In agreement with the manufacturer
it is available with a Refrigerant R290




- Pull-out trays of display part
- Pushing front panel with glass



Missouri AC 120 patisserie OS 130-DLA



Missouri AC 120 patisserie OS 140-DLA



Missouri AC 120 patisserie OS 160-DLA



MISSOURI AC 120 PATISSERIE OS A




In agreement with the manufacturer
it is available with a Refrigerant R290




Length without sidewalls: 1250, 1875, 2500

Temperature class: H1


- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Missouri AC 120 patisserie PS 130-DLA



Missouri AC 120 patisserie PS 140-DLA



Missouri AC 120 patisserie PS 160-DLA

MISSOURI MC 100 PATISSERIE PS M/A

Length without sidewalls: 830, 1250, 1500,
1875, 2500


Temperature class: H1



In agreement with the manufacturer
it is available with a Refrigerant R290



- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Missouri MC 100 patisserie PS 130-DLM
Missouri MC 100 patisserie PS 130-DLA



MISSOURI MC 100 PATISSERIE M/A



In agreement with the manufacturer
it is available with a Refrigerant R290




Length without sidewalls: 1250, 1500, 1875,
2500

Temperature class: H1



- Pull-out trays of display part
- Pushing front panel with glass



Missouri MC 100 patisserie OS 160-DLM
Missouri MC 100 patisserie OS 160-DLA


MISSOURI MC 100 PATISSERIE CH SP A

Length without sidewalls: 1250, 1875, 2500

Temperature class: H1



- Pull-out trays of display part
- Sliding upper glass



Missouri MC 100 patisserie CH SP 092-DLA



MISSOURI SAPPHIRE MK 115


PÂTISSERIE PS M

Length without sidewalls: 937, 1250, 1875, 2500, 3125, 3750

Temperature class: H1



- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Missouri sapphire MK 115 patisserie PS 125-DLM


SYMPHONY MG 120 PATISSERIE PS M

Length without sidewalls: 937, 1250, 1875,
2500, 3125, 3750

Temperature class: H1



- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Symphony luxe MG 120 patisserie PS 125-DLM



SYMPHONY MG 120


PÂTISSERIE T M

Length without sidewalls: 937, 1250, 1875, 2500, 3750

Temperature class: H1



- Pull-out trays of display part
- Reclining and holding of front glass



Symphony MG 120 patisserie T 110-DLM


SYMPHONY MG 120 PATISSERIE T2 M

Length without sidewalls: 937, 1250, 1875,
2500, 3750

Temperature class: H1



- Pull-out trays of display part
- Reclining and holding of front glass



Symphony MG 120 patisserie T2 110-DLM



SYMPHONY LUXE MG 120


PÂTISSERIE PS M

Length without sidewalls: 937, 1250, 1875, 2500, 3750

Temperature class: H1



- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Symphony luxe MG 120 patisserie PS 125-DLM


SYMPHONY MG 120 PATISSERIE T M

Length without sidewalls: 937, 1250, 1875,
2500, 3750

Temperature class: H1



- Pull-out trays of display part
- Reclining and holding of front glass



Symphony luxe MG 120 patisserie T 110-DLM



SYMPHONY MG 120


PÂTISSERIE T2 M

Length without sidewalls: 937, 1250, 1875, 2500, 3750

Temperature class: H1



- Pull-out trays of display part
- Reclining and holding of front glass



Symphony luxe MG 120 pâtisserie T2 110-DLM


GEORGIA AG 120 PATISSERIE PS A

Length without sidewalls: 1250, 1500, 1875

Temperature class: H1



- Pull-out trays of display part
- Uplift and holding of front glass with the help of gas-lift system



Georgia AG 120 patisserie PS 126-DLA



SONATA AG 119


PÂTISSERIE OS A

Length without sidewalls: 1250, 1500, 1875

Temperature class: H1



- Pull-out trays of display part
- Reclining and holding of front glass



Sonata AG 119 patisserie OS 125-DLA


DAKOTA SNACK AG 080 PATISSERIE OS A

Length without sidewalls: 940, 1440

Temperature class: M2



- Pull-out trays of display part
- Reclining and holding of front glass



Dakota snack AG 080 patisserie OS 160-DBA




DAKOTA AG 085 PATISSERIE OS A

Length without sidewalls: 940, 1440

Temperature class: H1



In agreement with the manufacturer
it is available with a Refrigerant R290



Dakota AG 085 patisserie OS 150-DLA

DAKOTA AC 085



PATISSERIE OS/SELF A

Length without sidewalls: 940, 1250, 1440

Temperature class: H1



In agreement with the manufacturer
it is available with a Refrigerant R290



Dakota AC 085 patisserie OS 150-DLA


Dakota AC 085 patisserie self 150-DLA



DAKOTA AC 085 PATISSERIE OS 130 A

Length without sidewalls: 940, 1250, 1440

Temperature class: H1



Dakota AC 085 patisserie OS 130-DLA


DAKOTA AC 085 PATISSERIE PS 130 A

Length without sidewalls: 940, 1250, 1440

Temperature class: H1



In agreement with the manufacturer
it is available with a Refrigerant R290



Dakota AC 085 patisserie OS 130-DLA




DAKOTA AC 060 PATISSERIE OS A

Length without sidewalls: 940, 1250, 1440

Temperature class: H1



In agreement with the manufacturer
it is available with a Refrigerant R290




Dakota AC 060 patisserie OS 130-DLA

DAKOTA AC 090 PATISSERIE RS A

Length without sidewalls: 940, 1440

Temperature class: H1



Dakota AC 090 patisserie RS 150-DLA




DAKOTA VP 085 PATISSERIE OS A

Length without sidewalls: 940, 1250, 1440

Temperature class: H1



In agreement with the manufacturer
it is available with a Refrigerant R290




Dakota VP AC 085 patisserie OS 150-DLA

DAKOTA GA 085 PATISSERIE SELF SL A

Length without sidewalls: 1250

Temperature class: H1



Dakota GA 085 patisserie self SL 180-DLA




DAKOTA SAPPHIRE KA 090


PÂTISSERIE PS A

Length without sidewalls: 1380

Temperature class: H1




Dakota Sapphire KA 090 pâtisserie PS
140-DLA-ER35



Top view





CONFECTIONARY CABINETS






KANSAS 1 S4 070/183


PATISSERIE R D A

Length without sidewalls: 700

Temperature class: H1



Kansas A4SG 070 patisserie R 1HD
180-D500A-070




Front view

KANSAS 1 S4 070/198


PATISSERIE D A

Length without sidewalls: 700

Temperature class: H1



Kansas A4SG 070 patisserie 1HD
198-D600A-070



Front view





TECHNICAL SPECIFICATION



Confectionery



Remote



Plug-in



Dynamic cooling




Static cooling



Working on R290



Energy-efficient fans



LED lighting

CONTACTS



MAIN OFFICE:
MOROKHOVETSKA EMB., 2,
61001 KHARKIV, UKRAINE



+38(044)33-77-500
+38(067)511-15-11
+38(050)325-15-11



vik-hitline.com



@vikhitline



vik-hitline.com



ISO 9001:2015