

QUOTATION

TO: TEHNOCONDUCT ELPO S.R.L.


NO.: ASCENT-ELPO-21012026-1

ATTN: --

DATE: Jan. 21st, 2026

Quotation Type: --

Accessory: Double Band Stainless Steel Repair Clamp

NO.	Description		OD	Unit Weight (KG/PC)	Total Weight (KGS)	Quantity (PCS)	Unit Price FOB Xingang (USD/PC)	Total Amount (USD)	Datasheet	
	ELPO	ASCENT							L (mm)	Figure & Picture
1	Repair clamp inox two-part PN16 DN80 (88-110mm) L-300mm	Double Band Stainless Steel Repair Clamp	88-110	4.7	329	70			300	 
2	Repair clamp inox two-part PN16 DN100 (108-128mm) L-300mm		108-128	4.7	564	120			300	
3	Repair clamp inox two-part PN16 DN150 (159-175mm) L-300mm		159-175	5.8	696	120			300	
4	Repair clamp inox two-part PN16 DN200 (215-235mm) L-300mm		215-235	6.8	340	50			300	
5	Repair clamp inox two-part PN16 DN250 (268-288mm) L-300mm		268-288	7.4	111	15			300	
6	Repair clamp inox two-part PN16 DN300 (310-330mm) L-300mm		310-330	8.4	420	50			300	

TOTAL

2460

425


TOTAL AMOUNT:

N.W.: 2460.00KGS

## 1.Double Band Stainless Steel Repair Clamp (1 Serie):

### Technical Requirement

1	Material:	Outer Shell & Jaw & Junction Plate	SS304																						
		Sealing Gasket	EPDM																						
		Locking Plate	SS304																						
		Bolt	SS304																						
		Cap	Plastic																						
2	Datasheet:	<table border="1"> <thead> <tr> <th rowspan="2">OD</th> <th rowspan="2">L</th> <th>Bolt</th> </tr> <tr> <th>NxMxL</th> </tr> </thead> <tbody> <tr> <td>88-110</td> <td>300</td> <td>M16x165</td> </tr> <tr> <td>108-128</td> <td>300</td> <td>M16x165</td> </tr> <tr> <td>159-175</td> <td>300</td> <td>M16x165</td> </tr> <tr> <td>215-235</td> <td>300</td> <td>M16x165</td> </tr> <tr> <td>268-288</td> <td>300</td> <td>M16x165</td> </tr> <tr> <td>310-330</td> <td>300</td> <td>M16x165</td> </tr> </tbody> </table>		OD	L	Bolt	NxMxL	88-110	300	M16x165	108-128	300	M16x165	159-175	300	M16x165	215-235	300	M16x165	268-288	300	M16x165	310-330	300	M16x165
		OD	L			Bolt																			
				NxMxL																					
		88-110	300	M16x165																					
		108-128	300	M16x165																					
		159-175	300	M16x165																					
		215-235	300	M16x165																					
268-288	300	M16x165																							
310-330	300	M16x165																							



### Rules

1	Payment Term:	T/T 50% in advance, the balance 50% before shipping.
2	Delivery Term:	FOB Xingang
3	Delivery Time:	15 days after receiving your advance.
4	Shipping:	By Sea (By LCL (About 7 m <sup>3</sup> ))
5	Airport of Loading:	Xingang Port, China
6	Airport of Discharge:	***
7	Packing:	Wooden Case/Wooden Pallet
8	Period of Validity:	Feb 10th, 2026

### Additional Concents: Table 1-Table 2

Table 1: The accordance or deviation of enquiry and quotation

NO.	ELPO/Enquiry	ASCENT/Quotation	Explanation
1	All Items	All Items	Accordance Completely

**Table 2: WRAS Approved Materials for Water**



NO.	Concets	Grade
1	Epoxy powder (FBE)	High
2	Epoxy Paint	High
3	EPDM Rubber	High
4	Cement Mortar	High

**All materials use in contact with water intended for human consumption approved WRAS, **ASCENT** source the best materials.**