

GENERAL LIST OF ACCESSORIES

■ REUSABLE NEUTRAL ELECTRODES

- EIP/9** Stainless steel electrode (16x6 cm), 3 m cable
- NP/A** Stainless steel electrode (25x12 cm), 3 m cable
- NP/GA** Conductive flexible rubber electrode (25x15 cm), 4.5 m cable
- NP/GP** Conductive flexible rubber electrode (15x8 cm), 4.5 m cable
- EIP/S** Manual neutral electrode, 2 m cable
- PG905/5** Elastic belt for fixing electrodes, with double button, L. 50 cm (*)
- PG905/15** Elastic belt for fixing electrodes, with double button, L. 150 cm (*)



■ DISPOSABLE ADHESIVE NEUTRAL ELECTRODES

- CMS/E** Reusable connection cable, 3 m
- CMS/E5** As above, 5 m
- F7805** Disposable neutral electrode, single section, for adults (25-pc pack) (*)
- F7805P** Disposable neutral electrode, single section, for paediatrics (25-pc pack) (*)
- F7820** Disposable neutral electrode, REM type, for adults (25-pc pack) (*)
- F7820P** Disposable neutral electrode, REM type, for paediatrics (25-pc pack) (*)

■ HANDLES FOR USE WITH FOOT CONTROLS

- MPE/F** Autoclavable handle, 2.5 m cable
- MPE/E** Sterilisable electrode holder handle, 3.5 m cable
- MPE/E5** As above, 5 m cable
- MLD/F** Needle holder microsurgery handpiece, autoclavable, 2 m cable

■ HANDLES WITH DOUBLE BUTTON MANUAL CONTROLS

- MPE/CMS** Electrode holder handle with blade electrode, 3 m cable (100 times sterilisable)
- MPE/CMS5** As above, 5 m cable

■ ACTIVE ELECTRODES stainless steel, insulated stem $\varnothing$ 2.3 ÷ 2.4 mm, sterilisable SHORT TYPE, L. 70 mm

- E1** Blade electrode, straight
- E1/I** Blade electrode, straight, all insulated except the last 5 mm
- E3** Blade electrode, angled
- E1/L** Lancet electrode, straight
- E3/L** As above, angled
- E5** Thick needle electrode, straight
- E6** As above, angled
- E7** Thin needle electrode, straight
- E7/I** Thin needle electrode, straight, all insulated except the last 5 mm
- E8** Thin needle electrode, angled
- E10** Ultra-thin needle electrode, 0.40 mm diam.
- E12** Ball electrode, straight, $\varnothing$ 2.5 mm
- E13** As above, angled
- E14** Ball electrode, straight, $\varnothing$ 4 mm
- E15** As above, angled
- E16** Ball electrode, straight, $\varnothing$ 6 mm
- E17** As above, angled
- E18** Loop electrode (diamond-shaped 5x10 mm)
- E19** As above, diamond-shaped 10x10 mm
- E21** Loop electrode (wire, round $\varnothing$ 5 mm)
- E23** As above, $\varnothing$ 10 mm
- E25** As above, $\varnothing$ 15 mm
- E23/N** Loop electrode (ribbon, round $\varnothing$ 10 mm)
- E25/N** As above, $\varnothing$ 15 mm
- E26** Plate electrode
- EXT/15** Extension l. 15 cm for all electrodes with stem $\varnothing$ 2.3 ÷ 2.4 mm
- LONG TYPE, L. 130 mm**
- E40** Blade electrode, straight
- E40/I** Blade electrode, straight, all insulated except the last 5 mm
- E41** Thick needle electrode, straight
- E42** Thin needle electrode, straight
- E42/I** Thin needle electrode, straight, all insulated except the last 5 mm
- E43** Loop electrode, straight (wire, round $\varnothing$ 5 mm)
- E44** As above, $\varnothing$ 10 mm
- E45** As above, $\varnothing$ 15 mm
- E46** Ball electrode, straight, $\varnothing$ 2.5 mm
- E47** As above, $\varnothing$ 4 mm



■ ELECTRODES FOR GYNECOLOGY L. 130 mm

- E48** Round loop electrode, 20x15 mm
- E49** As above, 10x7 mm
- E50** As above, 10x10 mm
- E51** As above, 15x12 mm
- E52** As above, 15x10 mm
- E53** As above, 20x8 mm
- E54** As above, 20x10 mm
- E55** As above, 20x20 mm
- E56** Square loop electrode, 10x5 mm
- E57** As above, 10x8 mm
- E58** As above, 10x10 mm
- E59** As above, 5x5 mm

■ ELECTRODES FOR MICROSURGERY, STERILISABLE

- MID** Needle reducer (for all electrode handles)
- SAD** Series of 10 needles, Ø 0.10 mm
- SAD1** As above, Ø 0.15 mm
- SAD2** As above, Ø 0.20 mm
- SAD3** As above, Ø 0.40 mm

■ INSULATED MONOPOLAR FORCEPS FOR COAGULATION, WITH CONNECTION CABLES TO THE EQUIPMENT, STERILISABLE

- CPI** Connection cable for PMI, L. 3.5 m
- CPI/5** As above, L. 5 m
- PMI/1** Straight forceps (Cushing/Potts-Smith) ("grasping" tips 1 mm - L. 18 cm)
- PMI/1-20** As above, L. 20 cm
- PMI/1-25** As above, L. 25 cm
- PMI/2** Straight forceps (Cushing/Potts-Smith) ("grasping" tips 2 mm - L. 25 cm)
- PMI/B** Bayonet forceps (Jansen/Yasargil) ("grasping" tips 2 mm - L. cm. 20 cm)

■ CONNECTION CABLES FOR MONOPOLAR INSTRUMENTS FOR LAPAROSCOPY

- CPE** Connection cable for instruments with male or female connector Ø 4 mm, L. 3.5 m
- CPE/5** As above, L. 5 m

■ CABLES FOR FLEXIBLE ENDOSCOPY, request specific details.

■ CONNECTION CABLES FOR BIPOLAR FORCEPS OR ELECTRODES AND FOR HOOKS, FORCEPS AND BIPOLAR SCISSORS FOR LAPAROSCOPY, STERILISABLE

- CPB/E** Connection cable, 3 m
- CPB/E5** As above, L. 5 m

■ RIGID BIPOLAR INSULATED CLAMPS AND ELECTRODES, STERILISABLE

Standard forceps for bipolar coagulation

- PMC/JR** Straight forceps (Jeweler) (straight tips 0.5 mm - L. 11.5/12 cm)
- PMC/JC** As above, angled tips
- PMC/RS** Straight forceps (Cushing/Potts-Smith) (straight tips 0.7 mm - L. 15.5 / 16 cm)
- PMC/CS** As above, angled tips
- PMC/R** Straight forceps (Cushing/Potts-Smith) (straight tips 1 mm - L. 20 cm)
- PMC/C** As above, angled tips
- PBC/R** Straight forceps (Cushing/Potts-Smith) (straight tips 2 mm - L. 20 cm)
- PBC/C** As above, angled tips
- PMC/R25** Straight forceps (Cushing/Potts-Smith) (straight tips 1 mm - L. 25 cm)
- PMC/C25** As above, angled tips
- PBC/R25** Straight forceps (Cushing/Potts-Smith) (straight tips 2 mm - L. 25 cm)
- PBC/C25** As above, angled tips
- PMC/RSB** Bayonet forceps (Jensen/Yasargil) (straight tips 0.7 mm - L. 16.5 / 17 cm)
- PMC/B** Bayonet forceps (Jensen/Yasargil) (straight tips 1 mm - L. 20 cm)
- PMC/BCD** As above, angled tips pointing down
- PMC/BCU** As above, angled tips pointing up
- PBC/B** Bayonet forceps (Jensen/Yasargil) (straight tips 2 mm - L. 20 cm)
- PBC/BCD** As above, angled tips pointing down
- PBC/BCU** As above, angled tips pointing up
- PMC/B25** Bayonet forceps (Jensen/Yasargil) (straight tips 1 mm - L. 25 cm)
- PBC/B25** Bayonet forceps (Jensen/Yasargil) (straight tips 2 mm - L. 25 cm)



- **FORCEPS WITH NON-STICK TIPS FOR BIPOLAR COAGULATION**, request specific details.
- **HOOKS, FORCEPS AND BIPOLAR SCISSORS FOR LAPAROSCOPY**, request specific details.
- **BIPOLAR FORCEPS FOR COAGULATION/SEALING OF LARGE VESSELS FOR SURGERY AND LAPAROSCOPY WITH RELATIVE CABLES**, request specific details.

■ **ADAPTERS FOR USE OF NON-STANDARD ALSA CABLES**

RD/5 For monopolar cables with plugs with Ø from 2 to 8 mm, or Martin standard.

RD/BF For bipolar cables with double plug Ø 4 mm (International standard) or with Valleylab/Conmed standard plug.

RD/BF1 For bipolar cables with coaxial plug Ø 12.5 mm (Erbe/Storz standard)

RD/BF2 For bipolar cables with coaxial plug Ø 8 mm (Martin/Bertchold standard)



■ **TROLLEYS**

SMART3 Trolley with 3 shelves. Size: 50x50x80 cm, antistatic wheels, 2 with brakes

WOK ALSA 01 Trolley with 2 shelves and seat for Argon cylinder. Size: 52x55x90 cm, antistatic wheels, 2 with brakes

■ **FOOT CONTROLS**

STOP/PN Foot control, pneumatic, waterproof, explosion-proof (single) (ALSATOM SU 50-MPC, ALSATOM SU 100-MPC, ALSATOM SU 140-MPC)

D-STOP/P Foot control, pneumatic, waterproof, explosion-proof (double) (ALSATOM SU 140/D-MPC, ALSATOM SU 140/BD-MPC)

DS/E Double pedal electric control, waterproof (IP67) (EXCELL MCDSe, EXCELL NHP)

DS/Esw Double pedal electric control, waterproof (IP67) (EXCELL NHP/T)

DS/B Double pedal electric control, waterproof (IP67), for bipolar operation only (EXCELL MCDSe, EXCELL NHP, EXCELL NHP/T)



■ **ACCESSORIES HOLDER BOXES**

BOX/TE Stainless steel round box for electrodes

BOX/RA-2 Stainless steel rectangular box for accessories, 30x20x6 cm

ACCESSORIES FOR SURGERY WITH ARGON GAS

(with EXCELL 400/A MCDSe, EXCELL NHP 250/DA, EXCELL NHP 400/DA, EXCELL NHP/TA-200, EXCELL NHP/TA-400)

■ **HANDLE WITH MANUAL CONTROLS AND ELECTRODES FOR SURGERY/LAPAROSCOPY**

HF9729-40 Double button handle, sterilisable, 3.5 m cable (*)

HF9920-40 Rigid electrode for coagulation, l. 25 mm, sterilisable (*)

HF9921-40 As above, l. 100 mm (*)


HF9922-40 As above, l. 320 mm (for laparoscopy only) (*)

HF9923-40 Rigid needle electrode, l. 40 mm, sterilisable (*)

HF9924-40 As above, l. 100 mm (*)

HF9925-40 Rigid blade electrode, l. 40 mm, sterilisable (*)

HF9926-40 As above, l. 100 mm (*)



■ **CABLE AND ELECTRODES/PROBES FOR FLEXIBLE ENDOSCOPY**

HF9928-00 Connection cable for electrodes/probes, sterilisable, l. 3.5 m (*)

HF9928-01 Flexible electrode for endoscopy d. 1.5 mm, l. 1.5 m (*)

HF9928-02 As above, d. 2.3 mm, l. 1.0 m (*)

HF9928-03 As above, d. 2.3 mm, l. 2.2 m (*)

HF9928-04 As above, d. 3.2 mm, l. 2.2 m (*)



■ **TROLLEY, CYLINDERS, PRESSURE REDUCER, ANTIBACTERIAL FILTER**

WOK ALSA 01 Trolley with 2 shelves and seat for Argon cylinder.

Size: 52x55x90 cm, antistatic wheels, 2 with brakes


B5 5 l argon gas cylinder

RD/P Pressure reducer for B5 cylinder

ESU/TG Gas supply pipe with quick connector (for B5)

ESU/F Antibacterial filter for argon gas outlet

ESU/FC Metal connector for filter



(*) items not CE0051 certified