

- Playground Equipment

# One

YN 303



certificat Primaria Vatila 38

MUSTAFA DURNA

Fabrika: Bilyuk Kayacik Mah. 3. Organyis Sarayi Bilgesi. 19. Solicik Nov. 4. Selepatuh SBNZA-9-Ric od 2-502 10 79 bang-pangnap com 1 - wayt hefotatila.com 1 Tac Sec Iso 60102 Selepak V.D. 624 056 1667 | Mercin Nov. 0524056166500001

Have you seen any sincer structure, with three height platforms and slides before?

Tower represent and adventure or children. They can be customised with the theme of your choice. of your choice



H= 2400 mm





### Materials:

Structure: Extremely robust, offer excellent resistance to corrosion, have special constructions in the grooves in which the connecting bolts are inserted for extra durability and greater anti-vandal resistance.

Panels, HDPE: high-density polyethylene characterised by its resistance to chemical abrasives. As a polymer, it is unaffected by corrosion. Due to its light elastic nature, it offers high resistance to impact, making it very difficult to break. HDPE thickness: 19mm, 15mm, 10mm,

Metallic parts: steel, hot sip galvanized steel and aluminium. Pipe measurements diameter. 76mm, 34mm.

zed and stainless steel quality 8.8 DIN267, AISI-304.

- requires a specific treatment for its disposal.

NE: security area and ground coverings according to the EN1176-1:2017 standard.

parts availability: 10 years.

### Playful features:











INSAAT ANONIM SIRVETI
Fabrika: Biryak Kyarak Mah, 3. Organya Saraya Bidgesa
19. Solak No: 4 Selpukak/SPK/A-y-ric: 0832 502 10 79
bijigenggroup nom tr - wayafurtarila.com | TauSickle 85702
Selpuk V.D. 624 056 1865/ ylensis No: 0624056186300001





- Playground Equipment











MUSTAFA DURNA

INSAAT ANONIM SIRNETI Febrikar, Burjuk Kayaco, Nan, Jo. Drigunya, Sansayi Bidajasi, 19. Solak No. 4. Selepidian Selepidian (1822-502-10-79) selepis-atayan, oran 5 v. oran diamentarean 1 to: Selepidian (1822-502-502) Selepik V.D. 624-056-1663 | Versis No. 1628-056-1620-00001

Have you seen any similar structure, which ree Tower represent a real adventure to children. of your choice.



H= 3400mm





### Materials:

Structure: Extremely robust, offer excellent resistance to corrosion, have special constructions in the grooves in which the connecting bolts are inserted for extra durability and greater anti-vandal resistance.

Panels, HDPE: high-density polyethylene characterised by its resistance to chemical abrasives. As a polymer, it is unaffected by corrosion. Due to its light elastic nature, it offers high resistance to impact, making it very difficult to break. HDPE thickness: 19mm, 15mm, 10mm,

Metallic parts; steel, hot-dip galvanized steel and aluminium. Pipe measurements diameter. 76mm, 34mm.

Fixings: electro galvanized and stainless steel quality 8.8 DIN267, AISI-304.

- None of the materials required specific treatment for its disposal.

  If the product is subject to givere use, maintenance should be increased.

  Don't use the product robe the installation/maintenance is ready.

  Please check the note the installation of the installa

ground coverings according to the EN1176-1:2017 standard.











INSATAFAI DURNA
INSATANONIM SIBVETI
Fabrika: Buyuk Kayack Mah. 3, Organya: Saraya Belgusa
19. Solak No: 4 Seleukuk (SNCA-)-16: 0322 502 10 79
biji (Georgina): 20m. 1: \* waya silipitalik.com | Ta. Sic. No. 6702
Seleuk V.D. 624 056 1860 | wexis No: 0524055168300001



Product code: THV Seesaw 2 seats with backrest 0.84 m 0.299n 2.50 m 0.84 m 5.50 2,50 Total area: 18.12 m<sup>2</sup> 0,295 2,50 ground Technical information Seesa TWV with the krests is a traditional seesa so if one end goes Safety area width 3.295 m Safety area length 5.50 m other foes down. The 2-seat Width of structure 0.295 m eats at both ends, which Length of structure 2,50 m ed with backrests and Height of structure 0.84 m speca, metal handles. Max. fall height 0.84 m Recommended age of children For simultaneous use by several Children 2 Product consists of Beams 1 pcs Springs 1 pcs


Galvanized and powder coated steel

4 pcs HDPE plastic

Grips for hands and/or feet

Product code: THV

## Seesaw 2 seats



Safety area width	3,34 m
Safety area length	4,95 m
Width of structure	0,34 m
Length of structure	1,95 m
Height of structure	1,10 m
Max, fall height	1,10 m
Recommended age of children	3+
For simultaneous use by several Childre	en 2

Seesaw THV with backrests is a traditional seesaw so if one end goes up, the other goes down. The 2-seat seesaw has seats at both ends, which are equipped with backrests and special, metal handles.

### Product consists of

Beams	1 pcs
Springs	1 pcs

Galvanized and powder coated steel Grips for hands and/or feet

8 pcs

HDPE plastic

