

ELEGANT™
NEW ANTEGRADE NAIL (LONG)
Implants & Instrumentation



DESCRIPTION

Suitable for	Proximal & Shaft Femur Fracture
Locking Bolt Ø	5.0mm & 6.3mm
Nail Dia Ø	9.0mm, 10.0mm, 11.0mm, 12.0mm
Nail Length	320.0mm to 440.0mm (Diff. 20.0mm)
Proximal Bolt Dia 6.3mm	75.0mm to 130.0mm (Diff. 5.0mm)
Proximal & Distal Bolt Dia 5.0mm	20.0mm to 76.0mm (Diff. 2.0mm)
Material	Stainless Steel 316L / 316LVM / Titanium



ELEGANT™
NEW ANTEGRADE NAIL (LONG)
 Implants & Instrumentation



LEFT

DIA	9.0MM		10.0MM		11.0MM		12.0MM	
LENGTH	CAT. NO. S.S.	CAT. NO. TIT.	CAT. NO. S.S.	CAT. NO. TIT.	CAT. NO. S.S.	CAT. NO. TIT.	CAT. NO. S.S.	CAT. NO. TIT.
320MM	SP05.SS10287	SP05.TIT10287	SP05.SS10303	SP05.TIT10303	SP05.SS10319	SP05.TIT10319	SP05.SS10335	SP05.TIT10335
340MM	SP05.SS10288	SP05.TIT10288	SP05.SS10304	SP05.TIT10304	SP05.SS10320	SP05.TIT10320	SP05.SS10336	SP05.TIT10336
360MM	SP05.SS10289	SP05.TIT10289	SP05.SS10305	SP05.TIT10305	SP05.SS10321	SP05.TIT10321	SP05.SS10337	SP05.TIT10337
380MM	SP05.SS10290	SP05.TIT10290	SP05.SS10306	SP05.TIT10306	SP05.SS10322	SP05.TIT10322	SP05.SS10338	SP05.TIT10338
400MM	SP05.SS10291	SP05.TIT10291	SP05.SS10307	SP05.TIT10307	SP05.SS10323	SP05.TIT10323	SP05.SS10339	SP05.TIT10339
420MM	SP05.SS10292	SP05.TIT10292	SP05.SS10308	SP05.TIT10308	SP05.SS10324	SP05.TIT10324	SP05.SS10340	SP05.TIT10340
440MM	SP05.SS10293	SP05.TIT10293	SP05.SS10309	SP05.TIT10309	SP05.SS10325	SP05.TIT10325	SP05.SS10341	SP05.TIT10341

RIGHT

DIA	9.0MM		10.0MM		11.0MM		12.0MM	
LENGTH	CAT. NO. S.S.	CAT. NO. TIT.	CAT. NO. S.S.	CAT. NO. TIT.	CAT. NO. S.S.	CAT. NO. TIT.	CAT. NO. S.S.	CAT. NO. TIT.
320MM	SP05.SS10351	SP05.TIT10351	SP05.SS10367	SP05.TIT10367	SP05.SS10383	SP05.TIT10383	SP05.SS10399	SP05.TIT10399
340MM	SP05.SS10352	SP05.TIT10352	SP05.SS10368	SP05.TIT10368	SP05.SS10384	SP05.TIT10384	SP05.SS10400	SP05.TIT10400
360MM	SP05.SS10353	SP05.TIT10353	SP05.SS10369	SP05.TIT10369	SP05.SS10385	SP05.TIT10385	SP05.SS10401	SP05.TIT10401
380MM	SP05.SS10354	SP05.TIT10354	SP05.SS10370	SP05.TIT10370	SP05.SS10386	SP05.TIT10386	SP05.SS10402	SP05.TIT10402
400MM	SP05.SS10355	SP05.TIT10355	SP05.SS10371	SP05.TIT10371	SP05.SS10387	SP05.TIT10387	SP05.SS10403	SP05.TIT10403
420MM	SP05.SS10356	SP05.TIT10356	SP05.SS10372	SP05.TIT10372	SP05.SS10388	SP05.TIT10388	SP05.SS10404	SP05.TIT10405
440MM	SP05.SS10357	SP05.TIT10357	SP05.SS10373	SP05.TIT10373	SP05.SS10389	SP05.TIT10389	SP05.SS10405	SP05.TIT10404

End Caps



Standard

+5mm

+10mm

+15mm

+20mm

ELEGANT™
NEW ANTEGRADE NAIL (LONG)
 Implants & Instrumentation



LOCKING BOLT 6.3 MM



DESCRIPTION

Thread Dia	6.3MM
Core Dia	4.7MM
Drill Bit for	6.0MM
Drive	5.5MM
Material	Stainless Steel 316L / 316LVM / Titanium

LENGTH	CAT. NO. S.S.	CAT. NO. TIT.
75MM	SP05.SS20360	SP05.TIT20360
80MM	SP05.SS20361	SP05.TIT20361
85MM	SP05.SS20362	SP05.TIT20362
90MM	SP05.SS20363	SP05.TIT20363
95MM	SP05.SS20364	SP05.TIT20364
100MM	SP05.SS20365	SP05.TIT20365
105MM	SP05.SS20366	SP05.TIT20366
110MM	SP05.SS20367	SP05.TIT20367
115MM	SP05.SS20368	SP05.TIT20368
120MM	SP05.SS20369	SP05.TIT20369
125MM	SP05.SS20370	SP05.TIT20370
130MM	SP05.SS20371	SP05.TIT20371

ELEGANT™
NEW ANTEGRADE NAIL (LONG)
 Implants & Instrumentation



LOCKING BOLT 5.0MM

DESCRIPTION	
Thread Dia	5.0mm
Core Dia	3.8mm
Drill Bit for	4.0mm
Drive	Hex Drive 3.5mm
Material	Stainless Steel 316L / 316LVM / Titanium



LENGTH	CAT. NO. S.S.	CAT. NO. TIT.
20MM	SP05.SS03249	SP05.TIT03249
22MM	SP05.SS03250	SP05.TIT03250
24MM	SP05.SS03251	SP05.TIT03251
26MM	SP05.SS03252	SP05.TIT03252
28MM	SP05.SS03253	SP05.TIT03253
30MM	SP05.SS03254	SP05.TIT03254
32MM	SP05.SS03255	SP05.TIT03255
34MM	SP05.SS03256	SP05.TIT03256
36MM	SP05.SS03257	SP05.TIT03257
38MM	SP05.SS03258	SP05.TIT03258
40MM	SP05.SS03259	SP05.TIT03259
42MM	SP05.SS03260	SP05.TIT03260
46MM	SP05.SS03261	SP05.TIT03261
48MM	SP05.SS03262	SP05.TIT03262
50MM	SP05.SS03263	SP05.TIT03263
52MM	SP05.SS03264	SP05.TIT03264
54MM	SP05.SS03265	SP05.TIT03265
56MM	SP05.SS03266	SP05.TIT03266
58MM	SP05.SS03267	SP05.TIT03267
60MM	SP05.SS03268	SP05.TIT03268
62MM	SP05.SS03269	SP05.TIT03269
64MM	SP05.SS03270	SP05.TIT03270
66MM	SP05.SS03271	SP05.TIT03271
68MM	SP05.SS03272	SP05.TIT03272
70MM	SP05.SS03273	SP05.TIT03273
72MM	SP05.SS03274	SP05.TIT03274
74MM	SP05.SS03275	SP05.TIT03275

ELEGANT™

NEW ANTEGRADE NAIL (LONG)

Implants & Instrumentation



ITEM	DESCRIPTION	REFERENCE CODE	QUANTITY
1	INSERTION HANDLE 4*3.2/DIA 8.2, LETTERING	SO15.INS.1431	1
2	CONNECTING SCREW M8*1/DIA 8.2/SW 6.5	SO15.INS.1432	2
3	PROXIMAL GUIDE BAR, LETTERING	SO15.INS.1433	1
4	DISTAL GUIDE BAR 320-440	SO15.INS.1434	1
5	FEMURAL PROXIMAL GUIDE BAR AND FEMURAL DISTAL GUIDE BAR 180-240	SO15.INS.1435	1
6	DISTAL POSITIONING DEVICE	SO15.INS.1436	1
7	LOCKING BLOCK WITH THE STEEL BALL	SO15.INS.1437	1
8	POSITIONING ROD DIA 5.2/DIA 8.1	SO15.INS.1438	1
9	CANNULATED AWL (BLADE DIA 16/HOLE DIA 4.5)	SO15.INS.1439	1
10	GUIDE WIRE DIA 2.5*320	SO15.INS.1440	2
11	GUIDE PIN WITH THREAD TIP DIA 2.5*320	SO15.INS.1441	2
12	DRILL BIT WITH FLAT TIP DIA 5.2*220, LETTERING	SO15.INS.1442	1
13	DRILL BIT DIA 5.2*250, ENDING TRIANGLE, LETTERING	SO15.INS.1443	1
14	SLEEVE DIA 8.1/DIA 10*120 17-4	SO15.INS.1444	1
15	LONG SLEEVE DIA 8.1/DIA 10*155 17-4	SO15.INS.1445	2
16	6.4 LONG DRILL GUIDE	SO15.INS.1446	1
17	2.5 LONG DRILL GUIDE	SO15.INS.1447	1
18	5.2 DRILL GUIDE	SO15.INS.1448	1
19	4.3 LONG DRILL GUIDE	SO15.INS.1449	2
20	DEPTH GAUGE	SO15.INS.1450	1
21	WRENCH SW5/M3.5	SO15.INS.1451	1
22	ADAPTOR M8*1/M10*1	SO15.INS.1452	1
23	SLIDING HAMMER M10*1 WITH THE CANNULATED HANDLE	SO15.INS.1453	1
24	SLIDING HAMMER M10*2 NUT	SO15.INS.1454	1
25	SLIDING HAMMER DIA 44/DIA 11 L=105	SO15.INS.1455	1
26	TROCAR DIA 8.1*120 FOR THE SLEEVE	SO15.INS.1456	1
27	TROCAR DIA 8.1*155 FOR THE LONG SLEEVE	SO15.INS.1457	1
28	KIRSCHNER WIRE WITH TROCAR TIP DIA 2.5/DIA 3.9*1000	SO15.INS.1458	1
29	WIRE GUIDE	SO15.INS.1459	1
30	WRENCH SW5 440B	SO15.INS.1460	1
31	PROTECTOR WRENCH SW3 440B	SO15.INS.1461	1
32	PROTECTOR DIA 4.5*11/SW3	SO15.INS.1462	1
33	PROTECTOR DIA 6.5*11/SW3	SO15.INS.1463	1
33	PROTECTOR DIA 6.5*11/SW3	SO15.INS.1463	1
34	PROTECTOR DIA 7*11/SW3	SO15.INS.1464	1
35	BASE PROTECTING	SO15.INS.1465	1
36	WIRE GUIDE DIA 2.5	SO15.INS.1466	1
37	LOCKING BLOT M8*1/SW5	SO15.INS.1467	2
38	LOCKING CONNECTING BLOT M8*1/SW5	SO15.INS.1468	1
39	CONNECTING SCREW T-WRENCH SW6.5	SO15.INS.1469	1
40	FLEXIBLE REAMER SHAFT	SO15.INS.1470	1
41	REAMER HEAD DIA 8.5	SO15.INS.1471	1
42	REAMER HEAD DIA 9	SO15.INS.1472	1
43	REAMER HEAD DIA 9.5	SO15.INS.1473	1
44	REAMER HEAD DIA 10	SO15.INS.1474	1
45	REAMER HEAD DIA 10.5	SO15.INS.1475	1
46	REAMER HEAD DIA 11	SO15.INS.1476	1
47	REAMER HEAD DIA 11.5	SO15.INS.1477	1
48	REAMER HEAD DIA 12	SO15.INS.1478	1
49	REAMER HEAD DIA 12.5	SO15.INS.1479	1
50	REAMER HEAD DIA 13	SO15.INS.1480	1
51	DRILL BIT WITH THE STEP	SO15.INS.1481	1
52	CANNULATED PROXIMAL REAMER	SO15.INS.1482	1
53	QUICK COUPLING HANDLE	SO15.INS.1483	1
54	CONNECTING SCREW WRENCH SW6.5	SO15.INS.1484	1
55	DEPTH GAUGE FOR THE WIRE DIA 2.5*320	SO15.INS.1485	1
56	T WRENCH SW4.0 L=250 440B	SO15.INS.1486	1
57	DRILL BIT DIA 4.3*300, NO NUMBER LINE, LETTERING	SO15.INS.1487	2
58	UNIVERSAL SCREWDRIVER	SO15.INS.1488	1
59	HOOK AWL	SO15.INS.1489	1
60	FEMURAL INTERLOCKING NAILS INSTRUMENT SET (BUMBLEBEE)	SO15.INS.NAIN	1
61	CONTAINER FOR NEW ANTEGRADE INTERLOCKING NAIL INSTRUMENT		1
OPTIONAL			
62	CONTAINER FOR IMPLANTS	SO15.INS.NAIN.I	1

SO15.INS.NAIN

