

Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]

Numărul procedurii de achiziție nr. ocds-b3wdp1-MD-1700549522381 din 30.11.2023
Obiectul achiziției: Echipament și accesorii pentru computer

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Bunuri/servicii						
Lotul 4						
Switch 16 port	Switch TP-LINK TL-SG116	China	TP-Link	10/100/1000Mbps; Desktop/Rackmount Switch , metal case Inovative Energy-efficient technology saves power up to 40% Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode Non-blocking switching architecture that forwards and filters packets at full wire-speed for maximum throughput 32Gbps Switching Capacity 10K Jumbo frame improves	10/100/1000Mbps; Desktop/Rackmount Switch , metal case Inovative Energy-efficient technology saves power up to 40% Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode Non-blocking switching architecture that forwards	

				<p>performance of large data transfers Auto-MDI/MDIX eliminates the need for crossover cables Supports MAC address auto-learning and auto-aging</p>	<p>and filters packets at full wire-speed for maximum throughput 32Gbps Switching Capacity 10K Jumbo frame improves performance of large data transfers Auto-MDI/MDIX eliminates the need for crossover cables Supports MAC address auto-learning and auto-aging</p>	
Switch 8 port	Switch TP-LINK TL-SG108	China	TP-Link	8-port 10/100/1000Mbps Switch, steel case	8-port 10/100/1000Mbps Switch, steel case	
Switch 24 port	Switch TP-LINK TL-SG1024D	China	TP-Link	<p>10/100/1000Mbps 24-port Gigabit Desktop/Rackmount Switch, metal case Innovative energy-efficient technology saves power up to 40% Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode Non-blocking switching architecture that forwards and filters packets at full wire-speed for maximum throughput 48Gbps Switching Capacity</p>	<p>10/100/1000Mbps 24-port Gigabit Desktop/Rackmount Switch, metal case Innovative energy-efficient technology saves power up to 40% Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode Non-blocking switching architecture that forwards and filters packets at full wire-speed for maximum throughput 48Gbps Switching Capacity</p>	
Wireless Router	Wi-Fi AC Dual Band Grandstream Router, GWN7052	SUA	Grandstream Networks	min 3T3R, 1 WAN Gigabit, min LAN 4-port Gigabit	3T3R, 1 WAN Gigabit, min LAN 4-port Gigabit	
Cable UTP 305m	APC Electronic Cable UTP Cat.5E	SUA	American Power	24awg 4X2X1/0.50, STRANDED, COPPER	24awg 4X2X1/0.50, STRANDED, COPPER	

			Conversion (APC)			

Semnat: _____ Numele, Prenumele: Pogorletchi Vitalie În calitate de: Director

Ofertantul: Belmond Grup SRL Adresa: Chişinau, şos. Balcani 7/1 ap.1