



Certificate

No. Q5 010918 0031 Rev. 01

Holder of Certificate: **Geister Medizintechnik GmbH**
Föhrenstr. 2
78532 Tuttlingen
GERMANY

Facility(ies): Geister Medizintechnik GmbH
Föhrenstr. 2, 78532 Tuttlingen, GERMANY

Certification Mark:



Scope of Certificate: **Design and development, production, distribution and repair of surgical instruments, surgical devices, sterile instruments and battery powered driver (drilling/sawing) and saw blades**

Applied Standard(s): EN ISO 13485:2016
Medical devices - Quality management systems -
Requirements for regulatory purposes
(ISO 13485:2016)
DIN EN ISO 13485:2016

The Certification Body of TÜV SÜD Product Service GmbH certifies that the company mentioned above has established and is maintaining a quality management system, which meets the requirements of the listed standard(s). All applicable requirements of the testing and certification regulation of TÜV SÜD Group have to be complied with. For details and certificate validity see: www.tuvsud.com/ps-cert?q=cert:Q5 010918 0031 Rev. 01

Report No.: 713189360

Valid from: 2020-11-01

Valid until: 2023-10-31

Date, 2020-10-19



Christoph Dicks

Head of Certification/Notified Body



Benannt durch/Designated by
 Zentralstelle der Länder
 für Gesundheitsschutz
 bei Arzneimitteln und
 Medizinprodukten
 www.zlg.de
 ZLG-BS-244.10.08



Product Service

EC Certificate

Full Quality Assurance System
 Directive 93/42/EEC on Medical Devices (MDD), Annex II excluding (4)
 (Devices in Class IIa, IIb or III)

No. G1 010918 0032 Rev. 00

Manufacturer: Geister Medizintechnik GmbH

Föhrenstr. 2
 78532 Tuttlingen
 GERMANY

Facility(ies): Geister Medizintechnik GmbH
 Föhrenstr. 2, 78532 Tuttlingen, GERMANY

Product Category(ies): **Electro Surgical Units, HF-Electrodes,
 HF-Instruments, Sterile Instruments,
 Endoscopes, Suction and Irrigation Instruments,
 Retractors, Bulldog Clamps, Trocars and
 Battery-Powered Drivers (drilling/sawing)
 and Saw Blades**

The Certification Body of TÜV SÜD Product Service GmbH declares that the aforementioned manufacturer has implemented a quality assurance system for design, manufacture and final inspection of the respective devices / device categories in accordance with MDD Annex II. This quality assurance system conforms to the requirements of this Directive and is subject to periodical surveillance. For marketing of class III devices an additional Annex II (4) certificate is mandatory. See also notes overleaf.

Report No.: 713155868

Valid from: 2019-09-23
Valid until: 2024-05-26

Date, 2019-09-23

Stefan Preiß
 Head of Certification/Notified Body



EU Quality Management System Certificate (MDR)

Pursuant to Regulation (EU) 2017/745 on Medical Devices, Annex IX Chapters I and III
(Class I Devices in sterile condition, with measuring function or reusable surgical instruments)

No. G11 010918 0033 Rev. 00

Manufacturer:

Geister Medizintechnik GmbH

Föhrenstr. 2
78532 Tuttlingen
GERMANY

The Certification Body of TÜV SÜD Product Service GmbH certifies that the manufacturer has established, documented and implemented a quality management system as described in Article 10 (9) of the Regulation (EU) 2017/745 on medical devices. Details on device categories covered by the quality management system are described on the following page(s).

The Report referenced below summarises the result of the assessment and includes reference to relevant CS, harmonized standards and test reports. The conformity assessment has been carried out according to Annex IX Chapter I and III of this regulation with a positive result. As applicable the involvement of the notified body is limited to the aspects relating to:

- establishing, securing and maintaining sterile conditions,
- conformity of the devices with the metrological requirements,
- reuse of the device, in particular cleaning, disinfection, sterilization, maintenance and functional testing and the related instructions for use.

The certified quality management system is subject to periodical surveillance by TÜV SÜD Product Service GmbH. All applicable requirements of the testing and certification regulation of TÜV SÜD Group have to be complied with. For details and certificate validity see: [www.tuvsud.com/ps-cert?q=cert:G11 010918 0033 Rev. 00](http://www.tuvsud.com/ps-cert?q=cert:G11_010918_0033_Rev.00)

Report No.: 713180580

Valid from: 2020-10-19

Valid until: 2025-10-18

Christoph Dicks
Head of Certification/Notified Body

Issue date: 2020-10-19



EU Quality Management System Certificate (MDR)

Pursuant to Regulation (EU) 2017/745 on Medical Devices, Annex IX Chapters I and III
 (Class I Devices in sterile condition, with measuring function or reusable surgical instruments)

No. G11 010918 0033 Rev. 00

Classification: I
Device Group: MDN 1208 - Non-active non-implantable instruments
Device Properties: MDS 1006 - Reusable surgical instruments

The validity of this certificate depends on conditions and/or is limited to the following: ./.

Preliminary version –
Technical changes and design reserved.



ThoraGate™

VATS/Soft-Touch



GEISTER®



Graspers



34-6269



34-6269

34-6269.NC

	acc. Foerster	
Jaw:	17x8 mm, curved small smooth	
Ratchet:	with	without
Length:	365 mm	



34-6270

	acc. Foerster
Jaw:	20x12 mm, curved
Ratchet:	with
Length:	370 mm



34-7330R




34-7330R

	acc. Foerster
Jaw:	7x13 mm, curved
Ratchet:	with
Length:	350 mm



34-7329

	acc. Foerster
Jaw:	20x32 mm, curved
Ratchet:	with
Length:	350 mm



with ratchet without ratchet

Preliminary version –
Technical changes and design reserved.

GEISTER®




PRODUCT INFORMATION

Atraumatic Flexible Clamps






Atraumatic Flexible Clamps



34-7286

34-7290.61

25-5084

**34-7289**Applying Forceps
for flexclamp

Length: 235 mm

Clamps, Atraumatic, Flexible

Flexible shaft, DeBakey serrations

Art.-No. **Jaw Length**

34-7285 50 mm

34-7286 75 mm

34-7287 100 mm

34-7292 50 mm Lambert-Kay



Clamps, Atraumatic, Flexible


Flexible shaft, without inserts

Art.-No. **Jaw Length**

34-7290.33 33 mm

34-7290.61 61 mm

34-7290.86 86 mm



Jaw inserts, reusable, 3 pairs/pack

Art.-No. **Length** **Shore (hardness)**

A+B 25-5081 33 mm hard/soft 80/20

A+A 25-5082 33 mm hard/hard 80/80

B+B 25-5083 33 mm soft/soft 20/20

C+D **25-5084** 61 mm hard/soft 80/20

C+C 25-5085 61 mm hard/hard 80/80

D+D 25-5086 61 mm soft/soft 20/20


E+F 25-5087 86 mm hard/soft 80/20

E+E 25-5088 86 mm hard/hard 80/80


F+F 25-5089 86 mm soft/soft 20/20



NEW EDITION
2017



Born atraumatic



Baby-Mixer

Fig.	Art.-No.	Length mm / "
A	25-1360	140 / 5½
B	25-1361	140 / 5½
C	25-1362	140 / 5½
D	25-1363	180 / 7




Mixer-O'Shaugnessy

Fig.	Art.-No.	Length mm / "
E	25-1365	190 / 7½




Ochsner (very delicate)

Fig.	Art.-No.	Length mm / "
L	25-0099	115 / 4½




Mixer

Fig.	Art.-No.	Length mm / "
F	25-1370	160 / 6¼
G	25-1371	195 / 7¾
H	25-1372	215 / 8½



Bailey (very delicate)

Fig.	Art.-No.	Length mm / "
I	25-2210	180 / 7
J	25-2210.24	240 / 9½
J	25-2211	180 / 7
K	25-2212	180 / 7



Micro-Adson

Fig.	Art.-No.	Length mm / "
M	25-0120	140 / 5½
N	25-0121	140 / 5½



PRODUCT DATA SHEET



CREATED ON 30.08.2023 ON WWW.GEISTER.COM

25-1363

Clamp, Artery, Baby, acc. Mixer 18cm heavy model

Material: ...

GTIN Number: 04057034073698



Illustrations, technical changes and the like are subject to product changes and are therefore not binding.

GEISTER®





Cardiovascular and Thoracic



Mini-Langenbeck

Kocher



- ① first number = depth
- ② second number = width

Mini-Langenbeck

Art.-No.	Fig.	Length	Size mm
30-0001	A	16 cm/6¼"	10 x 6
30-0002	B	16 cm/6¼"	20 x 6
30-0003	C	16 cm/6¼"	17 x 5
30-0004	D	16 cm/6¼"	22 x 8

Kocher

Art.-No.	Fig.	Length	Size mm
30-0054	E	23 cm/9"	40 x 18
30-0055	F	23 cm/9"	60 x 20
30-0056	G	23 cm/9"	60 x 25
30-0057	H	23 cm/9"	75 x 30
30-0058	I	23 cm/9"	75 x 40



PRODUCT DATA SHEET

CREATED ON 05.09.2023 ON WWW.GEISTER.COM

30-0231

St. Marks Pelvis Retr 33cm 180x60/60x45

Material: ...

GTIN Number: 04057034105917

Illustrations, technical changes and the like are subject to product changes and are therefore not binding.



PRODUCT DATA SHEET

CREATED ON 05.09.2023 ON WWW.GEISTER.COM

30-0383

Retractor, Abdominal, acc. to Kelly 27cm, 160x57mm

Material: ...

GTIN Number: 04057034107218

Illustrations, technical changes and the like are subject to product changes and are therefore not binding.



PRODUCT DATA SHEET

CREATED ON 05.09.2023 ON WWW.GEISTER.COM

30-0462

Retractor, Manual, acc. Kelly 26cm 65x75mm

Material: ...

GTIN Number: 04057034108017

Illustrations, technical changes and the like are subject to product changes and are therefore not binding.



PRODUCT DATA SHEET

CREATED ON 05.09.2023 ON WWW.GBLUELABEL.DE

UT4840-01-200CC

Punch acc. Kerrison, black semi-detachable without ejector 90° jaw 1mm 200mm, G BLUE LABEL™

Material: 1.4021

GTIN Number: 04057034276068



Illustrations, technical changes and the like are subject to product changes and are therefore not binding.



PRODUCT DATA SHEET

CREATED ON 05.09.2023 ON WWW.GBLUELABEL.DE

UT4841-02-200CC

Punch acc. Kerrison, black semi-detachable without ejector 130° jaw 2mm 200mm, G BLUE LABEL™

Material: 1.4021

GTIN Number: 04057034276389



Illustrations, technical changes and the like are subject to product changes and are therefore not binding.



PRODUCT DATA SHEET


CREATED ON 05.09.2023 ON WWW.GBLUELABEL.DE

UT4841-03-200CC

Punch acc. Kerrison, black semi-detachable with ejector 130° jaw 3mm 200mm, G BLUE LABEL™

Material: 1.4021

GTIN Number: 04057034276440



Illustrations, technical changes and the like are subject to product changes and are therefore not binding.



PRODUCT DATA SHEET

CREATED ON 05.09.2023 ON WWW.GBLUELABEL.DE

UT4841-04-200CC

Punch acc. Kerrison, black semi-detachable with ejector 130° jaw 4mm 200mm, G BLUE LABEL™

Material: 1.4021

GTIN Number: 04057034276501



Illustrations, technical changes and the like are subject to product changes and are therefore not binding.



GEISTER®

Needle Holders
with TC-Inserts

Knot by knot to success
one knot at a time



Needle Holders



see page 3

24-0830



24-0379



24-0763



24-0150



24-0764





A

Hegar

Fig.	Art.-No.	length mm / "	Insert / Tip
A	24-0150	200 / 8	Ⓝ 3.5 mm



B

Crile-Wood

with extended ring


Fig.	Art.-No.	length mm / "	Insert / Tip
B	24-0762	200 / 8	ⓔ 2.0 mm
B	24-0764	220 / 8¾	ⓔ 2.0 mm
B	24-0766	240 / 9½	ⓔ 2.0 mm



C

Masson

Fig.	Art.-No.	length mm / "	Insert / Tip
C	24-0830	265 / 10½	Ⓝ 3.2 mm



D

Wangenstein

Fig.	Art.-No.	length mm / "	Insert / Tip
D	24-0379	270 / 10½	ⓔ 2.4 mm




E

Mod. DeBakey-type

with extended ring

Fig.	Art.-No.	length mm / "	Insert / Tip
E	24-0761	170 / 6¾	ⓔ 1.7 mm
E	24-0763	200 / 8	ⓔ 1.7 mm
E	24-0767	250 / 10	ⓔ 1.7 mm

* bold = shown





PRODUCT DATA SHEET


CREATED ON 05.09.2023 ON WWW.GEISTER.COM

40-2625.20

Rongeur, Conchotome, acc. Caspar 20.0cm 3mm

Material: ...

GTIN Number: 04057034493663



Illustrations, technical changes and the like are subject to product changes and are therefore not binding.



PRODUCT DATA SHEET


CREATED ON 05.09.2023 ON WWW.GEISTER.COM

40-2630.20

Rongeur, Conchotome, acc. Caspar 20.0cm 4mm


Material: ...

GTIN Number: 04057034493670



Illustrations, technical changes and the like are subject to product changes and are therefore not binding.

GEISTER®



Neuro and Spine Surgery

Orthopaedic Surgery



K black ceramic coating



Caspar-type

fenestrated jaw, serrated



straight Art.-No.	up Art.-No.	down Art.-No.	Jaw mm
Length 160 mm/6¼"			
40-3000.16K	40-3001.16K	40-3002.16K	2
40-3006.16K	40-3007.16K	40-3008.16K	3
40-3009.16K	40-3010.16K	40-3011.16K	4
40-3012.16K	40-3013.16K	40-3014.16K	5

Length 180 mm/7"			
40-3000.18K	40-3001.18K	40-3002.18K	2
40-3006.18K	40-3007.18K	40-3008.18K	3
40-3009.18K	40-3010.18K	40-3011.18K	4
40-3012.18K	40-3013.18K	40-3014.18K	5

bold = shown




Micro-type

Raspatories

Art.-No.

Length mm



41-6110

230

41-6111

185

41-6112

185

41-6113

185

Sharp Scoop

Art.-No.

Length mm



41-6127

185

Caspar-type

Suture Pusher

Art.-No.

Length mm



41-6265

230


Koos

Knives

Description

Art.-No.

Length mm



up

41-6160

185

down

41-6161

185

up

41-6162

185

down

41-6163

185

up

41-6164

185

down

41-6165

185


Micro-type

Knives

Description

Art.-No.

Length mm



up

41-6166

185

down

41-6167

185

Caspar-type


Dissectors

blunt

Description

Art.-No.

Length mm



4.5 mm

41-6230

230

2.0 mm

41-6232

230

1.0 mm

41-6234

210

1.0 mm

41-6236

210

2.0 mm


41-6238

230

2.0 mm

41-6240

230



Adson

Fig.	Art.-No.	Length mm	Description
F	30-0315	200	sharp
G	30-0316	200	blunt

Sachs

Fig.	Art.-No.	Length mm	Description
H	30-0312	210	sharp