

## ISUZU 6 ton dump truck



project	Descriptions	Specifications
<b>Basic</b>	Truck model	QL3110ZANHA
	Overall dimensions(mm)	5800×2335×2480
	curb weight(Kg)	4500
	Loading capacity(Kg)	5855
	Total mass(Kg)	10550
	Max speed(Km/h)	110
	Persons in cab	3
<b>Body</b>	Cargo Tank Dimension (mm)	3820×2105×800
	Cargo Tank Volume(m <sup>3</sup> )	6.4
	Tank Body Material	carbon steel
	Cargo Tank thickness (mm)	Side 4 bottom 5
	Cargo Tank Lifting method	Hydraulic cylinder lifting
	Number of cylinders (pcs)	2
	Cylinder position	Girder in the middle
	Cylinder diameter (mm)	100
	door Position	Rear/side/top
	<b>Chassis</b>	Chassis brand
Drive form		4*2
Steering wheel		Left hand drive
Steering device		Power assisted steering
Wheelbase(mm)		3360
Engine brand and model		Isuzu Power/4HK1-TCG61
Max engine power(Kw)		139
Engine displacement(ml)		5193
Engine emission standard		Euro 6
Number of engine cylinders		4
Fuel type		Diesel

Gearbox	6speed forward 1 reverse
Front/rear axle(t)	4/7
Suspension	Multi leaf springs
Brake system	Front/Rear Drum full air braking
Wheels and tyre size	6+1/(235/75R17.5)
Cab configuration	Single row cab, air conditioning, radio, MP3 and USB port
Rated voltage	12V,DC
Cab color	White,other color is optional