

# **GENERAL CATALOGUE**

Disposable and reusable gloves for professionals



www.reflexx.com









### **REFLEXX N320**

# LATEX GLOVES WITH COLLOIDAL OATMEAL

SKIN ALLY

The combination of colloidal oatmeal and disposable gloves resulting in products technologically advanced and officially recognized as "skin protectors".

Internally chlorinated for easy donning.


Micro-roughened surface to increase the grip and the sensitiveness.

Disposable, ambidextrous and powder free.



**ITEM / SIZE** 

### N320 XS N320 S N320 M N320 L N320 XL





### **REFLEXX L600**

### LATEX GLOVES WITH ALOE VERA

#### **HIGH THICKNESS**

The ALOE VERA is processed in the inner side of the glove in a cold cycle without using grease.

It is then dried to preserve all the features, without affecting the benficial properties of the plant. The heat and humidity of the hand reactivate the beneficial properties of ALOE VERA. Internally chlorinated for easy donning.

Micro-roughened surface to increase the grip.

Disposable, ambidextrous and powder free.





L600 M

L600 L L600 XL

WEIGHT 6.2 g

ALOE VERA RELIEVES ITCHING OR BURNING SENSATION

L600 XS L600 S

### ITEM / SIZE

#### **FEATURES** Among the therapeutic Weight: 6.2 g - M +/- 0.3 properties of the **Palm Thickness:** 0.12 mm +/- 0.03 aloe vera many 24 cm Length: are related to Colour: Green the skin health. Surface: Micro-roughened Other: Inner chlorination REGULATIONS CERTIFICATIONS USAGE PACKAGING **REG EU 2016/425** EN ISO 374-1:2016/Type C EN ISO 374-5: 2016 EN ISO 374-1, EN ISO 374-5 PPE AQL ž CE REG EU 2017/745 - EN 455 1, 2, 3, 4 扰 100 MD 10 Cat.III ≤1.5 ALLERGENS **ALOE VERA** 2 LATEX THIURAN NICKEL CHROME SILICON GLUTEN







### **REFLEXX N350**

### HYPOALLERGENIC NITRILE GLOVES

ACCELERATORS-FREE

Low Derma<sup>™</sup> is the result of a special, proven and reliable production technology that **eliminates most of the causes of type IV allergies**: the accelerating agents.

Sulfur-free and accelerators-free - e.g. thiurames, carbamates, benzothiazoles. Improved elasticity and force at breakability.

Micro-roughened surface to increase the grip.

Dispoable, ambidextrous and powder free.



### ITEM / SIZE

### N350 XS N350 S N350 M N350 L N350 XL

		FOOD SUI	TABILITY			FEATURES	
Aqueous	Acid pH <4,5	Dairy	Alcoholic	Oily, fatty	Dry foods		
	1	TESTED FOR	30' AT 40°			_ Weight:	3.2 g - M +/- 0.2
٧	X	V	V	V	V	- Palm Thickness:	0.06 mm +/- 0.02
	<b>66</b> Eurollanti \A/or	king in a janitorial c				Length:	24 cm
25	l wear glove	s for several hours and with other gloves	a day,	-	•0	Colour:	Blueberry Blue
	hands redde	ned and irritated. V es not happen.	Vith these	0-0-		Surface:	Micro-roughened
	gioves it doc		***			Other:	Inner Chlorination
REGULA REG EU 2016/425 EN ISO 374-1, EN REG EU 2017/745 DM 21/03/1973   F	5 ISO 374-5 - EN 455 1, 2, 3, 4		ONS MD Cat.		C EN ISO 374-5: 2016 AQL ≤1,5	USAGE F	PACKAGING
LOW	DERN	<b>NA</b>			(	ALLERGENS	EL) CHROME GLUTEN



#### R reflexx SAFE ΙΝ HANDS

### **REFLEXX 99 NHR**

### **HIGH RISK NITRILE GLOVES**

X-LONG CUFF 29 CM

**High Resistance gloves.** Disposable, ambidextrous, powder free, 100% latex free. Increased thickness and length pulling the wrist over the garments.

Micro roughened surface to increase the grip and the sensitiveness.

VIRUS resistant - EN ISO 374-5:2016







R99 I

R99 XI

R99 XXI

### ITEM / SI7F

	JIZL			1199 0	1199 W	1199 L	NJJ AL	
FOOD S	SUITABILITY		FEATURES			DURABI	LITY S	ENSITIVITY
	TESTED FOR 30	' AT 40°						
<u>رالا</u>	Aqueous	V	Weight:	8.8 g - M+/	- 0,5			
ЖI	Acid pH <4,5	V	Palm Thickness:	0.15 mm +/	- 0.03			
	Dairy	V	Length:	29 cm		CHEM	ICAL RES	ISTANCE
	Alcoholic	v	Colour:	Indigo		OTTEN		
	Oily, fatty	V	Surface:	Micro-roug	hened			
	Dry foods	V	Other:	Inner chlori	nation			
REGULA REG EU 2016/4 EN ISO 374-1, E	125 N ISO 274-5				150 374-5: 2016	USAGE		
	45 - EN 455 1, 2, 3, 4 9   REG EU 10/2011	(6	MD Cat.III	KPT	AQL ≤1,5		50	
ЕХТЕ	RA LON	G				ALLE	RGENS	
	RA STRO				(	LATEX THIURAM	NICKEL) (	CHROME GLUTEN

œ۲<sup>4</sup>

**R99 S** 

**R99** M



### **REFLEXX N85**

### **NITRILE GLOVES**

FULL GRIP. HEAVY DUTY

Special 3D grip on the hole palm and fingers for improved grip.

The special orange colour helps the worker in low light conditions.

Heavy duty: the high weight makes the glove particularlysuitable for heavy duty usage.



N85 M

N85 L

N85 XL

**N85 XXL** 



### ITEM / SIZE

,	•						
FOOD S	SUITABILITY		FEATURES			DURABIL	ITY SENSITIVITY
	TESTED FOR 30' AT	40°					
Шĩ	Acqueous	X	Weight:	8.5 g - M +/- (	0.4		
と	Acid pH <4,5	X	Palm Thickness:	0.15 - 0.20			
	Dairy	X	Length:	24 cm		CHEM	ICAL RESISTANCE
	Alcoholic	x	Colour:	Orange		CHEW	ICAL RESISTANCE
	Oily, fatty	V	Surface:	3D FULL GRI			
	Dry foods	v	Other:	Inner chlorina	tion		
REGUL/ REG EU 2016/4 EN ISO 374-1, E DM 21/03/1973	125		ATIONS PPE Cat.III	B EN ISO 374-5: 2016	AQL ≤1,5	USAGE	PACKAGING
FUL	L GRIP					EX THURAM	RGENS



GLUTEN

CHROME

NICKEL

### **REFLEXX N69**

### NITRILE GLOVES

#### EXTRA STRONG

Disposable, ambidextrous, powder free, 100% latex free. Its high thickness makes it the perfect

mix between chemical resistance, mechanical resistance and dexterity.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

EN ISO 374-1:2016 di TIPO B (certified with 3 chemical elements)



### **ITEM / SIZE**

REG EU 2016/425





SILICON

THIURAM

LATEX





### **REFLEXX 68**

### EXTRA STRONG NITRILE GLOVES

RESISTANT AND COMFORTABLE

Disposable, ambidextrous, powder free, 100% latex free. The **enhanced thickness** guarantees a better mechanical resistance.

Micro roughened surface for increased grip and the sensitiveness.

The absence of powder also reduces the risk of dermatitis and contamination.

**R68 S** 

**R68 M** 



**R68 L** 

**R68 XL** 

### **ITEM / SIZE**

MICRO-ROUGHENED

FOOD	SUITABILITY		FEATURES		DURABILI	TY SENSITIVITY
	TESTED FOR 30' AT 4	ł0°				
	Aqueous	٧	Weight:	6.0 g - M +/- 0.3		
Жſ	Acid pH <4,5	X	Palm Thickness:	0.12 mm +/- 0.03		
	Dairy	X	Length:	24 cm	СНЕМІ	CAL RESISTANCE
	Alcoholic	٧	Colour:	Green		
	Oily, fatty	V	Surface:	Micro-roughened	_	
	Dry foods	V	Other:	Inner chlorination		
REG EU 2016/ EN ISO 374-1, REG EU 2017/7	425	ertifica		ISO 374-1:2016/Type B ENISO 374-5:2016 KPT VIRUS AQL ≤1,5	USAGE	PACKAGING

百姓 法罚



### **REFLEXX N71**

### **POWDER FREE NITRILE GLOVES**

MULTI USE - HYPOALLERGENIC

Low Derma<sup>™</sup> is the result of a special, proven and reliable production technology that eliminates most of the cause of type IV allergies: accelerating agents.

Disposable, ambidextrous and powder free. 100% latex free.

Micro roughened surface for increased grip and sensitiveness.

The absence of powder also reduces the risk of dermatitis and contamination.

#### **VIRUS EN ISO 374-5:2016**



### **ITEM / SIZE**





SILICON

THIURAM

NICKEL

GLUTEN

LATEX







### **REFLEXX 72**

### **RELIABLE AND RESISTANT NITRILE GLOVES**

**APPROVED BY USERS SINCE 2015** 

**One of the first** gloves on the market to be specifically developed for contact with all foods.

Tested and loved by millions of professional users since 2015.

3.9 g weight is the ideal balance between sensitivity, resistance and durability.

The absence of powder reduces the risk of food contamination or dermatitis.



#### **R72 S R72 M R72 L R72 XL**

FOOD SU	JITABILITY		CARATTERIS	TICHE	DURABILITY	SENSITIVITY
	TESTED FOR 30' AT 4	ł0°				
Ш	Acqueous	V	Weight:	3.9 g - M +/- 0.3		
X	Acid pH <4,5	V	Palm Thickness:	0.08 mm +/- 0.02		
	Dairy	v	Length:	24 cm	CHEMIC	AL RESISTANCE
	Alcoholic	v	Colour:	Light Blue		
100% FOOD	Oily, fatty	v	Surface:	Micro-roughened	_	
	Dry foods	V	Other:	Inner chlorination		
REGULA	TIONS C	ERTIFIC	ATIONS		USAGE	PACKAGING
REG EU 2016/42 EN ISO 374-1, EI DM 21/03/1973		E Cat	PE J	KSO 374-5: 2016		10 40
			reason in			



**ITEM / SIZE** 



ALLERGENS CHROME

NICKEL

THIURAM

LATEX

GLUTEN







### **REFLEXX 76**

### SOFT NITRILE GLOVES

SOFT AND ELASTIC

Disposable, ambidextrous, powder free. 100% latex free. **Special "Soft" formulation for increased elasticity and sensitiveness.** 

Micro-roughened surface for increased grip and sensitiveness.

The absence of powder also reduces the risk of dermatitis and contamination.



### ITEM / SIZE

### R76 XS R76 S R76 M R76 L R76 XL

FOOD S	SUITABILITY		FEATURES			DURABIL	.ITY	SENSITIVITY
	TESTED FOR 30' AT	<b>40</b> °						
ربر 🗖	Acqueous	V	Weight:	3.5 g - M +/- 0.2	2			
Жſ	Acid pH <4,5	X	Palm Thickness:	0.07 mm +/- 0.0	)2			
	Dairy	X	Length:	24 cm		CHEM	IICAL RE	SISTANCE
	Alcoholic	x	Colour:	Light Blue		0.12.1		
	Oily, fatty	V	Surface:	Micro-roughene	ed			
	Dry foods	V	Other:	Inner chlorinatio	on			
	125 NJS0 274-5	CERTIFICA		ISO 374-1:2016/Type C EN ISO 374	AQL ≤1,5	USAGE	PA (	CKAGING
				n.		ALLE	RGENS	





ALLERGENS





### **REFLEXX 77**

### ULTRA THIN NITRILE GLOVES

#### **ULTRA THIN**

Disposable, ambidextrous, powder free, 100% latex free. **Ultra thin for great sensitiveness.** 

The absence of powder also reduces the risk of dermatitis and contamination.

VIRUS resistant - EN ISO 374-5:2016



### ART. / TAGLIE





#### R77100 XS R77100 S R77100 M R77100 L R77100 XL

FOOD S	UITABILITY		FEATURES			DURABILITY	SENSITIVITY
	TESTED FOR 30' at 4	ł <b>0</b> °					
ער ו	Aqueous	٧	Weight:	3.0 g - M +/- 0.2			
ЖI	Acid pH <4,5	v	Palm Thickness:	0.06 mm +/- 0.02			
	Dairy	V	Length:	24 cm		CHEMICAL	RESISTANCE
	Alcoholic	V	Colour:	Light Blue		OTEMIOAL	MEOIOTANOL
	Oily, fatty	V	Surface:	Micro-roughened			
	Dry foods	v	Other:	Inner chlorination		_	
	25				AQL ≤1,5		PACKAGING
ULTF	RA THIN				LATEX		KEL) CHROME) GLUTEN



**ITEM / SIZE** 

### NITRILE





### **REFLEXX N80**

### NITRILE GLOVES ULTRA THIN

MULTI - USE

Disposable, ambidextrous, senza polvere, 100% latex free. This glove is suitable for several uses thanks to its great versatility.

The absence of powder also reduces the risk of dermatitis and contamination.



### N80B S N80B M N80B L N80B XL

FOOD S	UITABILITY		FEATURES			DURABILI	тү з	SENSITIVITY
	TESTED FOR 30' AT	40°				_		
<b>U</b>	Acqueous	V	Weight:	3.0 g - M +/- 0.2				
Жſ	Acid pH <4,5	X	Palm Thickness:	0.06 mm +/-0.02				
	Dairy	x	Length:	24 cm	_	СНЕМІС		SISTANCE
	Alcoholic	x	Colour:	Blue		CHEWIC	AL NES	DISTANCE
	Oily, fatty	X	Surface:	Micro-roughened				
	Dry foods	v	Other:	Inner chlorination				
REG EU 2016/4		CERTIFIC	ATIONS PPE AQ Cat.I ≤1,			USAGE	PAC	KAGING
	RA THIN					ALLERG	ENS	











### **REFLEXX 40**

### LATEX POWDERED GLOVES

DISPOSABLE, AMBIDEXTROUS.

Lightly pre-powdered with cornstarch.

First choice product.

**Greater flexibility, sensitivity** and impermeablity obtained with high-technology production plants and selection of raw materials.



### ITEM / SIZE




R40 XS R40 S R40 M R40 L R40 XL

FOOD S	UITABILITY		FEATURES			DURABILITY	SENSITIVITY
	TESTED FOR 30' AT	40°					
ניר ו	Acqueous	V	Weight:	5.4 g - M +/- 0	0.3		
ЖI	Acid pH <4,5	X	Palm Thickness:	0.09 mm +/- 0	.02		
	Dairy	X	Length:	24 cm		CHEMIC	AL RESISTANCE
	Alcoholic	X	Colour:	White		OTTERMO	
	Oily, fatty	X	Superficie:	Smooth			
	Dry foods	v	Other:	Powdered			
REGULA REG EU 2016/42 EN ISO 374-1, EN REG EU 2017/745 DM 21/03/1973 I	25 1 ISO 374-5 5 - EN 455 1, 2, 3, 4	ertifica		ISO 374-1-2016/Type C EN ISO 37 EN I		USAGE	PACKAGING
	QUALITY JRAL LAT						ENS







### **REFLEXX 51**

### LATEX **POWDERED GLOVES**

DISPOSABLE, AMBIDEXTROUS.

Lightly pre-powdered with cornstarch.

Greater flexibility, sensitivity and impermeablity.



NICKEL

**R51 L** 

**R51 XL** 

GLUTEN

**R51 M** 

### **ITEM / SIZE**

#### FOOD SUITABILITY DURABILITY SENSITIVITY FEATURES TESTED FOR 30' AT 40° Acqueous ٧ Weight: 5.0 g - M +/- 0.3 Acid pH <4,5 Х **Palm Thickness:** 0.08 mm +/- 0.02 Dairy Х Length: 24 cm CHEMICAL RESISTANCE Alcoholic Х White **Colour:** Surface: Oily, fatty Х Smooth **Dry foods** ٧ Other: Powdered REGULATIONS CERTIFICATIONS USAGE PACKAGING REG EU 2016/425 EN ISO 374-1, EN ISO 374-5 PPE AQL ),Ē 2 CE B REG EU 2017/745 - EN 455 1, 2, 3, 4 MD 100 10 Cat.III ≤1.5 DM 21/03/1973 | REG EU 10/2011 ALLERGENS NATURAL LATEX CHROME 3 1

**R51 XS** 

**R51 S** 

LATEX



R46 L

**R46 XL** 

### **REFLEXX 46**

### LATEX POWDER FREE GLOVES

DISPOSABLE, AMBIDEXTROUS.

Internally chlorinated to reduce the risk of allergies.


The absence of powder reduces also the risk of dermatitis and contamination.

Micro-roughened surface to increase the grip and the sensitiveness.

VIRUS resistant - EN ISO 374-5:2016




### **ITEM / SIZE**



**R46 XS** 






R46 M

**R46 S** 







### **REFLEXX 57**

### LATEX POWDER FREE GLOVES

DISPOSABLE, AMBIDEXTROUS.

Internally chlorinated for easy donning.


The absence of powder reduces the risk of allergies, dermatitis and contamination.

Micro-roughened surface to increase the grip and the sensitiveness.



### ITEM / SIZE

### R57 XS R57 S R57 M R57 L R57 XL



NATURAL LATEX



ALLERGENS

LATEX



# **reflexx**<sup>®</sup>

### **REFLEXX** 44

### LATEX GLOVES BLACK POWDER FREE

DISPOSABLE, AMBIDEXTROUS.

**Higher thickness** for better strength.

Micro-roughened surface to improve the grip.

**Externally chlorinated** to increase resistance and grip in greasy conditions.

**Inner chlorination** for easy donning and to reduce the risk of allergies and dermatitis.



### ITEM / SIZE



R44 S R44 M R44 L R44 XL

	FEATURES			DURABILITY	SENSITIVITY
	Weight:	6.2 g - M +/- 0.3	3		
	Palm Thickness:	0.12 mm +/- 0.0	)3		
	Length:	24 cm		CHEMICAI	
	Colour:	Black		0.12.0.07.0	
	Surface:	Micro-roughene	d		
	Other:	Inner and Outer	chlorination		
			1		
REGULATIONS	CERTIFICATIONS			USAGE	PACKAGING
REG EU 2016/425 En ISO 374-1, En ISO 374-5 REG EU 2017/745 - En 455 1, 2, 3, 4	CC PPE Cat.III	4-1:2016/Type C EN ISO 374-5: 2	AQL ≤1,5	2 10	0 10 36
EXTRA RESISTANT				ALLERGEN	OME) (SILICON) (GLUTEN)



8 m



reflexx

LATEX gloves | POWDER FREE Guanti in LATTICE | SENZA POLVERE

NICKEL

SILICON

LATEX

THIURAM

CHROME

GLUTEN

L96HB

50

### **REFLEXX L96 HR**

### HIGH RISK LATEX GLOVES

X-LONG CUFF 28 CM

High Resistance Gloves. Disposable, ambidextrous.

Internally chlorinated to reduce the risk of allergies and dermatitis.

Micro-roughened surface to increase the grip and the sensitiveness.

VIRUS resistant - EN ISO 374-5:2016



### ITEM / SIZE

STRONG



		FEATURES		DURABILITY	SENSITIVITY
	ER	Weight:	13.0 g - M +/- 1.0		
		Palm Thickness:	0.20 mm +/- 0.03		
		Length:	28 cm	CHEMICAL	RESISTANCE
	EA	Colour:	Blue	OTEMICAL	RESISTANCE
		Surface:	Micro-roughened		
		Other:	Inner chlorination		
REGULATIONS	CERTIFICAT	TIONS		USAGE	PACKAGING
REG EU 2016/425 EN ISO 374-1, EN ISO 374-5 REG EU 2017/745 - EN 455 1, 2, 3, 4 DM 21/03/1973   REG EU 10/2011	CE 🕂	MD PPE Cat.III	0 374-1:2016/Type A ENISO 3745: 2016 <b>AQL</b> <b>KPLMTS VIRUS 4</b> 1,5	2 50	10 36
EXTRA LON	IG			ALLERGEN	S





### **REFLEXX 98 HR**

### HIGH RISK LATEX **POWDER FREE GLOVES**

X-LONG CUFF 30 CM

High Resistance Gloves. Disposable, ambidextrous.

Externally chlorinated to increase resistance and grip in greasy conditions and internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.

Micro-roughened surface to increase the grip and the sensitiveness.

**R98 XL** 

EN ISO 374-1:2016 TYPE A (certified with 6 chemicals)



**R98 XXL** 

### **ITEM / SIZE**

FOOD SUITABILITY TESTED FOR 30' AT 40°

SCI

Aqueous	Х		
Acid pH <4,5	x		
Dairy	٧		
Alcoholic	х		
Oily, fatty	х		
Dry foods	٧		

FEATURES	
Weight:	18.5 g - M +/- 1.0
Palm Thickness:	0.33 mm +/- 0.06
Length:	30 cm
Colour:	Blue
Surface:	Micro-roughened
Other:	Inner chlorination

**R98 S** 

	DURABIL	.ITY	SENSITI	VITY
18.5 g - M +/- 1.0				
0.33 mm +/- 0.06				
30 cm	CHEM		RESISTANC	F
Blue	0.12.0			-
Micro-roughened				
Inner chlorination				
	USAGE	P.	ACKAGING	I
EN ISO 374-1:2016/Type A EN ISO 374-5:2016 <b>AQL</b> <b>SPLINTJ</b> <b>VIRUS</b>	2	50	10	24

**R98 L** 

#### REGULATIONS

REG EU 2016/425 EN ISO 374-1, EN ISO 374-5 REG EU 2017/745 - EN 455 1, 2, 3, 4 DM 21/03/1973 | REG EU 10/2011



CERTIFICATIONS





**R98** M



CHROME





LATEX



ALLERGENS





### **REFLEXX L1100**

### LATEX ANATOMICAL SHAPE

X-LONG CUFF 28 CM

Disposable, different fits for the right and the left hand.


The absence of powder reduces the risk of allergies, dermatitis and contamination.

Micro- roughened surface to increase the grip and sensitiveness.









L1100 S L1100 M L1100 L L1100 XL

### **ITEM / SIZE**

FOOD SU	JITABILITY		FEATURES			DURABI	LITY	SENSITIVITY
	TESTED FOR 30' AT	. 40°						
Шĩ	Acqueous	V	Weight:	9.60 g - M +/-	0.5	_		
ЖI	Acid pH <4,5	X	Palm Thickness:	0.19 mm +/- 0.	.02			
	Dairy	x	Length:	28 cm		CHEM		ESISTANCE
	Alcoholic	x	Colour:	Amber				ESISTANCE
	Oily, fatty	√*	Surface:	Micro-roughen	ed	-		
	Dry foods	v	Other:	Anatomical sha	ape	-		
	*Reductio	on coefficient 4				-		
REGULA	TIONS	CERTIFICA	TIONS			USAGE	P	ACKAGING
REG EU 2016/42 EN ISO 374-1, EN REG EU 2017/745 DM 21/03/1973	ISO 374-5 - EN 455 1, 2, 3, 4	€ 📕	MD PPE Cat.III		<sup>374-5: 2016</sup> AQL ≤ 1,5	2	50 PAIRS	10
EXTRA LONG ANATOMICAL SHAPE							RGENS	CHROME FREE



VINYL

# VINYL





### **REFLEXX V34**

### **VINYL GLOVES** WITH NITRILE

#### DISPOSABLE, AMBIDEXTROUS


The addition of nitrile makes the product more elastic and resistant than vinyl-only gloves.

The absence of powder also reduces the risk of dermatitis and contamination.

VIRUS resistant - EN ISO 374-5:2016



#### **V34 S** V34 M V34 L **V34 XL**



### WITH NITRILE





# VINYL

### **Teflexx** IN SAFE HANDS

### **REFLEXX 36**

### VINYL GLOVES POWDER FREE

#### DISPOSABLE, AMBIDEXTROUS

Manufactured with specific low toxicity phtalates.

Disposable, ambidextrous. 100% latex free.


The absence of powder also reduces the risk of dermatitis and contamination.

High biocompatiblity.

VIRUS resistant - EN ISO 374-5:2016



### ITEM / SIZE





SILICON

LATEX

THIURAN

NICKEL

### R36 S R36 M R36 L R36 XL







### THERMOPLASTIC **ELASTOMER GLOVES (TPE)**

POWDER FREE, DISPOSABLE, AMBIDEXTROUS

Easy donning and removal thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increasedsensitivity.

Good resistance and elasticity in comparison to polyethylene gloves (HDPE and CPE), thanks to increased thickness and the use of more flexible materials (TPE). Great value for money if the glove is needed just for hygienic purpose.



### **ITEM / SIZE**

FOOD SI	JITABILITY		FEATURES			
	TESTED FOR 2h AT 40°					
ר חיי	Acqueous	٧	Weight:	2.0 g - M +/- 0.1		32
ЖI	Acid pH <4,5	٧	Palm Thickness:	0.05 mm +/- 0.003	E MO DEN	31
	Dairy	٧	Length:	27 cm	LAN CAN	
	Alcoholic	٧	Colour:	Blue	Contraction of the second	
100% FOOD	Oily, fatty	٧	Surface:	Micro-roughened	And the second s	
	Dry foods	٧	Other:	Powder free	and the second second second	

#### REGULATIONS

REG EU 2016/425 DM 21/03/1973 | REG EU 10/2011









CERTIFICATIONS





ALLERGENS NICKEL GLUTEN THIURAM CHROME SILICON LATEX



**T22 S** T22 M T22 L

R

reflexx



### **REFLEXX 20**

CPE POLYETHYLENE GLOVES

POWDER FREE, DISPOSABLE, AMBIDEXTROUS.

**Easy donning and removal** thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increasedsensitivity.

Good resistance and elasticity in comparison to normal polyethylene gloves, thanks to increased thickness and the use of more flexible materials. **Great value for money** if the glove is needed just for hygienic purpose.





### ITEM / SIZE

3 30' AT 40° √ ,5 √	Weight: Palm Thickness:	1.6 g - M +/- 0.1 0.025 mm +/- 0.003	and the second second
		0	
,5 √	Palm Thickness:	0.025 mm +/- 0.003	
V	Length:	28 cm	
V	Colour:	Blue	
v	Surface:	Micro-roughened	- Charles
v	Other:	Powder Free	
	√	v Surface:	√         Surface:         Micro-roughened

#### REGULATIONS

REG EU 2016/425 DM 21/03/1973 | REG EU 10/2011



CERTIFICATIONS





ALLERGENS

USAGE



200



### R20 S R20 M R20 L

PACKAGING

20



### **REFLEXX 18**

### HIGH DENSITY POLYETHYLENE **GLOVES (HDPE)**

100 PCS AND 500 PCS

Disposable, ambidexstrous, powder free, 100% latex free.

Slightly embossed surface. Easy donning and low cost.

The innovative 500 pcs dispenser drastically reduces handling and shipping costs. Available also in 100 pcs dispenser.



#### ITEM. / SIZE


FOOD U	SABILITY		FEATURES		
	TESTED FOR 30' AT $40^{\circ}$				
۳IJ	Aqueous	٧	Weight:	0.7 g - M +/- 0.1	
ЖI	Acid pH <4,5	٧	Palm Thickness:	0.01 mm +/- 0.003	
	Dairy	٧	Length:	28 cm	
	Alcoholic	v	Colour:	Transparent	
100% FOOD	Oily, fatty	٧	Surface:	Micro-roughened	
	Dry foods	V	Other:	Powder free	

REGULATIONS CERTIFICATIONS USAGE PACKAGING REG EU 2016/425 100 100 DM 21/03/1973 | REG EU 10/2011 PPE CE Cat.I 500 20 ALLERGENS

LATEX







**R18** P500 **ONE SIZE** 



SILICON CHROME THIURAM NICKEL

GLUTEN





#### **REFLEXX N22 MS Cut Protection**

### **MICROSANDY NITRILE GLOVES**

Cut resistant glove: level C

The HPPE knit provides cut-resistance, while the elastane and polyamide make the glove elastic and comfortable.

The palm is coated with a DOUBLE application of MICROSANDY NITRILE, which provides for excellent grip and elevated oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease.

Dimethylformamide (DMF) free



### **ITEM / SIZE**

#### N22 XL **N22 XXL** N22 S N22 M N22 L

PACKAGING	FEATURES	COATING ANTI-CUT
Sold in pairs	Length:24 cm - MColour:BlackKnit:HPPE Elastan PolyamideCoating:Nitrile MicrosandyOther:Seamless	ENVIRONMENT OF USE
REGULATIONS	CERTIFICATIONS	USAGE PACKAGING
REG EU 2016/425 EN 388	CE PPE Cat.II 4x43c EN 388 EN 420 EN 420	2 1 5x10* *5 masterbag of 10 packs each
PRO		



R

reflex

HPPE ELASTAN POLYAMIDE





#### R reflex SAFE HANDS ΙΝ





#### **ITEM / SIZE**

#### PU22 XS PU22 S PU22 M PU22 L PU22 XL PU22 XXL PACKAGING FEATURES COATING ANTI-CUT Length: 24 cm - M Black / Melange Colour: Knit: HPPE Elastan Polyamide **ENVIRONMENT OF USE Coating:** Polyurethane Seamless Other: Sold in pairs REGULATIONS CERTIFICATIONS USAGE PACKAGING REG EU 2016/425 EN 420 EN 388 CE PPE li 1 5x10\* Cat.II \*5 masterbag of 10 packs each ALLERGENS PRO

LATEX

SILICON

**GLASS FIBER** 

REACH

### **reflexx** IN SAFE HANDS

### **REFLEXX N16 MS**

### NITRILE MICROSANDY GLOVES

Polyamide/spandex glove. The presence of Spandex increases the elasticity of the glove, also limiting the penetration of liquids.

NITRILE MICROSANDY coated palm which provides for excellent grip and elevated oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease.

Dimethylformamide (DMF) free



### **ITEM / SIZE**

PACKAGING	FEATURES	COATING
STREETS SHOW	Length: 24 cm - M	
	Colour: Black	
	Knit: Polyamide / Spandex	ENVIRONMENT OF USE
C.S.	Coating: Nitrile Microsandy	
a.	Other: Seamless	
Sold in pairs		
REGULATIONS	CERTIFICATIONS	USAGE PACKAGING
REG EU 2016/425 EN 388	CE PPE LATER ALLE ALLE ALLE ALLE ALLE ALLE ALLE AL	2 1 10x10* 18 *10 masterbag of 10 packs each
DRA		ALLERGENS

**N16 XS** 



N16 M

N16 S

N16 L

N16 XL

N16 XXL





### **REFLEXX PU18 WHITE**

### **POLYURETHANE GLOVES**

Polyamide glove

POLYURETHANE coated palm which provides utmost breathability.

Ideal for use in dry working environments.

Available in 3 colours: white, grey, black.





**ITEM / SIZE** 

#### PU18W XS PU18W S PU18W M PU18W L PU18W XL PU18W XXL

PACKAGING	FEATURES	COATING
	Length:24 cm - MColour:WhiteKnit:PolyamideCoating:PolyurethaneOther:Seamless	ENVIRONMENT OF USE
Sold in pairs REGULATIONS	CERTIFICATIONS	USAGE PACKAGING
REG EU 2016/425 EN 388	$\begin{array}{c c} \bullet & \bullet & \bullet \\ \hline \bullet & \bullet \\ \bullet & \bullet \\ \hline \bullet & \bullet \\ \hline \bullet & \bullet \\ \bullet & \bullet \\ \hline \bullet &$	2 1 10 masterbag of 10 packs each
PRO		

LATEX SILICON

# **SUPPORTED**



# POLYURETHANE GLOVES Polyamide glove POLYURETHANE coated palm which provides utmost breathability. Ideal for use in dry working environments. Available in 3 colours: white, grey, black.



#### **ITEM / SIZE**

## PU18G XS PU18G S PU18G M PU18G L PU18G XL PU18G XXL

PACKAGING	FEATURES	COATING
	Length:24 cm - MColour:GreyKnit:PolyamideRivestimento:PolyurethaneOther:Seamless	ENVIRONMENT OF USE
Sold in pairs	1	
REGULATIONS	CERTIFICATIONS	USAGE PACKAGING
REG EU 2016/425 EN 388	$\begin{array}{c c} \bullet & \bullet & \bullet \\ \hline \bullet & \bullet \\ \bullet & \bullet \\ \hline \bullet & \bullet \\ \bullet & \bullet \\ \bullet & \bullet \\ \hline \bullet & \bullet \\ \bullet & \bullet \\ \bullet & \bullet \\ \hline \bullet & \bullet \\ \bullet & \bullet \\ \hline \bullet & \bullet \\ \bullet & \bullet \\ \bullet & \bullet \\ \hline \bullet & \bullet \\ \bullet \\$	2 1 10x10* 24 *10 masterbag of 10 packs each
PRO		



# **SUPPORTED**



# REFLEXX PU18 BLACK

## **POLYURETHANE GLOVES**

Polyamide glove

POLYURETHANE coated palm which provides utmost breathability.

Ideal for use in dry working environments.

Available in 3 colours: white, grey, black.





#### **ITEM / SIZE**

#### PU18B XS PU18B S PU18B M PU18B L PU18B XL PU18B XXL

PACKAGING	FEATURES	COATING
Sold in pairs	Length:24 cm - MColour:BlackKnit:PolyamideCoating:PolyurethaneOther:Seamless	ENVIRONMENT OF USE
REGULATIONS	CERTIFICATIONS	USAGE PACKAGING
REG EU 2016/425 En 388	CE PPE Cat.II LINE EN 388 EN 420	2 1 10x10* 24 *10 masterbag of 10 packs each
PRO		ALLERGENS



# **SUPPORTED**



# **REFLEXX N12**

#### **NITRILE GLOVES**

Sold in pairs. Seamless knitted white synthetic gloves, grey nitrile palm coated.

Elastic wrist, open back.

Good dexterity, grip and mechanical resistance.

Not suitable for dipping.

Coloured cuff for quick size identification.



**ITEM / SIZE** 





#### **R12 S R12 M** R12 L **R12 XL R12 XXL**



FEATURES				
Length:	24 cm			
Colour:	White / Grey			
Surface:	Coated			
Other: Seamless				

REGULATIONS REG EU 2016/425 EN 388





PACKAGING
1 5x10 40 * 5 masterbags of 10 packs each
* 5 masterbags of 10 packs each

ALLERGENS

LATEX

# **REFLEXX PU13**

#### **POLYURETHANE GLOVES**

Sold in pairs. Seamless knitted black synthetic gloves, black polyurethane palm coated.

Elastic wrist, open back.

Good dexterity, grip and mechanical resistance.

Not suitable for dipping.

Coloured cuff for quick size identification.

#### REGULATIONS

С

CE

REG EU 2016/425 EN 388





#### **ITEM / SIZE**

**R13 S** R13 M 口提

#### **R13 L R13 XL R13 XXL**



_ength:	24 cm
Colour:	Black / Black
Surface:	Coated
Other:	Seamless

LLERGENS

CERTIFICATIONS	USAGE	PACKAGING	AL
PPE Cat.II	2	1 5x10 40 * 5 masterbags of 10 packs each	LATEX





# **REFLEXX 101HD**

## **NEOPRENE + LATEX GLOVES**

LIGHT INNER FLOCK-LINING

Sold in pairs.

Lightly flock-lined, externally chlorinated.

Anti-slip pattern.

Good chemical and mechanical resistance.

EN ISO 374-1:2016 TYPE A (certfified with 6 chemicals) and VIRUS resistant - EN ISO 374-5:2016






#### **ITEM / SIZE**

## R101 M R101 L R101 XL R101 XXL

FEATURES		
Weight:	105.0 g - M +/- 5.0 per pair	
Palm Thickness:	0.68 mm +/-0.05	
Length:	32 cm	
Colour:	Black	El Caractero
Surface:	Anti-slip pattern	
Other:	Lightly flock-lined	

INNER CHLORINATION

ANTI-SLIP PATTERN











## **ITEM / SIZE**

Yï

FOOD SUITAB

# **REFLEXX 97 HD**

## **NITRILE GLOVES**

LIGHT INNER FLOCK-LINING

Sold in pairs. Lightly flock-lined. Externallty chlorinated.

Anti-slip pattern.

#### Good chemical and mechanical resistance.

The stable formulation allows the contact with any type of food (for 30' at 40° C).

EN ISO 374-1:2016 TYPE A (certified with 6 chemicals) and VIRUS resistant - EN ISO 374-5:2016



#### **R97 M** R97 L **R97 XL R97 XXL**

ITABILITY		FEATURES		
TESTED FOR 30' AT	40°			
Acqueous	V	Weight:	63.0 g - M +/- 5.0 per pair	
Acid pH <4,5	V	Palm Thickness:	0.40 mm +/- 0.05	
Dairy	v	Length:	33 cm	
Alcoholic	v	Colour:	Green	(日)(日本時代時)
Oily, fatty	V	Surface:	Anti-slip pattern	
Dry foods	v	Other:	Lightly Flock-lined	

#### REGULATIONS

REG EU 2016/425 EN ISO 374-1, EN ISO 374-5 EN 388 DM 21/03/1973 | REG EU 10/2011

#### CERTIFICATIONS

CE









PACKAGING





USAGE





ANTI-SLIP PATTERN

**ITEM / SIZE** 

# **REFLEXX 95 FH**

## UNLINED NITRILE GLOVES

33 CM REUSABLE GLOVES

Ideal for the food industry for the handling of sharp-surfaced foods such as fish, crustaceans, bones, etc.

Do not contain Z-MBT (zinc 2-mercaptobenzothiazolo, accelerator used in production) which is subject to restrictions accordin to FCM regulations. Sold in pairs.



#### R95 S R95 M R95 L R95 XL

FOOD SU	JITABILITY		FEATURES			-
	TESTED FOR 30 <sup>7</sup>	' AT 40°				2
	Acqueous	V	Weight:	44.0 g - M +/- 5.0 per pair		Ste AN
Жſ	Acid pH <4,5	V	Palm Thickness:	0.22 mm +/- 0.03		
	Dairy	v	Length:	33 cm	1	
	Alcoholic	V	Colour:	Blue	2	
100% FOOD	Oily, fatty	V	Superficie:	Anti-slip pattern	2	
	Dry foods	v	Other:	Unlined		- AL
REGULA	TIONS	CERTIFICA	TIONS		USAGE	PACKAGING
REG EU 2016/42	5		CN 150 274 1 2015 (Turns D	FN 60 374 6 3916		

EN ISO 374-1, EN ISO 374-5 EN 388 DM 21/03/1973 | REG EU 10/2011







2 1 5





CE







# **REFLEXX 94**

## LATEX GLOVES

**BICOLOUR FLOCK-LINED** 

Sold in pairs. Double Yellow/Blue Latex layers for higher resistance on palm and fingers.

**High quality for long lasting and improved resistance.** Externally chlorinated for better performance and hygiene.

Anti-slip pattern. Micro roughened surface.





#### ITEM / SIZE




FEATURES		
Weight:	80.0 g - M +/- 5.0 per pair	
Palm Thickness:	0.50 mm +/- 0.05	
Length:	33 cm	
Colour:	Yellow / Blue	0.040.07
Surface:	Anti-slip pattern	
Other:	Lightly Flock-lined	

**R94 S** 

**R94 M** 

**R94 L R94 XL** 





**ITEM / SIZE** 

**ITEM / SIZE** 

# REUSABLE



# **REFLEXX 90**

#### **FLOCK-LINED LATEX GLOVES**

Sold in pairs, beaded cuff. Anti-slip pattern. Cotton flock-lining inside.

#### **R90 S R90 L R90 XL R90 M**

			FEATURES		
			Weight: 5	50.0 gr - M +/- 3.0 per pair	
			Palm Thickn	ess: 0.32 mm +/- 0,04	
REGULATIONS			Length:	30 cm	
REGULATIONS			Colour:	Yellow	
REG EU 2016/425			Surface:	Anti-slip pattern	
			Other:	Cotton Flock-lined	
CERTIFICATIONS	USAGE	PACKAGING		ALLERGENS	
CE DPI Cat.I	2	1 12x10 36 * 12 masterbags of 10 packs each			




# **REFLEXX 92**

#### **UNLINED LATEX GLOVES**

Sold in pairs. Internally chlorinated for easy donning and to reduce the risk of latex protein allergies.

#### **R92 S R92 M R92 L R92 XL**





# **FEATHER LINE**

# **FEATHER Plus**

#### LATEX POWDERED GLOVES

Disposable, ambidextrous.

## ITEM / SIZE



#### FPS FPM FPL FPXL

		FOOD SUITABILITY			FEATURES		
		ربار	Aqueous	٧	Weight:	4.8 g - M +/- 0.4	
			Acid pH <4,5	X	Palm Thickness:	0.07mm +/- 0.03	
REGULATIONS		TESTED FOR 30' AT 40	Dairy	X	Length:	24 cm	
REG EU 2016/425			Alcoholic	X	Colour:	White	
DM 21/03/1973   REG EU 10/2011			Oily, fatty	X	Surface:	Smooth	
			Dry foods	٧	Other:	Powdered	
CERTIFICATIONS	CERTIFICATIONS		PACKAGING	PACKAGING		ALLERGENS	
CE PPE Cat.I		(2)	100 10 4	0			


# **FEATHER Latexx PF**

#### LATEX POWDER FREE GLOVES

Disposable, ambidextrous.

Low release of protein <50 µg/g

#### ITEM / SIZE





## FPF S FPF M FPF L FPF XL





# **FEATHER Nitrexx**

#### **NITRILE POWDER FREE GLOVES**

Disposable, ambidextrous.

ULTRA THIN but resistant (2.2 g only).

#### ITEM / SIZE

# **FEATHER LINE**



#### FNX S FNX M FNX L FNX XL

	FOOD SUITABILITY			FEATURES	
	ΓIJ	Acqueous	v	Weight:	2.2 g - M +/- 0.2
		Acid pH <4,5	٧	Palm Thickness:	0.05 mm +/- 0.02
REGULATIONS	 TESTED	Dairy	X	Length:	24 cm
REG EU 2016/425 DM 21/03/1973   REG EU 10/2011	FOR 30' AT 40°	Alcoholic	X	Colour:	Light Blue
		Oily, fatty	V	Surface:	Micro-roughened
		Dry foods	v	Other:	Powder Free
CERTIFICATIONS	USAGE	PACKAGING		ALLERGENS	
CE Cat.I	(2)	100 10	76	LATEX	

# **FEATHER Flexx pf**

#### **VINYL POWDER FREE GLOVES**

Disposable, ambidextrous.

**ITEM / SIZE** 



#### FVPF S FVPF M FVPF L FVPF XL

