



Strojírenský zkušební ústav, s.p., Brno, Česká republika
Oznámený subjekt identifikační číslo 1015
Engineering Test Institute, Public Enterprise, Brno, Czech Republic
Notified Body Identification Number 1015

CERTIFIKÁT EU PŘEZKOUŠENÍ TYPU **EU TYPE-EXAMINATION CERTIFICATE**

podle nařízení Evropského parlamentu a Rady (EU) 2016/426 ze dne 9. března 2016 o spotřebičích
plynných paliv
*pursuant to Regulation (EU) 2016/426 of the European Parliament and of the Council
of 9 March 2016 on appliances burning gaseous fuels*

Číslo:
Number: **E-30-00496-18**

Výrobce:
Manufacturer: Gassero Isı Teknolojileri Sanayi Limited Şirketi
İstanbul Endüstri ve Ticaret Serbest Bölgesi (FREE ZONE)
4. Sokak, Parsel No. 110, 34957 Tuzla, İstanbul
Turecko – Turkey

Identifikační číslo výrobků:
Product-ID-Number: **CE-1015CT0640**

Výrobek:
Product: Kondenzační teplovodní kotel na zemní plyn (G20)
Condensing hot-water boiler burning natural gas (G20)

Typové označení:
Type designation: Gassero, Blaudens, Meksis, Cropina, Scirocco, Strada,
Scopula, Exinox, Firefox, Baccara, Expanse, Schahane,
Rinnai, MHG Gassero

Obchodní označení:
Trade mark: je uvedeno na 3. straně
see Page 3

Identifikace schváleného typu:
Identification of approved type: je uvedena na 2. straně
see Page 2

Hodnoticí zpráva:
Evaluation Report: Závěrečný protokol č. 30-13500 ze dne 2018-05-31
Final Report 30-13500 of 2018-05-31

Strojírenský zkušební ústav, s.p., oznámený subjekt identifikační číslo 1015 potvrzuje, že předmětný výrobek splňuje požadavky podle bodu 1.4 Přílohy III nařízení Evropského parlamentu a Rady (EU) 2016/426 (modul B: EU přezkoušení typu). Výsledky činností provedených oznámeným subjektem jsou obsaženy v citovaném závěrečném protokolu (tj. hodnoticí zprávě). Údaje nezbytné k identifikaci schváleného typu jsou uvedeny na 2. straně tohoto certifikátu. Pravidla pro nakládání s certifikátem a podmínky jeho platnosti jsou uvedeny na 5. straně.

Tento certifikát je platný nejdéle do **2028-05-30**.

The Engineering Test Institute, Public Enterprise, Notified Body Identification Number 1015 hereby attests that the product concerned meets the requirements referred to in point 1.4 of Annex III of Regulation (EU) 2016/426 of the European Parliament and of the Council (Module B: EU type-examination). The results of the activities carried out by the Notified Body are contained in the cited Final Report (i.e. evaluation report). The data necessary for identification of the approved type are stated on Page 2 of this Certificate. The rules for using the Certificate and conditions of its validity are defined on Page 5.

This Certificate is valid until 2028-05-30.

Brno, 2018-05-31




Ing. Aleš Onderek
zástupce ředitele
Deputy Director

E-30-00496-18, Strana – Page 1/5

Strojírenský zkušební ústav, s.p., Hudcova 424/56b, 621 00 Brno, Česká republika
Engineering Test Institute, public enterprise, Hudcova 424/56b, 621 00 Brno, Czech Republic

www.szutest.cz



Specification of the boilers:

Brand	Gassero	Blaudens	Meksis	Cropina	Scirocco	Strada
Model	Wallcon X-treme 42	Innodens X-treme 42	MKDT X-treme 42	Cropina Wall X-treme 42	Scirocco Wall X-treme 42	Strada Wall X-treme 42
Model	Wallcon X-treme 50	Innodens X-treme 50	MKDT X-treme 50	Cropina Wall X-treme 50	Scirocco Wall X-treme 50	Strada Wall X-treme 50
Model	Wallcon X-treme 67	Innodens X-treme 67	MKDT X-treme 67	Cropina Wall X-treme 67	Scirocco Wall X-treme 67	Strada Wall X-treme 67
Model	Wallcon X-treme 115	Innodens X-treme 115	MKDT X-treme 115	Cropina Wall X-treme 115	Scirocco Wall X-treme 115	Strada Wall X-treme 115
Model	Wallcon X-treme 125	Innodens X-treme 125	MKDT X-treme 125	Cropina Wall X-treme 125	Scirocco Wall X-treme 125	Strada Wall X-treme 125
Model	Wallcon X-treme 150	Innodens X-treme 150	MKDT X-treme 150	Cropina Wall X-treme 150	Scirocco Wall X-treme 150	Strada Wall X-treme 150
Model	Wallcon 42	Innodens 42	MKDT 42	Cropina Wall 42	Scirocco Wall 42	Strada Wall 42
Model	Wallcon 50	Innodens 50	MKDT 50	Cropina Wall 50	Scirocco Wall 50	Strada Wall 50
Model	Wallcon 67	Innodens 67	MKDT 67	Cropina Wall 67	Scirocco Wall 67	Strada Wall 67
Model	Wallcon 115	Innodens 115	MKDT 115	Cropina Wall 115	Scirocco Wall 115	Strada Wall 115
Model	Wallcon 125	Innodens 125	MKDT 125	Cropina Wall 125	Scirocco Wall 125	Strada Wall 125
Model	Wallcon 150	Innodens 150	MKDT 150	Cropina Wall 150	Scirocco Wall 150	Strada Wall 150

Brand	Scopula	Exinox	Firefox	Baccara	Expanse	Schahane
Model	Scopula Wall X-treme 42	Exinox Wall X-treme 42	Firefox Wall X-treme 42	Baccara Wall X-treme 42	Expanse Wall X-treme 42	Schahane Wall X-treme 42
Model	Scopula Wall X-treme 50	Exinox Wall X-treme 50	Firefox Wall X-treme 50	Baccara Wall X-treme 50	Expanse Wall X-treme 50	Schahane Wall X-treme 50
Model	Scopula Wall X-treme 67	Exinox Wall X-treme 67	Firefox Wall X-treme 67	Baccara Wall X-treme 67	Expanse Wall X-treme 67	Schahane Wall X-treme 67
Model	Scopula Wall X-treme 115	Exinox Wall X-treme 115	Firefox Wall X-treme 115	Baccara Wall X-treme 115	Expanse Wall X-treme 115	Schahane Wall X-treme 115
Model	Scopula Wall X-treme 125	Exinox Wall X-treme 125	Firefox Wall X-treme 125	Baccara Wall X-treme 125	Expanse Wall X-treme 125	Schahane Wall X-treme 125
Model	Scopula Wall X-treme 150	Exinox Wall X-treme 150	Firefox Wall X-treme 150	Baccara Wall X-treme 150	Expanse Wall X-treme 150	Schahane Wall X-treme 150
Model	Scopula Wall 42	Exinox Wall 42	Firefox Wall 42	Baccara Wall 42	Expanse Wall 42	Schahane Wall 42
Model	Scopula Wall 50	Exinox Wall 50	Firefox Wall 50	Baccara Wall 50	Expanse Wall 50	Schahane Wall 50
Model	Scopula Wall 67	Exinox Wall 67	Firefox Wall 67	Baccara Wall 67	Expanse Wall 67	Schahane Wall 67
Model	Scopula Wall 115	Exinox Wall 115	Firefox Wall 115	Baccara Wall 115	Expanse Wall 115	Schahane Wall 115
Model	Scopula Wall 125	Exinox Wall 125	Firefox Wall 125	Baccara Wall 125	Expanse Wall 125	Schahane Wall 125
Model	Scopula Wall 150	Exinox Wall 150	Firefox Wall 150	Baccara Wall 150	Expanse Wall 150	Schahane Wall 150

Brand	Rinnai	MHG Gassero
Model	AIM X-treme 42 M	Wallcon X-treme 42
Model	AIM X-treme 50 M	Wallcon X-treme 50
Model	AIM X-treme 67 M	Wallcon X-treme 67
Model	AIM X-treme 115 M	Wallcon X-treme 115
Model	AIM X-treme 125 M	Wallcon X-treme 125
Model	AIM X-treme 150 M	Wallcon X-treme 150
Model	AIM 42 M	Wallcon 42
Model	AIM 50 M	Wallcon 50
Model	AIM 67 M	Wallcon 67
Model	AIM 115 M	Wallcon 115
Model	AIM 125 M	Wallcon 125
Model	AIM 150 M	Wallcon 150






Technical data of the boilers:

Model	Heat input [kW]	Heat output [kW]		Maximum water temperature for central heating [°C]	Dimensions [mm]
		at 80/60 °C	at 50/30 °C		
Wallcon 42	7,2 ÷ 39,4	7,0 ÷ 38,3	7,6 ÷ 41,3	80	446 x 390 x 654
Wallcon X-treme 42	7,2 ÷ 39,4	7,0 ÷ 38,3	7,6 ÷ 41,3	80	485 x 490 x 612
Wallcon 50	8,4 ÷ 48,0	8,1 ÷ 46,3	8,9 ÷ 50,1	80	446 x 390 x 654
Wallcon X-treme 50	8,4 ÷ 48,0	8,1 ÷ 46,3	8,9 ÷ 50,1	80	485 x 490 x 612
Wallcon 67	11,2 - 63,0	11,0 - 61,0	12,0 - 67,0	80	446 x 480 x 654
Wallcon X-treme 67	11,2 - 63,0	11,0 - 61,0	12,0 - 67,0	80	485 x 490 x 612
Wallcon 115	27,0 ÷ 108,5	26,1 ÷ 105,4	29,3 ÷ 115,5	80	558 x 580 x 865
Wallcon X-treme 115	27,0 ÷ 108,5	26,1 ÷ 105,4	29,3 ÷ 115,5	80	558 x 580 x 865
Wallcon 125kW	17,0 ÷ 121,0	16,6 ÷ 116,2	18,4 ÷ 126,0	80	558 x 580 x 865
Wallcon X-treme 125	17,0 ÷ 121,0	16,6 ÷ 116,2	18,4 ÷ 126,0	80	558 x 580 x 865
Wallcon 150	21,0 - 143,0	19,5 - 138,0	22,7 - 150,0	80	558 x 690 x 865
Wallcon X-treme 150	21,0 - 143,0	19,5 - 138,0	22,7 - 150,0	80	558 x 580 x 865

Supply conditions:

Type	Product category	Supply pressures [mbar]	Gas used	Country of destination
B ₂₃ , C ₁₃ , C ₃₃ , C ₄₃ , C ₅₃ , C ₆₃ , C ₈₃	I _{2H}	20	G20	AT, CH, CZ, DK, EE, ES, FI, GB, GR, IE, IT, LT, LV, NO, PT, RO, SE, SI, SK, TR
	I _{2E}	20	G20	DE, LU, PL, RO
	I _{2H}	25	G20	HU





Number	106144/01	Replaces	--
Issue date	01-09-2020	Contract number	E 2452
Due date	01-09-2023	Module	D
Report number	See appendix	Scope	(EU) 2016/426 (9 March 2016) (EU) 92/42/EEC (21 May 1992) (EU) 813/2013 (2 August 2013)

CE SURVEILLANCE CERTIFICATE (GAR / BED / R 813)

Kiwa hereby declares that the product(s) as detailed in the appendix to this certificate,

Manufacturer **Gassero Isi Teknolojileri Saayi Ltd Sirketi**
Tuzla, Istanbul, Turkey

are subject to EC surveillance by Kiwa according to the:
Regulation (EU) 2016/426 and the Council Directive 92/42/EEC
Annex III, Module D.

This certificate is only valid in combination with the appendix to this certificate, where specific information and/or conditions are given.

Please check the validity of this certificate at www.kiwaenergy.com

Kiwa Nederland B.V.
Wilmsdorf 50
P.O. Box 137
7300 AC APELDOORN
The Netherlands

www.kiwaenergy.com

GASTEC

Ron Scheepers, Kiwa





Number	106144/01	Replaces	--	
Issue date	01-09-2020	Contract number	E 2452	Module D
Due date	01-09-2023	Scope	(EU) 2016/426 (9 March 2016) (EU) 92/42/EEC (21 May 1992) (EU) 813/2013 (2 August 2013)	
Page	1 of 5			

APPENDIX TO CE SURVEILLANCE CERTIFICATE (GAR / BED / R 813)

Report number: 30-13501 (SZU)
Product ID Number: CE-1015CS0578
Premix condensing hot water boiler burning natural gas (G20)

Test Report Nr.	30-13501/T	30-13501/T1	30-13501/T3	30-13501/T4
Certificate Nr.	SZU E-30-01009-17	SZU E-30-00170-18	SZU 1015-GAR-00098-19	SZU 1015-GAR-00097-19
Final Report Nr.	30-13501	30-13501/2	30-13501/4	30-13501/5
BED Certificate	E-30-01303-17	N.A	N.A	N.A
GAR Certificate	E-30-010009-17	E-30-00170-18	1015-GAR-00098-19	1015-GAR-00097-19
File Name	4	4	4	4
Scope	Models which are marked with * are in scope of GAR only. Because heat inputs are higher than 400 kW.			
Brand	GASSERO	GASSERO	GASSERO	GASSERO
Model	ALUBOX X-treme 250	ALUBOX X-treme LX 700*	ALUBOX X-treme 1315*	ALUBOX X-treme 1760*
	ALUBOX X-treme 300	ALUBOX X-treme 710*	ALUBOX X-treme 1460*	ALUBOX X-treme 2630*
	ALUBOX X-treme 350	ALUBOX X-treme 880*	ALUBOX X-treme 1550*	ALUBOX X-treme 2920*
	ALUBOX X-treme 430*	ALUBOX X-treme 1065*	-	ALUBOX X-treme 3100*
	ALUBOX X-treme 535*	-	-	-
	ALUBOX X-treme 640*	-	-	-



Number	106144/01	Replaces	--
Issue date	01-09-2020	Contract number	E 2452 Module D
Due date	01-09-2023	Scope	(EU) 2016/426 (9 March 2016) (EU) 92/42/EEC (21 May 1992) (EU) 813/2013 (2 August 2013)
Page	2 of 5		

APPENDIX TO CE SURVEILLANCE CERTIFICATE (GAR / BED / R 813)

Report number: 30-13870 (SZU)
Product ID Number: CE-1015CT0637
Hot water boilers burning gas

Test Report Nr.	30-13870/T		30-13869/T	30-13868/T
Certificate Nr.	SZU E-30-00490-18-rev.1		SZU E-30-00489-18	1015-GAR-01072-19
Final Report Nr.	30-14545		30-13869	30-13868/TZ
BED Certificate	E-30-00878-18-rev. 1		E-30-00883-18	1015-BED-01071-19
GAR Certificate	E-30-00490-18-rev. 1		E-30-00489-18	1015-GAR-01072-19
File Name	5		5	5
Scope	Models which are marked with * are in scope of GAR only. Because heat inputs are higher than 400 kW.			
Brand	GASSERO	STRADA	GASSERO	GASSERO
Model	ALUCON 50	SMART 50	ALUBOX 50	ALUBOX 208
	ALUCON 70	SMART 70	ALUBOX 70	ALUBOX 290
	ALUCON 90	SMART 90	ALUBOX 90	ALUBOX 540*
	ALUCON 115	SMART 115	ALUBOX 115	ALUBOX 700*
	ALUCON 125	SMART 125	ALUBOX 125	ALUBOX 1100*
	ALUCON 150	SMART 150	ALUBOX 150	-



Number	106144/01	Replaces	--
Issue date	01-09-2020	Contract number	E 2452
Due date	01-09-2023	Module	D
Page	3 of 5	Scope	(EU) 2016/426 (9 March 2016) (EU) 92/42/EEC (21 May 1992) (EU) 813/2013 (2 August 2013)

APPENDIX TO CE SURVEILLANCE CERTIFICATE (GAR / BED / R 813)

Report number: 30-13500 (SZU)
Product ID Number: CE-1015CT0640
Condensing hot water boiler burning natural gas (G20)

Test Report Nr.	30-13500/T1 (42-50-115-125) - 30-13500/T2 (67-150)		
Certificate Nr.	SZU E-30-00496-18		
Final Report Nr.	30-13500		
BED Certificate	E-30-00663-18		
GAR Certificate	E-30-00496-18		
File Name	1		
Brand	GASSERO	STRADA	MHG GASSERO
Model	WALLCON X-treme 42	STRADA WALL X-treme 42	WALLCON X-treme 42
	WALLCON X-treme 50	STRADA WALL X-treme 50	WALLCON X-treme 50
	WALLCON X-treme 67	STRADA WALL X-treme 67	WALLCON X-treme 67
	WALLCON X-treme 115	STRADA WALL X-treme 115	WALLCON X-treme 115
	WALLCON X-treme 125	STRADA WALL X-treme 125	WALLCON X-treme 125
	WALLCON X-treme 150	STRADA WALL X-treme 150	WALLCON X-treme 150
	WALLCON 42	STRADA WALL 42	WALLCON 42
	WALLCON 50	STRADA WALL 50	WALLCON 50
	WALLCON 67	STRADA WALL 67	WALLCON 67
	WALLCON 115	STRADA WALL 115	WALLCON 115
	WALLCON 125	STRADA WALL 125	WALLCON 125
	WALLCON 150	STRADA WALL 150	WALLCON 150



Number	106144/01	Replaces	--
Issue date	01-09-2020	Contract number	E 2452
Due date	01-09-2023	Module	D
Page	4 of 5	Scope	(EU) 2016/426 (9 March 2016) (EU) 92/42/EEC (21 May 1992) (EU) 813/2013 (2 August 2013)

APPENDIX TO CE SURVEILLANCE CERTIFICATE (GAR / BED / R 813)

Report number: 30-13872 (SZU)
Product ID Number: CE-1015CT0639
Condensing hot water boiler burning natural gas (G20)

Test Report Nr.	30-13872/T		30-14413/1/T	
Certificate Nr.	SZU E-30-00492-18		1015-GAR-00879-20	
Final Report Nr.	30-13872		-	
BED Certificate	E-30-01319-15-rev. 1		1015-BED-00881-20	
GAR Certificate	E-30-00492-18		1015-GAR-00879-20	
File Name	2		2	
Scope	Models which are marked with* are in scope of GAR only. Because heat inputs are higher than 400 kW.			
Brand	GASSERO	MHG GASSERO	GASSERO	MHG GASSERO
Model	ULTRABOX 210	ULTRABOX 210	ULTRABOX 335 PN	ULTRABOX 335 PN
	ULTRABOX 255	ULTRABOX 255	ULTRABOX 430 PN*	ULTRABOX 430 PN*
	ULTRABOX 315	ULTRABOX 315	ULTRABOX 500 PN*	ULTRABOX 500 PN*
	ULTRABOX 420*	ULTRABOX 420*	ULTRABOX 530 PN*	ULTRABOX 530 PN*
	ULTRABOX 510*	ULTRABOX 510*	ULTRABOX 660 PN*	ULTRABOX 660 PN*
	ULTRABOX 570*	ULTRABOX 570*	ULTRABOX 1030 PN*	ULTRABOX 1030 PN*
	ULTRABOX 630*	ULTRABOX 630*	ULTRABOX 1060 PN*	ULTRABOX 1060 PN*
	ULTRABOX 1000*	ULTRABOX 1000*	ULTRABOX 1160 PN*	ULTRABOX 1160 PN*
	ULTRABOX 1125*	ULTRABOX 1125*	ULTRABOX 1320 PN*	ULTRABOX 1320 PN*
	-	-	ULTRABOX 1330 PN*	ULTRABOX 1330 PN*
	-	-	ULTRABOX 2060 PN*	ULTRABOX 2060 PN*
	-	-	ULTRABOX 2660 PN*	ULTRABOX 2660 PN*



Number	106144/01	Replaces	--		
Issue date	01-09-2020	Contract number	E 2452	Module	D
Due date	01-09-2023	Scope	(EU) 2016/426 (9 March 2016) (EU) 92/42/EEC (21 May 1992) (EU) 813/2013 (2 August 2013)		
Page	5 of 5				

APPENDIX TO CE SURVEILLANCE CERTIFICATE (GAR / BED / R 813)

Test Report Nr.	39-13977/T (Superbox 150)-30-13871/T (500-1000 V/H)	
Certificate Nr.	SZU E-30-00491-18	
Final Report Nr.	30-13871	
BED Certificate	E-30-00574-18	
GAR Certificate		
File Name	3	
Scope	Models which are marked with * are in scope of GAR only. Because heat inputs are higher than 400 kW.	
Brand	GASSERO	MHG GASSERO
Model	SUPERBOX 150	SUPERBOX 150
	SUPERBOX 500*	SUPERBOX 500*
	SUPERBOX 1000 V*	SUPERBOX 1000 V*
	SUPERBOX 1000 H*	SUPERBOX 1000 H*



Strojírenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise)
Certifikační orgán certifikující produkty / Product Certification Body
Hudcova 424/56b, 621 00 Brno, Česká republika / Czech Republic

CERTIFIKÁT / CERTIFICATE

nařízení vlády č. 117/2016 Sb. a směrnice 2014/30/EU (Elektromagnetická kompatibilita)
Government Regulation 117/2016 Coll. and Directive 2014/30/EU (Electromagnetic compatibility)

Číslo:
Number **E-30-00677-18**

Držitel certifikátu:
Owner of Certificate

Gassero Isı Teknolojileri Sanayi Limited Şirketi
İstanbul Endüstri ve Ticaret Serbest Bölgesi (FREE ZONE)
4. Sokak, Parsel No. 110, 34957 Tuzla, İstanbul
Turecko – Turkey

Výrobce:
Manufacturer

Gassero Isı Teknolojileri Sanayi Limited Şirketi
İstanbul Endüstri ve Ticaret Serbest Bölgesi (FREE ZONE)
4. Sokak, Parsel No. 110, 34957 Tuzla, İstanbul
Turecko – Turkey

Výrobky:
Products

Kondenzační teplovodní kotel na zemní plyn (G20)
Condensing hot-water boiler burning natural gas (G20)

Typ/Model:
Type/Model

Gassero, Blandens, Meksis, Cropina, Scirocco, Strada,
Scopula, Exinox, Firefox, Baccara, Expanse, Schahane,
Rinnai, MHG Gassero
viz 2. strana / see Page 2

Aplikované normy:
Standards applied

ČSN EN 61000-3-2 ed.4:2015, ČSN EN 61000-3-3 ed.3:2014,
ČSN EN 61000-6-3 ed.2:2007, ČSN EN 55014-1 ed.3:2007,
ČSN EN 55014-2 ed.2:2017

Podklad pro vydání certifikátu:
Basis of Certificate issuance

Závěrečný protokol č. 30-13500/E ze dne 2018-05-31
Final Report 30-13500/E of 2018-05-31

Certifikát platí do:
Certificate valid until

2023-05-30

Strojírenský zkušební ústav, s.p., potvrzuje, že výše uvedené výrobky jsou ve shodě se základními technickými požadavky stanovenými v příloze 1 a že technická dokumentace odpovídá příloze 2 k nařízení vlády č. 117/2016 Sb. (odpovídá příloze I a II směrnice Evropského parlamentu a Rady 2014/30/EU). Výsledky přezkoumání technické dokumentace, údaje potřebné k identifikaci výše uvedených výrobků a závěry přezkoušení jsou obsaženy v závěrečném protokolu. Pravidla pro nakládání s certifikátem jsou uvedena na 3. straně.

Strojírenský zkušební ústav, s.p., Engineering Test Institute, Public Enterprise, hereby confirms that the above-mentioned products are in conformity with the essential technical requirements set forth in Annex 1 and that the technical documentation conforms to Annex 2 of Government Regulation 117/2016 Coll. (corresponding to Annex I and Annex II of Directive 2014/30/EU of the European Parliament and of the Council). The results of the technical documentation review, the data necessary for identification of the above-mentioned products and the conclusions drawn from testing are contained in the Final Report. The rules for using the Certificate are specified on Page 3.

Použité certifikační schéma: ČSN EN ISO/IEC 17067:2014, schéma 1a.
Product certification scheme applied: ČSN EN ISO/IEC 17067:2014, Scheme 1a.

Brno, 2018-05-31

E-30-00677-18 Strana - Page 1/3



Ing. Aleš Onderek
zástupce ředitele
Deputy Director



Strojírenský zkušební ústav, s.p., Hudcova 424/56b, 621 00 Brno, Česká republika
Engineering Test Institute, public enterprise, Hudcova 424/56b, 621 00 Brno, Czech Republic

www.szutest.cz



Specification of the boilers:

Brand	Gassero	Blaudens	Meksis	Cropina	Scirocco	Strada
Model	Wallcon X-treme 42	Innodens X-treme 42	MKDT X-treme 42	Cropina Wall X-treme 42	Scirocco Wall X-treme 42	Strada Wall X-treme 42
Model	Wallcon X-treme 50	Innodens X-treme 50	MKDT X-treme 50	Cropina Wall X-treme 50	Scirocco Wall X-treme 50	Strada Wall X-treme 50
Model	Wallcon X-treme 67	Innodens X-treme 67	MKDT X-treme 67	Cropina Wall X-treme 67	Scirocco Wall X-treme 67	Strada Wall X-treme 67
Model	Wallcon X-treme 115	Innodens X-treme 115	MKDT X-treme 115	Cropina Wall X-treme 115	Scirocco Wall X-treme 115	Strada Wall X-treme 115
Model	Wallcon X-treme 125	Innodens X-treme 125	MKDT X-treme 125	Cropina Wall X-treme 125	Scirocco Wall X-treme 125	Strada Wall X-treme 125
Model	Wallcon X-treme 150	Innodens X-treme 150	MKDT X-treme 150	Cropina Wall X-treme 150	Scirocco Wall X-treme 150	Strada Wall X-treme 150
Model	Wallcon 42	Innodens 42	MKDT 42	Cropina Wall 42	Scirocco Wall 42	Strada Wall 42
Model	Wallcon 50	Innodens 50	MKDT 50	Cropina Wall 50	Scirocco Wall 50	Strada Wall 50
Model	Wallcon 67	Innodens 67	MKDT 67	Cropina Wall 67	Scirocco Wall 67	Strada Wall 67
Model	Wallcon 115	Innodens 115	MKDT 115	Cropina Wall 115	Scirocco Wall 115	Strada Wall 115
Model	Wallcon 125	Innodens 125	MKDT 125	Cropina Wall 125	Scirocco Wall 125	Strada Wall 125
Model	Wallcon 150	Innodens 150	MKDT 150	Cropina Wall 150	Scirocco Wall 150	Strada Wall 150

Brand	Scopula	Exinox	Firefox	Baccara	Expanse	Schahane
Model	Scopula Wall X-treme 42	Exinox Wall X-treme 42	Firefox Wall X-treme 42	Baccara Wall X-treme 42	Expanse Wall X-treme 42	Schahane Wall X-treme 42
Model	Scopula Wall X-treme 50	Exinox Wall X-treme 50	Firefox Wall X-treme 50	Baccara Wall X-treme 50	Expanse Wall X-treme 50	Schahane Wall X-treme 50
Model	Scopula Wall X-treme 67	Exinox Wall X-treme 67	Firefox Wall X-treme 67	Baccara Wall X-treme 67	Expanse Wall X-treme 67	Schahane Wall X-treme 67
Model	Scopula Wall X-treme 115	Exinox Wall X-treme 115	Firefox Wall X-treme 115	Baccara Wall X-treme 115	Expanse Wall X-treme 115	Schahane Wall X-treme 115
Model	Scopula Wall X-treme 125	Exinox Wall X-treme 125	Firefox Wall X-treme 125	Baccara Wall X-treme 125	Expanse Wall X-treme 125	Schahane Wall X-treme 125
Model	Scopula Wall X-treme 150	Exinox Wall X-treme 150	Firefox Wall X-treme 150	Baccara Wall X-treme 150	Expanse Wall X-treme 150	Schahane Wall X-treme 150
Model	Scopula Wall 42	Exinox Wall 42	Firefox Wall 42	Baccara Wall 42	Expanse Wall 42	Schahane Wall 42
Model	Scopula Wall 50	Exinox Wall 50	Firefox Wall 50	Baccara Wall 50	Expanse Wall 50	Schahane Wall 50
Model	Scopula Wall 67	Exinox Wall 67	Firefox Wall 67	Baccara Wall 67	Expanse Wall 67	Schahane Wall 67
Model	Scopula Wall 115	Exinox Wall 115	Firefox Wall 115	Baccara Wall 115	Expanse Wall 115	Schahane Wall 115
Model	Scopula Wall 125	Exinox Wall 125	Firefox Wall 125	Baccara Wall 125	Expanse Wall 125	Schahane Wall 125
Model	Scopula Wall 150	Exinox Wall 150	Firefox Wall 150	Baccara Wall 150	Expanse Wall 150	Schahane Wall 150

Brand	Rinnai	MHG Gassero
Model	AIM X-treme 42 M	Wallcon X-treme 42
Model	AIM X-treme 50 M	Wallcon X-treme 50
Model	AIM X-treme 67 M	Wallcon X-treme 67
Model	AIM X-treme 115 M	Wallcon X-treme 115
Model	AIM X-treme 125 M	Wallcon X-treme 125
Model	AIM X-treme 150 M	Wallcon X-treme 150
Model	AIM 42 M	Wallcon 42
Model	AIM 50 M	Wallcon 50
Model	AIM 67 M	Wallcon 67
Model	AIM 115 M	Wallcon 115
Model	AIM 125 M	Wallcon 125
Model	AIM 150 M	Wallcon 150



PRAVIDLA PRO NAKLÁDÁNÍ S CERTIFIKÁTEM

Splnění požadavků nařízení vlády č. 118/2016 Sb. (směrnice 2014/35/EU) bylo odvozeno ze splnění požadavků použitých norem, které jsou uvedeny na 1. straně certifikátu. Novelizace některého z uvedených normativních dokumentů, zejména novelizace norem nebo vydání nových norem, může změnit skutečnosti, za kterých byl certifikát vydán. V takovém případě je třeba použitelnost certifikátu přezkoumat.

Certifikát se může používat pouze jako certifikát výrobků, jejichž specifikace je uvedena na 1. a 2. straně. To platí i pro použití v reklamních, propagačních a komerčních materiálech. Neoprávněné nebo klamavé použití certifikátu může být sankcionováno.

Je zakázáno měnit, doplňovat nebo přepisovat údaje v certifikátu.

Certifikátem nelze dokládat vlastnosti výrobků, u nichž byla provedena bez souhlasu Strojírenského zkušebního ústavu, s.p., změna ovlivňující shodu s použitými normami a technickými předpisy.

Certifikační orgán požaduje, aby držitel certifikátu vedl záznamy o všech stížnostech a opatřeních k nápravě, které se týkají výrobků, na něž se vztahuje tento certifikát.

RULES FOR USING THE CERTIFICATE

Fulfilment of the requirements of Government Regulation 118/2016 Coll. (Directive 2014/35/EU) has been derived from fulfilment of the requirements of the standards applied, as specified on Page 1 of the Certificate. Amendments to any of the normative documents listed, in particular amendments to the standards or issuance of new standards may change the circumstances under which the Certificate was issued. In such a case, the usability of the Certificate must be reviewed.

The Certificate may only be used as a certificate for the products specified on Page 1 and 2. This also applies to its use in advertising, promotional and commercial materials. Unauthorised or deceptive use of the Certificate may be sanctioned.

It is prohibited to change, amend or overwrite the data contained in the Certificate.

The Certificate may not be used for documenting the properties of the products changed without the consent of the Engineering Test Institute in such a way that the conformity with the standards and technical regulations applied has been affected.

The Certification Body requires the Certificate holder to keep records of all the complaints and corrective actions relating to the products covered by this Certificate.





Strojírenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise)

Certifikační orgán certifikující produkty / Product Certification Body
Hudcova 424/56b, 621 00 Brno, Česká republika / Czech Republic

CERTIFIKÁT / CERTIFICATE

nařízení vlády č. 118/2016 Sb. a směrnice 2014/35/EU (Nízké napětí)
Government Regulation 118/2016 Coll. and Directive 2014/35/EU (Low voltage)

Číslo:
Number **E-30-00676-18**

Držitel certifikátu:
Owner of Certificate

Gassero Isı Teknolojileri Sanayi Limited Şirketi
İstanbul Endüstri ve Ticaret Serbest Bölgesi (FREE ZONE)
4. Sokak, Parsel No. 110, 34957 Tuzla, İstanbul
Turecko – Turkey

Výrobce:
Manufacturer

Gassero Isı Teknolojileri Sanayi Limited Şirketi
İstanbul Endüstri ve Ticaret Serbest Bölgesi (FREE ZONE)
4. Sokak, Parsel No. 110, 34957 Tuzla, İstanbul
Turecko – Turkey

Výrobky:
Products

Kondenzační teplovodní kotel na zemní plyn (G20)
Condensing hot-water boiler burning natural gas (G20)

Typ/Model:
Type/Model

Gassero, Blandens, Meksis, Cropina, Scirocco, Strada,
Scopula, Exinox, Firefox, Baccara, Expanse, Schahane,
Rinnai, MHG Gassero
viz 2. strana / see Page 2

Aplikované normy:
Standards applied

ČSN EN 60335-1 ed.3:2012, ČSN EN 60335-2-102:2007,
ČSN EN 62233:2008

Podklad pro vydání certifikátu:
Basis of Certificate issuance

Závěrečný protokol č. 30-13500/E ze dne 2018-05-31
Final Report 30-13500/E of 2018-05-31

Certifikát platí do:
Certificate valid until

2023-05-30

Strojírenský zkušební ústav, s.p., potvrzuje, že výše uvedené výrobky jsou ve shodě se základními technickými požadavky stanovenými v příloze 1 a že technická dokumentace odpovídá příloze 3 k nařízení vlády č. 118/2016 Sb. (odpovídá příloze I a III směrnice Evropského parlamentu a Rady 2014/35/EU). Výsledky přezkoumání technické dokumentace, údaje potřebné k identifikaci výše uvedených výrobků a závěry přezkoušení jsou obsaženy v závěrečném protokolu. Pravidla pro nakládání s certifikátem jsou uvedena na 3. straně.

Strojírenský zkušební ústav, s.p., Engineering Test Institute, Public Enterprise, hereby confirms that the above-mentioned products are in conformity with the essential technical requirements set forth in Annex 1 and that the technical documentation conforms to Annex 3 of Government Regulation 118/2016 Coll. (corresponding to Annex I and Annex III of Directive 2014/35/EU of the European Parliament and of the Council). The results of the technical documentation review, the data necessary for identification of the above-mentioned products and the conclusions drawn from testing are contained in the Final Report. The rules for using the Certificate are specified on Page 3.

Použité certifikační schéma: ČSN EN ISO/IEC 17067:2014, schéma 1a.
Product certification scheme applied: ČSN EN ISO/IEC 17067:2014, Scheme 1a.

Brno, 2018-05-31

E-30-00676-18 Strana - Page 1/3




Ing. Aleš Onderek
zástupce ředitele
Deputy Director





Specification of the boilers:

Brand	Gassero	Blaudens	Meksis	Cropina	Scirocco	Strada
Model	Wallcon X-treme 42	Innodens X-treme 42	MKDT X-treme 42	Cropina Wall X-treme 42	Scirocco Wall X-treme 42	Strada Wall X-treme 42
Model	Wallcon X-treme 50	Innodens X-treme 50	MKDT X-treme 50	Cropina Wall X-treme 50	Scirocco Wall X-treme 50	Strada Wall X-treme 50
Model	Wallcon X-treme 67	Innodens X-treme 67	MKDT X-treme 67	Cropina Wall X-treme 67	Scirocco Wall X-treme 67	Strada Wall X-treme 67
Model	Wallcon X-treme 115	Innodens X-treme 115	MKDT X-treme 115	Cropina Wall X-treme 115	Scirocco Wall X-treme 115	Strada Wall X-treme 115
Model	Wallcon X-treme 125	Innodens X-treme 125	MKDT X-treme 125	Cropina Wall X-treme 125	Scirocco Wall X-treme 125	Strada Wall X-treme 125
Model	Wallcon X-treme 150	Innodens X-treme 150	MKDT X-treme 150	Cropina Wall X-treme 150	Scirocco Wall X-treme 150	Strada Wall X-treme 150
Model	Wallcon 42	Innodens 42	MKDT 42	Cropina Wall 42	Scirocco Wall 42	Strada Wall 42
Model	Wallcon 50	Innodens 50	MKDT 50	Cropina Wall 50	Scirocco Wall 50	Strada Wall 50
Model	Wallcon 67	Innodens 67	MKDT 67	Cropina Wall 67	Scirocco Wall 67	Strada Wall 67
Model	Wallcon 115	Innodens 115	MKDT 115	Cropina Wall 115	Scirocco Wall 115	Strada Wall 115
Model	Wallcon 125	Innodens 125	MKDT 125	Cropina Wall 125	Scirocco Wall 125	Strada Wall 125
Model	Wallcon 150	Innodens 150	MKDT 150	Cropina Wall 150	Scirocco Wall 150	Strada Wall 150

Brand	Scopula	Exinox	Firefox	Baccara	Expanse	Schahane
Model	Scopula Wall X-treme 42	Exinox Wall X-treme 42	Firefox Wall X-treme 42	Baccara Wall X-treme 42	Expanse Wall X-treme 42	Schahane Wall X-treme 42
Model	Scopula Wall X-treme 50	Exinox Wall X-treme 50	Firefox Wall X-treme 50	Baccara Wall X-treme 50	Expanse Wall X-treme 50	Schahane Wall X-treme 50
Model	Scopula Wall X-treme 67	Exinox Wall X-treme 67	Firefox Wall X-treme 67	Baccara Wall X-treme 67	Expanse Wall X-treme 67	Schahane Wall X-treme 67
Model	Scopula Wall X-treme 115	Exinox Wall X-treme 115	Firefox Wall X-treme 115	Baccara Wall X-treme 115	Expanse Wall X-treme 115	Schahane Wall X-treme 115
Model	Scopula Wall X-treme 125	Exinox Wall X-treme 125	Firefox Wall X-treme 125	Baccara Wall X-treme 125	Expanse Wall X-treme 125	Schahane Wall X-treme 125
Model	Scopula Wall X-treme 150	Exinox Wall X-treme 150	Firefox Wall X-treme 150	Baccara Wall X-treme 150	Expanse Wall X-treme 150	Schahane Wall X-treme 150
Model	Scopula Wall 42	Exinox Wall 42	Firefox Wall 42	Baccara Wall 42	Expanse Wall 42	Schahane Wall 42
Model	Scopula Wall 50	Exinox Wall 50	Firefox Wall 50	Baccara Wall 50	Expanse Wall 50	Schahane Wall 50
Model	Scopula Wall 67	Exinox Wall 67	Firefox Wall 67	Baccara Wall 67	Expanse Wall 67	Schahane Wall 67
Model	Scopula Wall 115	Exinox Wall 115	Firefox Wall 115	Baccara Wall 115	Expanse Wall 115	Schahane Wall 115
Model	Scopula Wall 125	Exinox Wall 125	Firefox Wall 125	Baccara Wall 125	Expanse Wall 125	Schahane Wall 125
Model	Scopula Wall 150	Exinox Wall 150	Firefox Wall 150	Baccara Wall 150	Expanse Wall 150	Schahane Wall 150

Brand	Rinnai	MHG Gassero
Model	AIM X-treme 42 M	Wallcon X-treme 42
Model	AIM X-treme 50 M	Wallcon X-treme 50
Model	AIM X-treme 67 M	Wallcon X-treme 67
Model	AIM X-treme 115 M	Wallcon X-treme 115
Model	AIM X-treme 125 M	Wallcon X-treme 125
Model	AIM X-treme 150 M	Wallcon X-treme 150
Model	AIM 42 M	Wallcon 42
Model	AIM 50 M	Wallcon 50
Model	AIM 67 M	Wallcon 67
Model	AIM 115 M	Wallcon 115
Model	AIM 125 M	Wallcon 125
Model	AIM 150 M	Wallcon 150



PRAVIDLA PRO NAKLÁDÁNÍ S CERTIFIKÁTEM

Splnění požadavků nařízení vlády č. 117/2016 Sb. (směrnice 2014/30/EU) bylo odvozeno ze splnění požadavků použitých norem, které jsou uvedeny na 1. straně certifikátu. Novelizace některého z uvedených normativních dokumentů, zejména novelizace norem nebo vydání nových norem, může změnit skutečnosti, za kterých byl certifikát vydán. V takovém případě je třeba použitelnost certifikátu přezkoumat.

Certifikát se může používat pouze jako certifikát výrobků, jejichž specifikace je uvedena na 1. a 2. straně. To platí i pro použití v reklamních, propagačních a komerčních materiálech. Neoprávněné nebo klamavé použití certifikátu může být sankcionováno.

Je zakázáno měnit, doplňovat nebo přepisovat údaje v certifikátu.

Certifikátem nelze dokládat vlastnosti výrobků, u nichž byla provedena bez souhlasu Strojírenského zkušebního ústavu, s.p., změna ovlivňující shodu s použitými normami a technickými předpisy.

Certifikační orgán požaduje, aby držitel certifikátu vedl záznamy o všech stížnostech a opatřeních k nápravě, které se týkají výrobků, na něž se vztahuje tento certifikát.

RULES FOR USING THE CERTIFICATE

Fulfilment of the requirements of Government Regulation 117/2016 Coll. (Directive 2014/30/EU) has been derived from fulfilment of the requirements of the standards applied, as specified on Page 1 of the Certificate. Amendments to any of the normative documents listed, in particular amendments to the standards or issuance of new standards may change the circumstances under which the Certificate was issued. In such a case, the usability of the Certificate must be reviewed.

The Certificate may only be used as a certificate for the products specified on Page 1 and 2. This also applies to its use in advertising, promotional and commercial materials. Unauthorised or deceptive use of the Certificate may be sanctioned.

It is prohibited to change, amend or overwrite the data contained in the Certificate.

The Certificate may not be used for documenting the properties of the products changed without the consent of the Engineering Test Institute in such a way that the conformity with the standards and technical regulations applied has been affected.

The Certification Body requires the Certificate holder to keep records of all the complaints and corrective actions relating to the products covered by this Certificate.





Strojírenský zkušební ústav, s.p., Brno, Česká republika
Notifikovaná osoba 1015
Engineering Test Institute, Public Enterprise, Brno, Czech Republic
Notified Body 1015

CERTIFIKÁT ES PŘEZKOUŠENÍ TYPU **EC TYPE-EXAMINATION CERTIFICATE**

podle směrnice 92/42/EHS (účinnost teplovodních kotlů)
pursuant to Directive 92/42/EEC (Boiler efficiency)

Číslo:
Number: **E-30-00663-18**


Držitel certifikátu – výrobce: Owner of Certificate – Manufacturer:	Gassero Isı Teknolojileri Sanayi Limited Şirketi İstanbul Endüstri ve Ticaret Serbest Bölgesi (FREE ZONE) 4. Sokak, Parsel No. 110, 34957 Tuzla, İstanbul Turecko – Turkey
Výrobek: Product:	Kondenzační teplovodní kotel na zemní plyn (G20) Condensing hot-water boiler burning natural gas (G20)
Typové označení: Type designation:	Gassero, Blandens, Meksis, Cropina, Scirocco, Strada, Scopula, Exinox, Firefox, Baccara, Expanse, Schahane, Rinnai, MHG Gassero
Obchodní označení: Trade mark:	je uvedeno na 2. straně see Page 2
Podklad pro vydání certifikátu: Basis of Certificate issuance:	Závěrečný protokol č. 30-13500 ze dne 2018-05-31 Final Report 30-13500 of 2018-05-31

Strojírenský zkušební ústav, s.p., Notifikovaná osoba 1015, potvrzuje, že výše uvedené výrobky splňují požadavky na účinnost kotlů podle směrnice 92/42/EHS (nařízení vlády č. 25/2003 Sb.). Nedílnou součástí certifikátu je závěrečný protokol, který obsahuje závěry zkoušky, údaje pro identifikaci schváleného typu a seznam příslušné části technické dokumentace.

Strojírenský zkušební ústav, s.p. (Engineering Test Institute, Public Enterprise), Notified body 1015, hereby confirms that the above-mentioned products fulfil the efficiency requirements for boilers according to Directive 92/42/EEC (Government Regulation 25/2003 Coll.). An integral part of the Certificate is the Final Report comprising verification findings, data on the approved type identification and the list of the relevant part of the technical documentation.

Brno, 2018-05-31




Ing. Aleš Onderek
zástupce ředitele
Deputy Director

E-30-00663-18, strana – page 1 (2)

Strojírenský zkušební ústav, s.p., Hudcova 424/56b, 621 00 Brno, Česká republika
Engineering Test Institute, public enterprise, Hudcova 424/56b, 621 00 Brno, Czech Republic

www.szutest.cz



Specification of the boilers:

Brand	Gassero	Blaudens	Meksis	Cropina	Scirocco	Strada
Model	Wallcon X-treme 42	Innodens X-treme 42	MKDT X-treme 42	Cropina Wall X-treme 42	Scirocco Wall X-treme 42	Strada Wall X-treme 42
Model	Wallcon X-treme 50	Innodens X-treme 50	MKDT X-treme 50	Cropina Wall X-treme 50	Scirocco Wall X-treme 50	Strada Wall X-treme 50
Model	Wallcon X-treme 67	Innodens X-treme 67	MKDT X-treme 67	Cropina Wall X-treme 67	Scirocco Wall X-treme 67	Strada Wall X-treme 67
Model	Wallcon X-treme 115	Innodens X-treme 115	MKDT X-treme 115	Cropina Wall X-treme 115	Scirocco Wall X-treme 115	Strada Wall X-treme 115
Model	Wallcon X-treme 125	Innodens X-treme 125	MKDT X-treme 125	Cropina Wall X-treme 125	Scirocco Wall X-treme 125	Strada Wall X-treme 125
Model	Wallcon X-treme 150	Innodens X-treme 150	MKDT X-treme 150	Cropina Wall X-treme 150	Scirocco Wall X-treme 150	Strada Wall X-treme 150
Model	Wallcon 42	Innodens 42	MKDT 42	Cropina Wall 42	Scirocco Wall 42	Strada Wall 42
Model	Wallcon 50	Innodens 50	MKDT 50	Cropina Wall 50	Scirocco Wall 50	Strada Wall 50
Model	Wallcon 67	Innodens 67	MKDT 67	Cropina Wall 67	Scirocco Wall 67	Strada Wall 67
Model	Wallcon 115	Innodens 115	MKDT 115	Cropina Wall 115	Scirocco Wall 115	Strada Wall 115
Model	Wallcon 125	Innodens 125	MKDT 125	Cropina Wall 125	Scirocco Wall 125	Strada Wall 125
Model	Wallcon 150	Innodens 150	MKDT 150	Cropina Wall 150	Scirocco Wall 150	Strada Wall 150

Brand	Scopula	Exinox	Firefox	Baccara	Expanse	Schahane
Model	Scopula Wall X-treme 42	Exinox Wall X-treme 42	Firefox Wall X-treme 42	Baccara Wall X-treme 42	Expanse Wall X-treme 42	Schahane Wall X-treme 42
Model	Scopula Wall X-treme 50	Exinox Wall X-treme 50	Firefox Wall X-treme 50	Baccara Wall X-treme 50	Expanse Wall X-treme 50	Schahane Wall X-treme 50
Model	Scopula Wall X-treme 67	Exinox Wall X-treme 67	Firefox Wall X-treme 67	Baccara Wall X-treme 67	Expanse Wall X-treme 67	Schahane Wall X-treme 67
Model	Scopula Wall X-treme 115	Exinox Wall X-treme 115	Firefox Wall X-treme 115	Baccara Wall X-treme 115	Expanse Wall X-treme 115	Schahane Wall X-treme 115
Model	Scopula Wall X-treme 125	Exinox Wall X-treme 125	Firefox Wall X-treme 125	Baccara Wall X-treme 125	Expanse Wall X-treme 125	Schahane Wall X-treme 125
Model	Scopula Wall X-treme 150	Exinox Wall X-treme 150	Firefox Wall X-treme 150	Baccara Wall X-treme 150	Expanse Wall X-treme 150	Schahane Wall X-treme 150
Model	Scopula Wall 42	Exinox Wall 42	Firefox Wall 42	Baccara Wall 42	Expanse Wall 42	Schahane Wall 42
Model	Scopula Wall 50	Exinox Wall 50	Firefox Wall 50	Baccara Wall 50	Expanse Wall 50	Schahane Wall 50
Model	Scopula Wall 67	Exinox Wall 67	Firefox Wall 67	Baccara Wall 67	Expanse Wall 67	Schahane Wall 67
Model	Scopula Wall 115	Exinox Wall 115	Firefox Wall 115	Baccara Wall 115	Expanse Wall 115	Schahane Wall 115
Model	Scopula Wall 125	Exinox Wall 125	Firefox Wall 125	Baccara Wall 125	Expanse Wall 125	Schahane Wall 125
Model	Scopula Wall 150	Exinox Wall 150	Firefox Wall 150	Baccara Wall 150	Expanse Wall 150	Schahane Wall 150

Brand	Rinnai	MHG Gassero
Model	AIM X-treme 42 M	Wallcon X-treme 42
Model	AIM X-treme 50 M	Wallcon X-treme 50
Model	AIM X-treme 67 M	Wallcon X-treme 67
Model	AIM X-treme 115 M	Wallcon X-treme 115
Model	AIM X-treme 125 M	Wallcon X-treme 125
Model	AIM X-treme 150 M	Wallcon X-treme 150
Model	AIM 42 M	Wallcon 42
Model	AIM 50 M	Wallcon 50
Model	AIM 67 M	Wallcon 67
Model	AIM 115 M	Wallcon 115
Model	AIM 125 M	Wallcon 125
Model	AIM 150 M	Wallcon 150

