

EC Design-Examination Certificate

Directive 93/42/EEC on Medical Devices, Annex II Section 4

No. CE 546072
Issued To: **Zimmer Inc.**
1800 W. Center Street
Warsaw
Indiana
46580
USA

In respect of:

Continuum® Acetabular System
Trilogy® IT Acetabular System
Longevity® IT HXPE Liners
Vivacit-E® Vitamin E HXPE Liners

BSI has performed a design examination on the above devices in accordance with the Council Directive 93/42/EEC, Annex II Section 4 and Commission Directive 2005/50/EC. The design conforms to the requirements of 93/42/EEC. For marketing of these products an additional Annex II excluding Section 4 certificate is required.

For and on behalf of BSI, a Notified Body for the above Directive (Notified Body Number 2797):



Gary E Slack, Senior Vice President Medical Devices

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 1 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780
BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.
A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® IT Neutral Liners	
00-8751-006-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size EE Size EE/28 mm I.D. For Use with EE Shells
00-8751-007-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size FF Size FF/28 mm I.D. For Use with FF Shells
00-8751-008-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size GG Size GG/28 mm I.D. For Use with GG Shells
00-8751-008-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size GG Size GG/32 mm I.D. For Use with GG Shells
00-8751-009-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size HH Size HH/28 mm I.D. For Use with HH Shells
00-8751-009-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size HH Size HH/32 mm I.D. For Use with HH Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 2 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8751-010-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size II Size II/28 mm I.D. For Use with II Shells
00-8751-010-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size II Size II/32 mm I.D. For Use with II Shells
00-8751-010-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size II Size II/36 mm I.D. For Use with II Shells
00-8751-011-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size JJ Size JJ/28 mm I.D. For Use with JJ Shells
00-8751-011-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size JJ Size JJ/32 mm I.D. For Use with JJ Shells
00-8751-011-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size JJ Size JJ/36 mm I.D. For Use with JJ Shells
00-8751-012-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size KK Size KK/28 mm I.D. For Use with KK Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 3 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8751-012-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size KK Size KK/32 mm I.D. For Use with KK Shells
00-8751-012-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size KK Size KK/36 mm I.D. For Use with KK Shells
00-8751-012-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size KK Size KK/40 mm I.D. For Use with KK Shells
00-8751-013-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size LL Size LL/28 mm I.D. For Use with LL Shells
00-8751-013-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size LL Size LL/32 mm I.D. For Use with LL Shells
00-8751-013-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size LL Size LL/36 mm I.D. For Use with LL Shells
00-8751-013-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size LL Size LL/40 mm I.D. For Use with LL Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 4 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8751-014-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size MM Size MM/28 mm I.D. For Use with MM Shells
00-8751-014-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size MM Size MM/32 mm I.D. For Use with MM Shells
00-8751-014-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size MM Size MM/36 mm I.D. For Use with MM Shells
00-8751-014-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size MM Size MM/40 mm I.D. For Use with MM Shells
00-8751-015-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size NN Size NN/28 mm I.D. For Use with NN Shells
00-8751-015-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size NN Size NN/32 mm I.D. For Use with NN Shells
00-8751-015-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size NN Size NN/36 mm I.D. For Use with NN Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 5 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8751-015-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size NN Size NN/40 mm I.D. For Use with NN Shells
00-8751-016-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size OO Size OO/28 mm I.D. For Use with OO Shells
00-8751-016-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size OO Size OO/32 mm I.D. For Use with OO Shells
00-8751-016-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size OO Size OO/36 mm I.D. For Use with OO Shells
00-8751-016-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size OO Size OO/40 mm I.D. For Use with OO Shells
00-8751-017-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size PP Size PP/28 mm I.D. For Use with PP Shells
00-8751-017-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size PP Size PP/32 mm I.D. For Use with PP Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 6 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8751-017-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size PP Size PP/36 mm I.D. For Use with PP Shells
00-8751-017-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size PP Size PP/40 mm I.D. For Use with PP Shells
00-8751-018-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 28 mm I.D. Size QU Size QU/28 mm I.D. For Use with QU Shells
00-8751-018-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size QU Size QU/32 mm I.D. For Use with QU Shells
00-8751-018-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size QU Size QU/36 mm I.D. For Use with QU Shells
00-8751-018-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size QU Size QU/40 mm I.D. For Use with QU Shells
00-8751-019-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size RR Size RR/32 mm I.D. For Use with RR Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 7 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8751-019-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size RR Size RR/36 mm I.D. For Use with RR Shells
00-8751-019-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size RR Size RR/40 mm I.D. For Use with RR Shells
00-8751-020-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size SS Size SS/32 mm I.D. For Use with SS Shells
00-8751-020-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size SS Size SS/36 mm I.D. For Use with SS Shells
00-8751-020-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size SS Size SS/40 mm I.D. For Use with SS Shells
00-8751-021-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size TT Size TT/32 mm I.D. For Use with TT Shells
00-8751-021-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size TT Size TT/36 mm I.D. For Use with TT Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 8 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8751-021-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size TT Size TT/40 mm I.D. For Use with TT Shells
00-8751-022-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size UU Size UU/32 mm I.D. For Use with UU Shells
00-8751-022-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size UUSize UU/36 mm I.D. For Use with UU Shells
00-8751-022-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size UU Size UU/40 mm I.D. For Use with UU Shells
00-8751-023-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 32 mm I.D. Size VV Size VV/32 mm I.D. For Use with VV Shells
00-8751-023-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 36 mm I.D. Size VV Size VV/36 mm I.D. For Use with VV Shells
00-8751-023-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner Neutral 40 mm I.D. Size VV Size VV/40 mm I.D. For Use with VV Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 9 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
Trilogy® IT Acetabular System Shell	
00-8753-040-02	Trilogy® IT Acetabular System Shell with Multi Holes Porous 40 mm O.D. Size CC for use with CC Liners
00-8753-042-02	Trilogy® IT Acetabular System Shell with Multi Holes Porous 42 mm O.D. Size DD for use with DD Liners
00-8753-044-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 44 mm O.D. Size EE For Use With EE Liners
00-8753-044-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 44 mm O.D. Size EE For Use With EE Liners
00-8753-046-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 46 mm O.D. Size FF For Use With FF Liners
00-8753-046-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 46 mm O.D. Size FF For Use With FF Liners
00-8753-048-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 48 mm O.D. Size GG For Use With GG Liners
00-8753-048-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 48 mm O.D. Size GG For Use With GG Liners
00-8753-050-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 50 mm O.D. Size HH For Use With HH Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 10 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8753-050-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 50 mm O.D. Size HH For Use With HH Liners
00-8753-052-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 52 mm O.D. Size II For Use With II Liners
00-8753-052-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 52 mm O.D. Size II For Use With II Liners
00-8753-054-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 54 mm O.D. Size JJ For Use With JJ Liners
00-8753-054-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 54 mm O.D. Size JJ For Use With JJ Liners
00-8753-056-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 56 mm O.D. Size KK For Use With KK Liners
00-8753-056-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 56 mm O.D. Size KK For Use With KK Liners
00-8753-058-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 58 mm O.D. Size LL For Use With LL Liners
00-8753-058-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 58 mm O.D. Size LL For Use With LL Liners
00-8753-060-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 60 mm O.D. Size MM For Use With MM Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 11 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8753-060-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 60 mm O.D. Size MM For Use With MM Liners
00-8753-062-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 62 mm O.D. Size NN For Use With NN Liners
00-8753-062-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 62 mm O.D. Size NN For Use With NN Liners
00-8753-064-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 64 mm O.D. Size OO For Use With OO Liners
00-8753-064-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 64 mm O.D. Size OO For Use With OO Liners
00-8753-066-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 66 mm O.D. Size PP For Use With PP Liners
00-8753-066-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 66 mm O.D. Size PP For Use With PP Liners
00-8753-068-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 68 mm O.D. Size QU For Use With QU Liners
00-8753-068-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 68 mm O.D. Size QU For Use With QU Liners
00-8753-070-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 70 mm O.D. Size RR For Use With RR Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 12 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8753-070-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 70 mm O.D. Size RR For Use With RR Liners
00-8753-072-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 72 mm O.D. Size SS For Use With SS Liners
00-8753-072-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 72 mm O.D. Size SS For Use With SS Liners
00-8753-074-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous 74 mm O.D. Size TT For Use With TT Liners
00-8753-074-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous 74 mm O.D. Size TT For Use With TT Liners
Continuum® Acetabular System Trabecular Metal™ Shell	
00-8757-040-00	Continuum® Acetabular System Trabecular Metal Shell with Uni-Hole Porous 40 mm O.D. Size CC for use with CC Liners
00-8757-040-02	Continuum® Acetabular System Trabecular Metal Shell with Multi Holes Porous 40 mm O.D. Size CC for use with CC Liners
00-8757-042-00	Continuum® Acetabular System Trabecular Metal Shell with Uni-Hole Porous 42 mm O.D. Size DD for use with DD Liners
00-8757-042-02	Continuum® Acetabular System Trabecular Metal Shell with Multi Holes Porous 42 mm O.D. Size DD for use with DD Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 13 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8757-044-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 44 mm O.D. Size EE For Use With EE Liners
00-8757-044-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 44 mm O.D. Size EE For Use With EE Liners
00-8757-044-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 44 mm O.D. Size EE For Use With EE Liners
00-8757-046-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 46 mm O.D. Size FF For Use With FF Liners
00-8757-046-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 46 mm O.D. Size FF For Use With FF Liners
00-8757-046-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 46 mm O.D. Size FF For Use With FF Liners
00-8757-048-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 48 mm O.D. Size GG For Use With GG Liners
00-8757-048-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 48 mm O.D. Size GG For Use With GG Liners
00-8757-048-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 48 mm O.D. Size GG For Use With GG Liners
00-8757-050-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 50 mm O.D. Size HH For Use With HH Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 14 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8757-050-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 50 mm O.D. Size HH For Use With HH Liners
00-8757-050-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 50 mm O.D. Size HH For Use With HH Liners
00-8757-052-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 52 mm O.D. Size II For Use With II Liners
00-8757-052-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 52 mm O.D. Size II For Use With II Liners
00-8757-052-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 52 mm O.D. Size II For Use With II Liners
00-8757-054-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 54 mm O.D. Size JJ For Use With JJ Liners
00-8757-054-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 54 mm O.D. Size JJ For Use With JJ Liners
00-8757-054-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 54 mm O.D. Size JJ For Use With JJ Liners
00-8757-056-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 56 mm O.D. Size KK For Use With KK Liners
00-8757-056-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 56 mm O.D. Size KK For Use With KK Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 15 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8757-056-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 56 mm O.D. Size KK For Use With KK Liners
00-8757-058-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 58 mm O.D. Size LL For Use With LL Liners
00-8757-058-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 58 mm O.D. Size LL For Use With LL Liners
00-8757-058-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 58 mm O.D. Size LL For Use With LL Liners
00-8757-060-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 60 mm O.D. Size MM For Use With MM Liners
00-8757-060-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 60 mm O.D. Size MM For Use With MM Liners
00-8757-060-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 60 mm O.D. Size MM For Use With MM Liners
00-8757-062-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 62 mm O.D. Size NN For Use With NN Liners
00-8757-062-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 62 mm O.D. Size NN For Use With NN Liners
00-8757-062-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 62 mm O.D. Size NN For Use With NN Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 16 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8757-064-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 64 mm O.D. Size OO For Use With OO Liners
00-8757-064-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 64 mm O.D. Size OO For Use With OO Liners
00-8757-064-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 64 mm O.D. Size OO For Use With OO Liners
00-8757-066-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 66 mm O.D. Size PP For Use With PP Liners
00-8757-066-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 66 mm O.D. Size PP For Use With PP Liners
00-8757-066-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 66 mm O.D. Size PP For Use With PP Liners
00-8757-068-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 68 mm O.D. Size QU For Use With QU Liners
00-8757-068-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 68 mm O.D. Size QU For Use With QU Liners
00-8757-068-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 68 mm O.D. Size QU For Use With QU Liners
00-8757-070-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 70 mm O.D. Size RR For Use With RR Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 17 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8757-070-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 70 mm O.D. Size RR For Use With RR Liners
00-8757-070-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 70 mm O.D. Size RR For Use With RR Liners
00-8757-072-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 72 mm O.D. Size SS For Use With SS Liners
00-8757-072-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 72 mm O.D. Size SS For Use With SS Liners
00-8757-072-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 72 mm O.D. Size SS For Use With SS Liners
00-8757-074-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 74 mm O.D. Size TT For Use With TT Liners
00-8757-074-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 74 mm O.D. Size TT For Use With TT Liners
00-8757-074-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 74 mm O.D. Size TT For Use With TT Liners
00-8757-076-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 76 mm O.D. Size UU For Use With UU Liners
00-8757-076-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 76 mm O.D. Size UU For Use With UU Liners

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 18 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8757-076-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 76 mm O.D. Size UU For Use With UU Liners
00-8757-078-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 78 mm O.D. Size VV For Use With VV Liners
00-8757-078-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 78 mm O.D. Size VV For Use With VV Liners
00-8757-078-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 78 mm O.D. Size VV For Use With VV Liners
00-8757-080-00	Continuum® Acetabular System Trabecular Metal™ Shell, With Uni-Hole, Porous 80 mm O.D. Size VV For Use With VV Liners
00-8757-080-01	Continuum® Acetabular System Trabecular Metal™ Shell, With Cluster Holes, Porous 80 mm O.D. Size VV For Use With VV Liners
00-8757-080-02	Continuum® Acetabular System Trabecular Metal™ Shell, With Multi Holes, Porous 80 mm O.D. Size VV For Use With VV Liners
Trilogy® IT Acetabular System Shell with HA/TCP Coating	
65-8753-040-02	Trilogy® IT Acetabular System Shell with Multi Holes Porous 40 mm O.D. Size CC for use with CC Liners w/Calcicoat® Ceramic Coating
65-8753-042-02	Trilogy® IT Acetabular System Shell with Multi Holes Porous 42 mm O.D. Size DD for use with DD Liners w/Calcicoat® Ceramic Coating

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 19 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
65-8753-044-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 44 mm O.D., Size EE For Use With EE Liners, w/Calcicoat® Ceramic Coating
65-8753-044-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 44 mm O.D., Size EE For Use With EE Liners, w/Calcicoat® Ceramic Coating
65-8753-046-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 46 mm O.D., Size FF For Use With FF Liners, w/Calcicoat® Ceramic Coating
65-8753-046-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 46 mm O.D., Size FF For Use With FF Liners, w/Calcicoat® Ceramic Coating
65-8753-048-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 48 mm O.D., Size GG For Use With GG Liners, w/Calcicoat® Ceramic Coating
65-8753-048-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 48 mm O.D., Size GG For Use With GG Liners, w/Calcicoat® Ceramic Coating
65-8753-050-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 50 mm O.D., Size HH For Use With HH Liners, w/Calcicoat® Ceramic Coating
65-8753-050-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 50 mm O.D., Size HH For Use With HH Liners, w/Calcicoat® Ceramic Coating
65-8753-052-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 52 mm O.D., Size II For Use With II Liners, w/Calcicoat® Ceramic Coating
65-8753-052-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 52 mm O.D., Size II For Use With II Liners, w/Calcicoat® Ceramic Coating

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 20 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
65-8753-054-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 54 mm O.D., Size JJ For Use With JJ Liners, w/Calcicoat® Ceramic Coating
65-8753-054-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 54 mm O.D., Size JJ For Use With JJ Liners, w/Calcicoat® Ceramic Coating
65-8753-056-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 56 mm O.D., Size KK For Use With KK Liners, w/Calcicoat® Ceramic Coating
65-8753-056-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 56 mm O.D., Size KK For Use With KK Liners, w/Calcicoat® Ceramic Coating
65-8753-058-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 58 mm O.D., Size LL For Use With LL Liners, w/Calcicoat® Ceramic Coating
65-8753-058-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 58 mm O.D., Size LL For Use With LL Liners, w/Calcicoat® Ceramic Coating
65-8753-060-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 60 mm O.D., Size MM For Use With MM Liners, w/Calcicoat® Ceramic Coating
65-8753-060-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 60 mm O.D., Size MM For Use With MM Liners, w/Calcicoat® Ceramic Coating
65-8753-062-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 62 mm O.D., Size NN For Use With NN Liners, w/Calcicoat® Ceramic Coating
65-8753-062-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 62 mm O.D., Size NN For Use With NN Liners, w/Calcicoat® Ceramic Coating

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 21 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
65-8753-064-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 64 mm O.D., Size OO For Use With OO Liners, w/Calcicoat® Ceramic Coating
65-8753-064-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 64 mm O.D., Size OO For Use With OO Liners, w/Calcicoat® Ceramic Coating
65-8753-066-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 66 mm O.D., Size PP For Use With PP Liners, w/Calcicoat® Ceramic Coating
65-8753-066-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 66 mm O.D., Size PP For Use With PP Liners, w/Calcicoat® Ceramic Coating
65-8753-068-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 68 mm O.D., Size QU For Use With QU Liners, w/Calcicoat® Ceramic Coating
65-8753-068-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 68 mm O.D., Size QU For Use With QU Liners, w/Calcicoat® Ceramic Coating
65-8753-070-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 70 mm O.D., Size RR For Use With RR Liners, w/Calcicoat® Ceramic Coating
65-8753-070-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 70 mm O.D., Size RR For Use With RR Liners, w/Calcicoat® Ceramic Coating
65-8753-072-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 72 mm O.D., Size SS For Use With SS Liners, w/Calcicoat® Ceramic Coating
65-8753-072-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 72 mm O.D., Size SS For Use With SS Liners, w/Calcicoat® Ceramic Coating

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 22 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780

BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
65-8753-074-01	Trilogy® IT Acetabular System Shell, With Cluster Holes, Porous, 74 mm O.D., Size TT For Use With TT Liners, w/Calcicoat® Ceramic Coating
65-8753-074-02	Trilogy® IT Acetabular System Shell, With Multi Holes, Porous, 74 mm O.D., Size TT For Use With TT Liners, w/Calcicoat® Ceramic Coating
Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® IT Elevated Liners	
00-8752-004-22	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 22 mm I.D. Size CC Size CC/22mm I.D. for use with CC Shells
00-8752-005-22	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 22 mm I.D. Size DD Size DD/22mm I.D. for use with DD Shells
00-8752-006-22	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 22 mm I.D. Size EE Size EE/22 mm I.D. For Use with EE Shells
00-8752-006-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size EE Size EE/28 mm I.D. For Use with EE Shells
00-8752-007-22	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 22 mm I.D. Size FF Size FF/22 mm I.D. For Use with FF Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 23 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8752-007-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size FF Size FF/28 mm I.D. For Use with FF Shells
00-8752-008-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size GG Size GG/28 mm I.D. For Use with GG Shells
00-8752-008-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size GG Size GG/32 mm I.D. For Use with GG Shells
00-8752-009-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size HH Size HH/28 mm I.D. For Use with HH Shells
00-8752-009-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size HH Size HH/32 mm I.D. For Use with HH Shells
00-8752-010-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size II Size II/28 mm I.D. For Use with II Shells
00-8752-010-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size II Size II/32 mm I.D. For Use with II Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 24 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8752-010-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size II Size II/36 mm I.D. For Use with II Shells
00-8752-011-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size JJ Size JJ/28 mm I.D. For Use with JJ Shells
00-8752-011-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size JJ Size JJ/32 mm I.D. For Use with JJ Shells
00-8752-011-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size JJ Size JJ/36 mm I.D. For Use with JJ Shells
00-8752-012-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size KK Size KK/28 mm I.D. For Use with KK Shells
00-8752-012-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size KK Size KK/32 mm I.D. For Use with KK Shells
00-8752-012-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size KK Size KK/36 mm I.D. For Use with KK Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 25 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8752-013-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size LL Size LL/28 mm I.D. For Use with LL Shells
00-8752-013-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size LL Size LL/32 mm I.D. For Use with LL Shells
00-8752-013-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size LL Size LL/36 mm I.D. For Use with LL Shells
00-8752-014-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size MM Size MM/28 mm I.D. For Use with MM Shells
00-8752-014-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size MM Size MM/32 mm I.D. For Use with MM Shells
00-8752-014-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size MM Size MM/36 mm I.D. For Use with MM Shells
00-8752-015-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size NN Size NN/28 mm I.D. For Use with NN Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 26 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8752-015-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size NN Size NN/32 mm I.D. For Use with NN Shells
00-8752-015-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size NN Size NN/36 mm I.D. For Use with NN Shells
00-8752-016-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size OO Size OO/28 mm I.D. For Use with OO Shells
00-8752-016-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size OO Size OO/32 mm I.D. For Use with OO Shells
00-8752-016-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size OO Size OO/36 mm I.D. For Use with OO Shells
00-8752-017-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size PP Size PP/28 mm I.D. For Use with PP Shells
00-8752-017-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size PP Size PP/32 mm I.D. For Use with PP Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 27 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8752-017-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size PP Size PP/36 mm I.D. For Use with PP Shells
00-8752-018-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size QU Size QU/28 mm I.D. For Use with QU Shells
00-8752-018-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size QU Size QU/32 mm I.D. For Use with QU Shells
00-8752-018-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size QU Size QU/36 mm I.D. For Use with QU Shells
00-8752-019-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size RR Size RR/32mm I.D. for use with RR Shells
00-8752-019-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size RR Size RR/36mm I.D. for use with RR Shells
00-8752-020-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size SS Size SS/32mm I.D. for use with SS Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 28 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8752-020-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size SS Size SS/36mm I.D. for use with SS Shells
00-8752-021-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size TT Size TT/32mm I.D. for use with TT Shells
00-8752-021-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size TT Size TT/36mm I.D. for use with TT Shells
00-8752-022-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size UU Size UU/32mm I.D. for use with UU Shells
00-8752-022-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size UU Size UU/36mm I.D. for use with UU Shells
00-8752-023-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size VV Size VV/32mm I.D. for use with VV Shells
00-8752-023-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size VV Size VV/36mm I.D. for use with VV Shells

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 29 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® IT Offset Liners	
00-8754-004-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size CC Size CC/28 mm I.D. For Use With 40 mm O.D. Size CC Shell
00-8754-005-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size DD Size DD/28 mm I.D. For Use With 42 mm O.D. Size DD Shell
00-8754-006-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size EE Size EE/28 mm I.D. For Use With 44 mm O.D. Size EE Shell
00-8754-006-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size EE Size EE/32 mm I.D. For Use With 44 mm O.D. Size EE Shell
00-8754-007-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size FF Size FF/28 mm I.D. For Use With 46 mm O.D. Size FF Shell
00-8754-007-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size FF Size FF/32 mm I.D. For Use With 46 mm O.D. Size FF Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 30 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8754-008-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size GG Size GG/28 mm I.D. For Use With 48 mm O.D. Size GG Shell
00-8754-008-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size GG Size GG/32 mm I.D. For Use With 48 mm O.D. Size GG Shell
00-8754-009-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size HH Size HH/28 mm I.D. For Use With 50 mm O.D. Size HH Shell
00-8754-009-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size HH Size HH/32 mm I.D. For Use With 50 mm O.D. Size HH Shell
00-8754-009-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size HH Size HH/36 mm I.D. For Use With 50 mm O.D. Size HH Shell
00-8754-010-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size II Size II/28 mm I.D. For Use With 52 mm O.D. Size II Shell
00-8754-010-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size II Size II/32 mm I.D. For Use With 52 mm O.D. Size II Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 31 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8754-010-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size II Size II/36 mm I.D. For Use With 52 mm O.D. Size II Shell
00-8754-011-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size JJ Size JJ/28 mm I.D. For Use With 54 mm O.D. Size JJ Shell
00-8754-011-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size JJ Size JJ/32 mm I.D. For Use With 54 mm O.D. Size JJ Shell
00-8754-011-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size JJ Size JJ/36 mm I.D. For Use With 54 mm O.D. Size JJ Shell
00-8754-012-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size KK Size KK/28 mm I.D. For Use With 56 mm O.D. Size KK Shell
00-8754-012-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size KK Size KK/32 mm I.D. For Use With 56 mm O.D. Size KK Shell
00-8754-012-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size KK Size KK/36 mm I.D. For Use With 56 mm O.D. Size KK Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 32 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8754-013-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size LL Size LL/28 mm I.D. For Use With 58 mm O.D. Size LL Shell
00-8754-013-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size LL Size LL/32 mm I.D. For Use With 58 mm O.D. Size LL Shell
00-8754-013-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size LL Size LL/36 mm I.D. For Use With 58 mm O.D. Size LL Shell
00-8754-014-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size MM Size MM/28 mm I.D. For Use With 60 mm O.D. Size MM Shell
00-8754-014-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size MM Size MM/32 mm I.D. For Use With 60 mm O.D. Size MM Shell
00-8754-014-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size MM Size MM/36 mm I.D. For Use With 60 mm O.D. Size MM Shell
00-8754-015-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size NN Size NN/28 mm I.D. For Use With 62 mm O.D. Size NN Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 33 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8754-015-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size NN Size NN/32 mm I.D. For Use With 62 mm O.D. Size NN Shell
00-8754-015-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size NN Size NN/36 mm I.D. For Use With 62 mm O.D. Size NN Shell
00-8754-016-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size OO Size OO/28 mm I.D. For Use With 64 mm O.D. Size OO Shell
00-8754-016-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size OO Size OO/32 mm I.D. For Use With 64 mm O.D. Size OO Shell
00-8754-016-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size OO Size OO/36 mm I.D. For Use With 64 mm O.D. Size OO Shell
00-8754-017-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size PP Size PP/28 mm I.D. For Use With 66 mm O.D. Size PP Shell
00-8754-017-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size PP Size PP/32 mm I.D. For Use With 66 mm O.D. Size PP Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 34 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8754-017-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size PP Size PP/36 mm I.D. For Use With 66 mm O.D. Size PP Shell
00-8754-018-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 28 mm I.D. Size QU Size QU/28 mm I.D. For Use With 68 mm O.D. Size QU Shell
00-8754-018-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size QU Size QU/32 mm I.D. For Use With 68 mm O.D. Size QU Shell
00-8754-018-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size QU Size QU/36 mm I.D. For Use With 68 mm O.D. Size QU Shell
00-8754-019-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size RR Size RR/32 mm I.D. For Use With 70 mm O.D. Size RR Shell
00-8754-019-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size RR Size RR/36 mm I.D. For Use With 70 mm O.D. Size RR Shell
00-8754-020-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size SS Size SS/32 mm I.D. For Use With 72 mm O.D. Size SS Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 35 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8754-020-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size SS Size SS/36 mm I.D. For Use With 72 mm O.D. Size SS Shell
00-8754-021-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size TT Size TT/32 mm I.D. For Use With 74 mm O.D. Size TT Shell
00-8754-021-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size TT Size TT/36 mm I.D. For Use With 74 mm O.D. Size TT Shell
00-8754-022-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size UU Size UU/32 mm I.D. For Use With 76 mm O.D. Size UU Shell
00-8754-022-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size UU Size UU/36 mm I.D. For Use With 76 mm O.D. Size UU Shell
00-8754-023-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 32 mm I.D. Size VV Size VV/32 mm I.D. For Use With 78,80 mm O.D. Size VV Shell
00-8754-023-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner 7 mm Offset 36 mm I.D. Size VV Size VV/36 mm I.D. For Use With 78,80 mm O.D. Size VV Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 36 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® IT Oblique Liners	
00-8755-006-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 28 mm I.D. Size EE Size EE/28 mm I.D. For Use With 44 mm O.D. Size EE Shell
00-8755-007-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 28 mm I.D. Size FF Size FF/28 mm I.D. For Use With 46 mm O.D. Size FF Shell
00-8755-008-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 28 mm I.D. Size GG Size GG/28 mm I.D. For Use With 48 mm O.D. Size GG Shell
00-8755-008-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size GG Size GG/32 mm I.D. For Use With 48 mm O.D. Size GG Shell
00-8755-009-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 28 mm I.D. Size HH Size HH/28 mm I.D. For Use With 50 mm O.D. Size HH Shell
00-8755-009-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size HH Size HH/32 mm I.D. For Use With 50 mm O.D. Size HH Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 37 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8755-010-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 28 mm I.D. Size II Size II/28 mm I.D. For Use With 52 mm O.D. Size II Shell
00-8755-010-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size II Size II/32 mm I.D. For Use With 52 mm O.D. Size II Shell
00-8755-010-36	Continuum®, ® IT Trilogy® IT, Allofit Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size II Size II/36 mm I.D. For Use With 52 mm O.D. Size II Shell
00-8755-011-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size JJ Size JJ/32 mm I.D. For Use With 54 mm O.D. Size JJ Shell
00-8755-011-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size JJ Size JJ/36 mm I.D. For Use With 54 mm O.D. Size JJ Shell
00-8755-012-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size KK Size KK/32 mm I.D. For Use With 56 mm O.D. Size KK Shell
00-8755-012-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size KK Size KK/36 mm I.D. For Use With 56 mm O.D. Size KK Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 38 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8755-013-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size LL Size LL/32 mm I.D. For Use With 58 mm O.D. Size LL Shell
00-8755-013-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size LL Size LL/36 mm I.D. For Use With 58 mm O.D. Size LL Shell
00-8755-014-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size MM Size MM/32 mm I.D. For Use With 60 mm O.D. Size MM Shell
00-8755-014-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size MM Size MM/36 mm I.D. For Use With 60 mm O.D. Size MM Shell
00-8755-015-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size NN Size NN/32 mm I.D. For Use With 62 mm O.D. Size NN Shell
00-8755-015-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size NN Size NN/36 mm I.D. For Use With 62 mm O.D. Size NN Shell
00-8755-016-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size OO Size OO/32 mm I.D. For Use With 64 mm O.D. Size OO Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 39 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8755-016-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size OO Size OO/36 mm I.D. For Use With 64 mm O.D. Size OO Shell
00-8755-017-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size PP Size PP/32 mm I.D. For Use With 66 mm O.D. Size PP Shell
00-8755-017-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size PP Size PP/36 mm I.D. For Use With 66 mm O.D. Size PP Shell
00-8755-018-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size QU Size QU/32 mm I.D. For Use With 68 mm O.D. Size QU Shell
00-8755-018-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size QU Size QU/36 mm I.D. For Use With 68 mm O.D. Size QU Shell
00-8755-019-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size RR Size RR/32 mm I.D. For Use With 70 mm O.D. Size RR Shell
00-8755-019-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size RR Size RR/36 mm I.D. For Use With 70 mm O.D. Size RR Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 40 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8755-020-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size SS Size SS/32 mm I.D. For Use With 72 mm O.D. Size SS Shell
00-8755-020-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size SS Size SS/36 mm I.D. For Use With 72 mm O.D. Size SS Shell
00-8755-021-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size TT Size TT/32 mm I.D. For Use With 74 mm O.D. Size TT Shell
00-8755-021-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size TT Size TT/36 mm I.D. For Use With 74 mm O.D. Size TT Shell
00-8755-022-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size UU Size UU/32 mm I.D. For Use With 76 mm O.D. Size UU Shell
00-8755-022-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size UU Size UU/36 mm I.D. For Use With 76 mm O.D. Size UU Shell
00-8755-023-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 32 mm I.D. Size VV Size VV/32 mm I.D. For Use With 78,80 mm O.D. Size VV Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 41 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8755-023-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Oblique Liner 36 mm I.D. Size VV Size VV/36 mm I.D. For Use With 78,80 mm O.D. Size VV Shell
Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® IT Constrained Liners	
00-8758-009-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 28 mm I.D. Size HH Size HH/28 mm I.D. With Constraining Ring For Use With 50 mm O.D. Size HH Shell
00-8758-010-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 28 mm I.D. Size II Size II/28 mm I.D. With Constraining Ring For Use With 52 mm O.D. Size II Shell
00-8758-011-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 28 mm I.D. Size JJ Size JJ/28 mm I.D. With Constraining Ring For Use With 54 mm O.D. Size JJ Shell
00-8758-012-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 28 mm I.D. Size KK Size KK/28 mm I.D. With Constraining Ring For Use With 56 mm O.D. Size KK Shell
00-8758-012-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size KK Size KK/32 mm I.D. With Constraining Ring For Use With 56 mm O.D. Size KK Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 42 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8758-013-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 28 mm I.D. Size LL Size LL/28 mm I.D. With Constraining Ring For Use With 58 mm O.D. Size LL Shell
00-8758-013-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size LL Size LL/32 mm I.D. With Constraining Ring For Use With 58 mm O.D. Size LL Shell
00-8758-014-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size MM Size MM/32 mm I.D. With Constraining Ring For Use With 60 mm O.D. Size MM Shell
00-8758-014-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size MM Size MM/36 mm I.D. With Constraining Ring For Use With 60 mm O.D. Size MM Shell
00-8758-015-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size NN Size NN/32 mm I.D. With Constraining Ring For Use With 62 mm O.D. Size NN Shell
00-8758-015-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size NN Size NN/36 mm I.D. With Constraining Ring For Use With 62 mm O.D. Size NN Shell
00-8758-016-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size OO Size OO/32 mm I.D. With Constraining Ring For Use With 64 mm O.D. Size NN Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 43 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8758-016-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size OO Size OO/36 mm I.D. With Constraining Ring For Use With 64 mm O.D. Size OO Shell
00-8758-017-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size PP Size PP/32 mm I.D. With Constraining Ring For Use With 66 mm O.D. Size PP Shell
00-8758-017-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size PP Size PP/36 mm I.D. With Constraining Ring For Use With 66 mm O.D. Size PP Shell
00-8758-018-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size QU Size QU/32 mm I.D. With Constraining Ring For Use With 68 mm O.D. Size QU Shell
00-8758-018-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size QU Size QU/36 mm I.D. With Constraining Ring For Use With 68 mm O.D. Size QU Shell
00-8758-019-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size RR Size RR/32 mm I.D. With Constraining Ring For Use With 70 mm O.D. Size RR Shell
00-8758-019-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size RR Size RR/36 mm I.D. With Constraining Ring For Use With 70 mm O.D. Size RR Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 44 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8758-020-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size SS Size SS/32 mm I.D. With Constraining Ring For Use With 72 mm O.D. Size SS Shell
00-8758-020-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size SS Size SS/36 mm I.D. With Constraining Ring For Use With 72 mm O.D. Size SS Shell
00-8758-021-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size TT Size TT/32 mm I.D. With Constraining Ring For Use With 74 mm O.D. Size TT Shell
00-8758-021-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size TT Size TT/36 mm I.D. With Constraining Ring For Use With 74 mm O.D. Size TT Shell
00-8758-022-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size UU Size UU/32 mm I.D. With Constraining Ring For Use With 76 mm O.D. Size UU Shell
00-8758-022-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size UU Size UU/36 mm I.D. With Constraining Ring For Use With 76 mm O.D. Size UU Shell
00-8758-023-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 32 mm I.D. Size VV Size VV/32 mm I.D. With Constraining Ring For Use With 78,80 mm O.D. Size VV Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 45 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8758-023-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Constrained Liner 36 mm I.D. Size VV Size VV/36 mm I.D. With Constraining Ring For Use With 78,80 mm O.D. Size VV Shell
Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems, Vivacit-E® Vitamin E Neutral Liners	
00-8851-006-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size EE for use with 44mm O.D. Size EE Shell
00-8851-007-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size FF for use with 46mm O.D. Size FF Shell
00-8851-008-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size GG for use with 48mm O.D. Size GG Shell
00-8851-008-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size GG for use with 48mm O.D. Size GG Shell
00-8851-009-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size HH for use with 50mm O.D. Size HH Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 46 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8851-009-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size HH for use with 50mm O.D. Size HH Shell
00-8851-010-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size II for use with 52mm O.D. Size II Shell
00-8851-010-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size II for use with 52mm O.D. Size II Shell
00-8851-010-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36mm I.D. Size II for use with 52mm O.D. Size II Shell
00-8851-011-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size JJ for use with 54mm O.D. Size JJ Shell
00-8851-011-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size JJ for use with 54mm O.D. Size JJ Shell
00-8851-011-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size JJ for use with 54mm O.D. Size JJ Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 47 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8851-012-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size KK for use with 56mm O.D. Size KK Shell
00-8851-012-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size KK for use with 56mm O.D. Size KK Shell
00-8851-012-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size KK for use with 56mm O.D. Size KK Shell
00-8851-012-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size KK for use with 56mm O.D. Size KK Shell
00-8851-013-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size LL for use with 58mm O.D. Size LL Shell
00-8851-013-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size LL for use with 58mm O.D. Size LL Shell
00-8851-013-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size LL for use with 58mm O.D. Size LL Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 48 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8851-013-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size LL for use with 58mm O.D. Size LL Shell
00-8851-014-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size MM for use with 60mm O.D. Size MM Shell
00-8851-014-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size MM for use with 60mm O.D. Size MM Shell
00-8851-014-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size MM for use with 60mm O.D. Size MM Shell
00-8851-014-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size MM for use with 60mm O.D. Size MM Shell
00-8851-015-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size NN for use with 62mm O.D. Size NN Shell
00-8851-015-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size NN for use with 62mm O.D. Size NN Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 49 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8851-015-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size NN for use with 62mm O.D. Size NN Shell
00-8851-015-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size NN for use with 62mm O.D. Size NN Shell
00-8851-016-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size OO for use with 64mm O.D. Size OO Shell
00-8851-016-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size OO for use with 64mm O.D. Size OO Shell
00-8851-016-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size OO for use with 64mm O.D. Size OO Shell
00-8851-016-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size OO for use with 64mm O.D. Size OO Shell
00-8851-017-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size PP for use with 66mm O.D. Size PP Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 50 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8851-017-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size PP for use with 66mm O.D. Size PP Shell
00-8851-017-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size PP for use with 66mm O.D. Size PP Shell
00-8851-017-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size PP for use with 66mm O.D. Size PP Shell
00-8851-018-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size QU for use with 68mm O.D. Size QU Shell
00-8851-018-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size QU for use with 68mm O.D. Size QU Shell
00-8851-018-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size QU for use with 68mm O.D. Size QU Shell
00-8851-018-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size QU for use with 68mm O.D. Size QU Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 51 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8851-019-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size RR for use with 70mm O.D. Size RR Shell
00-8851-019-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size RR for use with 70mm O.D. Size RR Shell
00-8851-019-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size RR for use with 70mm O.D. Size RR Shell
00-8851-020-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size SS for use with 72mm O.D. Size SS Shell
00-8851-020-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size SS for use with 72mm O.D. Size SS Shell
00-8851-020-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size SS for use with 72mm O.D. Size SS Shell
00-8851-021-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size TT for use with 74mm O.D. Size TT Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 52 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8851-021-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size TT for use with 74mm O.D. Size TT Shell
00-8851-021-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size TT for use with 74mm O.D. Size TT Shell
00-8851-022-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size UU for use with 76mm O.D. Size UU Shell
00-8851-022-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size UU for use with 76mm O.D. Size UU Shell
00-8851-022-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size UU for use with 76mm O.D. Size UU Shell
00-8851-023-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 32 mm I.D. Size VV for use with 78, 80mm O.D. Size VV Shell
00-8851-023-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 36 mm I.D. Size VV for use with 78, 80mm O.D. Size VV Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 53 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8851-023-40	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 40 mm I.D. Size VV for use with 78, 80mm O.D. Size VV Shell
Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems, Vivacit-E® Vitamin E HXPE Liners	
00-8852-004-22	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 22 mm I.D. Size CC for use with 40mm O.D. Size CC Shell
00-8852-005-22	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 22 mm I.D. Size DD for use with 42mm O.D. Size DD Shell
00-8852-006-22	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 22 mm I.D. Size EE for use with 44mm O.D. Size EE Shell
00-8852-006-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size EE for use with 44mm O.D. Size EE Shell
00-8852-007-22	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 22 mm I.D. Size FF for use with 46mm O.D. Size FF Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 54 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8852-007-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size FF for use with 46mm O.D. Size FF Shell
00-8852-008-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size GG for use with 48mm O.D. Size GG Shell
00-8852-008-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size GG for use with 48mm O.D. Size GG Shell
00-8852-009-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size HH for use with 50mm O.D. Size HH Shell
00-8852-009-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size HH for use with 50mm O.D. Size HH Shell
00-8852-010-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size II for use with 52mm O.D. Size II Shell
00-8852-010-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size II for use with 52mm O.D. Size II Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 55 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8852-010-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36mm I.D. Size II for use with 52mm O.D. Size II Shell
00-8852-011-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size JJ for use with 54mm O.D. Size JJ Shell
00-8852-011-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size JJ for use with 54mm O.D. Size JJ Shell
00-8852-011-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size JJ for use with 54mm O.D. Size JJ Shell
00-8852-012-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size KK for use with 56mm O.D. Size KK Shell
00-8852-012-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size KK for use with 56mm O.D. Size KK Shell
00-8852-012-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size KK for use with 56mm O.D. Size KK Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 56 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8852-013-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size LL for use with 58mm O.D. Size LL Shell
00-8852-013-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size LL for use with 58mm O.D. Size LL Shell
00-8852-013-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size LL for use with 58mm O.D. Size LL Shell
00-8852-014-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size MM for use with 60mm O.D. Size MM Shell
00-8852-014-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size MM for use with 60mm O.D. Size MM Shell
00-8852-014-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size MM for use with 60mm O.D. Size MM Shell
00-8852-015-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size NN for use with 62mm O.D. Size NN Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 57 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8852-015-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size NN for use with 62mm O.D. Size NN Shell
00-8852-015-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size NN for use with 62mm O.D. Size NN Shell
00-8852-016-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size OO for use with 64mm O.D. Size OO Shell
00-8852-016-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size OO for use with 64mm O.D. Size OO Shell
00-8852-016-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size OO for use with 64mm O.D. Size OO Shell
00-8852-017-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size PP for use with 66mm O.D. Size PP Shell
00-8852-017-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size PP for use with 66mm O.D. Size PP Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 58 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8852-017-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size PP for use with 66mm O.D. Size PP Shell
00-8852-018-28	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 28 mm I.D. Size QU for use with 68mm O.D. Size QU Shell
00-8852-018-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size QU for use with 68mm O.D. Size QU Shell
00-8852-018-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size QU for use with 68mm O.D. Size QU Shell
00-8852-019-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size RR for use with 70mm O.D. Size RR Shell
00-8852-019-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size RR for use with 70mm O.D. Size RR Shell
00-8852-020-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size SS for use with 72mm O.D. Size SS Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 59 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Item Number	Description
00-8852-020-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size SS for use with 72mm O.D. Size SS Shell
00-8852-021-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size TT for use with 74mm O.D. Size TT Shell
00-8852-021-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size TT for use with 74mm O.D. Size TT Shell
00-8852-022-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size UU for use with 76mm O.D. Size UU Shell
00-8852-022-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size UU for use with 76mm O.D. Size UU Shell
00-8852-023-32	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 32 mm I.D. Size VV for use with 78,80 mm O.D. Size VV Shell
00-8852-023-36	Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Elevated Rim Liner 36 mm I.D. Size VV for use with 78,80 mm O.D. Size VV Shell

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 60 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Certificate History

Date	Reference Number	Action
17 July 2009	10102647	First Issue
12 February 2010	10113512	The addition of product codes (Trilogy IT shells with HA/TCP coating) to certificate.
12 February 2010	10110363	Certificate revision was performed to add Longevity cross-linked UHMWPE Integrated Taper (IT) Elevated Rim Liner part numbers.
27 May 2010	10116434	Addition of additional sizes of <i>Continuum</i> and <i>Trilogy</i> IT Acetabular Shells and <i>Longevity</i> ® Elevated Rim Liners.
27 August 2010	10117684	Addition of 40mm shells, size 22CC <i>Longevity</i> Elevated liner, <i>Longevity</i> Offset, <i>Longevity</i> Oblique and <i>Longevity</i> Constrained liners.
29 February 2012	10129804	Addition of Vivacit-E Neutral and Elevated Rim Acetabular liners, product codes 00-8851-xxx-xx and 00-8852-xxx-xx. Re-wording of certificate scope to better reflect product range covered.
16 July 2014	10146441	Certificate Renewal. Addition of 'Continuum®, Trilogy® IT, Allofit® IT Acetabular Systems Vivacit-E® Vitamin E Highly Crosslinked Polyethylene Neutral Liner 28 mm I.D. Size II for use with 52mm O.D. Size II Shell' product code 00-8851-010-28
13 January 2015	10149952	New LDPE formulation for packaging bags implemented

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 61 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Date	Reference Number	Action
15 October 2015	10156907	Addition of Zimmer Orthopedics Manufacturing Limited (Shannon) for cleaning and packaging processes and Synergy Health Westport Ltd. for gamma sterilisation of Trilogy® IT Acetabular System Shell components (product codes 00-8753-0xx-0x). Addition of Zimmer Orthopedics Manufacturing Limited (Shannon) for cleaning and packaging processes and Synergy Health Ireland Ltd. for ETO sterilisation of Continuum™, Trilogy® IT, Allofit® IT Acetabular Systems Longevity® Highly Crosslinked Polyethylene Liner components (product codes 00-8751-0xx-xx and 00-8752-0xx-xx).
09 June 2016	10158835	<p>Compatibility of Longevity IT (product codes 00-875x-0yy-zz) and Vivacit-E (product codes 00-885x-0yy-zz) highly crosslinked non-constrained polyethylene liners expanded to include CoCr and ceramic femoral heads as outlined in the below:</p> <p>CE 578106:</p> <ul style="list-style-type: none"> CoCr Femoral Head, Type 1 (Diameters 28, 32, 36, 40 mm), 0100010xx; xx = 10 - 37 CoCr Femoral Head, Type 12/14 (Diameters 28, 32, 36, 40 mm), 0100010xx; xx = 48 - 67 <p>CE 525557:</p> <ul style="list-style-type: none"> 36 mm CoCr Modular Head, offsets -6, -3, 0, +3, +6, +9, +12, 11-36366x; x = 0 - 6 CoCr Modular Femoral Heads, diameters 22.2, 28, 32 mm, offset -6, -3, 0, +3, +6, +9, +12 mm, 1636xx; xx = 38 - 74 <p>CE 538322:</p> <ul style="list-style-type: none"> CoCr Modular Femoral Heads, diameters 22.2, 28, 32 mm, offset -6, -3, 0, +3, +6, +9, +12 mm, 1636xx; xx = 60 - 73 22.2 mm CoCr Modular Femoral Heads, 12/14 Taper, 16413x; x = 1-3 <p>CE 538365:</p>

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 62 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Date	Reference Number	Action
		<ul style="list-style-type: none"> Delta Ceramic Femoral Heads, diameters 28, 32 mm, offsets -3, 0, +3 mm 1641xy; x = 3 or 8, y = 5-7 Delta Ceramic Femoral Heads, diameters 28, 32, 36mm, offsets -3, 0, +3, +6 mm, 650-066x; x = 0-3 Delta Ceramic Femoral Heads, 12/14 taper, diameters 28, 32, 36mm, offsets -4, -3.5, 0, +3.5, +4, +8 mm, 650-0667, 650-083x; x = 0 - 8 <p>CE 538322:</p> <ul style="list-style-type: none"> CoCr Femoral Heads, diameters 28, 32, 36 mm, offsets -6, -3, 0, +3, +6 mm, 650-08xx; xx = 39 - 74 CoCr Femoral Heads, 12/14 taper, diameters 28, 32, 36 mm, offsets -4, -3.5, 0, +3.5, +4, +8 mm, 650-08xx; xx = 77 - 90 Exceed ABT M2A-40 Modular Head, offsets -6, -4, -3, 0, +3, +4, +6, +8, +9, -12 mm, 650-10xx; xx = 20 - 36 <p>CE 538365:</p> <ul style="list-style-type: none"> Ceramic BioloX Delta Option Femoral Heads, diameters 28, 32, 36, 40 mm, 650-105x; x = 5 - 8 Delta Ceramic Femoral Heads, diameters 28, 32 mm, offsets -3, 0, +3, +6 mm, 650-11xx; xx = 57 - 63 <p>CE 13576 (GMED):</p> <ul style="list-style-type: none"> CoCr Modular Femoral Heads, diameters 28, 32 mm, offsets -4, -3.5, -2, 0, +2, +3.5, +4, +7, +8, +10.5, +12 mm, P0206228, P0206232, P02062xyy; x = C, E, L, M, yy = 28, 32 CoCr Modular Head 22, -2, +0, +2, P0206x22; x = C, L, M <p>CE 15109 (GMED)</p> <ul style="list-style-type: none"> CMK Femoral Heads, 78-620-22952, 78-620-22962
13 July 2016	10160290	Approval of new Tyvek® 1073B packaging material for all product codes.

First Issued: **2009-07-17**Date: **2021-05-05**Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 63 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 546072

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Date	Reference Number	Action
25 August 2016	10157477	Compatibility review of Zimmer Continuum (multi and cluster), Trilogy IT (multi and cluster) and Trilogy IT HATCP (multi and cluster) acetabular shells with Biomet 6.5mm diameter Low-Profile, Self-Tapping Bone Screws.
21 June 2018	8499099	Approval of PMS change for Continuum and Trilogy IT Acetabular Systems.
24 July 2018	8624245	Expansion of indications for Continuum Shells product codes 00-8757-0xx-00, 00-8757-0xx-01, 00-8757-0xx-02 with Biomet TMT Augments certified by SGS on EC Full Quality assurance certificate US00/51254.
11 March 2019	7781060	Traceable to NB 0086.
17 July 2019	9786265	Certificate Renewal. Inclusion of MR Conditional Safety Information in the IFU. Removal of cemented indication in package insert.
22 March 2021	3290617	Approval of additional Gamma sterilization subcontractor: Sterigenics US, LLC, 1003 Lakeside Drive, Gurnee, Illinois 60031 USA.
Current	3281803	Change to diffusion bonding process for Continuum Acetabular System Trabecular Metal Shell (product codes 00-8757-0xx-0x)

First Issued: **2009-07-17**

Date: **2021-05-05**

Expiry Date: **2024-05-26**

...making excellence a habit.™

Page 64 of 64

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.
 This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780
 BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.
 A member of BSI Group of Companies.