

**NAILING SYSTEM**  
IMPLANTS & INSTRUMENTS



**Implants**



• **393 | PFN-2 Nail 130°**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm, 12mm  
 LENGTH - 170mm, 200mm, 240mm



• **394 | PFN-2 Nail 135°**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm, 12mm  
 LENGTH - 170mm, 200mm, 240mm



• **393 | Long PFN-2 Nail 130° (Left & Right)**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm  
 LENGTH - 320mm to 420mm (20mm Increment)



• **394 | Long PFN-2 Nail 135° (Left & Right)**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm  
 LENGTH - 320mm to 420mm (20mm Increment)



• **353 | 4.9mm Interlocking Bolt**

MATERIAL - Titanium / Stainless Steel  
 LENGTH - 22mm to 60mm (2mm Increment)  
 65mm to 90mm (5mm Increment)



• **395 | PFN-2 Blade Screw**

MATERIAL - Titanium / Stainless Steel  
 LENGTH - 75mm to 120mm (5mm Increment)



• **355.13 | End Cap For PFN-2 Nail**

MATERIAL - Titanium / Stainless Steel



• **355.13A | End Cap For PFN-2 Nail Locking Blade**

MATERIAL - Titanium / Stainless Steel



◦ **811.001** | Insertion Handle For PFNA



◦ **811.003** | Aiming Arm 130° For PFNA  
 ◦ **811.004** | Aiming Arm 135° For PFNA



◦ **811.005A** | Aiming Arm For Dynamic Locking  
 ◦ **811.005B** | Aiming Arm For Static Locking



◦ **811.006** | Connecting Bolt



◦ **811.007** | Buttress Compression Nut For PFNA Blade  
 ◦ **811.008** | Protection Sleeve 16 x 11mm For PFNA Blade  
 ◦ **811.009** | Drill Sleeve 11 x 3.2mm For PFNA Blade  
 ◦ **811.010** | Trocar 3.2mm For PFNA Blade



◦ **811.011** | Protection Sleeve 11 x 8mm  
 ◦ **811.012** | Drill Sleeve 8 x 4mm  
 ◦ **811.013** | Trocar 4mm



◦ **811.014** | Protection Sleeve with Handle 20 x 17mm



◦ **811.015** | Sleeve 17 x 3.2mm For Guide Wire  
 ◦ **811.039** | Pointer for Sleeve 17 x 3.2mm



• 811.016 | Inspector For PFNA Blade



• 811.017 | Extraction Screw For PFNA Blade



• 811.018 | Hammer Guide For PFNA Blade



• 811.019 | Pin Wrench L & Key Type



• 811.020 | Radiographic Ruler For PFNA 130°,135°



• 811.021 | Direct Measuring Device For 3.2mm Guide Wire



• 811.022 | Combination Wrench 11mm



• 811.023 | Measuring Device For Locking Bolt



• **804.010** | Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt



• **811.025** | Starting Reamer 16.5mm For PFNA Nail



• **811.026** | Reamer 10.3mm For PFNA Blade Screw  
• **811.028** | Fixation Sleeve PFNA for Reamer 10.3mm



• **811.027** | Drill bit 10.3mm For PFNA Blade Screw



• **811.029** | Guide Wire 2.8 x 460mm With Hook



• **811.030** | Guide Wire 3mm For PFNA Blade



• **811.031** | Guide Wire 3 x 450mm With Eye



• **811.032** | Hammer Guide



• **811.033** | Connector For Hummer Guide



• **811.034** | 8mm Hexagonal Shaft With Spherical Head



• **811.035** | Cannulated Bone Awl



• **811.036** | Slotted Hammer with Handle



• **811.037** | T Handle Cannulated



• **811.038** | Connecting Bolt For Aiming Arm



• **724.001** | Flexible Reaming Shaft



• **724** | Bit for Flexible Reaming Shaft  
LENGTH - 8mm, 8.5mm, 9mm, 9.5mm, 10mm, 10.5mm, 11mm, 11.5mm, 12mm



• **602.030** | Drill Bits 4.0mm Length 300mm for Jacobs Chuck



• **811.040** | T Handle Hexagonal Wrench 8.0mm for universal



• **811.041** | PFN-2 Nail Extractor Attachment



• **804.012** | Stopper Guide Wire 2.5mm Length 950mm




• **804.013** | Guide Wire 2.5mm Length 950mm



• **811.042** | PFN-2 Blade Extractor Attachment

## SAGC.48 PFN-2 Nail Instrument Set




### Instruments

811.001	Insertion Handle For PFNA	1 Each
811.003	Aiming Arm 130° For PFNA	1 Each
811.004	Aiming Arm 135° For PFNA	1 Each
811.005A	Aiming Arm For Dynamic Locking	1 Each
811.005B	Aiming Arm For Static Locking	1 Each
811.006	Connecting Bolt	2 Each
811.007	Buttress Compression Nut For PFNA Blade	1 Each
811.008	Protection Sleeve 16 x 11mm For PFNA Blade	1 Each
811.009	Drill Sleeve 11 x 3.2mm For PFNA Blade	1 Each
811.010	Trocar 3.2mm For PFNA Blade	1 Each
811.011	Protection Sleeve 11 x 8mm	1 Each
811.012	Drill Sleeve 8 x 4mm	1 Each
811.013	Trocar 4mm	1 Each
811.014	Protection Sleeve With Handle 20 x 17mm	1 Each
811.015	Sleeve 17 x 3.2mm For Guide Wire	1 Each
811.016	Inspector For PFNA Blade	1 Each
811.017	Extraction Screw For PFNA Blade	1 Each
811.018	Hammer Guide For PFNA Blade	1 Each
811.019	Pin Wrench L & Key Type	1 Each
811.020	Radiographic Ruler For PFNA 130°, 135°	1 Each
811.021	Direct Measuring Device For 3.2mm Guide Wire	1 Each
811.022	Combination Wrench 11mm	1 Each
811.028	Fixation Sleeve PFNA for Reamer 10.3mm	1 Each
811.023	Measuring Device For Locking Bolt	1 Each
804.010	Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt	1 Each

### Instruments

811.025	Starting Reamer 16.5mm For PFNA Nail	1 Each
811.026	Reamer 10.3mm For PFNA Blade Screw	1 Each
811.027	Drill bit 10.3mm For PFNA Blade Screw	1 Each
811.029	Guide Wire 2.8 x 460mm With Hook	1 Each
811.030	Guide Wire 3mm For PFNA Blade	1 Each
811.031	Guide Wire 3 x 450mm With Eye	1 Each
811.032	Hammer Guide	1 Each
811.033	Connector For Hummer Guide	1 Each
811.034	8mm Hexagonal Shaft With Spherical Head	1 Each
811.035	Cannulated Bone Awl	1 Each
811.036	Slotted Hammer with Handle	1 Each
811.037	T Handle Cannulated	1 Each
811.038	Connecting Bolt For Aiming Arm	1 Each
811.040	T Handle Hexagonal Wrench 8.0mm for universal	1 Each
811.041	PFN-2 Nail Extractor Attachment	1 Each
724.001	Flexible Reaming Shaft	1 Each
724	Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm	1 Each
811.039	Pointer for Sleeve 17 x 3.2mm	1 Each
602.030	Drill Bits 4.0mm x 300mm for Jacobs Chuck	1 Each
804.012	Stopper Guide Wire 2.5mm Length 950mm	1 Each
804.013	Guide Wire 2.5mm Length 950mm	1 Each
811.042	PFN-2 Blade Extractor Attachment	1 Each

## SAGC.49 PFN-2 Nail Implant Set



### Implants

393	PFN-2 Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 170mm Length 130°	1 Each
393	PFN-2 Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 200mm Length 130°	1 Each
393	PFN-2 Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 240mm Length 130°	1 Each
394	PFN-2 Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 170mm Length 135°	1 Each

### Implants

394	PFN-2 Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 200mm Length 135°	1 Each
394	PFN-2 Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 240mm Length 135°	1 Each
395	PFN-2 Blade Screw 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	1 Each
353	4.9mm Interlocking Bolt 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm	2 Each



## SAGC.50 Long PFN-2 Nail 130° & 135° (Left) Set



### Implants

393D	Long PFN-2 Nail 9.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 130°	1 Each
393E	Long PFN-2 Nail 10.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 130°	1 Each
393F	Long PFN-2 Nail 11.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 130°	1 Each
394D	Long PFN-2 Nail 9.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 135°	1 Each
394E	Long PFN-2 Nail 10.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 135°	1 Each
394F	Long PFN-2 Nail 11.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 135°	1 Each
395	PFN-2 Blade Screw 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	1 Each
353	4.9mm Interlocking Bolt 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm	2 Each

## SAGC.51 Long PFN-2 Nail 130° & 135° (Right) Set



### Implants

393D	Long PFN-2 Nail 9.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 130°	1 Each
393E	Long PFN-2 Nail 10.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 130°	1 Each
393F	Long PFN-2 Nail 11.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 130°	1 Each
394D	Long PFN-2 Nail 9.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 135°	1 Each
394E	Long PFN-2 Nail 10.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 135°	1 Each
394F	Long PFN-2 Nail 11.0mm x 320mm, 340mm, 360mm, 380mm, 400mm, 420mm 135°	1 Each
395	PFN-2 Blade Screw 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	1 Each
353	4.9mm Interlocking Bolt 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm	2 Each

## Implants



◦ **361 | Long Proximal Femoral Nail 130° (Left & Right)**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm  
 LENGTH - 340mm to 440mm (20mm Increment)



◦ **391 | Long Proximal Femoral Nail 135° (Left & Right)**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm  
 LENGTH - 340mm to 440mm (20mm Increment)



◦ **364 | Proximal Femoral Nail 130°**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9.0mm, 10.0mm, 11.0mm, 12.0mm  
 LENGTH - 250mm



◦ **397 | Proximal Femoral Nail 135°**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9.0mm, 10.0mm, 11.0mm, 12.0mm  
 LENGTH - 250mm



◦ **376 | Trochanteric Femoral Nail 130°**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9.0mm, 10.0mm, 11.0mm, 12.0mm  
 LENGTH - 170mm



◦ **396 | Trochanteric Femoral Nail 135°**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9.0mm, 10.0mm, 11.0mm, 12.0mm  
 LENGTH - 170mm



◦ **353 | 4.9mm Interlocking Bolt**

MATERIAL - Titanium / Stainless Steel  
 LENGTH - 22mm to 60mm (2 Increment)  
 65mm to 80mm (5 Increment)



◦ **354 | 6.2mm Hip Locking Bolt**

MATERIAL - Titanium / Stainless Steel  
 LENGTH - 55mm to 120mm (5mm Increment)

## Implants



• **365 | 8.0mm Proximal Femoral Screw**

MATERIAL - Titanium / Stainless Steel  
LENGTH - 55mm to 120mm (5mm Increment)



• **355.06 | End Cap For Proximal Femoral Nail**

MATERIAL - Titanium / Stainless Steel

## Instruments



• 807.016 | Insertion Handle For PFN



• 807A.018 | Aiming Arm 130° For PFN  
 • 807A.019 | Aiming Arm 135° For PFN



• 807.021 | Threaded Conical Bolt For PFN Nail



• 807.003 | Protection Sleeve 12.0/10.0mm Long  
 • 807.004 | Protection Sleeve 10.0/8.0mm Long



• 807.005A | Guide Wire Sleeve 10.0/2.3mm for 12mm Sleeve



• 807.006 | Guide Wire Sleeve 8.0/2.0mm for 10mm Sleeve



• 807.007 | Drill Sleeve 8.0/4.0mm Long



• 811.038 | Connecting Bolt For Aiming Arm

Instruments




◦ 807.014 | Protection Sleeve with Handle



◦ 804.010 | Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt



◦ 807.012 | Canulated Screw Driver Long for PFN Screws



◦ 804C.008 | Depth Gauge for Proximal Femoral Nail



◦ 811.037 | T Handle Cannulated



◦ 811.032 | Hammer Guide



◦ 811.033 | Connector For Hammer Guide



◦ 811.036 | Slotted Hammer with Handle



• 807.022 | Radiographic Ruler For PFN Nail



• 807.024 | 6.2mm Step Drill Bits with Q/C for PFN Screw

• 807.023 | 8.0mm Step Drill Bits with Q/C for PFN Screw



• 807.025 | 15mm Starting Reamer for PFN Nail with Q/C



• 807.026 | Guide wire pointer 6.2mm

• 807.027 | Guide wire pointer 8.0mm



• 807.028 | Guide wire Sleeve for Protection Sleeve with Handle 2.5mm

• 807.029 | Pointer For Sleeve 15 x 2.5mm



• 811.034 | 8mm Hexagonal Shaft With Spherical Head



• 811.040 | T Handle Hexagonal Wrench 8.0mm for universal



• 811.035 | Cannulated Bone Awl



• 802.002 | Tissue Protector



• 804.011 | Medullary Tube



• 811.022 | Combination Wrench 11mm



• 724.001 | Flexible Reaming Shaft



• 724 | Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm



• 807.015 | Guide Wire 2.0mm x 500mm With Threaded Tip



• 807.013 | Guide Wire Simple 2.0mm Length 405mm



• 602.030 | Drill Bits 4.0 mm Length 300mm for Jacobs Chuck



- **807A.013** | Guide Wire Simple 2.3mm Length 500mm For 8.0mm screw



- **804.013** | Guide Wire 2.5mm Length 950mm



- **804.012** | Stopper Guide Wire 2.5mm Length 950mm





## Instruments

807.016	Insertion Handle For Pfn	1 Each
807A.018	Aiming Arm 130° For Pfn	1 Each
807A.019	Aiming Arm 135° For Pfn	1 Each
807.021	Threaded Conical Bolt For Pfn Nail	2 Each
807.003	Protection Sleeve 12.0/10.0mm Long	1 Each
807.004	Protection Sleeve 10.0/8.0mm Long	1 Each
807.005A	Guide Wire Sleeve 10.0/2.3mm for 12mm Sleeve	1 Each
807.006	Guide Wire Sleeve 8.0/2.0mm for 10mm Sleeve	1 Each
807.007	Drill Sleeve 8.0/4.0mm Long	1 Each
811.038	Connecting Bolt For Aiming Arm	1 Each
807.014	Protection Sleeve with Handle	1 Each
804.010	Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt	1 Each
807.012	Canulated Screw Dirver Long for P.F.N Screws	1 Each
804C.008	Depth Gauge for Proximal Femoral Nail	1 Each
811.037	T Handle Cannulated	1 Each
811.032	Hammer Guide	1 Each
811.033	Connector For Hummer Guide	1 Each
811.036	Slotted Hammer with Handle	1 Each
807.022	Radiographic Ruler For PFN Nail	1 Each
807.023	8.0mm Step Drill Bits with Q/C for PFN Screw	1 Each
807.024	6.2mm Step Drill Bits with Q/C for PFN Screw	1 Each
807.025	15mm Starting Reamer for PFN Nail with Q/C	1 Each
807.026	Guide wire pointer 6.2mm	1 Each
807.027	Guide wire pointer 8.0mm	1 Each
807.028	Guide wire Sleeve for Protection Sleeve with Handle 2.5mm	1 Each
807.029	Pointer for sleeve 15 x 2.5mm	1 Each
811.034	8mm Hexagonal Shaft With Spherical Head	1 Each
811.040	T Handle Hexagonal Wrench 8.0mm for universal	1 Each
811.035	Cannulated Bone Awl	1 Each
802.002	Tissue Protector	1 Each
804.011	Medullary Tube	1 Each
807.015	Guide Wire 2.0mm x 500mm With Threaded Tip	1 Each
807.013	Guide Wire Simple 2.0mm Length 405mm	1 Each
807A.013	Guide Wire Simple 2.3mm Length 500mm For 8.0mm screw	1 Each
602.030	Drill Bits 4.0mm x 300mm for Jacobs Chuck	1 Each
811.022	Combination Wrench 11mm	1 Each
804.012	Stopper Guide Wire 2.5mm Length 950mm	1 Each
804.013	Guide Wire 2.5mm Length 950mm	1 Each
724.001	Flexible Reaming Shaft	1 Each
724	Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm	1 Each

## Implant

364	Proximal Femoral Nail 9.0mm, 10.0mm, 11.0mm, 12.0 x 250mm 130°	1 Each
397	Proximal Femoral Nail 9.0mm, 10.0mm, 11.0mm, 12.0 x 250mm 135°	1 Each
376	Trochanteric Femoral Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 170mm 130°	1 Each
396	Trochanteric Femoral Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 170mm 135°	1 Each
353	4.9mm Interlocking Bolt 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm	2 Each
354	6.2mm Hip Locking Bolt 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	1 Each
365	8.0mm Proximal Femoral Screw 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	1 Each



**Implants**

- 361D Long Proximal Femoral Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130° 1 Each
- 361E Long Proximal Femoral Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130° 1 Each
- 361F Long Proximal Femoral Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130° 1 Each
- 391D Long Proximal Femoral Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135° 1 Each
- 391E Long Proximal Femoral Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135° 1 Each
- 391F Long Proximal Femoral Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135° 1 Each



**Implants**

- 361D Long Proximal Femoral Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130° 1 Each
- 361E Long Proximal Femoral Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130° 1 Each
- 361F Long Proximal Femoral Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130° 1 Each
- 391D Long Proximal Femoral Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135° 1 Each
- 391E Long Proximal Femoral Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135° 1 Each
- 391F Long Proximal Femoral Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135° 1 Each



◦ **4002 | G-PFN Nail 130°**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm, 12mm  
 LENGTH - 170mm, 200mm, 240mm



◦ **4003 | G-PFN Nail 135°**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm, 12mm  
 LENGTH - 170mm, 200mm, 240mm



◦ **4005 | Long G-PFN Nail 130° (Left & Right)**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm  
 LENGTH - 340mm to 420mm (20mm Increment)



◦ **4006 | Long G-PFN Nail 135° (Left & Right)**

MATERIAL - Titanium / Stainless Steel  
 DIAMETER - 9mm, 10mm, 11mm  
 LENGTH - 340mm to 420mm (20mm Increment)



◦ **353 | 4.9mm Interlocking Bolt**

MATERIAL - Titanium / Stainless Steel  
 LENGTH - 22mm to 60mm (2mm Increment)  
 60mm to 80mm (5mm Increment)



◦ **4004 | G-PFN Screw**

MATERIAL - Titanium / Stainless Steel  
 LENGTH - 60mm to 120mm (5mm Increment)



◦ **355.14 | End Cap For G-PFN Nail**

MATERIAL - Titanium / Stainless Steel



◦ **355A.14 | Lock Screw For G-PFN Nail**

MATERIAL - Titanium / Stainless Steel



◦ **355B.14 | End Cap For G-PFN Nail Screw**

MATERIAL - Titanium / Stainless Steel



◦ **813.001** | Insertion Handle For G-PFN



◦ **813.003** | Aiming Arm 130° For G-PFN  
 ◦ **813.004** | Aiming Arm 135° For G-PFN



◦ **813.005** | Aiming Arm For Dynamic Locking For G-PFN



◦ **813.006** | Threaded Conical Bolt For G-PFN Nail



◦ **813.007** | Cannulated Coupling Screw For G-PFN Screw



◦ **813.008** | Wrench For Attach G-PFN Screw



◦ **813.009** | Reamer 10mm For G-PFN Screw  
 ◦ **813.013** | Fixation Sleeve G-PFN for Reamer 10mm



◦ **813.010** | Protection Sleeve 16 x 11mm For G-PFN  
 ◦ **811.010** | Trocar 3.2mm For PFNA Blade  
 ◦ **813.012** | Trocar Sleeve 11 x 3.2mm For G-PFN  
 ◦ **811.007** | Buttress Compression Nut For PFNA Blade



◦ 802.002 | Tissue Protector



◦ 804.010 | Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt



◦ 804.011 | Medullary Tube



◦ 807.004 | Protection Sleeve 10.0/8.0mm Long  
◦ 807.007 | Drill Sleeve 8.0/4.0mm Long



◦ 811.014 | Protection Sleeve With Handle 20 x 17mm



◦ 807.022 | Radiographic Ruler For PFN Nail




◦ 811.015 | Sleeve 17 x 3.2mm For Guide Wire  
◦ 811.039 | Pointer for Sleeve 17 x 3.2mm



◦ 811.019 | Pin Wrench L & Key Type



• 811.022 | Combination Wrench 11mm



• 804C.008 | Depth Gauge for Proximal Femoral Nail



• 811.032 | Hammer Guide



• 811.033 | Connector For Hammer Guide



• 811.034 | 8mm Hexagonal Shaft With Spherical Head



• 811.035 | Cannulated Bone Awl



• 811.036 | Slotted Hammer with Handle



• 811.037 | T Handle Cannulated



• 811.038 | Connecting Bolt For Aiming Arm



• 811.040 | T Handle Hexagonal Wrench 8.0mm for universal



• 811.025 | Starting Reamer 16.5mm For PFNA Nail



• 807.026 | Guide wire pointer 6.2mm



• 811.030 | Guide Wire 3mm For PFNA Blade



• 811.041 | PFN-2 Nail Extractor Attachment




• 602.030 | Drill Bits 4.0 mm Length 300mm for Jacobs Chuck



• 724.001 | Flexible Reaming Shaft



- **724** | Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm



- **804.012** | Stopper Guide Wire 2.5mm Length 950mm



- **804.013** | Guide Wire 2.5mm Length 950mm



- **811.021** | Direct Measuring Device For 3.2mm Guide Wire



- **813.015** | T-Wrench For G-PFN





**Instruments**

**Implants**

813.001	Insertion Handle For G-PFN	1 Each	4002	G-PFN Nail 9.0mm, 10mm, 11mm, 12mm x 170mm, 200mm, 240mm 130°	1 Each
813.003	Aiming Arm 130° For G-PFN	1 Each	4003	G-PFN Nail 9.0mm, 10mm, 11mm, 12mm x 170mm, 200mm, 240mm 135°	1 Each
813.004	Aiming Arm 135° For G-PFN	1 Each	353	4.9mm Interlocking Bolt 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm	2 Each
813.005	Aiming Arm For Dynamic Locking For G-PFN	1 Each	4004	G-PFN Screw 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	1 Each
813.006	Threaded Conical Bolt For G-PFN Nail	2 Each	355.14	End Cap For G-PFN Nail	5 Each
813.007	Cannulated Coupling Screw For G-PFN Screw	1 Each	355A.14	Lock Screw For G-PFN Nail	5 Each
813.008	Wrench For Attach G-PFN Screw	1 Each			
813.009	Reamer 10mm For G-PFN Screw	1 Each			
813.010	Protection Sleeve 16 x 11mm For G-PFN	1 Each			
813.012	Trocar Sleeve 11 x 3.2mm For G-PFN	1 Each			
811.010	Trocar 3.2mm For Pfna Blade	1 Each			
813.015	T-Wrench For G-Pfn	1 Each			
802.002	Tissue Protector	1 Each			
804.010	Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt	1 Each			
804.011	Medullary Tube	1 Each			
807.004	Protection Sleeve 10.0/8.0mm Long	1 Each			
807.007	Drill Sleeve 8.0/4.0mm Long	1 Each			
811.014	Protection Sleeve With Handle 20 x 17mm	1 Each			
807.022	Radiographic Ruler For PFN Nail	1 Each			
807.026	Guide wire pointer 6.2mm	1 Each			
811.015	Sleeve 17 x 3.2mm For Guide Wire	1 Each			
811.007	Buttress Compression Nut For Pfna Blade	1 Each			
811.019	Pin Wrench L & Key Type	1 Each			
811.021	Direct Measuring Device For 3.2mm Guide Wire	1 Each			
811.022	Combination Wrench 11mm	1 Each			
813.013	Fixation Sleeve G-PFN for Reamer 10mm	1 Each			
804C.008	Depth Gauge for Proximal Femoral Nail	1 Each			
811.032	Hammer Guide	1 Each			
811.033	Connector For Hummer Guide	1 Each			
811.034	8mm Hexagonal Shaft With Spherical Head	1 Each			
811.035	Cannulated Bone Awl	1 Each			
811.036	Slotted Hammer with Handle	1 Each			
811.037	T Handle Cannulated	1 Each			
811.038	Connecting Bolt For PFN Aiming Arm	1 Each			
811.040	T Handle Hexagonal Wrench 8.0mm for universal	1 Each			
811.025	Starting Reamer 16.5mm For Pfna Nail	1 Each			
811.039	Pointer for Sleeve 17 x 3.2mm	1 Each			
811.030	Guide Wire 3mm For Pfna Blade	1 Each			
811.041	PFN-2 Nail Extractor Attachment	1 Each			
602.030	Drill Bits 4.0mm x 300mm for Jacobs Chuck	1 Each			
804.012	Stopper Guide Wire 2.5mm Length 950mm	1 Each			
804.013	Guide Wire 2.5mm Length 950mm	1 Each			
724.001	Flexible Reaming Shaft	1 Each			
724	Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm	1 Each			

PHOTO NOT AVAILABLE

**Implants**

<b>4005D</b>	Long G-PFN Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 130°	<b>1 Each</b>
<b>4005E</b>	Long G-PFN Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 130°	<b>1 Each</b>
<b>4005F</b>	Long G-PFN Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 130°	<b>1 Each</b>
<b>4006D</b>	Long G-PFN Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 135°	<b>1 Each</b>
<b>4006E</b>	Long G-PFN Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 135°	<b>1 Each</b>
<b>4006F</b>	Long G-PFN Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 135°	<b>1 Each</b>

PHOTO NOT AVAILABLE

**Implants**

<b>4005D</b>	Long G-PFN Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 130°	<b>1 Each</b>
<b>4005E</b>	Long G-PFN Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 130°	<b>1 Each</b>
<b>4005F</b>	Long G-PFN Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 130°	<b>1 Each</b>
<b>4006D</b>	Long G-PFN Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 135°	<b>1 Each</b>
<b>4006E</b>	Long G-PFN Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 135°	<b>1 Each</b>
<b>4006F</b>	Long G-PFN Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 135°	<b>1 Each</b>



- **375 | Expert Tibial Interlocking Nail**

MATERIAL - Titanium / Stainless Steel    DIAMETER - 9mm, 10mm, 11mm

LENGTH - 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm (15mm Increment)



- **353 | 4.9mm Interlocking Bolt**

MATERIAL - Titanium / Stainless Steel


LENGTH - 22mm to 60mm (2mm Increment)

60mm to 70mm (5mm Increment)



- **355.15 | End Cap for Expert Tibia Nail**

MATERIAL - Titanium / Stainless Steel



◦ 812.001 | Tibia Insertion Handle



◦ 812.011 | Tibia Insertion Handle for Supra Patelar Entry



◦ 812.012 | Connecting Bolt for Supra Patelar Entry



◦ 812.002 | Aiming Arm for Expert Tibia Nail



◦ 812.003 | Connecting Bolt for Expert Tibia Nail



◦ 805A.003 | Protection Sleeve 10.0/8.0mm



◦ 805A.005 | Drill Sleeve 8.0/4.0mm




◦ 805A.006 | Pointer 8.0mm



• 811.033 | Connector For Hummer Guide



• 812.008 | Tibia Radiographic Ruler



• 804A.008 | Depth Gauge for Tibia / Femoral XL Nail



• 811.032 | Hammer Guide



• 802.001C | Cannulated Bone Awl Diamond Pointed



• 811.036 | Slotted Hammer with Handle



• 811.040 | T Handle Hexagonal Wrench 8.0mm for universal



• 805.003 | Reamer for Nail Neck 12mm



◦ 805.007 | 4mm Tommy Bar



◦ 804.010 | Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt



◦ 804.011 | Medullary Tube



◦ 804.012 | Stopper Guide Wire 2.5mm Length 950mm



◦ 804.013 | Guide Wire 2.5mm Length 950mm



◦ 802.002 | Tissue Protector



◦ 602.030 | Drill Bits 4.0mm x 300mm for Jacobs Chuck



◦ 724.001 | Flexible Reaming Shaft



- **724** | Bit for Flexible Reaming Shaft 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm



- **811.022** | Combination Wrench 11mm



- **805.008** | Tibia / Femoral XL Nail Extractor Attachment



- **811.038A** | Connecting Bolt For Aiming Arm & Distal bar



**Instruments**

812.001	Tibia Insertion Handle	1 Each
812.002	Aiming Arm for Expert Tibia nail	1 Each
812.003	Connecting Bolt for Expert Tibia Nail	1 Each
805A.003	Protection Sleeve 10.0/8.0mm	1 Each
805A.005	Drill Sleeve 8.0/4.0mm	1 Each
805A.006	Pointer 8.0mm	1 Each
811.033	Connector For Hummer Guide	1 Each
812.008	Tibia Radiographic Ruler	1 Each
804A.008	Depth Gauge for Tibia / Femoral XL Nail	1 Each
811.032	Hammer Guide	1 Each
802.001C	Cannulated Bone Awl Diamond Pointed	1 Each
811.036	Slotted Hammer with Handle	1 Each
811.040	T Handle Hexagonal Wrench 8.0mm for universal	1 Each
805.003	Reamer for Nail Neck 12mm	1 Each
805.007	4mm Tommy Bar	1 Each
804.010	Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt	1 Each
804.011	Medullary Tube	1 Each
804.012	Stopper Guide Wire 2.5mm Length 950mm	1 Each
804.013	Guide Wire 2.5mm Length 950mm	1 Each
802.002	Tissue Protector	1 Each
602.030	Drill Bits 4.0mm x 300mm for Jacobs Chuck	1 Each
811.022	Combination Wrench 11mm	1 Each
805.008	Tibia/Femoral XL Nail Extractor Attachment	1 Each
811.038A	Connecting Bolt For Aiming Arm & Distal bar	1 Each
724.001	Flexible Reaming Shaft	1 Each
724	Bit for Flexible Reaming Shaft 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm	1 Each

**Implants**

353	4.9mm Interlocking Bolt	
	Length : 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm	4 Each

PHOTO NOT AVAILABLE

**Implants**

375D	Expert Tibia Interlocking Nail 9.0mm	
	Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm	1 Each
375E	Expert Tibia Interlocking Nail 10.0mm	
	Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm	1 Each
375F	Expert Tibia Interlocking Nail 11.0mm	
	Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm	1 Each



## Implants



- **358C** | XL Interlocking Nail Tibia 8.0mm - LENGTH - 285mm to 390mm (15mm Increment) - MATERIAL - Titanium / Stainless Steel
- **358D** | XL Interlocking Nail Tibia 9.0mm - LENGTH - 285mm to 390mm (15mm Increment) - MATERIAL - Titanium / Stainless Steel
- **358E** | XL Interlocking Nail Tibia 10.0mm - LENGTH - 285mm to 390mm (15mm Increment) - MATERIAL - Titanium / Stainless Steel
- **358F** | XL Interlocking Nail Tibia 11.0mm - LENGTH - 285mm to 390mm (15mm Increment) - MATERIAL - Titanium / Stainless Steel



- **369C** | XL Interlocking Nail (Distal Tip) 8.0mm - LENGTH - 275mm to 380mm (15mm Increment) MATERIAL - Titanium / Stainless Steel
- **369D** | XL Interlocking Nail (Distal Tip) 9.0mm - LENGTH - 275mm to 380mm (15mm Increment) MATERIAL - Titanium / Stainless Steel
- **369E** | XL Interlocking Nail (Distal Tip) 10.0mm - LENGTH - 275mm to 380mm (15mm Increment) MATERIAL - Titanium / Stainless Steel



- **359D** | XL Interlocking Nail Femoral 9.0mm - LENGTH - 345mm to 435mm (15mm Increment) MATERIAL - Titanium / Stainless Steel
- **359E** | XL Interlocking Nail Femoral 10.0mm - LENGTH - 345mm to 435mm (15mm Increment) MATERIAL - Titanium / Stainless Steel
- **359F** | XL Interlocking Nail Femoral 11.0mm - LENGTH - 345mm to 435mm (15mm Increment) MATERIAL - Titanium / Stainless Steel
- **359G** | XL Interlocking Nail Femoral 12.0mm - LENGTH - 345mm to 435mm (15mm Increment) MATERIAL - Titanium / Stainless Steel



- **355.02** | End Cap for XL Nail Tibia & Femoral

MATERIAL - Titanium / Stainless Steel



- **352** | 3.9mm Interlocking Bolt  
18mm to 50mm (2mm Increment)

MATERIAL - Titanium / Stainless Steel



- **353** | 4.9mm Interlocking Bolt  
22mm to 60mm (2mm Increment)  
65mm to 80mm (5mm Increment)

MATERIAL - Titanium / Stainless Steel

## Instruments



• 805F.001 | Proximal Jig For XL Tibia And Femoral Nail



• 805A.002 | Conical Bolt for Tibia / Femoral XL Nail



• 805.003 | Reamer for Nail Neck 12mm



• 805A.003 | Protection Sleeve 10.0/8.0mm for Tibia / Femoral XL Nail



• 805A.004 | Drill Sleeve 8.0/3.2mm for Tibia / Femoral XL Nail



• 805A.005 | Drill Sleeve 8.0/4.0mm for Tibia / Femoral XL Nail



• 805A.006 | Pointer 8.0mm for Tibia / Femoral XL Nail




• 811.032 | Hammer Guide



• 811.033 | Connector For Hummer Guide



• 811.036 | Slotted Hammer with Handle



• 804A.008 | Depth Gauge for Tibia / Femoral XL Nail



• 804.009 | Hexagonal Screw Driver 2.5mm Tip Long for 3.9mm Bolt

• 804.010 | Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt



• 804.011 | Medullary Tube



• 804.012 | Stopper Guide Wire 2.5mm Length 950mm



• 804.013 | Guide Wire 2.5mm Length 950mm



• 811.035 | Canulated Bone Awl



◦ 802.002 | Tissue Protector



◦ 602.011 | Drill Bits 3.2mm Length 250mm for Jacobs Chuck  
 ◦ 602.030 | Drill Bits 4.0mm Length 300mm for Jacobs Chuck



◦ 811.040 | T Handle Hexagonal Wrench 8.0mm for universal



◦ 805D.004 | Distal Bar for XL Tibia Nail (Left & Right)  
 ◦ 805D.005 | Distal Bar for XL Femoral Nail (Left & Right)



◦ 805A.009 | Holding Bolt for Distal locking Device (SS)



◦ 805.007 | 4mm Tommy Bar



◦ 805.008 | Tibia / Femoral XL Nail Extractor Attachment



◦ 811.022 | Combination Wrench 11mm




• **724.001** | Flexible Reaming Shaft



• **724** | Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm

## SAGC.04 XL Interlocking Tibia Nail Set



### Implants

- 358C** XL Interlocking Nail Tibia 8.0mm  
Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm 1 Each
- 358D** XL Interlocking Nail Tibia 9.0mm  
Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm 1 Each
- 358E** XL Interlocking Nail Tibia 10.0mm  
Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm 1 Each

## SAGC.05 XL Interlocking Femoral Nail Set



### Implants

- 359D** XL Interlocking Nail Femoral 9.0mm  
Length : 345mm, 360mm, 375mm, 390mm, 405mm, 420mm, 435mm 1 Each
- 359E** XL Interlocking Nail Femoral 10.0mm  
Length : 345mm, 360mm, 375mm, 390mm, 405mm, 420mm, 435mm 1 Each
- 359F** XL Interlocking Nail Femoral 11.0mm  
Length : 345mm, 360mm, 375mm, 390mm, 405mm, 420mm, 435mm 1 Each



## Instruments

<b>805F.001</b>	Proximal Jig For XI Tibia And Femoral Nail	<b>1 Each</b>
<b>805A.002</b>	Conical Bolt for Tibia / Femoral XL Nail	<b>1 Each</b>
<b>805.003</b>	Reamer for Nail Neck 12mm	<b>1 Each</b>
<b>805A.003</b>	Protection Sleeve 10.0/8.0mm for Tibia / Femoral XL Nail	<b>1 Each</b>
<b>805A.004</b>	Drill Sleeve 8.0/3.2mm for Tibia / Femoral XL Nail	<b>1 Each</b>
<b>805A.005</b>	Drill Sleeve 8.0/4.0mm for Tibia / Femoral XL Nail	<b>1 Each</b>
<b>805A.006</b>	Pointer 8.0mm for Tibia / Femoral XL Nail	<b>1 Each</b>
<b>811.032</b>	Hammer Guide	<b>1 Each</b>
<b>811.033</b>	Connector For Hummer Guide	<b>1 Each</b>
<b>811.036</b>	Slotted Hammer with Handle	<b>1 Each</b>
<b>804A.008</b>	Depth Gauge for Tibia / Femoral XL Nail	<b>1 Each</b>
<b>804.009</b>	Hexagonal Screw Driver 2.5mm Tip Long for 3.9mm Bolt	<b>1 Each</b>
<b>804.010</b>	Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt	<b>1 Each</b>
<b>804.011</b>	Medullary Tube	<b>1 Each</b>
<b>804.012</b>	Stopper Guide Wire 2.5mm Length 950mm	<b>1 Each</b>
<b>804.013</b>	Guide Wire 2.5mm Length 950mm	<b>1 Each</b>
<b>811.035</b>	Cannulated Bone Awl	<b>1 Each</b>
<b>802.002</b>	Tissue Protector	<b>1 Each</b>
<b>602.011</b>	Drill Bits 3.2mm x 250mm for Jacobs Chuck	<b>1 Each</b>
<b>602.030</b>	Drill Bits 4.0mm x 300mm for Jacobs Chuck	<b>1 Each</b>

## Instruments

<b>811.040</b>	T Handle Hexagonal Wrench 8.0mm for universal	<b>1 Each</b>
<b>805D.004</b>	Distal Bar for XL Tibia Nail (Left & Right)	<b>1 Each</b>
<b>805D.005</b>	Distal Bar for XL Femoral Nail (Left & Right)	<b>1 Each</b>
<b>805A.009</b>	Holding Bolt for Distal Locking Device (SS)	<b>1 Each</b>
<b>805.007</b>	4mm Tommy Bar	<b>1 Each</b>
<b>805.008</b>	Tibia / Femoral XL Nail Extractor Attachment	<b>1 Each</b>
<b>811.022</b>	Combination Wrench 11mm	<b>1 Each</b>
<b>724.001</b>	Flexible Reaming Shaft	<b>1 Each</b>
<b>724</b>	Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm	<b>1 Each</b>

## Implants

<b>352</b>	3.9mm Interlocking Bolt 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm	<b>2 Each</b>
<b>353</b>	4.9mm Interlocking Bolt 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm	<b>2 Each</b>



- **370A** | Multilock Humeral Nail 6.0mm (Left & Right) - LENGTH - 180mm to 300mm (20mm Increment)  
MATERIAL - Titanium / Stainless Steel
- **370B** | Multilock Humeral Nail 7.0mm (Left & Right) - LENGTH - 180mm to 300mm (20mm Increment)  
MATERIAL - Titanium / Stainless Steel
- **370C** | Multilock Humeral Nail 8.0mm (Left & Right) - LENGTH - 180mm to 300mm (20mm Increment)  
MATERIAL - Titanium / Stainless Steel
- **370D** | Multilock Humeral Nail 9.0mm (Left & Right) - LENGTH - 180mm to 300mm (20mm Increment)  
MATERIAL - Titanium / Stainless Steel



- **355.16** | End cap for Multilock Humeral Nail  
MATERIAL - Titanium / Stainless Steel



- **351** | 3.4mm Interlocking Bolt  
MATERIAL - Titanium / Stainless Steel  
LENGTH - 16mm to 40mm (2mm Increment)  
45mm to 50mm (5mm Increment)





◦ 809M.001 | Insertion Handle for Multilock Humeral



◦ 809M.002 | Threaded Conical bolt for Multilock Humeral



◦ 809M.003 | Proximal/Distal bar for Multilock Humeral



◦ 809M.004 | Multilock Humeral Proximal Jig Left  
 ◦ 809M.005 | Multilock Humeral Proximal Jig Right



◦ 809M.006 | Fixing Screw For Proximal Jig



◦ 809M.007 | Protection Sleeve 8.0/6.6mm for Multilock Humeral



◦ 809M.008 | Drill Sleeve 6.6/2.7mm for Multilock Humeral



◦ 809M.009 | Pointer 6.6mm for Multilock Humeral

## Instruments



- **809M.010** | Depth Gauge for Multilock Humeral



- **809.005** | Starting Reamer for Humeral Nail with Q/C 8.0mm
- **809M.011** | Starting Reamer for Humeral Nail with Q/C 9.0mm



- **804.014** | Head For Threaded Conical Bolt



- **804.007** | Extractor-Impactor Rod with Hammer (Set of Two)



- **809M.012** | Hexagonal Screw Driver 2.5mm Tip Long for 3.9mm Bolt (Multilock Humeral)



- **803.006** | Small Bone Awl Diamond Pointed



- **602.008** | Drill Bits 2.7mm x 180mm for Jacobs Chuck
- **602.024** | Drill Bits 2.7mm x 230mm for Jacobs Chuck



- **895.010** | Spanner 10mm
- **895.019** | Spanner 19mm



- **807.015** | Guide Wire 2.0mm x 500mm With Threaded Tip



**Instruments**

<b>809M.001</b>	Insertion Handle for Multilock Humeral	<b>1 Each</b>
<b>809M.002</b>	Threaded Conical bolt for Multilock Humeral	<b>1 Each</b>
<b>809M.003</b>	Proximal/Distal bar for Multilock Humeral	<b>1 Each</b>
<b>809M.004</b>	Multilock Humeral Proximal Jig Left	<b>1 Each</b>
<b>809M.005</b>	Multilock Humeral Proximal Jig Right	<b>1 Each</b>
<b>809M.006</b>	Fixing Screw For Proximal Jig	<b>2 Each</b>
<b>809M.007</b>	Protection Sleeve 8.0/6.6mm for Multilock Humeral	<b>1 Each</b>
<b>809M.008</b>	Drill Sleeve 6.6/2.7mm for Multilock Humeral	<b>1 Each</b>
<b>809M.009</b>	Pointer 6.6mm for Multilock Humeral	<b>1 Each</b>
<b>809M.010</b>	Depth Gauge for Multilock Humeral	<b>1 Each</b>
<b>809M.011</b>	Starting Reamer for Humeral Nail with Q/C 9.0mm	<b>1 Each</b>
<b>804.014</b>	Head For Threaded Conical bolt	<b>1 Each</b>
<b>809.005</b>	Starting Reamer for Humeral Nail with Q/C 8.0mm	<b>1 Each</b>
<b>804.007</b>	Extractor-Impactor Rod with Hammer (Set of Two)	<b>1 Each</b>
<b>809M.012</b>	Hexagonal Screw Driver 2.5mm Tip Long for 3.9mm Bolt (Multilock Humeral)	<b>1 Each</b>
<b>803.006</b>	Small Bone Awl Diamond Pointed	<b>1 Each</b>
<b>602.008</b>	Drill Bits 2.7mm x 180mm for Jacobs Chuck	<b>1 Each</b>
<b>602.024</b>	Drill Bits 2.7mm x 230mm for Jacobs Chuck	<b>1 Each</b>
<b>895.010</b>	Spanner 10mm	<b>1 Each</b>
<b>895.019</b>	Spanner 19mm	<b>2 Each</b>
<b>807.015</b>	Guide Wire 2.0mm x 500mm With Threaded Tip	<b>3 Each</b>

**Implats**

<b>370A</b>	Multilock Humeral Nail 6.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm (Left & Right)	<b>1 Each</b>
<b>370B</b>	Multilock Humeral Nail 7.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm (Left & Right)	<b>1 Each</b>
<b>370C</b>	Multilock Humeral Nail 8.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm (Left & Right)	<b>1 Each</b>
<b>370D</b>	Multilock Humeral Nail 9.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm (Left & Right)	<b>1 Each</b>
<b>351</b>	3.4mm Interlocking Bolt 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm	<b>4 Each</b>

## Implants



• **363A** | Humeral Nail 6.0mm

MATERIAL - Titanium / Stainless Steel

LENGTH - 180mm to 300mm (20mm Increment)



• **363B** | Humeral Nail 7.0mm

MATERIAL - Titanium / Stainless Steel

LENGTH - 180mm to 300mm (20mm Increment)



• **363C** | Humeral Nail 8.0mm

MATERIAL - Titanium / Stainless Steel

LENGTH - 180mm to 300mm (20mm Increment)



• **350** | 2.9mm Interlocking Bolt

MATERIAL - Titanium / Stainless Steel

LENGTH - 20mm to 40mm (2mm Increment)



• **351** | 3.4mm Interlocking Bolt

MATERIAL - Titanium / Stainless Steel

LENGTH - 16mm to 50mm (2mm Increment)



• **355.05** | End Cap for Humeral Nail

MATERIAL - Titanium / Stainless Steel



• 809.001 | Proximal Gig for Humeral



• 809.002 | Threaded Conical bolt for Humeral Nail



• 809.003 | Sleeve For Compression Device



• 809.004 | Compression Device



• 809.005 | Starting Reamer for Humeral Nail with Q/C 8.0mm



• 809C.003 | Protection Sleeve 10.0/8.0mm for Humeral



• 809C.006 | Drill Sleeve 8.0/2.7mm for Humeral  
• 809C.007 | Drill Sleeve 8.0/2.5mm for Humeral




• 809C.004 | Pointer 8.0mm for Humeral

## Instruments



• 804.007 | Extractor-Impactor Rod with Hammer (Set of Two)



• 804E.008 | Depth Gauge for Humeral



• 804.009 | Hexagonal Screw Driver 2.5mm Tip Long for 3.9mm Bolt



• 809.008 | Guide Wire 1.8mm Length 750mm



• 803.006 | Small Bone Awl Diamond Pointed



• 602.006 | Drill Bits 2.5mm x 180mm for Jacobs Chuck

• 602.008 | Drill Bits 2.7mm x 180mm for Jacobs Chuck



• 895.019 | Spanner 19mm



• 809.010 | Head For Threaded Conical bolt for Humeral



• 809.009 | Starting Reamer for Humeral Nail Fix T Handal 8.0mm




**Instruments**

809.001	Proximal Jig for Humeral	1 Each
809.002	Threaded Conical bolt for Humeral Nail	1 Each
809.003	Sleeve For Compression Device	1 Each
809.004	Compression Device	1 Each
809.005	Starting Reamer for Humeral Nail with Q/C 8.0mm	1 Each
809C.003	Protection Sleeve 10.0/8.0mm for Humeral	1 Each
809C.006	Drill Sleeve 8.0/2.7mm for Humeral	1 Each
809C.007	Drill Sleeve 8.0/2.5mm for Humeral	1 Each
809C.004	Pointer 8.0mm for Humeral	1 Each
804.007	Extractor-Impactor Rod with Hammer (Set of Two)	1 Each
804E.008	Depth Gauge for Humeral Nail	1 Each
804.009	Hexagonal Screw Driver 2.5mm Tip Long for 3.9mm Bolt	1 Each
809.008	Guide Wire 1.8mm Length 750mm	1 Each
803.006	Small Bone Awl Diamond Pointed	1 Each
602.006	Drill Bits 2.5mm x 180mm for Jacobs Chuck	1 Each
602.008	Drill Bits 2.7mm x 180mm for Jacobs Chuck	1 Each
809.009	Starting Reamer for Humeral Nail Fix T Handal 8.0mm	1 Each
809.010	Head For Threaded Conical bolt for Humeral	1 Each
895.019	Spanner 19mm	1 Each

**Implats**

363A	Humeral Nail 6.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm	1 Each
363B	Humeral Nail 7.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm	1 Each
363C	Humeral Nail 8.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm	1 Each
350	2.9mm Interlocking Bolt 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm	2 Each
351	3.4mm Interlocking Bolt 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm	2 Each

## Implants




- **T374** | Elastic Nail 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm x 440mm  
MATERIAL - Titanium



- **T355** | End Cap For Elastic Nail  
SIZE - 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm  
MATERIAL - Titanium



## Instruments



• 810.001 | Elastic Nail Inserter/Extractor with SS Chuck



• 810.002 | Hammer Guide For Elastic Nail



• 810.003 | Slide Hammer



• 810.004 | F - Tool



• 810.005 | Pliers For Elastic Nail



• 810.006 | Pin Wrench



• 810.007 | Rod Cutter



• 810.008 | Oblique Temp

## Instruments



- **810** | Standard Temp 2.5mm, 3.0mm, 3.5mm, 4.0mm



- **803.006** | Small Bone Awl Diamond Pointed



- **602.007** | Drill Bits 2.7mm x 95mm for Jacobs Chuck
- **602.009** | Drill Bits 3.2mm x 130mm for Jacobs Chuck
- **602.016** | Drill Bits 4.5mm x 130mm for Jacobs Chuck



- **605A.045** | Universal Drill and Tap Sleeve 4.5/3.2mm



**Instruments**

<b>810.001</b>	Elastic Nail Inserter/Extractor with SS Chuck	<b>1 Each</b>
<b>810.002</b>	Hammer Guide For Elastic Nail	<b>1 Each</b>
<b>810.003</b>	Slide Hammer	<b>1 Each</b>
<b>810.004</b>	F - Tool	<b>1 Each</b>
<b>810.005</b>	Pliers For Elastic Nail	<b>1 Each</b>
<b>810.006</b>	Pin Wrench	<b>1 Each</b>
<b>810.007</b>	Rod Cutter	<b>1 Each</b>
<b>810.008</b>	Oblique Temp	<b>1 Each</b>
<b>810.009</b>	Standred Temp 2.5mm	<b>1 Each</b>
<b>810.010</b>	Standred Temp 3.0mm	<b>1 Each</b>
<b>810.011</b>	Standred Temp 3.5mm	<b>1 Each</b>
<b>810.012</b>	Standred Temp 4.0mm	<b>1 Each</b>
<b>803.006</b>	Small Bone Awl Diamond Pointed	<b>1 Each</b>
<b>602.007</b>	Drill Bits 2.7mm x 95mm for Jacobs Chuck	<b>1 Each</b>
<b>602.009</b>	Drill Bits 3.2mm x 130mm for Jacobs Chuck	<b>1 Each</b>
<b>602.016</b>	Drill Bits 4.5mm x 130mm for Jacobs Chuck	<b>1 Each</b>
<b>605A.045</b>	Universal Drill and Tap Sleeve 4.5/3.2mm	<b>1 Each</b>

**Implant**

<b>T374</b>	Elastic Nail 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm x 440mm	<b>1 Each</b>
<b>T355</b>	End Cap For Elastic Nail 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm	<b>1 Each</b>