

Společnost je zapsána v Obchodním rejstříku vedeném Krajským soudem v Brně oddíl B, vložka 818



PETLAS RUBBER INDUSTRY
AND TRADE COMPANY
Göhlisar Mevkii
40200 Kirsehir
TURKEY

106 R - 0 0 0 2 5 4

Zlín 21st May 2012

Re

Communication concerning the approval and notification of approval number

Enclosed you will find the Communication concerning the approval of your tyres according To ECE Regulation No. 106

On the base of this approval you are entitled to produce in your factory tyres of the dimension :

18.4-38 PETLAS TA60 10PR 147 A6 TT

with the approval number : **E8 106R-000254**

Sincerely yours



IGTT a.s.
Tyre Approval Department
T. Bati 299, P.O.Box 73
764 22 ZLÍN, Czech Republic
tel: +420577597226,43, fax: +420577597244

Petr Husták, Ph.D.
Tyre Approval Department Head

COMMUNICATION



106R-000254

issued by : Ministry of Transport
L.Svobody 1222/12
110 15 Praha 1
Czech Republic

concerning: ^{1/}


APPROVAL GRANTED
APPROVAL EXTENDED
APPROVAL REFUSED
APPROVAL WITHDRAWN
PRODUCTION DEFINITELY DISCONTINUED

of a type of pneumatic tyre for agricultural vehicles pursuant to Regulation No. 106

Approval No.: **106R-000254**

Extension No. : **N/A**

1. Manufacturer's name or trade mark (s) of the tyre: **PETLAS TA60**
2. Tyre type designation by the manufacturer: **18.4-38 10PR**
3. Manufacturer's name and address: **PETLAS RUBBER INDUSTRY
AND TRADE COMPANY
Gólhisar Mevkii
40200 Kirsehir
TURKEY**
4. If applicable, name and address of manufacturer's representative: **N/A**
5. Summarized description:
 - 5.1. Size of tyre: **18.4-38**
 - 5.2. Category of use: **Tractor - Drive wheel - standard tread**
 - 5.3. Structure: **diagonal (bias-ply)/bias belted/radial ^{1/}**
 - 5.4. Speed category symbol: **A6**
 - 5.5. Load-capacity index: **147**
 - 5.5.1. for traction (implement only): **-**
 - 5.5.2. for trailer (implement only): **-**



5.6. Whether the tyre is to be fitted with or without an inner tube **TUBE TYPE / TUBELESS**

5.7. The supplementary service description, if applicable: -

6. Technical Service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity:

**IGTT a.s.
tř.T. Bati 299
764 22 ZLÍN
CZECH REPUBLIC**

7. Date of report issued by that service:

21.05.2012

8. Number of report issued by that service:

106/0254

9. Reason(s) of extension (if applicable):

-

10. Any remarks:


-

11. Place:

Praha

12. Date:

21.05.2012



13. Signature:

Marek Brázda

14. Annexed to this communication is a list of documents in the approval file deposited at the Administrative Services having delivered the approval and which can be obtained upon request

^{1/} Strike out what does not apply.



T. Bati 299
764 22 Zlín, CZ

ECE No. 106

E8 106R-000254		21-05-2012	106/0254
Approval No.	Sign	Date	Report No.

Size
18,4-38

Trade name, tyre name
PETLAS TA-60

Manufacturer: PETLAS, Turkey

TT/TL: **TT** SC: **A6** Date of manufacture: **0212**
 LCI: **147** Category of use: **Tractor - Drive wheel - standard tread**

Result of the test

The tyre passed all tests according to ECE No. 106

PASSED

Markings

Sidewall: PETLAS TA-60
 18,4-38
 A6 10PR ->
 DOT 8S 6870 0212
 MADE IN TURKIYE

	Min.	Measured		Min.	Measured min
Circle	12mm	- mm	Size	9	38 mm
"E"	6mm	- mm	TT, TL, Date, Class.code	4	7 mm
"8"	4mm	- mm	LCI, SC, Inflation pictogram a,b,c,	4 2,18,14	6 mm - mm

Tyre dimensions measurement

Width	Test rim: W16Lx38	Test pressure: 180 kPa	
	1: 465 mm	2: 464 mm	3: 465 mm
	4: 469 mm	5: 463 mm	6: 464 mm
Conditioned 24hours, 20-30°C			

Maximum circumference:

Circumference: 5522 mm

Results

		Prescribed	Measured
Constants: d= 965 mm	Over-all width ECE No.106 S	467 mm	469 mm
	Max.over-all width S+5% = S _{max}	490 mm	
Coefficients "a" and "b" a= 0,96 b= 1,07	Outer diameter D	1750 mm	1758 mm
	Max tyre diameter d+b(D-d) = D _{max}	1805 mm	
	Min tyre diameter d+a(D-d) = D _{min}	1719 mm	

Comments Load index and maximum inflation pressure pictogram are missing.
 An adjustment is necessary.



T. Bati 299
764 22 Zlín, CZ

**TYRE RESISTANCE TO BURSTING
APPROVAL**

ECE No.106

E8 106R-000254

Approval No.

106/0254

Report No.

Size

18,4-38

Trade name, tyre name

PETLAS TA-60

Manufacturer: PETLAS, Turkey


TT/TL: **TT** SC: **A6** Date of manufacture: **0212**
LCI: **147** Category of use: **Tractor - Drive wheel - standard tread**

Conditions and test procedure:

Test rim:	W16Lx38
Pressure specified by manufacturer:	180 kPa
Test pressure = 2,5 times higher (Pmin=600kPa, Pmax=1000 kPa):	600 kPa
Min test duration:	10 min

Comments

The tyre passed the test of resistance to bursting according to ECE No.106.



DRAWING OF THE TYRE SIDEWALL
REGULATION Nr.106

WITH REFERENCE TO THE EXAMPLE SHOWN AT LEFT THE FOLLOWING MARKINGS APPLY TO THE TYRE SUBMITTED FOR APPROVAL. THE POSITIONING, ORDER AND HEIGHT OF THE MARKINGS CONFIRMS TO ANNEX 2 AND 3 OF THE REGULATION.

1. TRADE NAME..... : PETLAS
2. TYRE NAME..... : TA60
3. MANUFACTURER'S NAME... : PETLAS
4. COUNTRY OF ORIGIN..... : TURKIYE
5. TYRE SIZE DESIGNATION... : 18.4-38
6. A-)C)-NOMINAL..... : 147
 B-)SUPPLEMENTARY..... : -
7. A-)SPEED CAT.-NOMINAL... : A6
 B-)SUPPLEMENTARY..... : -
8. RADIAL..... : YES- / NO
9. TUBELESS OR TUBETYPE... : TT
10. REGROOVABLE..... : YES- / NO
11. DATE OF PRODUCTION.... : YES / NO-
12. PSI INDEX..... : 26 Psi
13. APPROVAL MARK..... : E8
14. APPROVAL NUMBER..... : -

ACGR-0000254

APPROVED BY.....
 DATE.....


21-05-2012

DIMENSIONED DRAWING OF TYRE CROSS-SECTION
REGULATION Nr.106

TRADE NAME.....: PETLAS

TYRE NAME.....: TA60

TYRE SIZE DESIGNATION.....: 18.4-38



TYRE DIMENSIONS.. :

S = 467 mm

A = 406,4 mm

D (Φ) = 1750 mm

d (Φ) = 970 mm

APPROVED BY.....:

DATE.....:

21-05-2012

APPROVAL NUMBER.. :


ES 10GR-000254

DRAWING OF THE TYRE TREAD
REGULATION Nr.106

TRADE NAME..... : PETLAS

TYRE..... : TA60

TYRE SIZE DESIGNATION.. : 18.4-38



APPROVED BY..... : *[Signature]*

DATE..... : 21-05-2012

APPROVAL NUMBER..... : E8 106R-000254



PETLAS RUBBER INDUSTRY
AND TRADE COMPANY
Göhlisar Mevkii
40200 Kirsehir
TURKEY

106 R - 0 0 0 2 5 5

Zlín 21st May 2012

Re

Communication concerning the approval and notification of approval number

Enclosed you will find the Communication concerning the approval of your tyres according To ECE Regulation No. **106**

On the base of this approval you are entitled to produce in your factory tyres of the dimension :

18.4-38 STARMAXX TR-60 10PR 147 A6 TT

with the approval number : **E8 106R-000255**

Sincerely yours



IGTT a.s.
Tyre Approval Department
T. Bati 299, P.O.Box 73
764 22 ZLÍN, Czech Republic
tel: +420577597228,43, fax: +420577597244

Petr Husták, Ph.D.
Tyre Approval Department Head

COMMUNICATION



106R-000255

issued by : Ministry of Transport
L.Svobody 1222/12
110 15 Praha 1
Czech Republic

concerning: ^{1/}


APPROVAL GRANTED
APPROVAL EXTENDED
APPROVAL REFUSED
APPROVAL WITHDRAWN
PRODUCTION DEFINITELY DISCONTINUED

of a type of pneumatic tyre for agricultural vehicles pursuant to Regulation No. 106

Approval No.: **106R-000255**

Extension No. : **N/A**

1. Manufacturer's name or trade mark (s) of the tyre: **STARMAXX TR-60**
2. Tyre type designation by the manufacturer: **18.4-38 10PR**
3. Manufacturer's name and address: **PETLAS RUBBER INDUSTRY
AND TRADE COMPANY
Göhlhisar Mevkii
40200 Kirsehir
TURKEY**
4. If applicable, name and address of manufacturer's representative: **N/A**
5. Summarized description:
 - 5.1. Size of tyre: **18.4-38**
 - 5.2. Category of use: **Tractor - Drive wheel - standard tread**
 - 5.3. Structure: **diagonal (bias-ply)/bias belted/radial ^{1/}**
 - 5.4. Speed category symbol: **A6**
 - 5.5. Load-capacity index: **147**
 - 5.5.1. for traction (implement only): **-**
 - 5.5.2. for trailer (implement only): **-**



5.6. Whether the tyre is to be fitted with or without an inner tube **TUBE TYPE / TUBELESS**

5.7. The supplementary service description, if applicable: -

6. Technical Service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity:

**IGTT a.s.
tř.T. Bati 299
764 22 ZLÍN
CZECH REPUBLIC**

7. Date of report issued by that service: -


8. Number of report issued by that service: -

9. Reason(s) of extension (if applicable): -

10. Any remarks: -

11. Place: **Praha**

12. Date: **21.05.2012**



13. Signature: **Marek Brázda**

14. Annexed to this communication is a list of documents in the approval file deposited at the Administrative Services having delivered the approval and which can be obtained upon request

^{1/} Strike out what does not apply.

