




**CE-mærkede
Trykbeholdere
Vertikale
Standardstørrelser
1000-15000 liter
Max. drifttryk og temp.
11 eller 16 bar og 50 °C**

DANA-TANK standard trykbeholdere fremstilles CE-mærkede efter direktiv PED 97/23/EC & AD 2000 og godkendes normalt af bemyndiget organ til EU-landene.


CE-mærkning efter PED 97/23/EC & EN 286-1 gældende for standardbeholdere under 1000 l. dog $\text{bar} \times L < 10000$, se datablad 2002-1.



Volume	Besigtigelsesmuligheder			Mål og tilslutninger					Vægt i kg.	
Liter	Ø100 (2 stk.) standard	Ø420/Ø500 soecial	Ø100x150 (2 stk.) special	A	B	C	D	E	11 bar	16 bar
1000	x	x	x	2"	2115	1485	863	150	277	315
1500	x	x	x	2"	2630	2000	863	150	374	435
2000	x	x	x	DN65	2840	2000	1100	200	660	720
3000	x	x	x	DN80	2920	2000	1280	200	790	870
4000	x	x	x	DN80	3000	2000	1450	200	905	1100
5000		x		DN100	3100	2000	1600	200	1050	1300
6000		x		DN100	3150	2000	1700	200	1200	1400
7000		x		DN100	4100	3000	1600	200	1000	1250
8000		x		DN100	4150	3000	1700	200	1600	1800
9000		x		DN100	5100	4000	1600	200	1260	1500
10000		x		DN100	5150	4000	1700	200	2000	2200
11000		x		DN100	6100	5000	1600	200	1550	1800
12000		x		DN100	6150	5000	1700	200	2400	2600
15000		x		DN100	5310	4000	2000	200	3100	

Vejledende skema

Målskitse 1000-15000 liter



DANA-TANK standard lodrette trykbeholdere - med volumen fra 1000-15000 kan leveres for drifttryk som anført ovenfor. Beholderne udføres med én af de angivne besigtigelsesmuligheder, der er udtryk for gældende regler for inspektion af trykbeholdere for installation i EU.

Ret til ændringer forbeholdes.


I øvrigt fremstilles trykbeholdere efter opgave.

Nogle modeller lagerføres, øvrige modeller produceres efter ordre.
DANA-TANK trykbeholdere kan leveres med udvendig maling i.h.t. DS/EN ISO 12944.
Rekvirer i øvrigt følgende datablade fra DANA-TANK:
Datablad 2002-1 for lodrette beholdere 50-800 l.
Datablad 2002-3 for vandrette beholdere 18-800 l.
Datablad 2002-6 for beholdere 20-70 bar.
Beskrivelse over alternativ overfladebehandling.




All materials supplied are in compliance with the requirements of the List of Prohibited Substances


CONFIDENTIAL:
This document is our property and shall not without our permission be altered, copied, used for manufacturing or communicated to any other person or company.



DRAIN HOLE G 1 1/2"



A-A (1 : 5)(3x)



Type Name	Product Nr	Pressure	Vessel Set
LV1000	8101 0207 02	11 bar	8101 0241 00
LV1000	8101 0208 01	16 bar	8101 0241 42

Tolerances, if not indicated, according to:			
ATLAS COPCO STANDARD CLASS			
Name		PRESSURE VESSEL DIMENSION DRWG LV1000	
Material		Not Applicable	
Treatment		Not Applicable	
Scale		1 : 20	Family
Drawn by		INEvak	Blank nr.
Drawing format		Blank wt	Fin wt.
Des checked.		Prod checked.	Approved.
Date		19/11/2015	30.253 kg
STATUS		Approved	
Designation		9820920004	
Sheet		1 / 1	

00		21/01/2016		1629007811	
Ed	Position	Modified from	Date	Intr./Appd.	Parent 3D model
					Edition 3D



Drawing owner
API