

The essentials to enhance productivity

Dell Pro 24 Monitor


MODEL: E2425HM

Dell Pro 24 Adjustable Stand Monitor

MODEL: E2425HSM

The world's # 1 monitor company*

DELL PRO 24 MONITOR AND DELL PRO 24 ADJUSTABLE STAND MONITOR



Get the essentials to enhance productivity with these 23.8-inch monitors certified by TÜV Rheinland® for 3-star eye comfort.

Improved viewing experience

Enjoy smoother and sharper motion visuals with the 100Hz refresh rate, delivering an enhanced viewing experience.

These monitors also feature TÜV Rheinland® 3-star eye comfort certification, the latest standard to help reduce eye fatigue. Additionally, ComfortView Plus is built in to minimize harmful blue light emissions without compromising color quality.

Enjoy vibrant and consistent visuals from virtually any angle, thanks to In-Plane Switching (IPS) technology that offers a wide 178°/178° viewing angle. Paired with a 1000:1 contrast ratio, this monitor ensures brilliant colors, bringing your content to life with stunning clarity and precision.

Functional, space-saving design

Height adjustability, built-in speakers, and an ultra-thin bezel design make the Dell Pro 24 Adjustable Stand Monitor a standout choice for improved everyday ergonomics and productivity.

The sleek, ultra-thin bezels allow you to see more with fewer distractions, creating a streamlined viewing experience while keeping comfort and functionality in focus.

Next-level productivity

Boost efficiency and productivity with Dell Display and Peripheral Manager that lets you customize your monitor settings, organize your screen using Easy Arrange and simplify management.


Conveniently connect to current and legacy systems via VGA, DisplayPort and HDMI ports. Make your workspace your own with VESA-compatible mounts and stands.

Experience reduced downtime with the 3-year Advanced Exchange Service² so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.³

¹ TÜV Rheinland certified - Low Blue Light Hardware Solution and Flicker Free (ID 0217010014).

² Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.

³ For a copy of the Limited Hardware Warranty, write to Dell USA LP, Attention: Warranties One Dell Way, Round Rock, TX 78682 or see dell.com/warranty for details.



World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

^{*} Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2024. CLM-005299

¹ TÜV Rheinland certified - Low Blue Light Hardware Solution and Flicker Free (ID 0217010014)



Environmentally-forward thinking

Material innovation

Your monitor has been thoughtfully crafted with a selection of sustainable materials including up to 85% recycled plastic including post-consumer recycled plastic and closed loop ITE derived plastic¹, and at least 20% recycled glass.² Using recycled materials helps conserve natural resources and contributes to a lower environmental footprint.

Environmental standards

This monitor is registered EPEAT Gold with Climate+, certified ENERGY STAR® and carries the latest TCO certified designation. With the new certification, this monitor is assured to be built using renewable energy while meeting high safety standards.³

Packaging with purpose

This monitor ships in a box made with 100% renewable content that is also recyclable. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution.⁴ Plus, we're saving over 600 trees each year by using less paper in packaging.⁵

- 1 Percentage is based on plastic weight. Based on internal analysis, March 2025. Up to 66.6% post-consumer recycled plastic and up to 59.7% closed loop ITE-derived plastic.
- 2 Applicable to all new monitors launching in CY 2025. Recycled glass is present in monitor panel. Based on internal analysis, January 2025
- 3 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- 4 Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025. Cushions now made from corrugated materials.
- Based on internal analysis, February 2025. Applies to monitors launching in 2025. Reductions based on monitor type and attributed to the quick start guide size and calibration sheet digitization. Calculation for trees saved based on: Detailed Calculator I 10 THOUSAND TREES.

All day comfort

Get a seamless viewing experience and focus on your task with slim bezels and small footprint.





Dell Pro 24 Monitor



Dell Pro 24 Adjustable Stand Monitor

Work comfortably

Height adjustability¹, pivot, swivel and tilt features are available on the Dell Pro 24 Adjustable Stand Monitor model for improved everyday ergonomics and productivity.



Conveniently connect

Connect to current and legacy systems via VGA, DisplayPort and HDMI interfaces.









Dell Display and Peripheral Manager



Screen image simulated for illustrative purposes only. Monitor model varies.

Experience Dell's singular, innovative application to optimize the performance of your entire Dell PC workspace.¹

Maximize productivity

Easy Arrange tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.

Customize your views

Work comfortably, day or night. Automate your brightness and contrast settings to match your schedule.

More manageable

Scale up management across your entire fleet of Dell displays and client peripherals with expanded Command Line Interface features.

Download Dell Display and Peripheral Manager

Ports & Slots

Dell Pro 24 Monitor



Dell Pro 24 Adjustable Stand Monitor



- 1 Security lock slot¹
- **2** Power connector
- **3** DisplayPort 1.2 port
- **4** HDMI 1.4 port
- **5** VGA port
- 6 Built-in speakers

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell Pro 24 Monitor - E2425HM
DIAGONAL VIEWING SIZE	604.7 mm (23.8 in.)
PANEL TYPE	In-Plane Switching (IPS) Technology
MAXIMUM PRESET RESOLUTION AND REFRESH RATE	 VGA: 1920 x 1080 up to 60 Hz DisplayPort 1.2: 1920 x 1080 up to 100 Hz HDMI: 1920 x 1080 up to 100 Hz
VIEWING ANGLE	Horizontal: 178° Vertical: 178°
PIXEL PITCH	Horizontal: 0.2745 mm Vertical: 0.2745 mm
PIXEL PER INCH (PPI)	93
CONTRAST RATIO	1000:1 (typical)
ASPECT RATIO	16:9
BACKLIGHT TECHNOLOGY	LED Edgelight System
BRIGHTNESS	250 cd/m² (typical)
RESPONSE TIME	Normal mode: 8 ms (gray to gray) Fast mode: 5 ms (gray to gray)
COLOR GAMUT	NTSC 72% (CIE 1931) (minimum)
COLOR DEPTH	16.7 million colors
TÜV EYECOMFORT	3 star
CONNECTIVITY	Video port 1 x HDMI port (HDCP 1.4) (Supports up to FHD 1920 x 1080 100 Hz as per specified in HDMI 1.4) 1 x DisplayPort 1.2 (HDCP 1.4) port (Supports up to FHD 1920 x 1080, 100 Hz) 1 x VGA port
ADJUSTABILITY	Tilt -5°/+21°
DISPLAY SCREEN COATING	Anti-glare with hard-coating 3H
SOFTWARE COMPATIBILITY	Dell Display and Peripheral Manager (DDPM) for Windows operating system
REMOTE ASSET MANAGEMENT	Yes, using Dell Display and Peripheral Manager
OPERATION TIME SUPPORT	12 hours a day, 7 days a week (12/7)
VOLTAGE REQUIRED	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/0.7A
POWER CONSUMPTION	14.30 W (On mode) 0.30 W (Off mode) 0.30 W (Standby mode) 28.50 W (Max.) 12.1 W (Pon) 38.8 kWh (TEC)
BEZEL WIDTH - TOP	5.80 mm (0.23 in.)
BEZEL WIDTH – LEFT OR RIGHT	5.80 mm (0.23 in.)
BEZEL WIDTH – BOTTOM	17.43 mm (0.69 in.)

FEATURE	TECHNICAL SPECIFICATION
DIMENSIONS (WITH	412.35 mm (16.23 in.)
STAND) - HEIGHT	F00 (A year (01 01 in)
DIMENSIONS (WITH STAND) - WIDTH	538.64 mm (21.21 in.)
DIMENSIONS (WITH STAND) - DEPTH	171.00 mm (6.73 in.)
DIMENSIONS (WITHOUT STAND) – HEIGHT	324.21 mm (12.76 in.)
DIMENSIONS (WITHOUT STAND) – WIDTH	538.64 mm (21.21 in.)
DIMENSIONS (WITHOUT STAND) – DEPTH	47.70 mm (1.88 in.)
STAND DIMENSIONS – HEIGHT	174.02 mm (6.85 in.)
STAND DIMENSIONS - WIDTH	222.03 mm (8.74 in.)
STAND DIMENSIONS - DEPTH	171.00 mm (6.73 in.)
WEIGHT WITH PACKAGING	5.18 kg (11.42 lb)
WEIGHT WITH STAND ASSEMBLY AND CABLES	3.60 kg (7.94 lb)
WEIGHT WITHOUT STAND ASSEMBLY (WITHOUT CABLES)	2.81 kg (6.19 lb)
WEIGHT OF STAND ASSEMBLY	0.34 kg (0.75 lb)
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)
SECURITY	Security lock slot (cable lock sold separately)
COMPLIANT STANDARDS	ENERGY STAR 8.0 EPEAT Gold With Climate+ TCO Certified and TCO Certified Edge RoHS Compliant Product Safety, EMC and Environmental Datasheets Dell Regulatory Compliance Home Page Dell and the Environment TÜV Eye Comfort 3 Star BFR/PVC-Reduced (Its circuit boards are made from BFR/PVC-free laminates). Meets NFPA 99 leakage current requirements. Arsenic-Free glass and Mercury-Free for the panel only.
TEMPERATURE RANGE	Operating: 0°C to 40°C (32°F to 104°F) Non-Operating: -20°C to 60°C (-4°F to 140°F)
HUMIDITY RANGE	Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing)
ALTITUDE	Operating: 5,000 m (16,404 ft) maximum Non-Operating: 12,192 m (40,000 ft) maximum
WHAT'S INCLUDED	Monitor with stand Power cable 1 x DisplayPort-DisplayPort cable - 1.80 m 1 x HDMI cable - 1.80 m (Japan region) Quick Start guide Safety Information

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell Pro 24 Adjustable Stand Monitor - E2425HSM
DIAGONAL VIEWING SIZE	604.7 mm (23.8 in.)
PANEL TYPE	In-Plane Switching (IPS) Technology
MAXIMUM PRESET RESOLUTION AND REFRESH RATE	 VGA: 1920 x 1080 up to 60 Hz DisplayPort 1.2: 1920 x 1080 up to 100 Hz HDMI: 1920 x 1080 up to 100 Hz
VIEWING ANGLE	Horizontal: 178° Vertical: 178°
PIXEL PITCH	Horizontal: 0.2745 mm Vertical: 0.2745 mm
PIXEL PER INCH (PPI)	93
CONTRAST RATIO	1000:1 (typical)
ASPECT RATIO	16:9
BACKLIGHT TECHNOLOGY	LED Edgelight System
BRIGHTNESS	250 cd/m² (typical)
RESPONSE TIME	Normal mode: 8 ms (gray to gray) Fast mode: 5 ms (gray to gray)
COLOR GAMUT	NTSC 72% (CIE 1931) (minimum)
COLOR DEPTH	16.7 million colors
TÜV EYECOMFORT	3 star
CONNECTIVITY	Video port 1 x HDMI port (HDCP 1.4) (Supports up to FHD 1920 x 1080 60 Hz as per specified in HDMI 1.4) 1 x DisplayPort 1.2 (HDCP 1.4) port (Supports up to FHD 1920 x 1080, 100 Hz) 1 x VGA port
ADJUSTABILITY	Height adjustment up to 130 ± 5 mm Tilt -5°/+21° Swivel -173°/+173° Pivot -90°/+90°
DISPLAY SCREEN COATING	Anti-glare with hard-coating 3H
SOFTWARE COMPATIBILITY	Dell Display and Peripheral Manager (DDPM) for Windows operating system
REMOTE ASSET MANAGEMENT	Yes, using Dell Display and Peripheral Manager
OPERATION TIME SUPPORT	12 hours a day, 7 days a week (12/7)
VOLTAGE REQUIRED	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/0.7 A
POWER CONSUMPTION	12.1 W (On mode) 0.3 W (Off mode) 0.3 W (Standby mode) 28.5 W (Max.) 11.94 W (Pon) 38.32 kWh (TEC)
AUDIO OUTPUT	2 Integrated 2 W speakers
BEZEL WIDTH - TOP	5.80 mm (0.23 in.)
BEZEL WIDTH – LEFT OR RIGHT	5.80 mm (0.23 in.)
BEZEL WIDTH – BOTTOM	17.43 mm (0.69 in.)

FEATURE	TECHNICAL SPECIFICATION
DIMENSIONS (WITH STAND) – HEIGHT (EXTENDED)	485.77 mm (19.12 in.)
DIMENSIONS (WITH STAND) – HEIGHT (COMPRESSED)	355.77 mm (14.01 in.)
DIMENSIONS (WITH STAND) – WIDTH	538.64 mm (21.21 in.)
DIMENSIONS (WITH STAND) - DEPTH	211.60 mm (8.33 in.)
DIMENSIONS (WITHOUT STAND) – HEIGHT	324.21 mm (12.76 in.)
DIMENSIONS (WITHOUT STAND) – WIDTH	538.64 mm (21.21 in.)
DIMENSIONS (WITHOUT STAND) – DEPTH	53.54 mm (2.11 in.)
STAND DIMENSIONS - HEIGHT (EXTENDED)	400.04 mm (15.75 in.)
STAND DIMENSIONS - HEIGHT (COMPRESSED)	348.07 mm (13.70 in.)
STAND DIMENSIONS - WIDTH	257.02 mm (10.12 in.)
STAND DIMENSIONS – DEPTH	211.60 mm (8.33 in.)
WEIGHT WITH PACKAGING	6.56 kg (14.46 lb)
WEIGHT WITH STAND ASSEMBLY AND CABLES	4.66 kg (10.27 lb)
WEIGHT WITHOUT STAND ASSEMBLY (WITHOUT CABLES)	2.81 kg (6.19 lb)
WEIGHT OF STAND ASSEMBLY	1.50 kg (3.31 lb)
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)
SECURITY	Security lock slot (cable lock sold separately)
COMPLIANT STANDARDS	ENERGY STAR 8.0 EPEAT Gold With Climate+ TCO Certified and TCO Certified Edge RoHS Compliant Product Safety, EMC and Environmental Datasheets Dell Regulatory Compliance Home Page Dell and the Environment TÜV Eye Comfort 3 Star BFR/PVC-Reduced (Its circuit boards are made from BFR/PVC-free laminates). Meets NFPA 99 leakage current requirements. Arsenic-Free glass and Mercury-Free for the panel only.
TEMPERATURE RANGE	Operating: 0°C to 40°C (32°F to 104°F) Non-Operating: -20°C to 60°C (-4°F to 140°F)
HUMIDITY RANGE	Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing)
ALTITUDE	Operating: 5,000 m (16,404 ft) maximum Non-Operating: 12,192 m (40,000 ft) maximum
WHAT'S INCLUDED	Monitor with stand Power cable 1 x HDMI cable - 1.80 m Quick Start guide Safety Information

Dell monitors offer a reliability rate of 99.6% uptime¹

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.

Advanced Exchange Service

These monitors come with a 3-year Advanced Exchange Service² so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.³

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.⁴

Optimal integration

Dell Monitors are designed to work seamlessly with our PC and accessories. Visit the <u>support page</u> to find out more.

- 1 Source: Based on Dell Quality Intelligence (Qi) tool Dell Internal Analysis, January 2025. 99.6% uptime rate reflects operational reliability, with 0.4% dispatch in the first year
- 2 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.
- 3 For a copy of the Limited Hardware Warranty, write to Dell USA LP, Attention: Warranties One Dell Way, Round Rock, TX 78682 or see dell.com/warranty for details.
- 4 Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C° and USB-C° are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.

^{*} Source: IDC Worldwide Quarterly PC Monitor Tracker, Q4 2024. CLM-005299