



ECG Cable ECG电缆

CONTENT / 内容

★ ECG monitoring trunk cable and lead wires

心电监护主电缆与导联线

★ ECG monitoring one piece wires

心电监护一体化电缆

★ Major brand or types leadwires

主要品牌导联分线

★ Disposable ECG leadwires

一次性心电导联线

★ Telemetry ECG cable

心电遥测电缆

ECG Cable ECG 电缆

本公司可提供多种品牌机型连接器，可以承接客户订制OEM产品以及以客户要求提供解决方案ODM产品。

产品采用抗弯折的网尾可以最大的避免对电缆的损坏。产品电线采用双屏蔽结构将干扰和噪音降到最小，产品可以适配于以美标(AAMI)和欧标(IEC)颜色代码标识的病人端连接器。每个产品上具有批号(LOT #)便于追溯。

Caremed can provide different kinds of connector for many brands' equipment models, can produce customized OEM product and provide ODM solution based on customer's requirements.

The product adopt the bending-resistance strain relief, the damage to the cable can be avoided at utmost degree.

The product wire uses the double shield structure, which minimize the interference and noise.

The product can be adapted to the patient end connectors which take American Standard (AAMI) and European Standard (IEC) color code as identifications.

Each product has a Lot Number to facilitate traceability.

产品结构

- 本产品由插头、电缆、分线器、导联线、分线器插头、电极插头等插接件组成。
- 所用电缆为高强度双合金特种医用电缆；
- 所用材料为医用TPU，符合生物相容性标准。

Product construction

- The product is consist of plug, cable, yoke, lead wire, yoke plug, electrode plug, etc.
- The cable use high-strength double-alloyed special medical cable;
- The material is medical grade TPU, corresponding to the bio-compatibility standards.

产品性能

- 当患者导联线与主电缆相连，且主电缆插入指定的插座或等效装置，此组件应该能承受有效电压(rms) $1500 \times (1 \pm 10\%)V$ 、频率50Hz的正弦电压，在 $1 \times (1 \pm 20\%)min$ 内不发生击穿。电压应该加载于任意两条芯线(包括屏蔽)组合之间。
- 此电缆组件还应能够承受 $5000 \times (1 \pm 10\%)V$ 的直流电压，在 $1 \times (1 \pm 10\%)s$ 内不发生击穿。电压应该加载于所有连接在一起的芯线和屏蔽与任意裸露的导体部分之间。
- 击穿的定义是指在给定的激励电压和频率下，在信号产生电路的输出端测得的电流值超过理论值0.25mA。

Product performance

- When the lead wires connected to the patient trunk cable and trunk cable plug into nominated socket or equivalent device, this cable assemble should be able to withstand an effective voltage (rms) $1500 \times (1 \pm 10\%) V$, 50Hz frequency sinusoidal voltage within $1 \times (1 \pm 20\%)min$, and the breakdown does not occur within $1 \times (1 \pm 20\%)min$. The cable assembly should also withstand DC voltage of $5000 \times (1 \pm 10\%)V$, and not breakdown within $1 \times (1 \pm 10\%)s$.
- The voltage should be loaded between all connect-together wires and the shield conductor also any exposed parts.
- The definition of breakdown is that, in a given excitation voltage and frequency, at the signal generation circuit outputs, the measured current value exceeds the theoretical value 0.25mA.

产品特性

- 采用特殊导体，具有出众的数据传输性能。
- 高屏蔽性、抗静电、低噪声。
- 弯折强度高，使用持久。
- 优越的抗老化性能。
- 不含乳胶。
- 外被可以做成医用级PVC，TPR，TPE，TPU，PTFE。

Product features

- Using a special conductor, has outstanding data transfer performance.
- High shielding property, anti-static and low noise.
- High bending strength, durable.
- Excellent anti-aging properties.
- Latex Free
- Jacket outside is made of medical grade material of PVC, TPR, TPE, TPU, PTF

Integrated ECG lead wires

- 产品型号单一便于管理
- 没有中间分线器操作更简单
- 前期产品成本较低
- 产品失效需整条更换，维修成本较高
- 产品固定灵活性差
- Product part no. is single, easy to management.
- No junction box, easy to operation
- Early stage products have low cost.
- If product failure need to replace in its entirety, high maintenance cost
- Poor flexibility of Product fixed.



ECG主电缆+ECG导联线

- 产品需ECG主电缆+ECG导联线配套使用
- 产品前期成本较高，维修成本较低
- 产品灵活性好，通过批配不同ECG主电缆可以批配同一款或是多款ECG导联线；同时通过批配不同ECG主电缆可以批配一次性使用ECG导联线，可以更灵活的适用于多科室。

ECG trunk cable + ECG lead wires

- Products required ECG trunk cable + ECG lead wires matching use
- Early stage products have higher cost, lower maintenance costs.
- Good product flexibility. By matched with different ECG trunk cable, it can work together with the same or a variety of ECG lead wires; by matched with different ECG trunk cables, can be matched with disposable ECG lead wires. It is more flexible to apply to multiple departments in hospital.



分线器类型 Yoke type







病人端连接器 Patient end connector





















































ECG Monitoring Trunk cable and lead wires
心电监护主电缆与导联线

Electrode type 电极类型	Lead No. & color code 导联数与制式					
	Standard AHA 3 leads 美标(A) 三导	Replace AHA 3 leads 替代美标(RA) 三导	Standard IEC 3 leads 欧标(I) 三导	Replace IEC 3 leads 替代欧标(RI) 三导	Standard AHA 5 leads 美标(A) 五导	Standard IEC 5 leads 欧标(I) 五导
Unicode 字符	RA, LL, LA	RA, RL, LA	R, F, L	R, N, L	RA, RL, V, LL, LA	R, N, C, F, L
Grabber 常规钳式						
Mini Grabber Mini钳式						
Snap 扣式						
Carbon Fiber Grabber 碳纤维钳式						

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息							
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明	
AAMI	Without resistance BCI Datascope MDE/Invivo Mindray Spacelabs WelchAllyn Protocol	3			EDU340-A	长2.5m, 美标2.5m, AHA	ED3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ED3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA	
				EDU340-I	长2.5m, 欧标2.5m, IEC	ED3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ED3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC		
				Price	C1	A8	B3				
				EDU540-A	长2.5m, 美标2.5m, AHA	ED5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ED5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
		EDU540-I		长2.5m, 欧标2.5m, IEC	ED5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ED5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC			
		Price		C2	B4	B6					
	With 1K resistance (1K电阻) Same as above	3			EDR340-A	长2.5m, 美标2.5m, AHA	ED3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ED3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA	
				EDR340-I	长2.5m, 欧标2.5m, IEC	ED3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ED3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC		
				Price	C1	A8	B3				
				EDR540-A	长2.5m, 美标2.5m, AHA	ED5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ED5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
		EDR540-I		长2.5m, 欧标2.5m, IEC	ED5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ED5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC			
		Price		C2	B4	B6					
LL style	3			ELLU340-A	长2.5m, 美标2.5m, AHA	ELL3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ELL3R-90S-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
			ELLU340-I	长2.5m, 欧标2.5m, IEC	ELL3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ELL3R-90S-I	长0.9m, 钳式欧标0.9m, Grabber, IEC			
			Price	C6	B7	B7					
			ELLU540-A	长2.5m, 美标2.5m, AHA	ELL5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ELL5R-90S-A	长0.9m, 钳式美标0.9m, Grabber, AHA			
	ELLU540-I		长2.5m, 欧标2.5m, IEC	ELL5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ELL5R-90S-I	长0.9m, 钳式欧标0.9m, Grabber, IEC				
	Price		C6	C2	C2						
BCI	Refer to AAMI										
Colin/ Omron (Japan)	BP 308/ 308E/408	See AAMI									
	BP88S	3			ECLU520-A	长2.5m, 美标2.5m, AHA	ECL3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ECL3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA	
				ECLU520-I	长2.5m, 欧标2.5m, IEC	ECL3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ECL3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC		
				Price	C6	B7	B7				



















Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息								
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明		
Colin/ Omron (Japan)	BP88S	5			ECLU520-A	长2.5m, 美标2.5m, AHA	ECL5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ECL5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
				ECLU520-I	长2.5m, 欧标2.5m, IEC	ECL5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ECL5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC			
				Price	C6	C2	C2					
		BP88 BP306		3			ECLU521-A	长2.5m, 美标2.5m, AHA	ECL3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ECL3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
						ECLU521-I	长2.5m, 欧标2.5m, IEC	ECL3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ECL3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC	
						Price	C6	B7	B7			
	BP88 BP306	5				ECLU521-A	长2.5m, 美标2.5m, AHA	ECL5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ECL5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA	
				ECLU521-I		长2.5m, 欧标2.5m, IEC	ECL5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ECL5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC		
				Price		C6	C2	C2				
	Critic are	602A-A, Poet 2, 504US, Scholar, 506,507,508,1100,1508,8100			Refer to AAMI							
	Mindray data scope 迈瑞	Datascope -Mindray V12, V21		3			EDTU326-A	长2.5m, 美标2.5m, AHA	EDT3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	EDT3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
						EDTU326-I	长2.5m, 欧标2.5m, IEC	EDT3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	EDT3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC	
Price			C6			C2	C2					
5				EDTU526-A		长2.5m, 美标2.5m, AHA	EDT5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	EDT5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
			EDTU526-I	长2.5m, 欧标2.5m, IEC		EDT5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	EDT5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC			
			Price	C6		C2	C2					
Fukuda Danshi		3			ESMU599-A	长2.5m, 美标2.5m, AHA	ESM5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ESM5R-90S-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
				ESMU599-I	长2.5m, 欧标2.5m, IEC	ESM5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ESM5R-90S-I	长0.9m, 钳式欧标0.9m, Grabber, IEC			
				Price	C6	C2	C2					
		12			EMQU1099-A	长2.5m, 美标2.5m, AHA	EMQ5R-90S-A EMV5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	EMQ5R-90P-A EMV5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
				EMQU1099-I	长2.5m, 欧标2.5m, IEC	EMQ5R-90S-I EMV5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	EMQ5R-90P-I EMV5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC			
				Price	D3	2XC2	2XC2					
























Original Product Information 原厂产品信息				Caredmed Product Information 凯曼产品信息						
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明
GE/Critikon	Dinamap Pro 1000 MPS Select Portable monitors	3			EDXU340-A	长2.5m, 美标2.5m, AHA	EDX3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EDX3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EDXU340-I	长2.5m, 欧标2.5m, IEC	EDX3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EDX3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	B7	B7	B7	B7	
GE-Datex-Ohmeda	AS/3, CS/3, Cardiacap II, Satlite Plus S5 Without Resistor for respiration	3			EDXU392-A	长2.5m, 美标2.5m, AHA	EDX3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EDX3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EDXU392-I	长2.5m, 欧标2.5m, IEC	EDX3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EDX3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	B7	B7	B7		
		5			EDXU592-A	长2.5m, 美标2.5m, AHA	EDX5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EDX5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EDXU592-I	长2.5m, 欧标2.5m, IEC	EDX5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EDX5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	C2	C3	C3		
GE-Datex-Ohmeda	AS/3, CS/3, Cardiacap II, Satlite Plus S5 With resistors	3			EDXU395-A	长2.5m, 美标2.5m, AHA	EDX3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EDX3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EDXU395-I	长2.5m, 欧标2.5m, IEC	EDX3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EDX3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	B7	B7	B7		
		5			EDXU595-A	长2.5m, 美标2.5m, AHA	EDX5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EDX5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EDXU595-I	长2.5m, 欧标2.5m, IEC	EDX5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EDX5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C2	C2	C6	C6		
12			EDXU1095-A	长2.5m, 美标2.5m, AHA	EMQ5R-90S-A EMV5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EMQ5R-90P-A EMV5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA		
			EDXU1095-I	长2.5m, 欧标2.5m, IEC	EMQ5R-90S-I EMV5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EMQ5R-90P-I EMV5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC		
		Price	NA	2XC2	2XC2	2XC2				
GE/Hellige	Eagle 1000 Def., SCP 900/ Cardioserv SMC,SMS, SMK,SMU, SMV	3			EDXU355-A	长2.5m, 美标2.5m, AHA	EDX3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EDX3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EDXU355-I	长2.5m, 欧标2.5m, IEC	EDX3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EDX3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	B7	B7	B7		
		5			EDXU555-A	长2.5m, 美标2.5m, AHA	EDX5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EDX5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EDXU555-I	长2.5m, 欧标2.5m, IEC	EDX5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EDX5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	C2	C2	C2		





Original Product Information 原厂产品信息				Caredmed Product Information 凯曼产品信息						
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明
GE/Hellige	Tram 7200	5			EMQU584-A	长2.5m, 美标2.5m, AHA	EMQ5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EMQ5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EMQU584-I	长2.5m, 欧标2.5m, IEC	EMQ5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EMQ5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	C2	C2	C2		
GE/Marquette	Eagle,Solar, Dash monitor MAC-Lab Cath Lab Datex-Ohmeda M-Prestn & "E" modules	3			EMQU586-A	长2.5m, 美标2.5m, AHA	EMQ3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EMQ3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EMQU586-I	长2.5m, 欧标2.5m, IEC	EMQ3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EMQ3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	C2	C2	C2		
		5			EMQU586-A	长2.5m, 美标2.5m, AHA	EMQ5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EMQ5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EMQU586-I	长2.5m, 欧标2.5m, IEC	EMQ5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EMQ5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	C2	C2	C2		
6			EMQU685-A	长2.5m, 美标2.5m, AHA	EMQB6R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EMQB6R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA		
			EMQU685-I	长2.5m, 欧标2.5m, IEC	EMQB6R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EMQB6R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC		
		Price	C8.2	C4	C4	C4				
12			EMQU1086-A	长2.5m, 美标2.5m, AHA	EMQ5R-90S-A EMV5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EMQ5R-90P-A EMV5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA		
			EMQU1086-I	长2.5m, 欧标2.5m, IEC	EMQ5R-90S-I EMV5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EMQ5R-90P-I EMV5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC		
		Price	D3	2XC2	2XC2	2XC2				
Lohmerier	M010,M011 /M211 Defi 501	3			ELMU358-A	长2.5m, 美标2.5m, AHA	ELM3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ELM3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					ELMU358-I	长2.5m, 欧标2.5m, IEC	ELM3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ELM3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	B7	B7	B7		
		5			ELMU558-A	长2.5m, 美标2.5m, AHA	ELM5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ELM5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					ELMU558-I	长2.5m, 欧标2.5m, IEC	ELM5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ELM5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	NA	C2	C2	C2		
Mennen	Envoy	3			EAAU375-A	长2.5m, 美标2.5m, AHA	EMN3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EMN3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EAAU375-I	长2.5m, 欧标2.5m, IEC	EMN3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EMN3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	B7	B7	B7		

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息						
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明
Mennen	Envoy	5			EAAU575-A	长2.5m, 美标2.5m, AHA	EMN5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	EMN5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
					EAAU575-I	长2.5m, 欧标2.5m, IEC	EMN5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	EMN5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
					Price	C6	C2	C2		
	Pm7000/8000/9000			Refer to AMMI						
Mindray 迈瑞	Pm5000 PM6000 Beneview T5/T6/T8	3			EMRU512-A	长2.5m, 美标2.5m, AHA	EMR3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	EMR3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
					EMRU512-I	长2.5m, 欧标2.5m, IEC	EMR3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	EMR3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
					C6	B7	B7			
		5	EMRU512-A	长2.5m, 美标2.5m, AHA	EMR5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	EMR5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
			EMRU512-I	长2.5m, 欧标2.5m, IEC	EMR5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	EMR5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC		
Price	C6	C2	C2							
NEC	YCE205	3				长2.5m, 美标2.5m, AHA	ENECA3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENECA3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
						长2.5m, 欧标2.5m, IEC	ENECA3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENECA3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
	Price	NA	B7	B7						
	47502	3				长2.5m, 美标2.5m, AHA	ENECC3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENECC3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
						长2.5m, 欧标2.5m, IEC	ENECC3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENECC3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
Price	NA	B7	B7							
47504	3				长2.5m, 美标2.5m, AHA	ENECC3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENECC3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA	
					长2.5m, 欧标2.5m, IEC	ENECC3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENECC3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC	
Price		B7	B7							
Nihon Kohden 光电	Def. Cardiolife Lifescope series 6-8-9-11 6102-6205-6120	3			ENKU508-A	长2.5m, 美标2.5m, AHA	ENKA3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENKA3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
					ENKU508-I	长2.5m, 欧标2.5m, IEC	ENKA3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENKA3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
					C6	B7	B7			

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息						
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明
Nihon Kohden 光电	Def. Cardiolife Lifescope series 6-8-9-11 6102-6205-6120	3			ENKU508-A	长2.5m, 美标2.5m, AHA	ENKA5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENKA5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
					ENKU508-I	长2.5m, 欧标2.5m, IEC	ENKA5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENKA5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
					C6	C2	C2			
		5	ENKU507-A	长2.5m, 美标2.5m, AHA	ENKA3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENKA3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
			ENKU507-I	长2.5m, 欧标2.5m, IEC	ENKA3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENKA3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC		
Price	C6	B7	B7							
BSM-2300 lifescope I BSM-4100 lifescope P BSM-5100 lifescope A BSM-9510 lifescope M BSM-9800 lifescope S		3			ENKU509-A	长2.5m, 美标2.5m, AHA	ENKB3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENKB3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
					ENKU509-I	长2.5m, 欧标2.5m, IEC	ENKB3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENKB3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
					C8	B7	B7			
		6	ENKU509-A	长2.5m, 美标2.5m, AHA	ENKB6R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENKB6R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
			ENKU509-I	长2.5m, 欧标2.5m, IEC	ENKB6R-90S-A	长0.9m, 扣式欧标0.9m, Snap, IEC	ENKB6R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC		
Price	C8	C3	C3							
Life Scope: OPV-1500		3			ENKB3U16-A	长2.5m, 美标2.5m, AHA	ENKB3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENKB3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
					ENKB3U16-I	长2.5m, 欧标2.5m, IEC	ENKB3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENKB3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
		Price	NA	B7	B7					
ENKU540-A	ENKU540-I	3			ENKA3R-90S-A	长2.5m, 美标2.5m, AHA	ENKA3R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENKA3R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA
					ENKA3R-90S-I	长2.5m, 欧标2.5m, IEC	ENKA3R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENKA3R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC
					C6	B7	B7			
		5	ENKA5R-90S-A	长2.5m, 美标2.5m, AHA	ENKA5R-90S-A	长0.9m, 扣式美标0.9m, Snap, AHA	ENKA5R-90P-A	长0.9m, 钳式美标0.9m, Grabber, AHA		
			ENKA5R-90S-I	长2.5m, 欧标2.5m, IEC	ENKA5R-90S-I	长0.9m, 扣式欧标0.9m, Snap, IEC	ENKA5R-90P-I	长0.9m, 钳式欧标0.9m, Grabber, IEC		
Price	C6	C2	C2							

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息						
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明
Philips /HP	43100, 43200A, 77020A/ AC/AR Serie 78300, serie 78500 Serie 78600, M2400A, M2406A, M2424A	3			EAAU3029-A	长2.5m, 美标2.5m, AHA	EAA3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EAA3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EAAU3029-I	长2.5m, 欧标2.5m, IEC	EAA3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EAA3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	B7	B7			
				EAAU5029-A	长2.5m, 美标2.5m, AHA	EAA5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EAA5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA	
				EAAU5029-I	长2.5m, 欧标2.5m, IEC	EAA5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EAA5R-90P-A	长0.9m, 钳式欧标 0.9m, Grabber, IEC	
		Price		C6	C2	C2				
	Merlin 78352C/ 78354C/	3			EAAU385-A	长2.5m, 美标2.5m, AHA	EAA3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EAA3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EAAU385-I	长2.5m, 欧标2.5m, IEC	EAA3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EAA3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C6	B7	B7			
				EAAU585-A	长2.5m, 美标2.5m, AHA	EAA5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EAA5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA	
				EAAU585-I	长2.5m, 欧标2.5m, IEC	EAA5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EAA5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC	
		Price		C6	C2	C2				
Modules: M1001B, M1002B, Multi-Measur ement Modules: M3000A, M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863064, 863065, 863066, 863068, 863087, 863088	3			EHPU385-A	长2.5m, 美标2.5m, AHA	EHP3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EHP3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA	
				EHPU385-I	长2.5m, 欧标2.5m, IEC	EHP3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EHP3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC	
			Price	C7	C2	C2				
	EHPU585-A		5		EHPU585-A	长2.5m, 美标2.5m, AHA	EHPA5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EHPA5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
					EHPU585-I	长2.5m, 欧标2.5m, IEC	EHPA5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EHPA5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
				Price	C8	C4	C4			
Multi-Measur ement Modules: M3 000A, M3001A Opt C12 or Opt C18, M3002A Opt C12 or Opt C18; Patient Monitors: MP5: M8105A Opt C12, MP2: M8102A Opt C12 ECG Modules: M1001B, M1002B 860335, 860338	10			EHPU1085-A	长2.5m, 美标2.5m, AHA	EHPA5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EHPA5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA	
				EHPU1085-I	长2.5m, 欧标2.5m, IEC	EHPA5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EHPA5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC	
Price	D3	C4X2	C4X2							
Physio Control	Lifepack5,6,7,8,9,9P,VSM2,1440,Vingmed 5			Refer to GE critikon						





Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息								
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明		
Physio Control		12			EMDU1027-A	长2.5m, 美标2.5m, AHA	EMDA4R-120S-A EMDB6R-120S-A	长0.9m, 扣式美标 0.9m, Snap, AHA		长0.9m, 钳式美标 0.9m, Grabber, AHA		
					EMDU1027-I	长2.5m, 欧标2.5m, IEC	EMDA4R-120S-I EMDB6R-120S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC		长0.9m, 钳式欧标 0.9m, Grabber, IEC		
Price	D3	D3										
Siemens 西门子	Sirecust series 400 Sirecust 341 610/620/ 630/720/ 730/732/ 900/960/ 9611260/ 1281/1801, 400-500 ECG	3			ESMU376-A	长2.5m, 美标2.5m, AHA	ESM3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESM3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA		
					ESMU376-I	长2.5m, 欧标2.5m, IEC	ESM3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESM3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC		
				Price	C6	B7	B7					
				ESMU576-A	长2.5m, 美标2.5m, AHA	ESM5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESM5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA			
				ESMU576-I	长2.5m, 欧标2.5m, IEC	ESM5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESM5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC			
		Price		C6	C2	C2						
	Sc5000, SC6000 SC7000 SC8000, SC9000 Multi- Parameter Cable SM-STE5	3			ESMU5-A	长2.5m, 美标2.5m, AHA	ESMF3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESMF3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA		
					ESMU5-I	长2.5m, 欧标2.5m, IEC	ESMF3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESMF3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC		
				Price	D8	B7	B7					
		Sc5000, SC6000 SC7000 SC8000, SC9000 Multi- Parameter Cable SM-STE5		5			ESMU5-A	长2.5m, 美标2.5m, AHA	ESM5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESM5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA
							ESMU5-I	长2.5m, 欧标2.5m, IEC	ESM5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESM5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC
						Price	D8	C2	C2			
Sc5000, SC6000 SC7000 SC8000, SC9000 Multi- Parameter Cable SM-STE5	6			ESMU6-A		长2.5m, 美标2.5m, AHA	ESM6R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESM6R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA		
				ESMU6-I		长2.5m, 欧标2.5m, IEC	ESM6R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESM6R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC		
			Price	D8.5.8		C2	C2					
Sc5000, SC6000 SC7000 SC8000, SC9000 Multi- Parameter Cable SM-STE5			3			ESM6STE	长2.5m, 美标2.5m, AHA	ESM6R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESM6R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA	
						ESM6STE	长2.5m, 欧标2.5m, IEC	ESM6R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESM6R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC	
Price	E1		C2	C2								
ESMU323-A		3			ESMU323-A	长2.5m, 美标2.5m, AHA	ESM3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESM3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA		
					ESMU323-I	长2.5m, 欧标2.5m, IEC	ESM3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESM3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC		
Price	C8	B7	B7									





Original Product Information 原厂产品信息				Caredmed Product Information 凯曼产品信息									
Original Brand 品牌	Original Model 机型	Lead No. 导联数	Monitor end plug 监护仪端	Lead Yoke connector 导联端	Trunk cable 主电缆	Description 说明	Lead wire Snap 扣式导联线	Description 说明	Lead wire Grabber 钳式导联线	Description 说明			
Space labs	Ultraview 90492, 91220, 90496, 91496	3			ESLU396-A	长2.5m, 美标2.5m, AHA	ESL3R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESL3R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA			
				ESLU396-I	长2.5m, 欧标2.5m, IEC	ESL3R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESL3R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC				
				C6	B7	B7							
					ESLU596-A	长2.5m, 美标2.5m, AHA	ESL5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	ESL5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA			
				ESLU596-I	长2.5m, 欧标2.5m, IEC	ESL5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	ESL5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC				
				C6	C2	C2							
		12		EMQU1096-A	长2.5m, 美标2.5m, AHA	EMQ5R-90S-A EMV5R-90S-A	长0.9m, 扣式美标 0.9m, Snap, AHA	EMQ5R-90P-A EMV5R-90P-A	长0.9m, 钳式美标 0.9m, Grabber, AHA				
			EMQU1096-I	长2.5m, 欧标2.5m, IEC	EMQ5R-90S-I EMV5R-90S-I	长0.9m, 扣式欧标 0.9m, Snap, IEC	EMQ5R-90P-I EMV5R-90P-I	长0.9m, 钳式欧标 0.9m, Grabber, IEC					
			D3	2XC2	2XC2								
			Refer to AAMI										
			Welch Allyn Protocol				Refer to AAMI						















ECG Monitoring One piece cables
心电监护一体化电缆















Electrode type 电极类型	Lead No. & color code 导联数与制式					
	Standard AHA 3 leads 美标(A) 三导	Replace AHA 3 leads 替代美标(RA) 三导	Standard IEC 3 leads 欧标(I) 三导	Replace IEC 3 leads 替代欧标(RI) 三导	Standard AHA 5 leads 美标(A) 五导	Standard IEC 5 leads 欧标(I) 五导
	RA, LL, LA	RA, RL, LA	R, F, L	R, N, L	RA, RL, V, LL, LA	R, N, C, F, L
Grabber 常规钳式						
Mini Grabber Mini钳式						
Snap 扣式						
Carbon Fiber Grabber 碳纤维钳式						

Product Information 产品信息								
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明
AAMI	Without resistance BCI Datascope MDE/Invivo Mindray Spacelabs WelchAllyn Protocol	3		2.5M+0.9M	EU340S-A	扣式美标 Snap, AHA	EU340P-A	钳式美标 Grabber, AHA
					EU340S-I	扣式欧标 Snap, IEC	EU340P-I	钳式欧标 Grabber, IEC
		Price		C1		C1		
		5		2.5M+0.9M	EU540S-A	扣式美标 Snap, AHA	EU540P-A	钳式美标 Grabber, AHA
					EU540S-I	扣式欧标 Snap, IEC	EU540P-I	钳式欧标 Grabber, IEC
		Price		C2		C2		
	With 1K resistance (1K电阻) Same as above	3		2.5M+0.9M	ER340S-A	扣式美标 Snap, AHA	ER340P-A	钳式美标 Grabber, AHA
					ER340S-I	扣式欧标 Snap, IEC	ER340P-I	钳式欧标 Grabber, IEC
		Price		C1		C1		
		5		2.5M+0.9M	ER540S-A	扣式美标 Snap, AHA	ER540P-A	钳式美标 Grabber, AHA
					ER540S-I	扣式欧标 Snap, IEC	ER540P-I	钳式欧标 Grabber, IEC
		Price		C2		C2		
LL style	3		2.5M+0.9M	EU340S-A	扣式美标 Snap, AHA	EU340P-A	钳式美标 Grabber, AHA	
				EU340S-I	扣式欧标 Snap, IEC	EU340P-I	钳式欧标 Grabber, IEC	
	Price		C1		C1			
	5		2.5M+0.9M	EU540S-A	扣式美标 Snap, AHA	EU540P-A	钳式美标 Grabber, AHA	
				EU540S-I	扣式欧标 Snap, IEC	EU540P-I	钳式欧标 Grabber, IEC	
	Price		C2		C2			
BCI	Refer to AAMI							
Biolight (China) 宝莱特	M7000, M9500 AS Modular	5		2.5M+0.9M	EU557S-A	扣式美标 Snap, AHA	EU557P-A	钳式美标 Grabber, AHA
					EU557S-I	扣式欧标 Snap, IEC	EU557P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	

Product Information 产品信息								
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明
Biolight (China) 宝莱特				2.5M+0.9M	EU367S-A	扣式美标 Snap, AHA	EU367P-A	钳式美标 Grabber, AHA
					EU367S-I	扣式欧标 Snap, IEC	EU367P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	
Bionet (Korea)	With 1K resistance (1K电阻) Same as above	5		2.5M+0.9M	ER514S-A	扣式美标 Snap, AHA	ER514P-A	钳式美标 Grabber, AHA
					ER514S-I	扣式欧标 Snap, IEC	ER514P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	
Biosys (Korea)		3		2.5M+0.9M	ER335S-A	扣式美标 Snap, AHA	ER335P-A	钳式美标 Grabber, AHA
					ER335S-I	扣式欧标 Snap, IEC	ER335P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
Bruker		3		2.5M+0.9M	EU324S-A	扣式美标 Snap, AHA	EU324P-A	钳式美标 Grabber, AHA
					EU324S-I	扣式欧标 Snap, IEC	EU324P-I	钳式欧标 Grabber, IEC
				Price				
CAS MEDICAL		3		2.5M+0.9M	EU339S-A	扣式美标 Snap, AHA	EU339P-A	钳式美标 Grabber, AHA
					EU339S-I	扣式欧标 Snap, IEC	EU339P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
Colin/Omron (Japan)	BP 308/308E/408				See AAMI			
COMEN	STAR 8000E/H	3		2.5M+0.9M	EU337S-A	扣式美标 Snap, AHA	EU337P-A	钳式美标 Grabber, AHA
					EU337S-I	扣式欧标 Snap, IEC	EU337P-I	钳式欧标 Grabber, IEC
				Price	C1		C1	
		3		2.5M+0.9M	EU368S-A	扣式美标 Snap, AHA	EU368P-A	钳式美标 Grabber, AHA
					EU368S-I	扣式欧标 Snap, IEC	EU368P-I	钳式欧标 Grabber, IEC
				Price	C1		C1	





Product Information 产品信息								
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明
Colin/ Omron	BP88S	3		2.5M+0.9M	EU320S-A	扣式美标 Snap, AHA	EU320P-A	钳式美标 Grabber, AHA
					EU320S-I	扣式欧标 Snap, IEC	EU320P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
		5		2.5M+0.9M	ER520S-A	扣式美标 Snap, AHA	ER520P-A	钳式美标 Grabber, AHA
					ER520S-I	扣式欧标 Snap, IEC	ER520P-I	钳式欧标 Grabber, IEC
				Price	C5		C5	
BP88 BP306		3		2.5M+0.9M	ER321S-A	扣式美标 Snap, AHA	ER321P-A	钳式美标 Grabber, AHA
					ER321S-I	扣式欧标 Snap, IEC	ER321P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
		5		2.5M+0.9M	EU521S-A	扣式美标 Snap, AHA	EU521P-A	钳式美标 Grabber, AHA
					EU521S-I	扣式欧标 Snap, IEC	EU521P-I	钳式欧标 Grabber, IEC
				Price	C5		C5	
Criticare	602A-A, Poet 2, 504US, Scholar, 506,507,508,1100,1508,8100			See AMMI				
Creative (China) 科瑞康	BP88 BP306	3		2.5M+0.9M	ER330S-A	扣式美标 Snap, AHA	ER330P-A	钳式美标 Grabber, AHA
					ER330S-I	扣式欧标 Snap, IEC	ER330P-I	钳式欧标 Grabber, IEC
				Price	C1		C1	
		5		2.5M+0.9M	EU530S-A	扣式美标 Snap, AHA	EU530P-A	钳式美标 Grabber, AHA
					EU530S-I	扣式欧标 Snap, IEC	EU530P-I	钳式欧标 Grabber, IEC
				Price	C2		C2	
Mindray/ datascop 迈瑞	Datascop -Mindray V12, V21	3		2.5M+0.9M	EU326S-A	扣式美标 Snap, AHA	EU326P-A	钳式美标 Grabber, AHA
					EU326S-I	扣式欧标 Snap, IEC	EU326P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	





Product Information 产品信息													
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明					
Mindray/ datascop 迈瑞	Datascop -Mindray V12, V21	5		2.5M+0.9M	EU526S-A	扣式美标 Snap, AHA	EU526P-A	钳式美标 Grabber, AHA					
					EU526S-I	扣式欧标 Snap, IEC	EU526P-I	钳式欧标 Grabber, IEC					
					Price	C6	C6						
Dixtal	Ep12			2.5M+0.9M	EU1070S-A	扣式美标 Snap, AHA	EU1070P-A	钳式美标 Grabber, AHA					
					EU1070S-I	扣式欧标 Snap, IEC	EU1070P-I	钳式欧标 Grabber, IEC					
					Price	D3	D3						
Drager	UM1/3/3.1, RM1,PM8010, PM8014, Babyguard8000, Cato,PB8800, Series 8000, Cicero, Parameterbox	3		2.5M+0.9M	EU377S-A	扣式美标 Snap, AHA	EU377P-A	钳式美标 Grabber, AHA					
					EU377S-I	扣式欧标 Snap, IEC	EU377P-I	钳式欧标 Grabber, IEC					
					Price	C4	C4						
Fukuda Danshi		3		2.5M+0.9M	EU599S-A	扣式美标 Snap, AHA	EU599P-A	钳式美标 Grabber, AHA					
					EU599S-I	扣式欧标 Snap, IEC	EU599P-I	钳式欧标 Grabber, IEC					
					Price	C6	C6						
		12		2.5M+0.9M	EU1099S-A	扣式美标 Snap, AHA	EU1099P-A	钳式美标 Grabber, AHA					
					EU1099S-I	扣式欧标 Snap, IEC	EU1099P-I	钳式欧标 Grabber, IEC					
					Price	D3	D3						
	DS5100E DS5300W DS5400- DS7001 Mindray/ Datascop /Expert	5		2.5M+0.9M	EU559S-A	扣式美标 Snap, AHA	EU559P-A	钳式美标 Grabber, AHA					
					EU559S-I	扣式欧标 Snap, IEC	EU559P-I	钳式欧标 Grabber, IEC					
					Price	C6	C6						
					GE/ Critikon	Dianmap Pro 1000 MPS Select Portable monitors	3		2.5M+0.9M	ER340S-A	扣式美标 Snap, AHA	ER340P-A	钳式美标 Grabber, AHA
										ER340S-I	扣式欧标 Snap, IEC	ER340P-I	钳式欧标 Grabber, IEC
										Price	C1	C1	
GE- Datex- Ohmeda	AS/3, CS/3, Cardiicap II, Satlite Plus S5 Without Resistor for respiration	3		2.5M+0.9M	EU392S-A	扣式美标 Snap, AHA	EU392P-A	钳式美标 Grabber, AHA					
					EU392S-I	扣式欧标 Snap, IEC	EU392P-I	钳式欧标 Grabber, IEC					
					Price	C4	C4						




Product Information 产品信息								
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明
GE- Datex- Ohmeda	AS/3, CS/3, Cardiicap II, Satlite Plus S5 Without Resistor for respiration	5		2.5M+0.9M	EU592S-A	扣式美标 Snap, AHA	EU592P-A	钳式美标 Grabber, AHA
					EU592S-I	扣式欧标 Snap, IEC	EU592P-I	钳式欧标 Grabber, IEC
					Price	C6	C6	
		3		2.5M+0.9M	EU395S-A	扣式美标 Snap, AHA	EU395P-A	钳式美标 Grabber, AHA
					EU395S-I	扣式欧标 Snap, IEC	EU395P-I	钳式欧标 Grabber, IEC
					Price	C4	C4	
	AS/3, CS/3, Cardiicap II, Satlite Plus S5 With resistors	5		2.5M+0.9M	EU595S-A	扣式美标 Snap, AHA	EU595P-A	钳式美标 Grabber, AHA
					EU595S-I	扣式欧标 Snap, IEC	EU595P-I	钳式欧标 Grabber, IEC
					Price	C6	C6	
		12		2.5M+0.9M	EU1095S-A	扣式美标 Snap, AHA	EU1095P-A	钳式美标 Grabber, AHA
					EU1095S-I	扣式欧标 Snap, IEC	EU1095P-I	钳式欧标 Grabber, IEC
					Price	NA	NA	
GE/Hellige	Eagle 1000 Def.. SCP 900/ Cardioserv SMC,SMS, SMK,SMU,SMV	3		2.5M+0.9M	EU355S-A	扣式美标 Snap, AHA	EU355P-A	钳式美标 Grabber, AHA
					EU355S-I	扣式欧标 Snap, IEC	EU355P-I	钳式欧标 Grabber, IEC
					Price	C4	C4	
		5		2.5M+0.9M	EU555S-A	扣式美标 Snap, AHA	EU555P-A	钳式美标 Grabber, AHA
					EU555S-I	扣式欧标 Snap, IEC	EU555P-I	钳式欧标 Grabber, IEC
					Price	C6	C6	
Tram 7200	3		2.5M+0.9M	EU584S-A	扣式美标 Snap, AHA	EU584P-A	钳式美标 Grabber, AHA	
				EU584S-I	扣式欧标 Snap, IEC	EU584P-I	钳式欧标 Grabber, IEC	
				Price	C6	C6		
GE/ Marquette	Eagle,Solar, Dash monitor MAC-Lab Cath-Lab Datex- Ohmeda M-Prestn & "E" modules	3		2.5M+0.9M	EU386S-A	扣式美标 Snap, AHA	EU386P-A	钳式美标 Grabber, AHA
					EU386S-I	扣式欧标 Snap, IEC	EU386P-I	钳式欧标 Grabber, IEC
					Price	C4	C4	


Product Information 产品信息									
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明	
GE/ Marquette	Eagle,Solar, Dash monitor MAC-Lab Cath Lab Datex- Ohmeda M-Prestn & "E" modules	5		2.5M+0.9M	EU586S-A	扣式美标 Snap, AHA	EU586P-A	钳式美标 Grabber, AHA	
					EU586S-I	扣式欧标 Snap, IEC	EU586P-I	钳式欧标 Grabber, IEC	
				Price	C6		C6		
		12		2.5M+0.9M	EU1086S-A	扣式美标 Snap, AHA	EU1086P-A	钳式美标 Grabber, AHA	
					EU1086S-I	扣式欧标 Snap, IEC	EU1086P-I	钳式欧标 Grabber, IEC	
				Price	D3		D3		
Kontron	Micromon, Minimon Vitalmon, Supermon Kolomon	3		2.5M+0.9M	EU398S-A	扣式美标 Snap, AHA	EU398P-A	钳式美标 Grabber, AHA	
					EU398S-RI	扣式欧标 Snap, IEC	EU398P-I	钳式欧标 Grabber, IEC	
				Price	C4		C4		
	105, 107, 108, 125, 128, VSM510 Old generation	3			2.5M+0.9M	EU393S-A	扣式美标 Snap, AHA	EU393P-A	钳式美标 Grabber, AHA
						EU393S-I	扣式欧标 Snap, IEC	EU393P-RI	钳式欧标 Grabber, IEC
					Price	C4		C4	
Lohmerier	M010,M011/M211 Defi 501	3			2.5M+0.9M	EU358S-A	扣式美标 Snap, AHA	EU358P-A	钳式美标 Grabber, AHA
						EU358S-I	扣式欧标 Snap, IEC	EU358P-I	钳式欧标 Grabber, IEC
					Price	C4		C4	
MEK	MP500, MP600, Mp1000	3			2.5M+0.9M	EU310S-A	扣式美标 Snap, AHA	EU310P-A	钳式美标 Grabber, AHA
						EU310S-I	扣式欧标 Snap, IEC	EU310P-I	钳式欧标 Grabber, IEC
					Price	C2		C2	
		5	2.5M+0.9M		EU510S-A	扣式美标 Snap, AHA	EU510P-A	钳式美标 Grabber, AHA	
					EU510S-I	扣式欧标 Snap, IEC	EU510P-I	钳式欧标 Grabber, IEC	
			Price		C4		C4		
			3		2.5M+0.9M	EU311S-A	扣式美标 Snap, AHA	EU311P-A	钳式美标 Grabber, AHA
						EU311S-I	扣式欧标 Snap, IEC	EU311P-I	钳式欧标 Grabber, IEC
					Price	C1		C1	


Product Information 产品信息										
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明		
MEK		5		2.5M+0.9M	EU511S-A	扣式美标 Snap, AHA	EU511P-A	钳式美标 Grabber, AHA		
					EU511S-I	扣式欧标 Snap, IEC	EU511P-I	钳式欧标 Grabber, IEC		
				Price	C2		C2			
Mennen		3		2.5M+0.9M	EU374S-A	扣式美标 Snap, AHA	EU374P-A	钳式美标 Grabber, AHA		
					EU374S-I	扣式欧标 Snap, IEC	EU374P-I	钳式欧标 Grabber, IEC		
				Price	C4		C4			
	Envoy			5		2.5M+0.9M	EU574S-A	扣式美标 Snap, AHA	EU574P-A	钳式美标 Grabber, AHA
							EU574S-I	扣式欧标 Snap, IEC	EU574P-I	钳式欧标 Grabber, IEC
						Price	C6		C6	
Mindray 迈瑞	PM7000/8000/9000	3		2.5M+0.9M		EU375S-A	扣式美标 Snap, AHA	EU375P-A	钳式美标 Grabber, AHA	
						EU375S-I	扣式欧标 Snap, IEC	EU375P-I	钳式欧标 Grabber, IEC	
				Price		C4		C4		
	PM5000 PM6000 BeneView T5/T6/T8			5		2.5M+0.9M	EU575S-A	扣式美标 Snap, AHA	EU575P-A	钳式美标 Grabber, AHA
							EU575S-I	扣式欧标 Snap, IEC	EU575P-I	钳式欧标 Grabber, IEC
						Price	C6		C6	
				Refer to AMMI						

Product Information 产品信息								
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明
Nihon Kohden 光电	Def. Cardiolife Lifescope series 6-8-9-11 6102-6205-6120	3		2.5M+0.9M	EU308S-A	扣式美标 Snap, AHA	EU308P-A	钳式美标 Grabber, AHA
					EU308S-I	扣式欧标 Snap, IEC	EU308P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
		5		2.5M+0.9M	EU508S-A	扣式美标 Snap, AHA	EU508P-A	钳式美标 Grabber, AHA
					EU508S-I	扣式欧标 Snap, IEC	EU508P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	
	TEC-7621C/ TEC-7631C TEC-7721C/ TEC-7731C 7700	3		2.5M+0.9M	EU307S-A	扣式美标 Snap, AHA	EU307P-A	钳式美标 Grabber, AHA
					EU307S-I	扣式欧标 Snap, IEC	EU307P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
		5		2.5M+0.9M	EU507S-A	扣式美标 Snap, AHA	EU507P-A	钳式美标 Grabber, AHA
					EU507S-I	扣式欧标 Snap, IEC	EU507P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	
	BSM-2300 lifescope I BSM-4100 lifescope P BSM-5100 lifescope A BSM-9510 lifescope M BSM-9800 lifescope S	3		2.5M+0.9M	EU309S-A	扣式美标 Snap, AHA	EU309P-A	钳式美标 Grabber, AHA
					EU309S-I	扣式欧标 Snap, IEC	EU309P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	
		6		2.5M+0.9M	EU609S-A	扣式美标 Snap, AHA	EU609P-A	钳式美标 Grabber, AHA
					EU609S-I	扣式欧标 Snap, IEC	EU609P-I	钳式欧标 Grabber, IEC
				Price	C8		C8	
Life Scope: OPV-1500	3		2.5M+0.9M	EU316S-A	扣式美标 Snap, AHA	EU316P-A	钳式美标 Grabber, AHA	
				EU316S-I	扣式欧标 Snap, IEC	EU316P-I	钳式欧标 Grabber, IEC	
			Price	C6		C6		

Product Information 产品信息								
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明
Nihon Kohden 光电		3		2.5M+0.9M	EU340S-A	扣式美标 Snap, AHA	EU340P-A	钳式美标 Grabber, AHA
					EU340S-I	扣式欧标 Snap, IEC	EU340P-I	钳式欧标 Grabber, IEC
				Price	C1		C1	
		5		2.5M+0.9M	EU540S-A	扣式美标 Snap, AHA	EU540P-A	钳式美标 Grabber, AHA
					EU540S-I	扣式欧标 Snap, IEC	EU540P-I	钳式欧标 Grabber, IEC
				Price	C2		C2	
Philips/ HP	43100,43200A, 77020A/AC/AR Serie 78300, Serie 78500 Serie 78600, M2400A,M2406A, M2424A	3		2.5M+0.9M	EU3029S-A	扣式美标 Snap, AHA	EU3029P-A	钳式美标 Grabber, AHA
					EU3029S-I	扣式欧标 Snap, IEC	EU3029P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
		5		2.5M+0.9M	EU5029S-A	扣式美标 Snap, AHA	EU5029P-A	钳式美标 Grabber, AHA
					EU5029S-I	扣式欧标 Snap, IEC	EU5029P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	
Modules: M1001B, M1002B, Multi-Measurement Modules: M3000A, M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863064, 863065, 863066, 863068, 863087, 863088	78352C/78354C/ 78834CM1001A/ M1002A, Virdia, Ominicare CMA ML65A,66A Heartstream Codemaster XL...	3		2.5M+0.9M	EU385S-A	扣式美标 Snap, AHA	EU385P-A	钳式美标 Grabber, AHA
					EU385S-I	扣式欧标 Snap, IEC	EU385P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
		5		2.5M+0.9M	EU585S-A	扣式美标 Snap, AHA	EU585P-A	钳式美标 Grabber, AHA
					EU585S-I	扣式欧标 Snap, IEC	EU585P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	
Modules: M1001B, M1002B, Multi-Measurement Modules: M3000A, M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863064, 863065, 863066, 863068, 863087, 863088		3		2.5M+0.9M	EU385S-A	扣式美标 Snap, AHA	EU385P-A	钳式美标 Grabber, AHA
					EU385S-I	扣式欧标 Snap, IEC	EU385P-I	钳式欧标 Grabber, IEC
				Price	C4		C4	
		5		2.5M+0.9M	EU585S-A	扣式美标 Snap, AHA	EU585P-A	钳式美标 Grabber, AHA
					EU585S-I	扣式欧标 Snap, IEC	EU585P-I	钳式欧标 Grabber, IEC
				Price	C6		C6	

Product Information 产品信息										
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明		
Philips/ HP	Multi-Measurement Modules: M3000A, M3001A, Opt C12 or Opt C18, M3002A, Opt C12 or Opt C18; Patient Monitors: MP5: M8105A, Opt C12, MP2: M8102A, Opt C12, ECG Modules: M1001B, M1002B, 860335, 860338	10		2.5M+0.9M	EUHP1085S-A	扣式美标 Snap, AHA	EUHP1085P-A	钳式美标 Grabber, AHA		
					EUHP1085S-I	扣式欧标 Snap, IEC	EUHP1085P-I	钳式欧标 Grabber, IEC		
					Price	D3		D3		
	Lifepak5,6,7,8,9,9P, VSM2,1440,Vingmed 5	Refer to GE critikon								
Physio Control	LIFEPAK12, LIFEPAK20E, LIFEPAK15 With resistors	3		2.5M+0.9M	EU327S-A	扣式美标 Snap, AHA	EU327P-A	钳式美标 Grabber, AHA		
					EU327S-I	扣式欧标 Snap, IEC	EU327P-I	钳式欧标 Grabber, IEC		
					Price	C4		C4		
					5	2.5M+0.9M	EU527S-A	扣式美标 Snap, AHA	EU527P-A	钳式美标 Grabber, AHA
							EU527S-I	扣式欧标 Snap, IEC	EU527P-I	钳式欧标 Grabber, IEC
							Price	C6		C6
		12	2.5M+0.9M	EU1027S-A	扣式美标 Snap, AHA	EU1027P-A	钳式美标 Grabber, AHA			
				EU1027S-I	扣式欧标 Snap, IEC	EU1027P-I	钳式欧标 Grabber, IEC			
				Price	D3		D3			
		Siemens 西门子	Sirecust series 400 Sirecust 341, 610/620/630/720/730/732/900/960/961 1260/1281/1801, 400-500 ECG	6		2.5M+0.9M	EU376S-A	扣式美标 Snap, AHA	EU376P-A	钳式美标 Grabber, AHA
							EU376S-I	扣式欧标 Snap, IEC	EU376P-I	钳式欧标 Grabber, IEC
							Price	C4		C4
3	2.5M+0.9M						EU576S-A	扣式美标 Snap, AHA	EU576P-A	钳式美标 Grabber, AHA
							EU576S-I	扣式欧标 Snap, IEC	EU576P-I	钳式欧标 Grabber, IEC
							Price	C6		C6
3	2.5M+0.9M			EU323S-A	扣式美标 Snap, AHA	EU323P-A	钳式美标 Grabber, AHA			
				EU323S-I	扣式欧标 Snap, IEC	EU323P-I	钳式欧标 Grabber, IEC			
				Price	C6		C6			

Product Information 产品信息										
Original Brand 品牌	Original P/N 机型	Lead No. 导联数	Product Graphic 产品图示	Cable length 线长	One piece Snap 扣式一体化	Description 说明	One piece Grabber 钳式一体化	Description 说明		
Spacelabs 太空	43100,43200A, 77020A/AC/AR Serie 78300, serie 78500 Serie 78600, M2400A,M2406A, M2424A	3		2.5M+0.9M	EU396S-A	扣式美标 Snap, AHA	EU396P-A	钳式美标 Grabber, AHA		
					EU396S-I	扣式欧标 Snap, IEC	EU396P-I	钳式欧标 Grabber, IEC		
					Price	C4		C4		
					5	2.5M+0.9M	EU596S-A	扣式美标 Snap, AHA	EU596P-A	钳式美标 Grabber, AHA
							EU596S-I	扣式欧标 Snap, IEC	EU596P-I	钳式欧标 Grabber, IEC
							Price	C6		C6
		12	2.5M+0.9M	EUMQ1096S-A	扣式美标 Snap, AHA	EUMQ1096P-A	钳式美标 Grabber, AHA			
				EUMQ1096S-I	扣式欧标 Snap, IEC	EUMQ1096P-I	钳式欧标 Grabber, IEC			
				Price	D3		D3			
		Welch Allyn Protocol	Refer to AAMI							



Major Brand or Types Lead Wire 主要品牌和类型导联线

Features




特性





Compatible with major brand monitor









可与市面上主流品牌设备兼容




Use TPU wire and gold plated terminal





使用TPU电缆和镀金端子

Electrode type 电极类型	Lead No. & color code 导联数与制式					
	Standard AHA 3 leads 美标(A) 三导	Replace AHA 3 leads 替代美标(RA) 三导	Standard IEC 3 leads 欧标(I) 三导	Replace IEC 3 leads 替代欧标(RI) 三导	Standard AHA 5 leads 美标(A) 五导	Standard IEC 5 leads 欧标(I) 五导
Unicode 字符	RA, LL, LA	RA, RL, LA	R, F, L	R, N, L	RA, RL, V, LL, LA	R, N, C, F, L
Grabber 常规钳式						
Mini Grabber Mini钳式						
Snap 扣式						
Carbon Fiber Grabber 碳纤维钳式						

Original Product Information 原厂产品信息					Caredmed Product Information 凯曼产品信息			
Original Brand or types 品牌或接口	Lead No. 导联数	Original P/N (Snap) 原厂型号(扣式)	Original P/N (Grabber) 原厂型号(钳式)	Product Illustration 图示	Lead wire Snap 扣式导联线	Price code 价格代码	Lead wire Grabber 钳式导联线	Price code 价格代码
Din unshielded Individual set leads D型无屏蔽分体导联线	3				ED3R-90S-A	A8	ED3R-90P-A	B3
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ED3R-90S-I		ED3R-90P-I	
					长0.9m, 扣式欧标		长0.9m, 钳式欧标	
	5				ED5R-90S-A	B4	ED5R-90P-A	B6
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ED5R-90S-I		ED5R-90P-I	
					长0.9m, 扣式欧标		长0.9m, 钳式欧标	
	7				ED7R-90S-A	B6	ED7R-90P-A	B7
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ED7R-90S-I		ED7R-90P-I	
					长0.9m, 扣式欧标		长0.9m, 钳式欧标	
10				ED10R-90S-A	B8	ED10R-90P-A	C2	
				长0.9m, 扣式美标		长0.9m, 钳式美标		
				ED10R-90S-I		ED10R-90P-I		
				长0.9m, 扣式欧标		长0.9m, 钳式欧标		
Din unshielded individual set (neonate) D型无屏蔽分体导联线(新生儿)	3				ED3R-90NP-A		ED3R-90P-A	B4
					长0.9m, 钳式美标		ED3R-90NP-I	
					长0.9m, 钳式欧标			
	5				ED5R-90NP-A		ED5R-90P-A	B6
					长0.9m, 钳式美标		ED5R-90NP-I	
					长0.9m, 钳式欧标			
DIN Carbon fiber individual set D型碳纤维分体导联线	3				EDC3R-90-A		EDC3R-90P-A	
					长0.9m, 钳式美标		EDC3R-90-I	
					长0.9m, 钳式欧标			
	5				EDC5R-90-A		EDC5R-90P-A	
					长0.9m, 钳式美标		EDC5R-90-I	
					长0.9m, 钳式欧标			
LL style (shielded) LI型(带屏蔽)	3				ELL3R-90S-A	B7	ELL3R-90P-A	B7
					长0.9m, 扣式美标		ELL3R-90P-I	
					ELL3R-90S-I		ELL3R-90P-I	
					长0.9m, 扣式欧标		长0.9m, 钳式欧标	

Original Product Information 原厂产品信息					Caredmed Product Information 凯曼产品信息				
Original Brand or types 品牌或接口	Lead No. 导联数	Original P/N (Snap) 原厂型号(扣式)	Original P/N (Grabber) 原厂型号(钳式)	Product Illustration 图示	Lead wire Snap 扣式导联线	Price code 价格代码	Lead wire Grabber 钳式导联线	Price code 价格代码	
LL style (shielded) LI型(带屏蔽)	5				ELL5R-90S-A	C2	ELL5R-90P-A	C2	
					长0.9m, 扣式美标		ELL5R-90P-I		
					ELL5R-90S-I		ELL5R-90P-I		
					长0.9m, 扣式欧标		长0.9m, 钳式欧标		
Datex-GE Integrated leads (DX300 series) 集成导联线(DX300系列)	3	545327	545317 545315		EDX3R-90S-A	B7	EDX3R-90P-A	B7	
					长0.9m, 扣式美标		EDX3R-90P-I		
					EDX3R-90S-I		EDX3R-90P-I		
	5	545328	545318 545316	545318 545316		EDX5R-90S-A	C2	EDX5R-90P-A	C2
						长0.9m, 扣式美标		EDX5R-90P-I	
						EDX5R-90S-I		EDX5R-90P-I	
Datex Individual set leads (DX300 series) 分体导联线(DX300系列)	3	545327	545317 545315		长0.9m, 扣式美标	B8	长0.9m, 钳式美标	B8	
					EDXB3R-90S-I		EDXB3R-90P-I		
					长0.9m, 扣式欧标		长0.9m, 钳式欧标		
	5	545328	545318 545316	545318 545316		EDXB5R-90S-A	C4	EDXB5R-90P-A	C4
						长0.9m, 扣式美标		EDXB5R-90P-I	
						EDXB5R-90S-I		EDXB5R-90P-I	
GE Marquette/Multilink-integrated leads Ge马奎/ multilink 集成导联线	3	411203-001, 411203-002(130cm) 411203-003, 411203-004(130cm)	412682-001, 412682-002(130cm) 412682-003, 412682-004(130cm)		EMQ3R-90S-A	C2	EMQ3R-90P-A	C2	
					长0.9m 扣式美标		EMQ3R-90P-I (Gray)		
					EMQ3R-90S-I (Gray)		EMQ3R-90P-I (Gray)		
	5	411202-001, 411202-002(130cm) 411200-003, 411200-004	412681-001, 412681-002(130cm) 414556-003, 414556-004	412681-001, 412681-002(130cm) 414556-003, 414556-004		EMQ5R-90S-A (Gray)	C2	EMQ5R-90P-A(Gray)	C2
						长0.9m 扣式美标		EMQ5R-90P-I (Gray)	
						EMQ5R-90S-I (Gray)		EMQ5R-90P-I (Gray)	
5 V2-V6 C2-C6		411202-001, 411202-002(130cm) 411200-003, 411200-004	416467-001 416467-002 416467-003 416467-004		EMV5R-90S-A(Brown)	C2	EMV5R-90P-A(Brown)	C2	
					长0.9m 扣式美标		EMV5R-90P-I (Brown)		
					EMV5R-90S-I (Brown)		EMV5R-90P-I (Brown)		
					长0.9m 扣式欧标		长0.9m 钳式欧标		

Original Product Information 原厂产品信息					Caremed Product Information 凯曼产品信息				
Original Brand or types 品牌或接口	Lead No. 导联数	Original P/N (Snap) 原厂型号(扣式)	Original P/N (Grabber) 原厂型号(钳式)	Product Illustration 图示	Lead wire Snap 扣式导联线	Price code 价格代码	Lead wire Grabber 钳式导联线	Price code 价格代码	
GE Multilink -Individual set leads GE multilink 分体导联线	5	411200-001, 411200-002(130cm) 411200-003, 411200-004	414556-001, 414556-002(130cm) 414556-003, 414556-004		EMQB5R-90S-A (Gray)	C4	EMQB5R-90P-A(Gray)	C4	
					长0.9m, 扣式美标		长0.9m, 钳式美标		
					EMQB5R-90S-I (Gray)		EMQB5R-90P-I(Gray)		
	长0.9m, 扣式欧标	长0.9m, 钳式欧标							
	5 V2-V6 C2-C6	416468-001(130cm) 416468-003, 416468-004, 416468-002	416467-001(130cm), 416467-003, 416467-004, 416467-002			EMVB5R-90S-A(Brown)	C4	EMVB5R-90P-A(Brown)	C4
						长0.9m, 扣式美标		长0.9m, 钳式美标	
EMVB5R-90S-I (Brown)				EMVB5R-90P-I (Brown)					
长0.9m, 扣式欧标	长0.9m, 钳式欧标								
Mindray/ Datascope lead 迈瑞/ datascope 导联线	3				EMR3R-90S-A	C1	EMR3R-90P-A	C1	
					长0.9m, 扣式美标		长0.9m, 钳式美标		
					EMR3R-90S-I		EMR3R-90P-I		
					长0.9m, 扣式欧标		长0.9m, 钳式欧标		
	5	012-00-1503-02				EMR5R-90S-A	C1	EMR5R-90P-A	C1
						长0.9m, 扣式美标		长0.9m, 钳式美标	
						EMR5R-90S-I		EMR5R-90P-I	
						长0.9m, 扣式欧标		长0.9m, 钳式欧标	
	3	0012-00-1503-04/5/6 45cm,61cm,100cm	0012-00-1514-04/5/6 45cm,61cm,100cm			EDT3R-90S-A	C2	EDT3R-90P-A	C2
						长0.9m, 扣式美标		长0.9m, 钳式美标	
						EDT3R-90S-I		EDT3R-90P-I	
						长0.9m, 扣式欧标		长0.9m, 钳式欧标	
5	0012-00-1503-01/2/3 45cm,61cm,100cm	0012-00-1514-01/2/3 45cm,61cm,100cm		EDT5R-90S-A	C2	EDT5R-90P-A	C2		
				长0.9m, 扣式美标		长0.9m, 钳式美标			
				EDT5R-90S-I		EDT5R-90P-I			
				长0.9m, 扣式欧标		长0.9m, 钳式欧标			
Nihon Kohden Integrated leads 光电集成导联线	3	019P			ENKA3R-90S-A	B7	ENKA3R-90P-A	B7	
					长0.9m, 扣式美标		长0.9m, 钳式美标		
					ENKA3R-90S-I		ENKA3R-90P-I		
					长0.9m, 扣式欧标		长0.9m, 钳式欧标		
	5					ENKA5R-90S-A	C2	ENKA5R-90P-A	C2
						长0.9m, 扣式美标		长0.9m, 钳式美标	
						ENKA5R-90S-I		ENKA5R-90P-I	
						长0.9m, 扣式欧标		长0.9m, 钳式欧标	
	2	BR-912PA BR-912P	BR-902PA BR-902P			ENKB2R-90S-A		ENKB2R-90P-A	
						长0.9m, 扣式美标		长0.9m, 钳式美标	
						ENKB2R-90S-I		ENKB2R-90P-I	
						长0.9m, 扣式欧标		长0.9m, 钳式欧标	

Original Product Information 原厂产品信息					Caremed Product Information 凯曼产品信息				
Original Brand or types 品牌或接口	Lead No. 导联数	Original P/N (Snap) 原厂型号(扣式)	Original P/N (Grabber) 原厂型号(钳式)	Product Illustration 图示	Lead wire Snap 扣式导联线	Price code 价格代码	Lead wire Grabber 钳式导联线	Price code 价格代码	
Nihon Kohden Integrated leads 光电集成导联线	3	BR-913PA BR-913P	BR-903PA BR-903P		ENKB3R-90S-A	B7	ENKB3R-90P-A	B7	
					长0.9m, 扣式美标		长0.9m, 钳式美标		
					ENKB3R-90S-I		ENKB3R-90P-I		
	长0.9m, 扣式欧标	长0.9m, 钳式欧标							
	6	BR-916PA BR-916P	BR-906PA BR-906P			ENKB6R-90S-A	C3	ENKB6R-90P-A	C3
						长0.9m, 扣式美标		长0.9m, 钳式美标	
ENKB6R-90S-I				ENKB6R-90P-I					
长0.9m, 扣式欧标	长0.9m, 钳式欧标								
Philips/HP Integrated leads 集成导联线	3	M1605A M1615A	M1603A M1613A		EAA3R-90S-A	B7	EAA3R-90P-A	B7	
					长0.9m, 扣式美标		长0.9m, 钳式美标		
					EAA3R-90S-I		EAA3R-90P-I		
					长0.9m, 扣式欧标		长0.9m, 钳式欧标		
	5	M1615A M1635A	M1623A M1633A			EAA5R-90S-A	C2	EAA5R-90P-A	C2
						长0.9m, 扣式美标		长0.9m, 钳式美标	
EAA5R-90S-I	EAA5R-90P-I								
长0.9m, 扣式欧标	长0.9m, 钳式欧标								
Philips/HP Individual set leads 分体导联线	3	M1605A M1615A	M1603A M1613A		EAA3R-90S-A	B8	EAA3R-90P-A	B8	
					长0.9m, 扣式美标		长0.9m, 钳式美标		
					EAA3R-90S-I		EAA3R-90P-I		
					长0.9m, 扣式欧标		长0.9m, 钳式欧标		
	5	M1615A M1635A	M1623A M1633A			EAA5R-90S-A	C4	EAA5R-90P-A	C4
						长0.9m, 扣式美标		长0.9m, 钳式美标	
EAA5R-90S-I	EAA5R-90P-I								
长0.9m, 扣式欧标	长0.9m, 钳式欧标								
Philips IntelliVue Integrated leads 集成导联线	3	M1673A M1674A	M1671A M1672A		EHP3R-90S-A	C2	EHP3R-90P-A	C2	
					长0.9m, 扣式美标		长0.9m, 钳式美标		
					EHP3R-90S-I(Gray)		EHP3R-90P-I (Gray)		
					长0.9m, 扣式欧标		长0.9m, 钳式欧标		
	5	M1644A M1645A	M1968A M1971A			EHP5R-90S-A	C4	EHP5R-90P-A	C4
						长0.9m, 扣式美标		长0.9m, 钳式美标	
						EHP5R-90S-I (Blue)		EHP5R-90P-I (Blue)	
						长0.9m, 扣式欧标		长0.9m, 钳式欧标	
	5 V2-V6 C2-C6	M1602A M1604A	M1976A M1978A			EHP5R-90S-A (Red)	C4	EHP5R-90P-A (Red)	C4
						长0.9m, 扣式美标		长0.9m, 钳式美标	

Original Product Information 原厂产品信息					Caremed Product Information 凯曼产品信息			
Original Brand or types 品牌或接口	Lead No. 导联数	Original P/N (Snap) 原厂型号(扣式)	Original P/N (Grabber) 原厂型号(钳式)	Product Illustration 图示	Lead wire Snap 扣式导联线	Price code 价格代码	Lead wire Grabber 钳式导联线	Price code 价格代码
Siemens/VS, Drager I individual set leads 西门子/ 德尔格分 体导联线	3				ESMD3R-90S-A	B8	ESMD3R-90P-A	B8
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESMD3R-90S-I		ESMD3R-90P-I	
	5				ESMD5R-90S-A	C4	ESMD5R-90P-A	C4
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESMD5R-90S-I		ESMD5R-90P-I	
	3				ESMF3R-90S-A	C1	ESMF3R-90P-A	C1
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESMF3R-90S-I		ESMF3R-90P-I	
Spacelabs Integrated leads 太空集成导联线	3	00-0007-00,60cm 700-0007-02,100cm 700-0007-01,60cm 700-0007-03,100cma	00-0007-00,60cm 700-0007-02,100cm 700-0007-01,60cm 700-0007-03,100cma		ESL3R-90S-A	B7	ESL3R-90P-A	B7
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESL3R-90S-I		ESL3R-90P-I	
	5	700-0007-08,60cm 700-0007-10,100cm 700-0007-09,60cm 700-0007-11,100cm	700-0006-08,60cm 700-0006-10,100cm 700-0006-09,60cm 700-0006-11,100cm		ESL5R-90S-A	C2	ESL5R-90P-A	C2
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESL5R-90S-I		ESL5R-90P-I	
Spacelabs Individual set leads 太空分体导联线	3	700-0007-00 700-0007-02 700-0007-01 700-0007-03	700-0006-00 700-0006-02 700-0006-01 700-0006-03		ESLB3R-90S-A	B8	ESLB3R-90P-A	B8
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESLB3R-90S-I		ESLB3R-90P-I	
	4	012-0499-06,60cm	700-0006-06,100cm 700-0006-07		ESLB4R-90S-A	C3	ESLB4R-90P-A	C3
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESLB4R-90S-I		ESLB4R-90P-I	
	5	700-0007-08 700-0007-10 700-0007-09 700-0007-11	700-0006-08 700-0006-10 700-0006-09 700-0006-11		ESLB5R-90S-A	C4	ESLB5R-90P-A	C4
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESLB5R-90S-I		ESLB5R-90P-I	
	6		700-0006-14 100cm 700-0006-15 100cm		ESLB6R-90S-A	C5	ESLB6R-90P-A	C5
					长0.9m, 扣式美标		长0.9m, 钳式美标	
					ESLB6R-90S-I		ESLB6R-90P-I	
						长0.9m, 扣式欧标		长0.9m, 钳式欧标



Disposable ECG Lead Wires 一次性心电导联线

Features 特性

Compatible with major brand monitor
可与主流品牌相兼容

Made by ribbon wires for patient comfort and easy to use
由排线构成, 舒适易用


Disposable for single patient use
一次性单病人使用

Material meets the ISO 10993-5/10
材料符合生物相容性

Customize product available
可提供客制化产品

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息			
Original Brand 品牌	Descriptions 描述	Lead No. 导联数	Product Illustration 图示	AHA Code 美标	IEC Code 欧标	Packaging 包装	Price code 价格代码
Philips IntelliVue	Disposable 5-lead shielded Ribbon cable, 90cm 一次性5导联心电图导联线, 可分离排线, 屏蔽, 90厘米	5		EHPA5D-90S-A	EHPA5D-90S-I	10	B5
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EHPA5D-90P-A	EHPA5D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		
	Disposable 3-lead shielded Ribbon cable, 90cm 一次性3导联心电图导联线, 可分离排线, 屏蔽, 90厘米	3		EHPA3D-90S-A	EHPA3D-90S-I	10	B3
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EHPA3D-90P-A	EHPA3D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		
	Disposable 5-lead shielded Ribbon V or C-lead cable, 90cm 一次性5导联心电图导联线, 可分离排线, 屏蔽, V或C-导, 90厘米	5		EHPT5D-90S-A	EHPT5D-90S-I	10	B6
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EHPT5D-90P-A	EHPT5D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		
Disposable 3-lead shielded Ribbon V or C-lead cable, 90cm 一次性3导联心电图导联线, 可分离排线, 屏蔽, V或C-导, 90厘米	3		EHPT3D-90S-A	EHPT3D-90S-I	10	B4	
			长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC			
			EHPT3D-90P-A	EHPT3D-90P-I			
			长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC			
Philips Veridia Telemetry	Disposable 3-lead shielded Ribbon cable, 90cm with combiner 一次性3导联心电图导联线, 带线框, 可分离排线, 屏蔽, 90厘米	3		EAT3D-90S-A	EAT3D-90S-I	10	B5
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EAT3D-90P-A	EAT3D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息			
Original Brand 品牌	Descriptions 描述	Lead No. 导联数	Product Illustration 图示	AHA Code 美标	IEC Code 欧标	Packaging 包装	Price code 价格代码
Philips Veridia Telemetry	Disposable 5-lead shielded Ribbon cable, 90cm with combiner 一次性5导联心电图导联线, 带线框, 可分离排线, 屏蔽, 90厘米	5		EAT5D-90S-A	EAT5D-90S-I	10	B6
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EAT5D-90P-A	EAT5D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		
Philips IntelliVue	Disposable 3-lead shielded Ribbon cable, 90cm 一次性3导联, 可分离排线, 屏蔽, 90厘米	3		EAAB3D-90S-A	EAAB3D-90S-I	10	B3
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EAAB3D-90P-A	EAAB3D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		
Philips IntelliVue	Disposable 5-lead shielded Ribbon cable, 90cm 一次性5导联, 可分离排线, 屏蔽, 90厘米	5		EAAB5D-90S-A	EAAB5D-90S-I	10	B6
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EAAB5D-90P-A	EAAB5D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		
PHILIPS (D style)	Neonate, PE foam, 3 leads, wet gel, round, OD is 22mm 新生儿, PE泡沫, 3导, 液态凝胶, 圆形, OD:22mm	3		ED3D-60-A	ED3D-60-I		A7
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
GE Multi-link	Disposable 5-lead shielded Ribbon cable, 90cm 一次性5导联, 可分离排线, 屏蔽, 90厘米	5		EMQ5D-90S-A	EMQ5D-90S-I	10	B5
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EMQ5D-90P-A	EMQ5D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		

Original Product Information 原厂产品信息				Caremed Product Information 凯曼产品信息			
Original Brand 品牌	Descriptions 描述	Lead No. 导联数	Product Illustration 图示	AHA Code 美标	IEC Code 欧标	Packaging 包装	Price code 价格代码
GE Multi-link	Disposable 3-lead shielded Ribbon cable, 90cm 一次性3导联, 可分离排线, 屏蔽, 90厘米	3		EMQ3D-90S-A	EMQ3D-90S-I	10	B3
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EMQ3D-90P-A	EMQ3D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		
Nihon Kohden	Disposable 3-lead shielded Ribbon cable, 90cm 一次性3导联, 可分离排线, 屏蔽, 90厘米	3		ENKB3D-90S-A	ENKB3D-90S-I	10	B3
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				ENKB3D-90P-A	ENKB3D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		
	Disposable 6-lead shielded Ribbon cable, 90cm 一次性6导联, 可分离排线, 屏蔽, 90厘米	6		ENKB6D-90S-A	ENKB6D-90S-I	10	B5
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
ENKB6D-90P-A				ENKB6D-90P-I			
长0.9m,钳式美标 0.9m,Grabber,AHA				长0.9m, 钳式欧标 0.9m,Grabber,IEC			
Drager	Disposable 6-lead shielded Ribbon cable, 90cm 一次性6导联, 可分离排线, 屏蔽, 90厘米	6		EDG6D-90S-A	EDG6D-90S-I	10	B5
				长0.9m,扣式美标 0.9m,Snap,AHA	长0.9m, 扣式欧标 0.9m,Snap,IEC		
				EDG6D-90P-A	EDG6D-90P-I		
				长0.9m,钳式美标 0.9m,Grabber,AHA	长0.9m, 钳式欧标 0.9m,Grabber,IEC		



Telemetry ECG Cable 心电遥测电缆

Features 特性

Compatible with major brand monitor
可与市面上主流品牌设备兼容

Use TPU wire and gold plated terminal
使用TPU电缆和镀金端子

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息				
Original Brand 品牌	Original Model 机型	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	AHA Code 美标	IEC Code 欧标	Price code 价格代码	
GE Healthcare	ApexPro Telemetry	421930-001	6		EMQB6R-90S-A	EMQB6R-90S-I	C6	
		421932-001			长0.9m, 扣式美标	长0.9m, 扣式欧标	C6	
		421930-002	6		EMQB6R-120S-A	EMQB6R-120S-I	C6	
		421930-002			长1.2m, 扣式美标	长1.2m, 扣式欧标	C6	
Mindray 迈瑞	TMS-6012, TEL-100, Mennen		5		ETM5R-90S-A	ETM5R-90S-I	C7	
					长0.9m, 扣式美标	长0.9m, 扣式欧标		
Philips 飞利浦	HP Medical Legacy M2600A/ M2601A, M2636A Transmitters	M2590A M2591A	3		EAT3R-90S-A	EAT3R-90S-I	C7	
		M2591A M2595A			长0.9m, 扣式美标	长0.9m, 扣式欧标		
		M2592A M2596A	5		EAT5R-90S-A	EAT5R-90S-I	C8	
		M2593A M2597A			长0.9m, 扣式美标	长0.9m, 扣式欧标		
	Telemetry 3/5-lead combiner (U.S. only)							B8
	IntelliVue Telemetry		989803151991 989803152001			EHT3R-90S-A	EHT3R-90S-I	C2
						长0.9m, 扣式美标	长0.9m, 扣式欧标	
			989803173141 989803151981			EHT3R-90P-A	EHT3R-90S-I	C2
						长0.9m, 扣式美标	长0.9m, 扣式欧标	
			989803173151 989803152081			EHT5R-90S-A	EHT5R-90S-I	C4
长0.9m, 扣式美标						长0.9m, 扣式欧标		
989803152071 989803152061	EHT5R-90P-A	EHT5R-90S-I						
	长0.9m, 扣式美标	长0.9m, 扣式欧标	C4					

Original Product Information 原厂产品信息				Caredem Product Information 凯曼产品信息			
Original Brand 品牌	Original Model 机型	Original P/N 原厂型号	Lead No. 导联数	Product Illustration 图示	AHA Code 美标	IEC Code 欧标	Price code 价格代码
Philips 飞利浦	Shower Shield	989803153031	3				C3
		989803153041	5				C3
		989803153051	6				C4
	Single/double ECG alignment guide protective insert, untethered	989803140401	1				A2
		98980314042	2				A3