

Glidesheath Slender®



Transradial Introducer Sheath

Glidesheath Slender offers the smallest option for procedures requiring 5, 6, and 7 Fr sheaths¹. The proprietary thin-wall technology reduces the outside diameter of the introducer sheath by 1Fr while maintaining a larger inner-diameter equivalent.

Product Characteristics

- *Thin wall leading to a 1Fr reduction in outer diameter.*
- *A smaller diameter sheath reduces the arteriotomy size, to enhance post-procedure hemostasis².*
- *Easy insertion and removal with proprietary Terumo M Coat™ hydrophilic coating.*
- *Designed towards minimise mechanical irritation to the artery.*
- *Less penetration resistance than conventional sheaths.^{2, 3}*

1 Saito S et al. Catheter Cardiovasc Interv 1999;46:173-178

2 Rao S et al. Eur Heart J 2012;33:2521-2526

3 Saito S et al. Catheter Cardiovasc Interv 2002;56:328-332

Item specifications

| Outer Diameter | Sheath Length | Entry Needle - Diameter | Entry Needle - Length | Entry Needle - Type | Mini Guidewire - Type | Mini Guidewire - Diameter | Mini Guidewire - Length | Code |
|----------------|---------------|-------------------------|-----------------------|-----------------------|-----------------------|---------------------------|-------------------------|------------------|
| 5 Fr | 10 cm | 20 G 0.9 mm | 35 mm | Metallic Entry Needle | Spring | 0.025 in 0.64 mm | 45 cm | RM*RS5J10PQ |
| 5 Fr | 10 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Plastic | 0.025 in 0.64 mm | 45 cm | RM*ES5J10SQ |
| 5 Fr | 10 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Spring | 0.025 in 0.64 mm | 45 cm | RM*ES5J10PQ |
| 5 Fr | 10 cm | 21 G 0.8 mm | 35 mm | Metallic Entry Needle | Spring | 0.021 in 0.53 mm | 45 cm | RM*RS5F10PQ |
| 5 Fr | 10 cm | 22 G 0.7 mm | 32 mm | Plastic IV Catheter | Plastic | 0.021 in 0.53 mm | 45 cm | RM*ES5F10SQ R |
| 5 Fr | 10 cm | 22 G 0.7 mm | 35 mm | Metallic Entry Needle | Spring | 0.018 in 0.46 mm | 45 cm | RM*RS5C10PQ |
| 5 Fr | 16 cm | 20 G 0.9 mm | 32 mm | Plastic IV Catheter | Plastic Shortangle | 0.021 in 0.53 mm | 80 cm | RM*ES5J16HQ S |
| 5 Fr | 16 cm | 20 G 0.9 mm | 35 mm | Metallic Entry Needle | Spring | 0.025 in 0.64 mm | 80 cm | RM*RS5J16PQ |
| 5 Fr | 16 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Plastic | 0.025 in 0.64 mm | 80 cm | RM*ES5J16SQ |
| 5 Fr | 16 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Spring | 0.025 in 0.64 mm | 80 cm | RM*ES5J16PQ |
| 5 Fr | 16 cm | 21 G 0.8 mm | 35 mm | Metallic Entry Needle | Spring | 0.021 in 0.53 mm | 80 cm | RM*RS5F16PQ |
| 5 Fr | 16 cm | 22 G 0.7 mm | 32 mm | Plastic IV Catheter | Plastic Shortangle | 0.021 in 0.53 mm | 80 cm | RM*ES5F16SQ R |
| 6 Fr | 10 cm | 20 G 0.9 mm | 32 mm | Plastic IV Catheter | Plastic Shortangle | 0.025 in 0.64 mm | 45 cm | RM*ES6J10HQ S |
| 6 Fr | 10 cm | 20 G 0.9 mm | 35 mm | Metallic Entry Needle | Spring | 0.025 in 0.64 mm | 45 cm | RM*RS6J10PQ |
| 6 Fr | 10 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Plastic | 0.025 in 0.64 mm | 45 cm | RM*ES6J10SQ |
| 6 Fr | 10 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Spring | 0.025 in 0.64 mm | 45 cm | RM*ES6J10PQ |
| 6 Fr | 10 cm | 21 G 0.8 mm | 35 mm | Metallic Entry Needle | Spring | 0.021 in 0.53 mm | 45 cm | RM*RS6F10PQ |
| 6 Fr | 10 cm | 22 G 0.7 mm | 25 mm | Plastic IV Catheter | Plastic | 0.021 in 0.53 mm | 45 cm | RM*ES6F10SQ |
| 6 Fr | 10 cm | 22 G 0.7 mm | 25 mm | Plastic IV Catheter | Plastic Shortangle | 0.021 in 0.53 mm | 45 cm | RM*ES6F10HQ R |
| 6 Fr | 10 cm | 22 G 0.7 mm | 32 mm | Plastic IV Catheter | Plastic | 0.021 in 0.53 mm | 45 cm | RM*ES6F10SQ R |
| 6 Fr | 10 cm | 22 G 0.7 mm | 32 mm | Plastic IV Catheter | Plastic Shortangle | 0.021 in 0.53 mm | 45 cm | RM*ES6F10HQ |
| 6 Fr | 10 cm | 22 G 0.7 mm | 35 mm | Metallic Entry Needle | Spring | 0.018 in 0.46 mm | 45 cm | RM*RS6C10PQ |
| 6 Fr | 16 cm | 20 G 0.9 mm | 32 mm | Plastic IV Catheter | Plastic Shortangle | 0.025 in 0.64 mm | 80 cm | RM*ES6J16HQ S |
| 6 Fr | 16 cm | 20 G 0.9 mm | 32 mm | Plastic IV Catheter | Spring | 0.025 in 0.64 mm | 80 cm | RM*ES6J16PQ |
| 6 Fr | 16 cm | 20 G 0.9 mm | 35 mm | Metallic Entry Needle | Spring | 0.025 in 0.64 mm | 80 cm | RM*RS6J16PQ |
| 6 Fr | 16 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Plastic | 0.025 in 0.64 mm | 80 cm | RM*ES6J16SQ |
| 6 Fr | 16 cm | 21 G 0.8 mm | 35 mm | Metallic Entry Needle | Spring | 0.021 in 0.53 mm | 80 cm | RM*RS6F16PQ |
| 6 Fr | 16 cm | 22 G 0.7 mm | 25 mm | Plastic IV Catheter | Plastic | 0.021 in 0.53 mm | 80 cm | RM*ES6F16SQ |
| 6 Fr | 16 cm | 22 G 0.7 mm | 25 mm | Plastic IV Catheter | Plastic Shortangle | 0.021 in 0.53 mm | 80 cm | RM*ES6F16HQ |
| 6 Fr | 16 cm | 22 G 0.7 mm | 25 mm | Plastic IV Catheter | Plastic Shortangle | 0.021 in 0.53 mm | 80 cm | RM*ES6F16HQ R |
| 6 Fr | 16 cm | 22 G 0.7 mm | 32 mm | Plastic IV Catheter | Plastic | 0.021 in 0.53 mm | 80 cm | RM*ES6F16SQ R |
| 7 Fr | 10 cm | 20 G 0.9 mm | 32 mm | Plastic IV Catheter | Plastic Shortangle | 0.025 in 0.64 mm | 45 cm | RM*ES7J10HQ S |
| 7 Fr | 10 cm | 20 G 0.9 mm | 35 mm | Metallic Entry Needle | Spring | 0.025 in 0.64 mm | 45 cm | RM*RS7J10PQ |
| 7 Fr | 10 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Plastic | 0.025 in 0.64 mm | 45 cm | RM*ES7J10SQ |
| 7 Fr | 10 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Spring | 0.025 in 0.64 mm | 45 cm | RM*ES7J10PQ |

Please quote above item reference codes when placing an order

Item specifications

| Outer Diameter | Sheath Length | Entry Needle - Diameter | Entry Needle - Length | Entry Needle - Type | Mini Guidewire - Type | Mini Guidewire - Diameter | Mini Guidewire - Length | Code |
|----------------|---------------|-------------------------|-----------------------|-----------------------|-----------------------|---------------------------|-------------------------|------------------|
| 7 Fr | 10 cm | 21 G 0.8 mm | 35 mm | Metallic Entry Needle | Spring | 0,021 in 0.53 mm | 45 cm | RM*RS7F10PQ |
| 7 Fr | 10 cm | 22 G 0.7 mm | 32 mm | Plastic IV Catheter | Plastic | 0,021 in 0.53 mm | 45 cm | RM*ES7F10SQ R |
| 7 Fr | 16 cm | 20 G 0.9 mm | 32 mm | Plastic IV Catheter | Plastic Shortangle | 0,025 in 0.64 mm | 80 cm | RM*ES7J16HQS |
| 7 Fr | 16 cm | 20 G 0.9 mm | 35 mm | Metallic Entry Needle | Spring | 0,025 in 0.64 mm | 80 cm | RM*RS7J16PQ |
| 7 Fr | 16 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Plastic | 0,025 in 0.64 mm | 80 cm | RM*ES7J16SQ |
| 7 Fr | 16 cm | 20 G 0.9 mm | 51 mm | Plastic IV Catheter | Spring | 0,025 in 0.64 mm | 80 cm | RM*ES7J16PQ |
| 7 Fr | 16 cm | 21 G 0.8 mm | 35 mm | Metallic Entry Needle | Spring | 0,021 in 0.53 mm | 80 cm | RM*RS7F16PQ |
| 7 Fr | 16 cm | 22 G 0.7 mm | 32 mm | Plastic IV Catheter | Plastic | 0,021 in 0.53 mm | 80 cm | RM*ES7F16SQ R |