



Declaration of Conformity

Manufacturer	Micro-Tech (Nanjing) Co., Ltd.
Address	NO. 10 Gaoke Third Road, Nanjing National Hi-Tech Industrial Development Zone, Nanjing, 210032, Jiangsu Province, People's Republic of China
European Representative	Shanghai International Holding Corp. GmbH (Europe)
Address	Eiffestrasse 80, 20537 Hamburg Germany
Product name	Biliary Drainage Catheter with Introducer System
Model Number	Please see Attachment 2
UMDNS code	10696
Category	10 (Single use devices)
Classification	Class IIa (Annex IX, Rule 7 of MDD 93/42/EEC)
Conformity Assessment Route	Annex II (Without II.4) of MDD 93/42/EEC

We herewith declare that the above-mentioned products meet the transposition into national law, the provisions of the following EC Council Directives and Standards. All supporting documentations are retained under the premises of the manufacturer.

DIRECTIVES

General applicable Directives:

Medical Device Directive: Council Directive 93/42/EEC concerning medical devices amended by directive 2007/47/EC

Standard Applied:

- ✧ Medical Device Directive: Council Directive 93/42/EEC concerning medical devices
- ✧ EN ISO13485:2016 Medical devices – Quality management systems- Requirements for regulatory purposes
- ✧ EN ISO14971:2012 Medical devices - Application of risk management to medical devices

The detail harmonized standards see Attachment 1.



Notified Body: SGS Belgium NV, Noorderlaan 87, BE-2030 Antwerpen,
Belgium

Identification number: CE 1639

Certificate Number: CN19/41071

Expire date of the certificate: May 24, 2024

Place, Date of Certificate: Nanjing, March 6, 2015

Signature: Frank Liu

Date 2020-02-14

Name: Frank Liu

Position: Management Representative



Attachment 1

- ✧ Council Directive 93/42/EEC of 14 June 1993 concerning medical devices.
- ✧ EN ISO13485:2016 Medical devices—Quality management systems—Requirements for regulatory purposes
- ✧ EN ISO 15223-1:2016 Medical devices -- Symbols to be used with medical device labels, labeling and information to be supplied - Part 1: General requirements
- ✧ EN ISO 14971:2012 Medical devices - Application of risk management to medical devices
- ✧ ISO 10993-1:2018 Biological evaluation of medical devices - Part 1: Evaluation and testing
- ✧ EN ISO 10993-3:2014 Biological evaluation of medical devices -- Part 3: Tests for genotoxicity, carcinogenicity and reproductive toxicity
- ✧ EN ISO 10993-5:2009 Biological evaluation of medical devices -- Part 5: Tests for in vitro cytotoxicity
- ✧ EN ISO 10993-6:2016 Biological evaluation of medical devices -- Part 6: Tests for local effects after implantation
- ✧ EN ISO 10993-7:2008+AC:2009 Biological evaluation of medical devices -- Part 7: Ethylene oxide sterilization residuals
- ✧ EN ISO 10993-10:2013 Biological evaluation of medical devices -- Part 10: Tests for irritation and delayed-type hypersensitivity
- ✧ EN ISO 10993-11:2018 Biological evaluation of medical devices -- Part 11: Tests for Systemic Toxicity
- ✧ EN ISO 11135:2014 Sterilization of health care products —Ethylene oxide —Requirements for development, validation and routine control of a sterilization process for medical devices
- ✧ EN ISO 11607-1:2017: Packaging for terminally sterilized medical devices — Part 1: Requirements for materials, sterile barrier systems and packaging systems
- ✧ EN ISO 11607-2:2017: Packaging for terminally sterilized medical devices — Part 2: Validation requirements for forming, sealing and assembly processes
- ✧ ISTA-2A:2011: Series Partial Simulation Performance Test Procedure (Packaged-Products 150lb (68kg) or less)
- ✧ ASTM F1140/F1140M-13, Standard Test Methods For Internal Pressurization Failure Resistance Of Unrestrained Packages.
- ✧ ASTM F1886/F1886M-16 Standard Test Method for Determining Integrity of Seals for Flexible Packaging by Visual Inspection
- ✧ EN1041:2008+A1: 2013 Information supplied by the manufacturer with medical devices
- ✧ SG5/N2R8:2007 Clinical Evaluation
- ✧ EN ISO 14644-1:2015 Cleanroom and associated controlled environments - Part 1: Classification of air cleanliness
- ✧ EN ISO 11737-1:2018 Sterilization of medical devices -- Microbiological methods -- Part 1: Determination of a population of microorganisms on products
- ✧ EN ISO 11737-2:2010 Sterilization of medical devices - Microbiological methods - Part 2: Tests of sterility performed in the definition, validation and maintenance of a sterilization process
- ✧ ASTM F1980-16 Standard Guide for Accelerated Aging of Sterile Barrier Systems for



Medical Devices

- ✧ EN 62366-1:2015 Medical devices – Application of usability engineering to medical devices
- ✧ MEDDEV 2.7.1 (Rev. 4) Clinical evaluation: a guide for manufacturers and notified bodies
- ✧ MEDDEV 2.12-1 (Rev. 8) Guidelines on a medical devices vigilance system
- ✧ MEDDEV 2.12/2 (Rev. 2) Post market clinical follow-up studies a guide for manufacturers and notified bodies
- ✧ EN ISO 14698-1:2003 Cleanrooms and associated controlled environments - Biocontamination control -Part 1 :General principles and methods
- ✧ EN 13868:2002 Catheters. Test Methods For Kinking Of Single Lumen Catheters And Medical Tubing
- ✧ ISO 20697:2018 Sterile drainage catheters and accessory devices for single use



Attachment 2

Biliary Drainage Catheter with Introducer System Product List

NO.	REF	Catheter material	Catheter shape	Catheter diameter	Catheter working length (cm)	Introducer working length (mm)	Working Channel (mm)	Packing
1	BPDS-31114-0705/17	PE	Straight with single side flap	7F	5	1700	≥2.8	Preload
2	BPDS-31114-0706/17	PE	Straight with single side flap	7F	6	1700	≥2.8	Preload
3	BPDS-31114-0707/17	PE	Straight with single side flap	7F	7	1700	≥2.8	Preload
4	BPDS-31114-0708/17	PE	Straight with single side flap	7F	8	1700	≥2.8	Preload
5	BPDS-31114-0709/17	PE	Straight with single side flap	7F	9	1700	≥2.8	Preload
6	BPDS-31114-0710/17	PE	Straight with single side flap	7F	10	1700	≥2.8	Preload
7	BPDS-31114-0711/17	PE	Straight with single side flap	7F	11	1700	≥2.8	Preload
8	BPDS-31114-0712/17	PE	Straight with single side flap	7F	12	1700	≥2.8	Preload
9	BPDS-31114-0713/17	PE	Straight with single side flap	7F	13	1700	≥2.8	Preload
10	BPDS-31114-0714/17	PE	Straight with single side flap	7F	14	1700	≥2.8	Preload
11	BPDS-31114-0715/17	PE	Straight with single side flap	7F	15	1700	≥2.8	Preload
12	BPDS-31114-0805/17	PE	Straight with single side flap	8.5F	5	1700	≥3.2	Preload
13	BPDS-31114-0806/17	PE	Straight with single side flap	8.5F	6	1700	≥3.2	Preload
14	BPDS-31114-0807/17	PE	Straight with single side flap	8.5F	7	1700	≥3.2	Preload
15	BPDS-31114-0808/17	PE	Straight with single side flap	8.5F	8	1700	≥3.2	Preload
16	BPDS-31114-0809/17	PE	Straight with single side flap	8.5F	9	1700	≥3.2	Preload
17	BPDS-31114-0810/17	PE	Straight with single side flap	8.5F	10	1700	≥3.2	Preload
18	BPDS-31114-0811/17	PE	Straight with single side flap	8.5F	11	1700	≥3.2	Preload
19	BPDS-31114-0812/17	PE	Straight with single side flap	8.5F	12	1700	≥3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



20	BPDS-31114-0813/17	PE	Straight with single side flap	8.5F	13	1700	≥ 3.2	Preload
21	BPDS-31114-0814/17	PE	Straight with single side flap	8.5F	14	1700	≥ 3.2	Preload
22	BPDS-31114-0815/17	PE	Straight with single side flap	8.5F	15	1700	≥ 3.2	Preload
23	BPDS-31114-1005/17	PE	Straight with single side flap	10F	5	1700	≥ 3.7	Preload
24	BPDS-31114-1006/17	PE	Straight with single side flap	10F	6	1700	≥ 3.7	Preload
25	BPDS-31114-1007/17	PE	Straight with single side flap	10F	7	1700	≥ 3.7	Preload
26	BPDS-31114-1008/17	PE	Straight with single side flap	10F	8	1700	≥ 3.7	Preload
27	BPDS-31114-1009/17	PE	Straight with single side flap	10F	9	1700	≥ 3.7	Preload
28	BPDS-31114-1010/17	PE	Straight with single side flap	10F	10	1700	≥ 3.7	Preload
29	BPDS-31114-1011/17	PE	Straight with single side flap	10F	11	1700	≥ 3.7	Preload
30	BPDS-31114-1012/17	PE	Straight with single side flap	10F	12	1700	≥ 3.7	Preload
31	BPDS-31114-1013/17	PE	Straight with single side flap	10F	13	1700	≥ 3.7	Preload
32	BPDS-31114-1014/17	PE	Straight with single side flap	10F	14	1700	≥ 3.7	Preload
33	BPDS-31114-1015/17	PE	Straight with single side flap	10F	15	1700	≥ 3.7	Preload
34	BPDS-31114-1105/17	PE	Straight with single side flap	11.5F	5	1700	≥ 4.2	Preload
35	BPDS-31114-1106/17	PE	Straight with single side flap	11.5F	6	1700	≥ 4.2	Preload
36	BPDS-31114-1107/17	PE	Straight with single side flap	11.5F	7	1700	≥ 4.2	Preload
37	BPDS-31114-1108/17	PE	Straight with single side flap	11.5F	8	1700	≥ 4.2	Preload
38	BPDS-31114-1109/17	PE	Straight with single side flap	11.5F	9	1700	≥ 4.2	Preload
39	BPDS-31114-1110/17	PE	Straight with single side flap	11.5F	10	1700	≥ 4.2	Preload
40	BPDS-31114-1111/17	PE	Straight with single side flap	11.5F	11	1700	≥ 4.2	Preload
41	BPDS-31114-1112/17	PE	Straight with single side flap	11.5F	12	1700	≥ 4.2	Preload
42	BPDS-31114-1113/17	PE	Straight with single side flap	11.5F	13	1700	≥ 4.2	Preload
43	BPDS-31114-1114/17	PE	Straight with single side flap	11.5F	14	1700	≥ 4.2	Preload
44	BPDS-31114-1115/17	PE	Straight with single side flap	11.5F	15	1700	≥ 4.2	Preload
45	BPDS-33114-0705/17	PE	Side bend with single side flap	7F	5	1700	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



46	BPDS-33114-0706/17	PE	Side bend with single side flap	7F	6	1700	≥ 2.8	Divide
47	BPDS-33114-0707/17	PE	Side bend with single side flap	7F	7	1700	≥ 2.8	Divide
48	BPDS-33114-0708/17	PE	Side bend with single side flap	7F	8	1700	≥ 2.8	Divide
49	BPDS-33114-0709/17	PE	Side bend with single side flap	7F	9	1700	≥ 2.8	Divide
50	BPDS-33114-0710/17	PE	Side bend with single side flap	7F	10	1700	≥ 2.8	Divide
51	BPDS-33114-0711/17	PE	Side bend with single side flap	7F	11	1700	≥ 2.8	Divide
52	BPDS-33114-0712/17	PE	Side bend with single side flap	7F	12	1700	≥ 2.8	Divide
53	BPDS-33114-0713/17	PE	Side bend with single side flap	7F	13	1700	≥ 2.8	Divide
54	BPDS-33114-0714/17	PE	Side bend with single side flap	7F	14	1700	≥ 2.8	Divide
55	BPDS-33114-0715/17	PE	Side bend with single side flap	7F	15	1700	≥ 2.8	Divide
56	BPDS-33114-0805/17	PE	Side bend with single side flap	8.5F	5	1700	≥ 3.2	Preload
57	BPDS-33114-0806/17	PE	Side bend with single side flap	8.5F	6	1700	≥ 3.2	Preload
58	BPDS-33114-0807/17	PE	Side bend with single side flap	8.5F	7	1700	≥ 3.2	Preload
59	BPDS-33114-0808/17	PE	Side bend with single side flap	8.5F	8	1700	≥ 3.2	Preload
60	BPDS-33114-0809/17	PE	Side bend with single side flap	8.5F	9	1700	≥ 3.2	Preload
61	BPDS-33114-0810/17	PE	Side bend with single side flap	8.5F	10	1700	≥ 3.2	Preload
62	BPDS-33114-0811/17	PE	Side bend with single side flap	8.5F	11	1700	≥ 3.2	Preload
63	BPDS-33114-0812/17	PE	Side bend with single side flap	8.5F	12	1700	≥ 3.2	Preload
64	BPDS-33114-0813/17	PE	Side bend with single side flap	8.5F	13	1700	≥ 3.2	Preload
65	BPDS-33114-0814/17	PE	Side bend with single side flap	8.5F	14	1700	≥ 3.2	Preload
66	BPDS-33114-0815/17	PE	Side bend with single side flap	8.5F	15	1700	≥ 3.2	Preload
67	BPDS-33114-1005/17	PE	Side bend with single side flap	10F	5	1700	≥ 3.7	Preload
68	BPDS-33114-1006/17	PE	Side bend with single side flap	10F	6	1700	≥ 3.7	Preload
69	BPDS-33114-1007/17	PE	Side bend with single side flap	10F	7	1700	≥ 3.7	Preload
70	BPDS-33114-1008/17	PE	Side bend with single side flap	10F	8	1700	≥ 3.7	Preload
71	BPDS-33114-1009/17	PE	Side bend with single side flap	10F	9	1700	≥ 3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



72	BPDS-33114-1010/17	PE	Side bend with single side flap	10F	10	1700	≥ 3.7	Preload
73	BPDS-33114-1011/17	PE	Side bend with single side flap	10F	11	1700	≥ 3.7	Preload
74	BPDS-33114-1012/17	PE	Side bend with single side flap	10F	12	1700	≥ 3.7	Preload
75	BPDS-33114-1013/17	PE	Side bend with single side flap	10F	13	1700	≥ 3.7	Preload
76	BPDS-33114-1014/17	PE	Side bend with single side flap	10F	14	1700	≥ 3.7	Preload
77	BPDS-33114-1015/17	PE	Side bend with single side flap	10F	15	1700	≥ 3.7	Preload
78	BPDS-33114-1105/17	PE	Side bend with single side flap	11.5F	5	1700	≥ 4.2	Preload
79	BPDS-33114-1106/17	PE	Side bend with single side flap	11.5F	6	1700	≥ 4.2	Preload
80	BPDS-33114-1107/17	PE	Side bend with single side flap	11.5F	7	1700	≥ 4.2	Preload
81	BPDS-33114-1108/17	PE	Side bend with single side flap	11.5F	8	1700	≥ 4.2	Preload
82	BPDS-33114-1109/17	PE	Side bend with single side flap	11.5F	9	1700	≥ 4.2	Preload
83	BPDS-33114-1110/17	PE	Side bend with single side flap	11.5F	10	1700	≥ 4.2	Preload
84	BPDS-33114-1111/17	PE	Side bend with single side flap	11.5F	11	1700	≥ 4.2	Preload
85	BPDS-33114-1112/17	PE	Side bend with single side flap	11.5F	12	1700	≥ 4.2	Preload
86	BPDS-33114-1113/17	PE	Side bend with single side flap	11.5F	13	1700	≥ 4.2	Preload
87	BPDS-33114-1114/17	PE	Side bend with single side flap	11.5F	14	1700	≥ 4.2	Preload
88	BPDS-33114-1115/17	PE	Side bend with single side flap	11.5F	15	1700	≥ 4.2	Preload
89	BPDS-34114-0705/17	PE	Center bend with single side flap	7F	5	1700	≥ 2.8	Divide
90	BPDS-34114-0706/17	PE	Center bend with single side flap	7F	6	1700	≥ 2.8	Divide
91	BPDS-34114-0707/17	PE	Center bend with single side flap	7F	7	1700	≥ 2.8	Divide
92	BPDS-34114-0708/17	PE	Center bend with single side flap	7F	8	1700	≥ 2.8	Divide
93	BPDS-34114-0709/17	PE	Center bend with single side flap	7F	9	1700	≥ 2.8	Divide
94	BPDS-34114-0710/17	PE	Center bend with single side flap	7F	10	1700	≥ 2.8	Divide
95	BPDS-34114-0711/17	PE	Center bend with single side flap	7F	11	1700	≥ 2.8	Divide
96	BPDS-34114-0712/17	PE	Center bend with single side flap	7F	12	1700	≥ 2.8	Divide
97	BPDS-34114-0713/17	PE	Center bend with single side flap	7F	13	1700	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



98	BPDS-34114-0714/17	PE	Center bend with single side flap	7F	14	1700	≥ 2.8	Divide
99	BPDS-34114-0715/17	PE	Center bend with single side flap	7F	15	1700	≥ 2.8	Divide
100	BPDS-34114-0805/17	PE	Center bend with single side flap	8.5F	5	1700	≥ 3.2	Preload
101	BPDS-34114-0806/17	PE	Center bend with single side flap	8.5F	6	1700	≥ 3.2	Preload
102	BPDS-34114-0807/17	PE	Center bend with single side flap	8.5F	7	1700	≥ 3.2	Preload
103	BPDS-34114-0808/17	PE	Center bend with single side flap	8.5F	8	1700	≥ 3.2	Preload
104	BPDS-34114-0809/17	PE	Center bend with single side flap	8.5F	9	1700	≥ 3.2	Preload
105	BPDS-34114-0810/17	PE	Center bend with single side flap	8.5F	10	1700	≥ 3.2	Preload
106	BPDS-34114-0811/17	PE	Center bend with single side flap	8.5F	11	1700	≥ 3.2	Preload
107	BPDS-34114-0812/17	PE	Center bend with single side flap	8.5F	12	1700	≥ 3.2	Preload
108	BPDS-34114-0813/17	PE	Center bend with single side flap	8.5F	13	1700	≥ 3.2	Preload
109	BPDS-34114-0814/17	PE	Center bend with single side flap	8.5F	14	1700	≥ 3.2	Preload
110	BPDS-34114-0815/17	PE	Center bend with single side flap	8.5F	15	1700	≥ 3.2	Preload
111	BPDS-34114-1005/17	PE	Center bend with single side flap	10F	5	1700	≥ 3.7	Preload
112	BPDS-34114-1006/17	PE	Center bend with single side flap	10F	6	1700	≥ 3.7	Preload
113	BPDS-34114-1007/17	PE	Center bend with single side flap	10F	7	1700	≥ 3.7	Preload
114	BPDS-34114-1008/17	PE	Center bend with single side flap	10F	8	1700	≥ 3.7	Preload
115	BPDS-34114-1009/17	PE	Center bend with single side flap	10F	9	1700	≥ 3.7	Preload
116	BPDS-34114-1010/17	PE	Center bend with single side flap	10F	10	1700	≥ 3.7	Preload
117	BPDS-34114-1011/17	PE	Center bend with single side flap	10F	11	1700	≥ 3.7	Preload
118	BPDS-34114-1012/17	PE	Center bend with single side flap	10F	12	1700	≥ 3.7	Preload
119	BPDS-34114-1013/17	PE	Center bend with single side flap	10F	13	1700	≥ 3.7	Preload
120	BPDS-34114-1014/17	PE	Center bend with single side flap	10F	14	1700	≥ 3.7	Preload
121	BPDS-34114-1015/17	PE	Center bend with single side flap	10F	15	1700	≥ 3.7	Preload
122	BPDS-34114-1105/17	PE	Center bend with single side flap	11.5F	5	1700	≥ 4.2	Preload
123	BPDS-34114-1106/17	PE	Center bend with single side flap	11.5F	6	1700	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



124	BPDS-34114-1107/17	PE	Center bend with single side flap	11.5F	7	1700	≥ 4.2	Preload
125	BPDS-34114-1108/17	PE	Center bend with single side flap	11.5F	8	1700	≥ 4.2	Preload
126	BPDS-34114-1109/17	PE	Center bend with single side flap	11.5F	9	1700	≥ 4.2	Preload
127	BPDS-34114-1110/17	PE	Center bend with single side flap	11.5F	10	1700	≥ 4.2	Preload
128	BPDS-34114-1111/17	PE	Center bend with single side flap	11.5F	11	1700	≥ 4.2	Preload
129	BPDS-34114-1112/17	PE	Center bend with single side flap	11.5F	12	1700	≥ 4.2	Preload
130	BPDS-34114-1113/17	PE	Center bend with single side flap	11.5F	13	1700	≥ 4.2	Preload
131	BPDS-34114-1114/17	PE	Center bend with single side flap	11.5F	14	1700	≥ 4.2	Preload
132	BPDS-34114-1115/17	PE	Center bend with single side flap	11.5F	15	1700	≥ 4.2	Preload
133	BPDS-32114-0705/17	PE	Arcuate with single side flap	7F	5	1700	≥ 2.8	Divide
134	BPDS-32114-0706/17	PE	Arcuate with single side flap	7F	6	1700	≥ 2.8	Divide
135	BPDS-32114-0707/17	PE	Arcuate with single side flap	7F	7	1700	≥ 2.8	Divide
136	BPDS-32114-0708/17	PE	Arcuate with single side flap	7F	8	1700	≥ 2.8	Divide
137	BPDS-32114-0709/17	PE	Arcuate with single side flap	7F	9	1700	≥ 2.8	Divide
138	BPDS-32114-0710/17	PE	Arcuate with single side flap	7F	10	1700	≥ 2.8	Divide
139	BPDS-32114-0711/17	PE	Arcuate with single side flap	7F	11	1700	≥ 2.8	Divide
140	BPDS-32114-0712/17	PE	Arcuate with single side flap	7F	12	1700	≥ 2.8	Divide
141	BPDS-32114-0713/17	PE	Arcuate with single side flap	7F	13	1700	≥ 2.8	Divide
142	BPDS-32114-0714/17	PE	Arcuate with single side flap	7F	14	1700	≥ 2.8	Divide
143	BPDS-32114-0715/17	PE	Arcuate with single side flap	7F	15	1700	≥ 2.8	Divide
144	BPDS-32114-0805/17	PE	Arcuate with single side flap	8.5F	5	1700	≥ 3.2	Preload
145	BPDS-32114-0806/17	PE	Arcuate with single side flap	8.5F	6	1700	≥ 3.2	Preload
146	BPDS-32114-0807/17	PE	Arcuate with single side flap	8.5F	7	1700	≥ 3.2	Preload
147	BPDS-32114-0808/17	PE	Arcuate with single side flap	8.5F	8	1700	≥ 3.2	Preload
148	BPDS-32114-0809/17	PE	Arcuate with single side flap	8.5F	9	1700	≥ 3.2	Preload
149	BPDS-32114-0810/17	PE	Arcuate with single side flap	8.5F	10	1700	≥ 3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



150	BPDS-32114-0811/17	PE	Arcuate with single side flap	8.5F	11	1700	≥ 3.2	Preload
151	BPDS-32114-0812/17	PE	Arcuate with single side flap	8.5F	12	1700	≥ 3.2	Preload
152	BPDS-32114-0813/17	PE	Arcuate with single side flap	8.5F	13	1700	≥ 3.2	Preload
153	BPDS-32114-0814/17	PE	Arcuate with single side flap	8.5F	14	1700	≥ 3.2	Preload
154	BPDS-32114-0815/17	PE	Arcuate with single side flap	8.5F	15	1700	≥ 3.2	Preload
155	BPDS-32114-1005/17	PE	Arcuate with single side flap	10F	5	1700	≥ 3.7	Preload
156	BPDS-32114-1006/17	PE	Arcuate with single side flap	10F	6	1700	≥ 3.7	Preload
157	BPDS-32114-1007/17	PE	Arcuate with single side flap	10F	7	1700	≥ 3.7	Preload
158	BPDS-32114-1008/17	PE	Arcuate with single side flap	10F	8	1700	≥ 3.7	Preload
159	BPDS-32114-1009/17	PE	Arcuate with single side flap	10F	9	1700	≥ 3.7	Preload
160	BPDS-32114-1010/17	PE	Arcuate with single side flap	10F	10	1700	≥ 3.7	Preload
161	BPDS-32114-1011/17	PE	Arcuate with single side flap	10F	11	1700	≥ 3.7	Preload
162	BPDS-32114-1012/17	PE	Arcuate with single side flap	10F	12	1700	≥ 3.7	Preload
163	BPDS-32114-1013/17	PE	Arcuate with single side flap	10F	13	1700	≥ 3.7	Preload
164	BPDS-32114-1014/17	PE	Arcuate with single side flap	10F	14	1700	≥ 3.7	Preload
165	BPDS-32114-1015/17	PE	Arcuate with single side flap	10F	15	1700	≥ 3.7	Preload
166	BPDS-32114-1105/17	PE	Arcuate with single side flap	11.5F	5	1700	≥ 4.2	Preload
167	BPDS-32114-1106/17	PE	Arcuate with single side flap	11.5F	6	1700	≥ 4.2	Preload
168	BPDS-32114-1107/17	PE	Arcuate with single side flap	11.5F	7	1700	≥ 4.2	Preload
169	BPDS-32114-1108/17	PE	Arcuate with single side flap	11.5F	8	1700	≥ 4.2	Preload
170	BPDS-32114-1109/17	PE	Arcuate with single side flap	11.5F	9	1700	≥ 4.2	Preload
171	BPDS-32114-1110/17	PE	Arcuate with single side flap	11.5F	10	1700	≥ 4.2	Preload
172	BPDS-32114-1111/17	PE	Arcuate with single side flap	11.5F	11	1700	≥ 4.2	Preload
173	BPDS-32114-1112/17	PE	Arcuate with single side flap	11.5F	12	1700	≥ 4.2	Preload
174	BPDS-32114-1113/17	PE	Arcuate with single side flap	11.5F	13	1700	≥ 4.2	Preload
175	BPDS-32114-1114/17	PE	Arcuate with single side flap	11.5F	14	1700	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



176	BPDS-32114-1115/17	PE	Arcuate with single side flap	11.5F	15	1700	≥ 4.2	Preload
177	BPDS-31916-0705/17	PE	Pigtail at Proximal end with single side flap	7F	5	1700	≥ 2.8	Divide
178	BPDS-31916-0706/17	PE	Pigtail at Proximal end with single side flap	7F	6	1700	≥ 2.8	Divide
179	BPDS-31916-0707/17	PE	Pigtail at Proximal end with single side flap	7F	7	1700	≥ 2.8	Divide
180	BPDS-31916-0708/17	PE	Pigtail at Proximal end with single side flap	7F	8	1700	≥ 2.8	Divide
181	BPDS-31916-0709/17	PE	Pigtail at Proximal end with single side flap	7F	9	1700	≥ 2.8	Divide
182	BPDS-31916-0710/17	PE	Pigtail at Proximal end with single side flap	7F	10	1700	≥ 2.8	Divide
183	BPDS-31916-0711/17	PE	Pigtail at Proximal end with single side flap	7F	11	1700	≥ 2.8	Divide
184	BPDS-31916-0712/17	PE	Pigtail at Proximal end with single side flap	7F	12	1700	≥ 2.8	Divide
185	BPDS-31916-0713/17	PE	Pigtail at Proximal end with single side flap	7F	13	1700	≥ 2.8	Divide
186	BPDS-31916-0714/17	PE	Pigtail at Proximal end with single side flap	7F	14	1700	≥ 2.8	Divide
187	BPDS-31916-0715/17	PE	Pigtail at Proximal end with single side flap	7F	15	1700	≥ 2.8	Divide
188	BPDS-31916-0805/17	PE	Pigtail at Proximal end with single side flap	8.5F	5	1700	≥ 3.2	Divide
189	BPDS-31916-0806/17	PE	Pigtail at Proximal end with single side flap	8.5F	6	1700	≥ 3.2	Divide
190	BPDS-31916-0807/17	PE	Pigtail at Proximal end with single side flap	8.5F	7	1700	≥ 3.2	Divide
191	BPDS-31916-0808/17	PE	Pigtail at Proximal end with single side flap	8.5F	8	1700	≥ 3.2	Divide
192	BPDS-31916-0809/17	PE	Pigtail at Proximal end with single side flap	8.5F	9	1700	≥ 3.2	Divide
193	BPDS-31916-0810/17	PE	Pigtail at Proximal end with single side flap	8.5F	10	1700	≥ 3.2	Divide
194	BPDS-31916-0811/17	PE	Pigtail at Proximal end with single side flap	8.5F	11	1700	≥ 3.2	Divide
195	BPDS-31916-0812/17	PE	Pigtail at Proximal end with single side flap	8.5F	12	1700	≥ 3.2	Divide
196	BPDS-31916-0813/17	PE	Pigtail at Proximal end with single side flap	8.5F	13	1700	≥ 3.2	Divide
197	BPDS-31916-0814/17	PE	Pigtail at Proximal end with single side flap	8.5F	14	1700	≥ 3.2	Divide
198	BPDS-31916-0815/17	PE	Pigtail at Proximal end with single side flap	8.5F	15	1700	≥ 3.2	Divide
199	BPDS-31916-1005/17	PE	Pigtail at Proximal end with single side flap	10F	5	1700	≥ 3.7	Divide
200	BPDS-31916-1006/17	PE	Pigtail at Proximal end with single side flap	10F	6	1700	≥ 3.7	Divide
201	BPDS-31916-1007/17	PE	Pigtail at Proximal end with single side flap	10F	7	1700	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



202	BPDS-31916-1008/17	PE	Pigtail at Proximal end with single side flap	10F	8	1700	≥ 3.7	Divide
203	BPDS-31916-1009/17	PE	Pigtail at Proximal end with single side flap	10F	9	1700	≥ 3.7	Divide
204	BPDS-31916-1010/17	PE	Pigtail at Proximal end with single side flap	10F	10	1700	≥ 3.7	Divide
205	BPDS-31916-1011/17	PE	Pigtail at Proximal end with single side flap	10F	11	1700	≥ 3.7	Divide
206	BPDS-31916-1012/17	PE	Pigtail at Proximal end with single side flap	10F	12	1700	≥ 3.7	Divide
207	BPDS-31916-1013/17	PE	Pigtail at Proximal end with single side flap	10F	13	1700	≥ 3.7	Divide
208	BPDS-31916-1014/17	PE	Pigtail at Proximal end with single side flap	10F	14	1700	≥ 3.7	Divide
209	BPDS-31916-1015/17	PE	Pigtail at Proximal end with single side flap	10F	15	1700	≥ 3.7	Divide
210	BPDS-31916-1105/17	PE	Pigtail at Proximal end with single side flap	11.5F	5	1700	≥ 4.2	Divide
211	BPDS-31916-1106/17	PE	Pigtail at Proximal end with single side flap	11.5F	6	1700	≥ 4.2	Divide
212	BPDS-31916-1107/17	PE	Pigtail at Proximal end with single side flap	11.5F	7	1700	≥ 4.2	Divide
213	BPDS-31916-1108/17	PE	Pigtail at Proximal end with single side flap	11.5F	8	1700	≥ 4.2	Divide
214	BPDS-31916-1109/17	PE	Pigtail at Proximal end with single side flap	11.5F	9	1700	≥ 4.2	Divide
215	BPDS-31916-1110/17	PE	Pigtail at Proximal end with single side flap	11.5F	10	1700	≥ 4.2	Divide
216	BPDS-31916-1111/17	PE	Pigtail at Proximal end with single side flap	11.5F	11	1700	≥ 4.2	Divide
217	BPDS-31916-1112/17	PE	Pigtail at Proximal end with single side flap	11.5F	12	1700	≥ 4.2	Divide
218	BPDS-31916-1113/17	PE	Pigtail at Proximal end with single side flap	11.5F	13	1700	≥ 4.2	Divide
219	BPDS-31916-1114/17	PE	Pigtail at Proximal end with single side flap	11.5F	14	1700	≥ 4.2	Divide
220	BPDS-31916-1115/17	PE	Pigtail at Proximal end with single side flap	11.5F	15	1700	≥ 4.2	Divide
221	BPDS-31196-0705/17	PE	Pigtail at Distal end with single side flap	7F	5	1700	≥ 2.8	Divide
222	BPDS-31196-0706/17	PE	Pigtail at Distal end with single side flap	7F	6	1700	≥ 2.8	Divide
223	BPDS-31196-0707/17	PE	Pigtail at Distal end with single side flap	7F	7	1700	≥ 2.8	Divide
224	BPDS-31196-0708/17	PE	Pigtail at Distal end with single side flap	7F	8	1700	≥ 2.8	Divide
225	BPDS-31196-0709/17	PE	Pigtail at Distal end with single side flap	7F	9	1700	≥ 2.8	Divide
226	BPDS-31196-0710/17	PE	Pigtail at Distal end with single side flap	7F	10	1700	≥ 2.8	Divide
227	BPDS-31196-0711/17	PE	Pigtail at Distal end with single side flap	7F	11	1700	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



228	BPDS-31196-0712/17	PE	Pigtail at Distal end with single side flap	7F	12	1700	≥ 2.8	Divide
229	BPDS-31196-0713/17	PE	Pigtail at Distal end with single side flap	7F	13	1700	≥ 2.8	Divide
230	BPDS-31196-0714/17	PE	Pigtail at Distal end with single side flap	7F	14	1700	≥ 2.8	Divide
231	BPDS-31196-0715/17	PE	Pigtail at Distal end with single side flap	7F	15	1700	≥ 2.8	Divide
232	BPDS-31196-0805/17	PE	Pigtail at Distal end with single side flap	8.5F	5	1700	≥ 3.2	Divide
233	BPDS-31196-0806/17	PE	Pigtail at Distal end with single side flap	8.5F	6	1700	≥ 3.2	Divide
234	BPDS-31196-0807/17	PE	Pigtail at Distal end with single side flap	8.5F	7	1700	≥ 3.2	Divide
235	BPDS-31196-0808/17	PE	Pigtail at Distal end with single side flap	8.5F	8	1700	≥ 3.2	Divide
236	BPDS-31196-0809/17	PE	Pigtail at Distal end with single side flap	8.5F	9	1700	≥ 3.2	Divide
237	BPDS-31196-0810/17	PE	Pigtail at Distal end with single side flap	8.5F	10	1700	≥ 3.2	Divide
238	BPDS-31196-0811/17	PE	Pigtail at Distal end with single side flap	8.5F	11	1700	≥ 3.2	Divide
239	BPDS-31196-0812/17	PE	Pigtail at Distal end with single side flap	8.5F	12	1700	≥ 3.2	Divide
240	BPDS-31196-0813/17	PE	Pigtail at Distal end with single side flap	8.5F	13	1700	≥ 3.2	Divide
241	BPDS-31196-0814/17	PE	Pigtail at Distal end with single side flap	8.5F	14	1700	≥ 3.2	Divide
242	BPDS-31196-0815/17	PE	Pigtail at Distal end with single side flap	8.5F	15	1700	≥ 3.2	Divide
243	BPDS-31196-1005/17	PE	Pigtail at Distal end with single side flap	10F	5	1700	≥ 3.7	Divide
244	BPDS-31196-1006/17	PE	Pigtail at Distal end with single side flap	10F	6	1700	≥ 3.7	Divide
245	BPDS-31196-1007/17	PE	Pigtail at Distal end with single side flap	10F	7	1700	≥ 3.7	Divide
246	BPDS-31196-1008/17	PE	Pigtail at Distal end with single side flap	10F	8	1700	≥ 3.7	Divide
247	BPDS-31196-1009/17	PE	Pigtail at Distal end with single side flap	10F	9	1700	≥ 3.7	Divide
248	BPDS-31196-1010/17	PE	Pigtail at Distal end with single side flap	10F	10	1700	≥ 3.7	Divide
249	BPDS-31196-1011/17	PE	Pigtail at Distal end with single side flap	10F	11	1700	≥ 3.7	Divide
250	BPDS-31196-1012/17	PE	Pigtail at Distal end with single side flap	10F	12	1700	≥ 3.7	Divide
251	BPDS-31196-1013/17	PE	Pigtail at Distal end with single side flap	10F	13	1700	≥ 3.7	Divide
252	BPDS-31196-1014/17	PE	Pigtail at Distal end with single side flap	10F	14	1700	≥ 3.7	Divide
253	BPDS-31196-1015/17	PE	Pigtail at Distal end with single side flap	10F	15	1700	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



254	BPDS-31196-1105/17	PE	Pigtail at Distal end with single side flap	11.5F	5	1700	≥4.2	Divide
255	BPDS-31196-1106/17	PE	Pigtail at Distal end with single side flap	11.5F	6	1700	≥4.2	Divide
256	BPDS-31196-1107/17	PE	Pigtail at Distal end with single side flap	11.5F	7	1700	≥4.2	Divide
257	BPDS-31196-1108/17	PE	Pigtail at Distal end with single side flap	11.5F	8	1700	≥4.2	Divide
258	BPDS-31196-1109/17	PE	Pigtail at Distal end with single side flap	11.5F	9	1700	≥4.2	Divide
259	BPDS-31196-1110/17	PE	Pigtail at Distal end with single side flap	11.5F	10	1700	≥4.2	Divide
260	BPDS-31196-1111/17	PE	Pigtail at Distal end with single side flap	11.5F	11	1700	≥4.2	Divide
261	BPDS-31196-1112/17	PE	Pigtail at Distal end with single side flap	11.5F	12	1700	≥4.2	Divide
262	BPDS-31196-1113/17	PE	Pigtail at Distal end with single side flap	11.5F	13	1700	≥4.2	Divide
263	BPDS-31196-1114/17	PE	Pigtail at Distal end with single side flap	11.5F	14	1700	≥4.2	Divide
264	BPDS-31196-1115/17	PE	Pigtail at Distal end with single side flap	11.5F	15	1700	≥4.2	Divide
265	BPDS-31114-0705/19	PE	Straight with single side flap	7F	5	1900	≥2.8	Preload
266	BPDS-31114-0706/19	PE	Straight with single side flap	7F	6	1900	≥2.8	Preload
267	BPDS-31114-0707/19	PE	Straight with single side flap	7F	7	1900	≥2.8	Preload
268	BPDS-31114-0708/19	PE	Straight with single side flap	7F	8	1900	≥2.8	Preload
269	BPDS-31114-0709/19	PE	Straight with single side flap	7F	9	1900	≥2.8	Preload
270	BPDS-31114-0710/19	PE	Straight with single side flap	7F	10	1900	≥2.8	Preload
271	BPDS-31114-0711/19	PE	Straight with single side flap	7F	11	1900	≥2.8	Preload
272	BPDS-31114-0712/19	PE	Straight with single side flap	7F	12	1900	≥2.8	Preload
273	BPDS-31114-0713/19	PE	Straight with single side flap	7F	13	1900	≥2.8	Preload
274	BPDS-31114-0714/19	PE	Straight with single side flap	7F	14	1900	≥2.8	Preload
275	BPDS-31114-0715/19	PE	Straight with single side flap	7F	15	1900	≥2.8	Preload
276	BPDS-31114-0805/19	PE	Straight with single side flap	8.5F	5	1900	≥3.2	Preload
277	BPDS-31114-0806/19	PE	Straight with single side flap	8.5F	6	1900	≥3.2	Preload
278	BPDS-31114-0807/19	PE	Straight with single side flap	8.5F	7	1900	≥3.2	Preload
279	BPDS-31114-0808/19	PE	Straight with single side flap	8.5F	8	1900	≥3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



280	BPDS-31114-0809/19	PE	Straight with single side flap	8.5F	9	1900	≥ 3.2	Preload
281	BPDS-31114-0810/19	PE	Straight with single side flap	8.5F	10	1900	≥ 3.2	Preload
282	BPDS-31114-0811/19	PE	Straight with single side flap	8.5F	11	1900	≥ 3.2	Preload
283	BPDS-31114-0812/19	PE	Straight with single side flap	8.5F	12	1900	≥ 3.2	Preload
284	BPDS-31114-0813/19	PE	Straight with single side flap	8.5F	13	1900	≥ 3.2	Preload
285	BPDS-31114-0814/19	PE	Straight with single side flap	8.5F	14	1900	≥ 3.2	Preload
286	BPDS-31114-0815/19	PE	Straight with single side flap	8.5F	15	1900	≥ 3.2	Preload
287	BPDS-31114-1005/19	PE	Straight with single side flap	10F	5	1900	≥ 3.7	Preload
288	BPDS-31114-1006/19	PE	Straight with single side flap	10F	6	1900	≥ 3.7	Preload
289	BPDS-31114-1007/19	PE	Straight with single side flap	10F	7	1900	≥ 3.7	Preload
290	BPDS-31114-1008/19	PE	Straight with single side flap	10F	8	1900	≥ 3.7	Preload
291	BPDS-31114-1009/19	PE	Straight with single side flap	10F	9	1900	≥ 3.7	Preload
292	BPDS-31114-1010/19	PE	Straight with single side flap	10F	10	1900	≥ 3.7	Preload
293	BPDS-31114-1011/19	PE	Straight with single side flap	10F	11	1900	≥ 3.7	Preload
294	BPDS-31114-1012/19	PE	Straight with single side flap	10F	12	1900	≥ 3.7	Preload
295	BPDS-31114-1013/19	PE	Straight with single side flap	10F	13	1900	≥ 3.7	Preload
296	BPDS-31114-1014/19	PE	Straight with single side flap	10F	14	1900	≥ 3.7	Preload
297	BPDS-31114-1015/19	PE	Straight with single side flap	10F	15	1900	≥ 3.7	Preload
298	BPDS-31114-1105/19	PE	Straight with single side flap	11.5F	5	1900	≥ 4.2	Preload
299	BPDS-31114-1106/19	PE	Straight with single side flap	11.5F	6	1900	≥ 4.2	Preload
300	BPDS-31114-1107/19	PE	Straight with single side flap	11.5F	7	1900	≥ 4.2	Preload
301	BPDS-31114-1108/19	PE	Straight with single side flap	11.5F	8	1900	≥ 4.2	Preload
302	BPDS-31114-1109/19	PE	Straight with single side flap	11.5F	9	1900	≥ 4.2	Preload
303	BPDS-31114-1110/19	PE	Straight with single side flap	11.5F	10	1900	≥ 4.2	Preload
304	BPDS-31114-1111/19	PE	Straight with single side flap	11.5F	11	1900	≥ 4.2	Preload
305	BPDS-31114-1112/19	PE	Straight with single side flap	11.5F	12	1900	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



306	BPDS-31114-1113/19	PE	Straight with single side flap	11.5F	13	1900	≥ 4.2	Preload
307	BPDS-31114-1114/19	PE	Straight with single side flap	11.5F	14	1900	≥ 4.2	Preload
308	BPDS-31114-1115/19	PE	Straight with single side flap	11.5F	15	1900	≥ 4.2	Preload
309	BPDS-33114-0705/19	PE	Side bend with single side flap	7F	5	1900	≥ 2.8	Divide
310	BPDS-33114-0706/19	PE	Side bend with single side flap	7F	6	1900	≥ 2.8	Divide
311	BPDS-33114-0707/19	PE	Side bend with single side flap	7F	7	1900	≥ 2.8	Divide
312	BPDS-33114-0708/19	PE	Side bend with single side flap	7F	8	1900	≥ 2.8	Divide
313	BPDS-33114-0709/19	PE	Side bend with single side flap	7F	9	1900	≥ 2.8	Divide
314	BPDS-33114-0710/19	PE	Side bend with single side flap	7F	10	1900	≥ 2.8	Divide
315	BPDS-33114-0711/19	PE	Side bend with single side flap	7F	11	1900	≥ 2.8	Divide
316	BPDS-33114-0712/19	PE	Side bend with single side flap	7F	12	1900	≥ 2.8	Divide
317	BPDS-33114-0713/19	PE	Side bend with single side flap	7F	13	1900	≥ 2.8	Divide
318	BPDS-33114-0714/19	PE	Side bend with single side flap	7F	14	1900	≥ 2.8	Divide
319	BPDS-33114-0715/19	PE	Side bend with single side flap	7F	15	1900	≥ 2.8	Divide
320	BPDS-33114-0805/19	PE	Side bend with single side flap	8.5F	5	1900	≥ 3.2	Preload
321	BPDS-33114-0806/19	PE	Side bend with single side flap	8.5F	6	1900	≥ 3.2	Preload
322	BPDS-33114-0807/19	PE	Side bend with single side flap	8.5F	7	1900	≥ 3.2	Preload
323	BPDS-33114-0808/19	PE	Side bend with single side flap	8.5F	8	1900	≥ 3.2	Preload
324	BPDS-33114-0809/19	PE	Side bend with single side flap	8.5F	9	1900	≥ 3.2	Preload
325	BPDS-33114-0810/19	PE	Side bend with single side flap	8.5F	10	1900	≥ 3.2	Preload
326	BPDS-33114-0811/19	PE	Side bend with single side flap	8.5F	11	1900	≥ 3.2	Preload
327	BPDS-33114-0812/19	PE	Side bend with single side flap	8.5F	12	1900	≥ 3.2	Preload
328	BPDS-33114-0813/19	PE	Side bend with single side flap	8.5F	13	1900	≥ 3.2	Preload
329	BPDS-33114-0814/19	PE	Side bend with single side flap	8.5F	14	1900	≥ 3.2	Preload
330	BPDS-33114-0815/19	PE	Side bend with single side flap	8.5F	15	1900	≥ 3.2	Preload
331	BPDS-33114-1005/19	PE	Side bend with single side flap	10F	5	1900	≥ 3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



332	BPDS-33114-1006/19	PE	Side bend with single side flap	10F	6	1900	≥ 3.7	Preload
333	BPDS-33114-1007/19	PE	Side bend with single side flap	10F	7	1900	≥ 3.7	Preload
334	BPDS-33114-1008/19	PE	Side bend with single side flap	10F	8	1900	≥ 3.7	Preload
335	BPDS-33114-1009/19	PE	Side bend with single side flap	10F	9	1900	≥ 3.7	Preload
336	BPDS-33114-1010/19	PE	Side bend with single side flap	10F	10	1900	≥ 3.7	Preload
337	BPDS-33114-1011/19	PE	Side bend with single side flap	10F	11	1900	≥ 3.7	Preload
338	BPDS-33114-1012/19	PE	Side bend with single side flap	10F	12	1900	≥ 3.7	Preload
339	BPDS-33114-1013/19	PE	Side bend with single side flap	10F	13	1900	≥ 3.7	Preload
340	BPDS-33114-1014/19	PE	Side bend with single side flap	10F	14	1900	≥ 3.7	Preload
341	BPDS-33114-1015/19	PE	Side bend with single side flap	10F	15	1900	≥ 3.7	Preload
342	BPDS-33114-1105/19	PE	Side bend with single side flap	11.5F	5	1900	≥ 4.2	Preload
343	BPDS-33114-1106/19	PE	Side bend with single side flap	11.5F	6	1900	≥ 4.2	Preload
344	BPDS-33114-1107/19	PE	Side bend with single side flap	11.5F	7	1900	≥ 4.2	Preload
345	BPDS-33114-1108/19	PE	Side bend with single side flap	11.5F	8	1900	≥ 4.2	Preload
346	BPDS-33114-1109/19	PE	Side bend with single side flap	11.5F	9	1900	≥ 4.2	Preload
347	BPDS-33114-1110/19	PE	Side bend with single side flap	11.5F	10	1900	≥ 4.2	Preload
348	BPDS-33114-1111/19	PE	Side bend with single side flap	11.5F	11	1900	≥ 4.2	Preload
349	BPDS-33114-1112/19	PE	Side bend with single side flap	11.5F	12	1900	≥ 4.2	Preload
350	BPDS-33114-1113/19	PE	Side bend with single side flap	11.5F	13	1900	≥ 4.2	Preload
351	BPDS-33114-1114/19	PE	Side bend with single side flap	11.5F	14	1900	≥ 4.2	Preload
352	BPDS-33114-1115/19	PE	Side bend with single side flap	11.5F	15	1900	≥ 4.2	Preload
353	BPDS-34114-0705/19	PE	Center bend with single side flap	7F	5	1900	≥ 2.8	Divide
354	BPDS-34114-0706/19	PE	Center bend with single side flap	7F	6	1900	≥ 2.8	Divide
355	BPDS-34114-0707/19	PE	Center bend with single side flap	7F	7	1900	≥ 2.8	Divide
356	BPDS-34114-0708/19	PE	Center bend with single side flap	7F	8	1900	≥ 2.8	Divide
357	BPDS-34114-0709/19	PE	Center bend with single side flap	7F	9	1900	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



358	BPDS-34114-0710/19	PE	Center bend with single side flap	7F	10	1900	≥ 2.8	Divide
359	BPDS-34114-0711/19	PE	Center bend with single side flap	7F	11	1900	≥ 2.8	Divide
360	BPDS-34114-0712/19	PE	Center bend with single side flap	7F	12	1900	≥ 2.8	Divide
361	BPDS-34114-0713/19	PE	Center bend with single side flap	7F	13	1900	≥ 2.8	Divide
362	BPDS-34114-0714/19	PE	Center bend with single side flap	7F	14	1900	≥ 2.8	Divide
363	BPDS-34114-0715/19	PE	Center bend with single side flap	7F	15	1900	≥ 2.8	Divide
364	BPDS-34114-0805/19	PE	Center bend with single side flap	8.5F	5	1900	≥ 3.2	Preload
365	BPDS-34114-0806/19	PE	Center bend with single side flap	8.5F	6	1900	≥ 3.2	Preload
366	BPDS-34114-0807/19	PE	Center bend with single side flap	8.5F	7	1900	≥ 3.2	Preload
367	BPDS-34114-0808/19	PE	Center bend with single side flap	8.5F	8	1900	≥ 3.2	Preload
368	BPDS-34114-0809/19	PE	Center bend with single side flap	8.5F	9	1900	≥ 3.2	Preload
369	BPDS-34114-0810/19	PE	Center bend with single side flap	8.5F	10	1900	≥ 3.2	Preload
370	BPDS-34114-0811/19	PE	Center bend with single side flap	8.5F	11	1900	≥ 3.2	Preload
371	BPDS-34114-0812/19	PE	Center bend with single side flap	8.5F	12	1900	≥ 3.2	Preload
372	BPDS-34114-0813/19	PE	Center bend with single side flap	8.5F	13	1900	≥ 3.2	Preload
373	BPDS-34114-0814/19	PE	Center bend with single side flap	8.5F	14	1900	≥ 3.2	Preload
374	BPDS-34114-0815/19	PE	Center bend with single side flap	8.5F	15	1900	≥ 3.2	Preload
375	BPDS-34114-1005/19	PE	Center bend with single side flap	10F	5	1900	≥ 3.7	Preload
376	BPDS-34114-1006/19	PE	Center bend with single side flap	10F	6	1900	≥ 3.7	Preload
377	BPDS-34114-1007/19	PE	Center bend with single side flap	10F	7	1900	≥ 3.7	Preload
378	BPDS-34114-1008/19	PE	Center bend with single side flap	10F	8	1900	≥ 3.7	Preload
379	BPDS-34114-1009/19	PE	Center bend with single side flap	10F	9	1900	≥ 3.7	Preload
380	BPDS-34114-1010/19	PE	Center bend with single side flap	10F	10	1900	≥ 3.7	Preload
381	BPDS-34114-1011/19	PE	Center bend with single side flap	10F	11	1900	≥ 3.7	Preload
382	BPDS-34114-1012/19	PE	Center bend with single side flap	10F	12	1900	≥ 3.7	Preload
383	BPDS-34114-1013/19	PE	Center bend with single side flap	10F	13	1900	≥ 3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



384	BPDS-34114-1014/19	PE	Center bend with single side flap	10F	14	1900	≥ 3.7	Preload
385	BPDS-34114-1015/19	PE	Center bend with single side flap	10F	15	1900	≥ 3.7	Preload
386	BPDS-34114-1105/19	PE	Center bend with single side flap	11.5F	5	1900	≥ 4.2	Preload
387	BPDS-34114-1106/19	PE	Center bend with single side flap	11.5F	6	1900	≥ 4.2	Preload
388	BPDS-34114-1107/19	PE	Center bend with single side flap	11.5F	7	1900	≥ 4.2	Preload
389	BPDS-34114-1108/19	PE	Center bend with single side flap	11.5F	8	1900	≥ 4.2	Preload
390	BPDS-34114-1109/19	PE	Center bend with single side flap	11.5F	9	1900	≥ 4.2	Preload
391	BPDS-34114-1110/19	PE	Center bend with single side flap	11.5F	10	1900	≥ 4.2	Preload
392	BPDS-34114-1111/19	PE	Center bend with single side flap	11.5F	11	1900	≥ 4.2	Preload
393	BPDS-34114-1112/19	PE	Center bend with single side flap	11.5F	12	1900	≥ 4.2	Preload
394	BPDS-34114-1113/19	PE	Center bend with single side flap	11.5F	13	1900	≥ 4.2	Preload
395	BPDS-34114-1114/19	PE	Center bend with single side flap	11.5F	14	1900	≥ 4.2	Preload
396	BPDS-34114-1115/19	PE	Center bend with single side flap	11.5F	15	1900	≥ 4.2	Preload
397	BPDS-32114-0705/19	PE	Arcuate with single side flap	7F	5	1900	≥ 2.8	Divide
398	BPDS-32114-0706/19	PE	Arcuate with single side flap	7F	6	1900	≥ 2.8	Divide
399	BPDS-32114-0707/19	PE	Arcuate with single side flap	7F	7	1900	≥ 2.8	Divide
400	BPDS-32114-0708/19	PE	Arcuate with single side flap	7F	8	1900	≥ 2.8	Divide
401	BPDS-32114-0709/19	PE	Arcuate with single side flap	7F	9	1900	≥ 2.8	Divide
402	BPDS-32114-0710/19	PE	Arcuate with single side flap	7F	10	1900	≥ 2.8	Divide
403	BPDS-32114-0711/19	PE	Arcuate with single side flap	7F	11	1900	≥ 2.8	Divide
404	BPDS-32114-0712/19	PE	Arcuate with single side flap	7F	12	1900	≥ 2.8	Divide
405	BPDS-32114-0713/19	PE	Arcuate with single side flap	7F	13	1900	≥ 2.8	Divide
406	BPDS-32114-0714/19	PE	Arcuate with single side flap	7F	14	1900	≥ 2.8	Divide
407	BPDS-32114-0715/19	PE	Arcuate with single side flap	7F	15	1900	≥ 2.8	Divide
408	BPDS-32114-0805/19	PE	Arcuate with single side flap	8.5F	5	1900	≥ 3.2	Preload
409	BPDS-32114-0806/19	PE	Arcuate with single side flap	8.5F	6	1900	≥ 3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



410	BPDS-32114-0807/19	PE	Arcuate with single side flap	8.5F	7	1900	≥ 3.2	Preload
411	BPDS-32114-0808/19	PE	Arcuate with single side flap	8.5F	8	1900	≥ 3.2	Preload
412	BPDS-32114-0809/19	PE	Arcuate with single side flap	8.5F	9	1900	≥ 3.2	Preload
413	BPDS-32114-0810/19	PE	Arcuate with single side flap	8.5F	10	1900	≥ 3.2	Preload
414	BPDS-32114-0811/19	PE	Arcuate with single side flap	8.5F	11	1900	≥ 3.2	Preload
415	BPDS-32114-0812/19	PE	Arcuate with single side flap	8.5F	12	1900	≥ 3.2	Preload
416	BPDS-32114-0813/19	PE	Arcuate with single side flap	8.5F	13	1900	≥ 3.2	Preload
417	BPDS-32114-0814/19	PE	Arcuate with single side flap	8.5F	14	1900	≥ 3.2	Preload
418	BPDS-32114-0815/19	PE	Arcuate with single side flap	8.5F	15	1900	≥ 3.2	Preload
419	BPDS-32114-1005/19	PE	Arcuate with single side flap	10F	5	1900	≥ 3.7	Preload
420	BPDS-32114-1006/19	PE	Arcuate with single side flap	10F	6	1900	≥ 3.7	Preload
421	BPDS-32114-1007/19	PE	Arcuate with single side flap	10F	7	1900	≥ 3.7	Preload
422	BPDS-32114-1008/19	PE	Arcuate with single side flap	10F	8	1900	≥ 3.7	Preload
423	BPDS-32114-1009/19	PE	Arcuate with single side flap	10F	9	1900	≥ 3.7	Preload
424	BPDS-32114-1010/19	PE	Arcuate with single side flap	10F	10	1900	≥ 3.7	Preload
425	BPDS-32114-1011/19	PE	Arcuate with single side flap	10F	11	1900	≥ 3.7	Preload
426	BPDS-32114-1012/19	PE	Arcuate with single side flap	10F	12	1900	≥ 3.7	Preload
427	BPDS-32114-1013/19	PE	Arcuate with single side flap	10F	13	1900	≥ 3.7	Preload
428	BPDS-32114-1014/19	PE	Arcuate with single side flap	10F	14	1900	≥ 3.7	Preload
429	BPDS-32114-1015/19	PE	Arcuate with single side flap	10F	15	1900	≥ 3.7	Preload
430	BPDS-32114-1105/19	PE	Arcuate with single side flap	11.5F	5	1900	≥ 4.2	Preload
431	BPDS-32114-1106/19	PE	Arcuate with single side flap	11.5F	6	1900	≥ 4.2	Preload
432	BPDS-32114-1107/19	PE	Arcuate with single side flap	11.5F	7	1900	≥ 4.2	Preload
433	BPDS-32114-1108/19	PE	Arcuate with single side flap	11.5F	8	1900	≥ 4.2	Preload
434	BPDS-32114-1109/19	PE	Arcuate with single side flap	11.5F	9	1900	≥ 4.2	Preload
435	BPDS-32114-1110/19	PE	Arcuate with single side flap	11.5F	10	1900	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



436	BPDS-32114-1111/19	PE	Arcuate with single side flap	11.5F	11	1900	≥ 4.2	Preload
437	BPDS-32114-1112/19	PE	Arcuate with single side flap	11.5F	12	1900	≥ 4.2	Preload
438	BPDS-32114-1113/19	PE	Arcuate with single side flap	11.5F	13	1900	≥ 4.2	Preload
439	BPDS-32114-1114/19	PE	Arcuate with single side flap	11.5F	14	1900	≥ 4.2	Preload
440	BPDS-32114-1115/19	PE	Arcuate with single side flap	11.5F	15	1900	≥ 4.2	Preload
441	BPDS-31916-0705/19	PE	Pigtail at Proximal end with single side flap	7F	5	1900	≥ 2.8	Divide
442	BPDS-31916-0706/19	PE	Pigtail at Proximal end with single side flap	7F	6	1900	≥ 2.8	Divide
443	BPDS-31916-0707/19	PE	Pigtail at Proximal end with single side flap	7F	7	1900	≥ 2.8	Divide
444	BPDS-31916-0708/19	PE	Pigtail at Proximal end with single side flap	7F	8	1900	≥ 2.8	Divide
445	BPDS-31916-0709/19	PE	Pigtail at Proximal end with single side flap	7F	9	1900	≥ 2.8	Divide
446	BPDS-31916-0710/19	PE	Pigtail at Proximal end with single side flap	7F	10	1900	≥ 2.8	Divide
447	BPDS-31916-0711/19	PE	Pigtail at Proximal end with single side flap	7F	11	1900	≥ 2.8	Divide
448	BPDS-31916-0712/19	PE	Pigtail at Proximal end with single side flap	7F	12	1900	≥ 2.8	Divide
449	BPDS-31916-0713/19	PE	Pigtail at Proximal end with single side flap	7F	13	1900	≥ 2.8	Divide
450	BPDS-31916-0714/19	PE	Pigtail at Proximal end with single side flap	7F	14	1900	≥ 2.8	Divide
451	BPDS-31916-0715/19	PE	Pigtail at Proximal end with single side flap	7F	15	1900	≥ 2.8	Divide
452	BPDS-31916-0805/19	PE	Pigtail at Proximal end with single side flap	8.5F	5	1900	≥ 3.2	Divide
453	BPDS-31916-0806/19	PE	Pigtail at Proximal end with single side flap	8.5F	6	1900	≥ 3.2	Divide
454	BPDS-31916-0807/19	PE	Pigtail at Proximal end with single side flap	8.5F	7	1900	≥ 3.2	Divide
455	BPDS-31916-0808/19	PE	Pigtail at Proximal end with single side flap	8.5F	8	1900	≥ 3.2	Divide
456	BPDS-31916-0809/19	PE	Pigtail at Proximal end with single side flap	8.5F	9	1900	≥ 3.2	Divide
457	BPDS-31916-0810/19	PE	Pigtail at Proximal end with single side flap	8.5F	10	1900	≥ 3.2	Divide
458	BPDS-31916-0811/19	PE	Pigtail at Proximal end with single side flap	8.5F	11	1900	≥ 3.2	Divide
459	BPDS-31916-0812/19	PE	Pigtail at Proximal end with single side flap	8.5F	12	1900	≥ 3.2	Divide
460	BPDS-31916-0813/19	PE	Pigtail at Proximal end with single side flap	8.5F	13	1900	≥ 3.2	Divide
461	BPDS-31916-0814/19	PE	Pigtail at Proximal end with single side flap	8.5F	14	1900	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



462	BPDS-31916-0815/19	PE	Pigtail at Proximal end with single side flap	8.5F	15	1900	≥ 3.2	Divide
463	BPDS-31916-1005/19	PE	Pigtail at Proximal end with single side flap	10F	5	1900	≥ 3.7	Divide
464	BPDS-31916-1006/19	PE	Pigtail at Proximal end with single side flap	10F	6	1900	≥ 3.7	Divide
465	BPDS-31916-1007/19	PE	Pigtail at Proximal end with single side flap	10F	7	1900	≥ 3.7	Divide
466	BPDS-31916-1008/19	PE	Pigtail at Proximal end with single side flap	10F	8	1900	≥ 3.7	Divide
467	BPDS-31916-1009/19	PE	Pigtail at Proximal end with single side flap	10F	9	1900	≥ 3.7	Divide
468	BPDS-31916-1010/19	PE	Pigtail at Proximal end with single side flap	10F	10	1900	≥ 3.7	Divide
469	BPDS-31916-1011/19	PE	Pigtail at Proximal end with single side flap	10F	11	1900	≥ 3.7	Divide
470	BPDS-31916-1012/19	PE	Pigtail at Proximal end with single side flap	10F	12	1900	≥ 3.7	Divide
471	BPDS-31916-1013/19	PE	Pigtail at Proximal end with single side flap	10F	13	1900	≥ 3.7	Divide
472	BPDS-31916-1014/19	PE	Pigtail at Proximal end with single side flap	10F	14	1900	≥ 3.7	Divide
473	BPDS-31916-1015/19	PE	Pigtail at Proximal end with single side flap	10F	15	1900	≥ 3.7	Divide
474	BPDS-31916-1105/19	PE	Pigtail at Proximal end with single side flap	11.5F	5	1900	≥ 4.2	Divide
475	BPDS-31916-1106/19	PE	Pigtail at Proximal end with single side flap	11.5F	6	1900	≥ 4.2	Divide
476	BPDS-31916-1107/19	PE	Pigtail at Proximal end with single side flap	11.5F	7	1900	≥ 4.2	Divide
477	BPDS-31916-1108/19	PE	Pigtail at Proximal end with single side flap	11.5F	8	1900	≥ 4.2	Divide
478	BPDS-31916-1109/19	PE	Pigtail at Proximal end with single side flap	11.5F	9	1900	≥ 4.2	Divide
479	BPDS-31916-1110/19	PE	Pigtail at Proximal end with single side flap	11.5F	10	1900	≥ 4.2	Divide
480	BPDS-31916-1111/19	PE	Pigtail at Proximal end with single side flap	11.5F	11	1900	≥ 4.2	Divide
481	BPDS-31916-1112/19	PE	Pigtail at Proximal end with single side flap	11.5F	12	1900	≥ 4.2	Divide
482	BPDS-31916-1113/19	PE	Pigtail at Proximal end with single side flap	11.5F	13	1900	≥ 4.2	Divide
483	BPDS-31916-1114/19	PE	Pigtail at Proximal end with single side flap	11.5F	14	1900	≥ 4.2	Divide
484	BPDS-31916-1115/19	PE	Pigtail at Proximal end with single side flap	11.5F	15	1900	≥ 4.2	Divide
485	BPDS-31196-0705/19	PE	Pigtail at Distal end with single side flap	7F	5	1900	≥ 2.8	Divide
486	BPDS-31196-0706/19	PE	Pigtail at Distal end with single side flap	7F	6	1900	≥ 2.8	Divide
487	BPDS-31196-0707/19	PE	Pigtail at Distal end with single side flap	7F	7	1900	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



488	BPDS-31196-0708/19	PE	Pigtail at Distal end with single side flap	7F	8	1900	≥ 2.8	Divide
489	BPDS-31196-0709/19	PE	Pigtail at Distal end with single side flap	7F	9	1900	≥ 2.8	Divide
490	BPDS-31196-0710/19	PE	Pigtail at Distal end with single side flap	7F	10	1900	≥ 2.8	Divide
491	BPDS-31196-0711/19	PE	Pigtail at Distal end with single side flap	7F	11	1900	≥ 2.8	Divide
492	BPDS-31196-0712/19	PE	Pigtail at Distal end with single side flap	7F	12	1900	≥ 2.8	Divide
493	BPDS-31196-0713/19	PE	Pigtail at Distal end with single side flap	7F	13	1900	≥ 2.8	Divide
494	BPDS-31196-0714/19	PE	Pigtail at Distal end with single side flap	7F	14	1900	≥ 2.8	Divide
495	BPDS-31196-0715/19	PE	Pigtail at Distal end with single side flap	7F	15	1900	≥ 2.8	Divide
496	BPDS-31196-0805/19	PE	Pigtail at Distal end with single side flap	8.5F	5	1900	≥ 3.2	Divide
497	BPDS-31196-0806/19	PE	Pigtail at Distal end with single side flap	8.5F	6	1900	≥ 3.2	Divide
498	BPDS-31196-0807/19	PE	Pigtail at Distal end with single side flap	8.5F	7	1900	≥ 3.2	Divide
499	BPDS-31196-0808/19	PE	Pigtail at Distal end with single side flap	8.5F	8	1900	≥ 3.2	Divide
500	BPDS-31196-0809/19	PE	Pigtail at Distal end with single side flap	8.5F	9	1900	≥ 3.2	Divide
501	BPDS-31196-0810/19	PE	Pigtail at Distal end with single side flap	8.5F	10	1900	≥ 3.2	Divide
502	BPDS-31196-0811/19	PE	Pigtail at Distal end with single side flap	8.5F	11	1900	≥ 3.2	Divide
503	BPDS-31196-0812/19	PE	Pigtail at Distal end with single side flap	8.5F	12	1900	≥ 3.2	Divide
504	BPDS-31196-0813/19	PE	Pigtail at Distal end with single side flap	8.5F	13	1900	≥ 3.2	Divide
505	BPDS-31196-0814/19	PE	Pigtail at Distal end with single side flap	8.5F	14	1900	≥ 3.2	Divide
506	BPDS-31196-0815/19	PE	Pigtail at Distal end with single side flap	8.5F	15	1900	≥ 3.2	Divide
507	BPDS-31196-1005/19	PE	Pigtail at Distal end with single side flap	10F	5	1900	≥ 3.7	Divide
508	BPDS-31196-1006/19	PE	Pigtail at Distal end with single side flap	10F	6	1900	≥ 3.7	Divide
509	BPDS-31196-1007/19	PE	Pigtail at Distal end with single side flap	10F	7	1900	≥ 3.7	Divide
510	BPDS-31196-1008/19	PE	Pigtail at Distal end with single side flap	10F	8	1900	≥ 3.7	Divide
511	BPDS-31196-1009/19	PE	Pigtail at Distal end with single side flap	10F	9	1900	≥ 3.7	Divide
512	BPDS-31196-1010/19	PE	Pigtail at Distal end with single side flap	10F	10	1900	≥ 3.7	Divide
513	BPDS-31196-1011/19	PE	Pigtail at Distal end with single side flap	10F	11	1900	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



514	BPDS-31196-1012/19	PE	Pigtail at Distal end with single side flap	10F	12	1900	≥ 3.7	Divide
515	BPDS-31196-1013/19	PE	Pigtail at Distal end with single side flap	10F	13	1900	≥ 3.7	Divide
516	BPDS-31196-1014/19	PE	Pigtail at Distal end with single side flap	10F	14	1900	≥ 3.7	Divide
517	BPDS-31196-1015/19	PE	Pigtail at Distal end with single side flap	10F	15	1900	≥ 3.7	Divide
518	BPDS-31196-1105/19	PE	Pigtail at Distal end with single side flap	11.5F	5	1900	≥ 4.2	Divide
519	BPDS-31196-1106/19	PE	Pigtail at Distal end with single side flap	11.5F	6	1900	≥ 4.2	Divide
520	BPDS-31196-1107/19	PE	Pigtail at Distal end with single side flap	11.5F	7	1900	≥ 4.2	Divide
521	BPDS-31196-1108/19	PE	Pigtail at Distal end with single side flap	11.5F	8	1900	≥ 4.2	Divide
522	BPDS-31196-1109/19	PE	Pigtail at Distal end with single side flap	11.5F	9	1900	≥ 4.2	Divide
523	BPDS-31196-1110/19	PE	Pigtail at Distal end with single side flap	11.5F	10	1900	≥ 4.2	Divide
524	BPDS-31196-1111/19	PE	Pigtail at Distal end with single side flap	11.5F	11	1900	≥ 4.2	Divide
525	BPDS-31196-1112/19	PE	Pigtail at Distal end with single side flap	11.5F	12	1900	≥ 4.2	Divide
526	BPDS-31196-1113/19	PE	Pigtail at Distal end with single side flap	11.5F	13	1900	≥ 4.2	Divide
527	BPDS-31196-1114/19	PE	Pigtail at Distal end with single side flap	11.5F	14	1900	≥ 4.2	Divide
528	BPDS-31196-1115/19	PE	Pigtail at Distal end with single side flap	11.5F	15	1900	≥ 4.2	Divide
529	BPDS-31114-0705/22	PE	Straight with single side flap	7F	5	2200	≥ 2.8	Preload
530	BPDS-31114-0706/22	PE	Straight with single side flap	7F	6	2200	≥ 2.8	Preload
531	BPDS-31114-0707/22	PE	Straight with single side flap	7F	7	2200	≥ 2.8	Preload
532	BPDS-31114-0708/22	PE	Straight with single side flap	7F	8	2200	≥ 2.8	Preload
533	BPDS-31114-0709/22	PE	Straight with single side flap	7F	9	2200	≥ 2.8	Preload
534	BPDS-31114-0710/22	PE	Straight with single side flap	7F	10	2200	≥ 2.8	Preload
535	BPDS-31114-0711/22	PE	Straight with single side flap	7F	11	2200	≥ 2.8	Preload
536	BPDS-31114-0712/22	PE	Straight with single side flap	7F	12	2200	≥ 2.8	Preload
537	BPDS-31114-0713/22	PE	Straight with single side flap	7F	13	2200	≥ 2.8	Preload
538	BPDS-31114-0714/22	PE	Straight with single side flap	7F	14	2200	≥ 2.8	Preload
539	BPDS-31114-0715/22	PE	Straight with single side flap	7F	15	2200	≥ 2.8	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



540	BPDS-31114-0805/22	PE	Straight with single side flap	8.5F	5	2200	≥ 3.2	Preload
541	BPDS-31114-0806/22	PE	Straight with single side flap	8.5F	6	2200	≥ 3.2	Preload
542	BPDS-31114-0807/22	PE	Straight with single side flap	8.5F	7	2200	≥ 3.2	Preload
543	BPDS-31114-0808/22	PE	Straight with single side flap	8.5F	8	2200	≥ 3.2	Preload
544	BPDS-31114-0809/22	PE	Straight with single side flap	8.5F	9	2200	≥ 3.2	Preload
545	BPDS-31114-0810/22	PE	Straight with single side flap	8.5F	10	2200	≥ 3.2	Preload
546	BPDS-31114-0811/22	PE	Straight with single side flap	8.5F	11	2200	≥ 3.2	Preload
547	BPDS-31114-0812/22	PE	Straight with single side flap	8.5F	12	2200	≥ 3.2	Preload
548	BPDS-31114-0813/22	PE	Straight with single side flap	8.5F	13	2200	≥ 3.2	Preload
549	BPDS-31114-0814/22	PE	Straight with single side flap	8.5F	14	2200	≥ 3.2	Preload
550	BPDS-31114-0815/22	PE	Straight with single side flap	8.5F	15	2200	≥ 3.2	Preload
551	BPDS-31114-1005/22	PE	Straight with single side flap	10F	5	2200	≥ 3.7	Preload
552	BPDS-31114-1006/22	PE	Straight with single side flap	10F	6	2200	≥ 3.7	Preload
553	BPDS-31114-1007/22	PE	Straight with single side flap	10F	7	2200	≥ 3.7	Preload
554	BPDS-31114-1008/22	PE	Straight with single side flap	10F	8	2200	≥ 3.7	Preload
555	BPDS-31114-1009/22	PE	Straight with single side flap	10F	9	2200	≥ 3.7	Preload
556	BPDS-31114-1010/22	PE	Straight with single side flap	10F	10	2200	≥ 3.7	Preload
557	BPDS-31114-1011/22	PE	Straight with single side flap	10F	11	2200	≥ 3.7	Preload
558	BPDS-31114-1012/22	PE	Straight with single side flap	10F	12	2200	≥ 3.7	Preload
559	BPDS-31114-1013/22	PE	Straight with single side flap	10F	13	2200	≥ 3.7	Preload
560	BPDS-31114-1014/22	PE	Straight with single side flap	10F	14	2200	≥ 3.7	Preload
561	BPDS-31114-1015/22	PE	Straight with single side flap	10F	15	2200	≥ 3.7	Preload
562	BPDS-31114-1105/22	PE	Straight with single side flap	11.5F	5	2200	≥ 4.2	Preload
563	BPDS-31114-1106/22	PE	Straight with single side flap	11.5F	6	2200	≥ 4.2	Preload
564	BPDS-31114-1107/22	PE	Straight with single side flap	11.5F	7	2200	≥ 4.2	Preload
565	BPDS-31114-1108/22	PE	Straight with single side flap	11.5F	8	2200	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



566	BPDS-31114-1109/22	PE	Straight with single side flap	11.5F	9	2200	≥ 4.2	Preload
567	BPDS-31114-1110/22	PE	Straight with single side flap	11.5F	10	2200	≥ 4.2	Preload
568	BPDS-31114-1111/22	PE	Straight with single side flap	11.5F	11	2200	≥ 4.2	Preload
569	BPDS-31114-1112/22	PE	Straight with single side flap	11.5F	12	2200	≥ 4.2	Preload
570	BPDS-31114-1113/22	PE	Straight with single side flap	11.5F	13	2200	≥ 4.2	Preload
571	BPDS-31114-1114/22	PE	Straight with single side flap	11.5F	14	2200	≥ 4.2	Preload
572	BPDS-31114-1115/22	PE	Straight with single side flap	11.5F	15	2200	≥ 4.2	Preload
573	BPDS-33114-0705/22	PE	Side bend with single side flap	7F	5	2200	≥ 2.8	Divide
574	BPDS-33114-0706/22	PE	Side bend with single side flap	7F	6	2200	≥ 2.8	Divide
575	BPDS-33114-0707/22	PE	Side bend with single side flap	7F	7	2200	≥ 2.8	Divide
576	BPDS-33114-0708/22	PE	Side bend with single side flap	7F	8	2200	≥ 2.8	Divide
577	BPDS-33114-0709/22	PE	Side bend with single side flap	7F	9	2200	≥ 2.8	Divide
578	BPDS-33114-0710/22	PE	Side bend with single side flap	7F	10	2200	≥ 2.8	Divide
579	BPDS-33114-0711/22	PE	Side bend with single side flap	7F	11	2200	≥ 2.8	Divide
580	BPDS-33114-0712/22	PE	Side bend with single side flap	7F	12	2200	≥ 2.8	Divide
581	BPDS-33114-0713/22	PE	Side bend with single side flap	7F	13	2200	≥ 2.8	Divide
582	BPDS-33114-0714/22	PE	Side bend with single side flap	7F	14	2200	≥ 2.8	Divide
583	BPDS-33114-0715/22	PE	Side bend with single side flap	7F	15	2200	≥ 2.8	Divide
584	BPDS-33114-0805/22	PE	Side bend with single side flap	8.5F	5	2200	≥ 3.2	Preload
585	BPDS-33114-0806/22	PE	Side bend with single side flap	8.5F	6	2200	≥ 3.2	Preload
586	BPDS-33114-0807/22	PE	Side bend with single side flap	8.5F	7	2200	≥ 3.2	Preload
587	BPDS-33114-0808/22	PE	Side bend with single side flap	8.5F	8	2200	≥ 3.2	Preload
588	BPDS-33114-0809/22	PE	Side bend with single side flap	8.5F	9	2200	≥ 3.2	Preload
589	BPDS-33114-0810/22	PE	Side bend with single side flap	8.5F	10	2200	≥ 3.2	Preload
590	BPDS-33114-0811/22	PE	Side bend with single side flap	8.5F	11	2200	≥ 3.2	Preload
591	BPDS-33114-0812/22	PE	Side bend with single side flap	8.5F	12	2200	≥ 3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



592	BPDS-33114-0813/22	PE	Side bend with single side flap	8.5F	13	2200	≥ 3.2	Preload
593	BPDS-33114-0814/22	PE	Side bend with single side flap	8.5F	14	2200	≥ 3.2	Preload
594	BPDS-33114-0815/22	PE	Side bend with single side flap	8.5F	15	2200	≥ 3.2	Preload
595	BPDS-33114-1005/22	PE	Side bend with single side flap	10F	5	2200	≥ 3.7	Preload
596	BPDS-33114-1006/22	PE	Side bend with single side flap	10F	6	2200	≥ 3.7	Preload
597	BPDS-33114-1007/22	PE	Side bend with single side flap	10F	7	2200	≥ 3.7	Preload
598	BPDS-33114-1008/22	PE	Side bend with single side flap	10F	8	2200	≥ 3.7	Preload
599	BPDS-33114-1009/22	PE	Side bend with single side flap	10F	9	2200	≥ 3.7	Preload
600	BPDS-33114-1010/22	PE	Side bend with single side flap	10F	10	2200	≥ 3.7	Preload
601	BPDS-33114-1011/22	PE	Side bend with single side flap	10F	11	2200	≥ 3.7	Preload
602	BPDS-33114-1012/22	PE	Side bend with single side flap	10F	12	2200	≥ 3.7	Preload
603	BPDS-33114-1013/22	PE	Side bend with single side flap	10F	13	2200	≥ 3.7	Preload
604	BPDS-33114-1014/22	PE	Side bend with single side flap	10F	14	2200	≥ 3.7	Preload
605	BPDS-33114-1015/22	PE	Side bend with single side flap	10F	15	2200	≥ 3.7	Preload
606	BPDS-33114-1105/22	PE	Side bend with single side flap	11.5F	5	2200	≥ 4.2	Preload
607	BPDS-33114-1106/22	PE	Side bend with single side flap	11.5F	6	2200	≥ 4.2	Preload
608	BPDS-33114-1107/22	PE	Side bend with single side flap	11.5F	7	2200	≥ 4.2	Preload
609	BPDS-33114-1108/22	PE	Side bend with single side flap	11.5F	8	2200	≥ 4.2	Preload
610	BPDS-33114-1109/22	PE	Side bend with single side flap	11.5F	9	2200	≥ 4.2	Preload
611	BPDS-33114-1110/22	PE	Side bend with single side flap	11.5F	10	2200	≥ 4.2	Preload
612	BPDS-33114-1111/22	PE	Side bend with single side flap	11.5F	11	2200	≥ 4.2	Preload
613	BPDS-33114-1112/22	PE	Side bend with single side flap	11.5F	12	2200	≥ 4.2	Preload
614	BPDS-33114-1113/22	PE	Side bend with single side flap	11.5F	13	2200	≥ 4.2	Preload
615	BPDS-33114-1114/22	PE	Side bend with single side flap	11.5F	14	2200	≥ 4.2	Preload
616	BPDS-33114-1115/22	PE	Side bend with single side flap	11.5F	15	2200	≥ 4.2	Preload
617	BPDS-34114-0705/22	PE	Center bend with single side flap	7F	5	2200	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



618	BPDS-34114-0706/22	PE	Center bend with single side flap	7F	6	2200	≥ 2.8	Divide
619	BPDS-34114-0707/22	PE	Center bend with single side flap	7F	7	2200	≥ 2.8	Divide
620	BPDS-34114-0708/22	PE	Center bend with single side flap	7F	8	2200	≥ 2.8	Divide
621	BPDS-34114-0709/22	PE	Center bend with single side flap	7F	9	2200	≥ 2.8	Divide
622	BPDS-34114-0710/22	PE	Center bend with single side flap	7F	10	2200	≥ 2.8	Divide
623	BPDS-34114-0711/22	PE	Center bend with single side flap	7F	11	2200	≥ 2.8	Divide
624	BPDS-34114-0712/22	PE	Center bend with single side flap	7F	12	2200	≥ 2.8	Divide
625	BPDS-34114-0713/22	PE	Center bend with single side flap	7F	13	2200	≥ 2.8	Divide
626	BPDS-34114-0714/22	PE	Center bend with single side flap	7F	14	2200	≥ 2.8	Divide
627	BPDS-34114-0715/22	PE	Center bend with single side flap	7F	15	2200	≥ 2.8	Divide
628	BPDS-34114-0805/22	PE	Center bend with single side flap	8.5F	5	2200	≥ 3.2	Preload
629	BPDS-34114-0806/22	PE	Center bend with single side flap	8.5F	6	2200	≥ 3.2	Preload
630	BPDS-34114-0807/22	PE	Center bend with single side flap	8.5F	7	2200	≥ 3.2	Preload
631	BPDS-34114-0808/22	PE	Center bend with single side flap	8.5F	8	2200	≥ 3.2	Preload
632	BPDS-34114-0809/22	PE	Center bend with single side flap	8.5F	9	2200	≥ 3.2	Preload
633	BPDS-34114-0810/22	PE	Center bend with single side flap	8.5F	10	2200	≥ 3.2	Preload
634	BPDS-34114-0811/22	PE	Center bend with single side flap	8.5F	11	2200	≥ 3.2	Preload
635	BPDS-34114-0812/22	PE	Center bend with single side flap	8.5F	12	2200	≥ 3.2	Preload
636	BPDS-34114-0813/22	PE	Center bend with single side flap	8.5F	13	2200	≥ 3.2	Preload
637	BPDS-34114-0814/22	PE	Center bend with single side flap	8.5F	14	2200	≥ 3.2	Preload
638	BPDS-34114-0815/22	PE	Center bend with single side flap	8.5F	15	2200	≥ 3.2	Preload
639	BPDS-34114-1005/22	PE	Center bend with single side flap	10F	5	2200	≥ 3.7	Preload
640	BPDS-34114-1006/22	PE	Center bend with single side flap	10F	6	2200	≥ 3.7	Preload
641	BPDS-34114-1007/22	PE	Center bend with single side flap	10F	7	2200	≥ 3.7	Preload
642	BPDS-34114-1008/22	PE	Center bend with single side flap	10F	8	2200	≥ 3.7	Preload
643	BPDS-34114-1009/22	PE	Center bend with single side flap	10F	9	2200	≥ 3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



644	BPDS-34114-1010/22	PE	Center bend with single side flap	10F	10	2200	≥ 3.7	Preload
645	BPDS-34114-1011/22	PE	Center bend with single side flap	10F	11	2200	≥ 3.7	Preload
646	BPDS-34114-1012/22	PE	Center bend with single side flap	10F	12	2200	≥ 3.7	Preload
647	BPDS-34114-1013/22	PE	Center bend with single side flap	10F	13	2200	≥ 3.7	Preload
648	BPDS-34114-1014/22	PE	Center bend with single side flap	10F	14	2200	≥ 3.7	Preload
649	BPDS-34114-1015/22	PE	Center bend with single side flap	10F	15	2200	≥ 3.7	Preload
650	BPDS-34114-1105/22	PE	Center bend with single side flap	11.5F	5	2200	≥ 4.2	Preload
651	BPDS-34114-1106/22	PE	Center bend with single side flap	11.5F	6	2200	≥ 4.2	Preload
652	BPDS-34114-1107/22	PE	Center bend with single side flap	11.5F	7	2200	≥ 4.2	Preload
653	BPDS-34114-1108/22	PE	Center bend with single side flap	11.5F	8	2200	≥ 4.2	Preload
654	BPDS-34114-1109/22	PE	Center bend with single side flap	11.5F	9	2200	≥ 4.2	Preload
655	BPDS-34114-1110/22	PE	Center bend with single side flap	11.5F	10	2200	≥ 4.2	Preload
656	BPDS-34114-1111/22	PE	Center bend with single side flap	11.5F	11	2200	≥ 4.2	Preload
657	BPDS-34114-1112/22	PE	Center bend with single side flap	11.5F	12	2200	≥ 4.2	Preload
658	BPDS-34114-1113/22	PE	Center bend with single side flap	11.5F	13	2200	≥ 4.2	Preload
659	BPDS-34114-1114/22	PE	Center bend with single side flap	11.5F	14	2200	≥ 4.2	Preload
660	BPDS-34114-1115/22	PE	Center bend with single side flap	11.5F	15	2200	≥ 4.2	Preload
661	BPDS-32114-0705/22	PE	Arcuate with single side flap	7F	5	2200	≥ 2.8	Divide
662	BPDS-32114-0706/22	PE	Arcuate with single side flap	7F	6	2200	≥ 2.8	Divide
663	BPDS-32114-0707/22	PE	Arcuate with single side flap	7F	7	2200	≥ 2.8	Divide
664	BPDS-32114-0708/22	PE	Arcuate with single side flap	7F	8	2200	≥ 2.8	Divide
665	BPDS-32114-0709/22	PE	Arcuate with single side flap	7F	9	2200	≥ 2.8	Divide
666	BPDS-32114-0710/22	PE	Arcuate with single side flap	7F	10	2200	≥ 2.8	Divide
667	BPDS-32114-0711/22	PE	Arcuate with single side flap	7F	11	2200	≥ 2.8	Divide
668	BPDS-32114-0712/22	PE	Arcuate with single side flap	7F	12	2200	≥ 2.8	Divide
669	BPDS-32114-0713/22	PE	Arcuate with single side flap	7F	13	2200	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



670	BPDS-32114-0714/22	PE	Arcuate with single side flap	7F	14	2200	≥ 2.8	Divide
671	BPDS-32114-0715/22	PE	Arcuate with single side flap	7F	15	2200	≥ 2.8	Divide
672	BPDS-32114-0805/22	PE	Arcuate with single side flap	8.5F	5	2200	≥ 3.2	Preload
673	BPDS-32114-0806/22	PE	Arcuate with single side flap	8.5F	6	2200	≥ 3.2	Preload
674	BPDS-32114-0807/22	PE	Arcuate with single side flap	8.5F	7	2200	≥ 3.2	Preload
675	BPDS-32114-0808/22	PE	Arcuate with single side flap	8.5F	8	2200	≥ 3.2	Preload
676	BPDS-32114-0809/22	PE	Arcuate with single side flap	8.5F	9	2200	≥ 3.2	Preload
677	BPDS-32114-0810/22	PE	Arcuate with single side flap	8.5F	10	2200	≥ 3.2	Preload
678	BPDS-32114-0811/22	PE	Arcuate with single side flap	8.5F	11	2200	≥ 3.2	Preload
679	BPDS-32114-0812/22	PE	Arcuate with single side flap	8.5F	12	2200	≥ 3.2	Preload
680	BPDS-32114-0813/22	PE	Arcuate with single side flap	8.5F	13	2200	≥ 3.2	Preload
681	BPDS-32114-0814/22	PE	Arcuate with single side flap	8.5F	14	2200	≥ 3.2	Preload
682	BPDS-32114-0815/22	PE	Arcuate with single side flap	8.5F	15	2200	≥ 3.2	Preload
683	BPDS-32114-1005/22	PE	Arcuate with single side flap	10F	5	2200	≥ 3.7	Preload
684	BPDS-32114-1006/22	PE	Arcuate with single side flap	10F	6	2200	≥ 3.7	Preload
685	BPDS-32114-1007/22	PE	Arcuate with single side flap	10F	7	2200	≥ 3.7	Preload
686	BPDS-32114-1008/22	PE	Arcuate with single side flap	10F	8	2200	≥ 3.7	Preload
687	BPDS-32114-1009/22	PE	Arcuate with single side flap	10F	9	2200	≥ 3.7	Preload
688	BPDS-32114-1010/22	PE	Arcuate with single side flap	10F	10	2200	≥ 3.7	Preload
689	BPDS-32114-1011/22	PE	Arcuate with single side flap	10F	11	2200	≥ 3.7	Preload
690	BPDS-32114-1012/22	PE	Arcuate with single side flap	10F	12	2200	≥ 3.7	Preload
691	BPDS-32114-1013/22	PE	Arcuate with single side flap	10F	13	2200	≥ 3.7	Preload
692	BPDS-32114-1014/22	PE	Arcuate with single side flap	10F	14	2200	≥ 3.7	Preload
693	BPDS-32114-1015/22	PE	Arcuate with single side flap	10F	15	2200	≥ 3.7	Preload
694	BPDS-32114-1105/22	PE	Arcuate with single side flap	11.5F	5	2200	≥ 4.2	Preload
695	BPDS-32114-1106/22	PE	Arcuate with single side flap	11.5F	6	2200	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



696	BPDS-32114-1107/22	PE	Arcuate with single side flap	11.5F	7	2200	≥ 4.2	Preload
697	BPDS-32114-1108/22	PE	Arcuate with single side flap	11.5F	8	2200	≥ 4.2	Preload
698	BPDS-32114-1109/22	PE	Arcuate with single side flap	11.5F	9	2200	≥ 4.2	Preload
699	BPDS-32114-1110/22	PE	Arcuate with single side flap	11.5F	10	2200	≥ 4.2	Preload
700	BPDS-32114-1111/22	PE	Arcuate with single side flap	11.5F	11	2200	≥ 4.2	Preload
701	BPDS-32114-1112/22	PE	Arcuate with single side flap	11.5F	12	2200	≥ 4.2	Preload
702	BPDS-32114-1113/22	PE	Arcuate with single side flap	11.5F	13	2200	≥ 4.2	Preload
703	BPDS-32114-1114/22	PE	Arcuate with single side flap	11.5F	14	2200	≥ 4.2	Preload
704	BPDS-32114-1115/22	PE	Arcuate with single side flap	11.5F	15	2200	≥ 4.2	Preload
705	BPDS-31916-0705/22	PE	Pigtail at Proximal end with single side flap	7F	5	2200	≥ 2.8	Divide
706	BPDS-31916-0706/22	PE	Pigtail at Proximal end with single side flap	7F	6	2200	≥ 2.8	Divide
707	BPDS-31916-0707/22	PE	Pigtail at Proximal end with single side flap	7F	7	2200	≥ 2.8	Divide
708	BPDS-31916-0708/22	PE	Pigtail at Proximal end with single side flap	7F	8	2200	≥ 2.8	Divide
709	BPDS-31916-0709/22	PE	Pigtail at Proximal end with single side flap	7F	9	2200	≥ 2.8	Divide
710	BPDS-31916-0710/22	PE	Pigtail at Proximal end with single side flap	7F	10	2200	≥ 2.8	Divide
711	BPDS-31916-0711/22	PE	Pigtail at Proximal end with single side flap	7F	11	2200	≥ 2.8	Divide
712	BPDS-31916-0712/22	PE	Pigtail at Proximal end with single side flap	7F	12	2200	≥ 2.8	Divide
713	BPDS-31916-0713/22	PE	Pigtail at Proximal end with single side flap	7F	13	2200	≥ 2.8	Divide
714	BPDS-31916-0714/22	PE	Pigtail at Proximal end with single side flap	7F	14	2200	≥ 2.8	Divide
715	BPDS-31916-0715/22	PE	Pigtail at Proximal end with single side flap	7F	15	2200	≥ 2.8	Divide
716	BPDS-31916-0805/22	PE	Pigtail at Proximal end with single side flap	8.5F	5	2200	≥ 3.2	Divide
717	BPDS-31916-0806/22	PE	Pigtail at Proximal end with single side flap	8.5F	6	2200	≥ 3.2	Divide
718	BPDS-31916-0807/22	PE	Pigtail at Proximal end with single side flap	8.5F	7	2200	≥ 3.2	Divide
719	BPDS-31916-0808/22	PE	Pigtail at Proximal end with single side flap	8.5F	8	2200	≥ 3.2	Divide
720	BPDS-31916-0809/22	PE	Pigtail at Proximal end with single side flap	8.5F	9	2200	≥ 3.2	Divide
721	BPDS-31916-0810/22	PE	Pigtail at Proximal end with single side flap	8.5F	10	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



722	BPDS-31916-0811/22	PE	Pigtail at Proximal end with single side flap	8.5F	11	2200	≥ 3.2	Divide
723	BPDS-31916-0812/22	PE	Pigtail at Proximal end with single side flap	8.5F	12	2200	≥ 3.2	Divide
724	BPDS-31916-0813/22	PE	Pigtail at Proximal end with single side flap	8.5F	13	2200	≥ 3.2	Divide
725	BPDS-31916-0814/22	PE	Pigtail at Proximal end with single side flap	8.5F	14	2200	≥ 3.2	Divide
726	BPDS-31916-0815/22	PE	Pigtail at Proximal end with single side flap	8.5F	15	2200	≥ 3.2	Divide
727	BPDS-31916-1005/22	PE	Pigtail at Proximal end with single side flap	10F	5	2200	≥ 3.7	Divide
728	BPDS-31916-1006/22	PE	Pigtail at Proximal end with single side flap	10F	6	2200	≥ 3.7	Divide
729	BPDS-31916-1007/22	PE	Pigtail at Proximal end with single side flap	10F	7	2200	≥ 3.7	Divide
730	BPDS-31916-1008/22	PE	Pigtail at Proximal end with single side flap	10F	8	2200	≥ 3.7	Divide
731	BPDS-31916-1009/22	PE	Pigtail at Proximal end with single side flap	10F	9	2200	≥ 3.7	Divide
732	BPDS-31916-1010/22	PE	Pigtail at Proximal end with single side flap	10F	10	2200	≥ 3.7	Divide
733	BPDS-31916-1011/22	PE	Pigtail at Proximal end with single side flap	10F	11	2200	≥ 3.7	Divide
734	BPDS-31916-1012/22	PE	Pigtail at Proximal end with single side flap	10F	12	2200	≥ 3.7	Divide
735	BPDS-31916-1013/22	PE	Pigtail at Proximal end with single side flap	10F	13	2200	≥ 3.7	Divide
736	BPDS-31916-1014/22	PE	Pigtail at Proximal end with single side flap	10F	14	2200	≥ 3.7	Divide
737	BPDS-31916-1015/22	PE	Pigtail at Proximal end with single side flap	10F	15	2200	≥ 3.7	Divide
738	BPDS-31916-1105/22	PE	Pigtail at Proximal end with single side flap	11.5F	5	2200	≥ 4.2	Divide
739	BPDS-31916-1106/22	PE	Pigtail at Proximal end with single side flap	11.5F	6	2200	≥ 4.2	Divide
740	BPDS-31916-1107/22	PE	Pigtail at Proximal end with single side flap	11.5F	7	2200	≥ 4.2	Divide
741	BPDS-31916-1108/22	PE	Pigtail at Proximal end with single side flap	11.5F	8	2200	≥ 4.2	Divide
742	BPDS-31916-1109/22	PE	Pigtail at Proximal end with single side flap	11.5F	9	2200	≥ 4.2	Divide
743	BPDS-31916-1110/22	PE	Pigtail at Proximal end with single side flap	11.5F	10	2200	≥ 4.2	Divide
744	BPDS-31916-1111/22	PE	Pigtail at Proximal end with single side flap	11.5F	11	2200	≥ 4.2	Divide
745	BPDS-31916-1112/22	PE	Pigtail at Proximal end with single side flap	11.5F	12	2200	≥ 4.2	Divide
746	BPDS-31916-1113/22	PE	Pigtail at Proximal end with single side flap	11.5F	13	2200	≥ 4.2	Divide
747	BPDS-31916-1114/22	PE	Pigtail at Proximal end with single side flap	11.5F	14	2200	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



748	BPDS-31196-1115/22	PE	Pigtail at Proximal end with single side flap	11.5F	15	2200	≥ 4.2	Divide
749	BPDS-31196-0705/22	PE	Pigtail at Distal end with single side flap	7F	5	2200	≥ 2.8	Divide
750	BPDS-31196-0706/22	PE	Pigtail at Distal end with single side flap	7F	6	2200	≥ 2.8	Divide
751	BPDS-31196-0707/22	PE	Pigtail at Distal end with single side flap	7F	7	2200	≥ 2.8	Divide
752	BPDS-31196-0708/22	PE	Pigtail at Distal end with single side flap	7F	8	2200	≥ 2.8	Divide
753	BPDS-31196-0709/22	PE	Pigtail at Distal end with single side flap	7F	9	2200	≥ 2.8	Divide
754	BPDS-31196-0710/22	PE	Pigtail at Distal end with single side flap	7F	10	2200	≥ 2.8	Divide
755	BPDS-31196-0711/22	PE	Pigtail at Distal end with single side flap	7F	11	2200	≥ 2.8	Divide
756	BPDS-31196-0712/22	PE	Pigtail at Distal end with single side flap	7F	12	2200	≥ 2.8	Divide
757	BPDS-31196-0713/22	PE	Pigtail at Distal end with single side flap	7F	13	2200	≥ 2.8	Divide
758	BPDS-31196-0714/22	PE	Pigtail at Distal end with single side flap	7F	14	2200	≥ 2.8	Divide
759	BPDS-31196-0715/22	PE	Pigtail at Distal end with single side flap	7F	15	2200	≥ 2.8	Divide
760	BPDS-31196-0805/22	PE	Pigtail at Distal end with single side flap	8.5F	5	2200	≥ 3.2	Divide
761	BPDS-31196-0806/22	PE	Pigtail at Distal end with single side flap	8.5F	6	2200	≥ 3.2	Divide
762	BPDS-31196-0807/22	PE	Pigtail at Distal end with single side flap	8.5F	7	2200	≥ 3.2	Divide
763	BPDS-31196-0808/22	PE	Pigtail at Distal end with single side flap	8.5F	8	2200	≥ 3.2	Divide
764	BPDS-31196-0809/22	PE	Pigtail at Distal end with single side flap	8.5F	9	2200	≥ 3.2	Divide
765	BPDS-31196-0810/22	PE	Pigtail at Distal end with single side flap	8.5F	10	2200	≥ 3.2	Divide
766	BPDS-31196-0811/22	PE	Pigtail at Distal end with single side flap	8.5F	11	2200	≥ 3.2	Divide
767	BPDS-31196-0812/22	PE	Pigtail at Distal end with single side flap	8.5F	12	2200	≥ 3.2	Divide
768	BPDS-31196-0813/22	PE	Pigtail at Distal end with single side flap	8.5F	13	2200	≥ 3.2	Divide
769	BPDS-31196-0814/22	PE	Pigtail at Distal end with single side flap	8.5F	14	2200	≥ 3.2	Divide
770	BPDS-31196-0815/22	PE	Pigtail at Distal end with single side flap	8.5F	15	2200	≥ 3.2	Divide
771	BPDS-31196-1005/22	PE	Pigtail at Distal end with single side flap	10F	5	2200	≥ 3.7	Divide
772	BPDS-31196-1006/22	PE	Pigtail at Distal end with single side flap	10F	6	2200	≥ 3.7	Divide
773	BPDS-31196-1007/22	PE	Pigtail at Distal end with single side flap	10F	7	2200	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



774	BPDS-31196-1008/22	PE	Pigtail at Distal end with single side flap	10F	8	2200	≥ 3.7	Divide
775	BPDS-31196-1009/22	PE	Pigtail at Distal end with single side flap	10F	9	2200	≥ 3.7	Divide
776	BPDS-31196-1010/22	PE	Pigtail at Distal end with single side flap	10F	10	2200	≥ 3.7	Divide
777	BPDS-31196-1011/22	PE	Pigtail at Distal end with single side flap	10F	11	2200	≥ 3.7	Divide
778	BPDS-31196-1012/22	PE	Pigtail at Distal end with single side flap	10F	12	2200	≥ 3.7	Divide
779	BPDS-31196-1013/22	PE	Pigtail at Distal end with single side flap	10F	13	2200	≥ 3.7	Divide
780	BPDS-31196-1014/22	PE	Pigtail at Distal end with single side flap	10F	14	2200	≥ 3.7	Divide
781	BPDS-31196-1015/22	PE	Pigtail at Distal end with single side flap	10F	15	2200	≥ 3.7	Divide
782	BPDS-31196-1105/22	PE	Pigtail at Distal end with single side flap	11.5F	5	2200	≥ 4.2	Divide
783	BPDS-31196-1106/22	PE	Pigtail at Distal end with single side flap	11.5F	6	2200	≥ 4.2	Divide
784	BPDS-31196-1107/22	PE	Pigtail at Distal end with single side flap	11.5F	7	2200	≥ 4.2	Divide
785	BPDS-31196-1108/22	PE	Pigtail at Distal end with single side flap	11.5F	8	2200	≥ 4.2	Divide
786	BPDS-31196-1109/22	PE	Pigtail at Distal end with single side flap	11.5F	9	2200	≥ 4.2	Divide
787	BPDS-31196-1110/22	PE	Pigtail at Distal end with single side flap	11.5F	10	2200	≥ 4.2	Divide
788	BPDS-31196-1111/22	PE	Pigtail at Distal end with single side flap	11.5F	11	2200	≥ 4.2	Divide
789	BPDS-31196-1112/22	PE	Pigtail at Distal end with single side flap	11.5F	12	2200	≥ 4.2	Divide
790	BPDS-31196-1113/22	PE	Pigtail at Distal end with single side flap	11.5F	13	2200	≥ 4.2	Divide
791	BPDS-31196-1114/22	PE	Pigtail at Distal end with single side flap	11.5F	14	2200	≥ 4.2	Divide
792	BPDS-31196-1115/22	PE	Pigtail at Distal end with single side flap	11.5F	15	2200	≥ 4.2	Divide
793	BPDS-31224-0705/17	PE	Straight with double side flaps	7F	5	1700	≥ 2.8	Preload
794	BPDS-31224-0706/17	PE	Straight with double side flaps	7F	6	1700	≥ 2.8	Preload
795	BPDS-31224-0707/17	PE	Straight with double side flaps	7F	7	1700	≥ 2.8	Preload
796	BPDS-31224-0708/17	PE	Straight with double side flaps	7F	8	1700	≥ 2.8	Preload
797	BPDS-31224-0709/17	PE	Straight with double side flaps	7F	9	1700	≥ 2.8	Preload
798	BPDS-31224-0710/17	PE	Straight with double side flaps	7F	10	1700	≥ 2.8	Preload
799	BPDS-31224-0711/17	PE	Straight with double side flaps	7F	11	1700	≥ 2.8	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



800	BPDS-31224-0712/17	PE	Straight with double side flaps	7F	12	1700	≥2.8	Preload
801	BPDS-31224-0713/17	PE	Straight with double side flaps	7F	13	1700	≥2.8	Preload
802	BPDS-31224-0714/17	PE	Straight with double side flaps	7F	14	1700	≥2.8	Preload
803	BPDS-31224-0715/17	PE	Straight with double side flaps	7F	15	1700	≥2.8	Preload
804	BPDS-31224-0805/17	PE	Straight with double side flaps	8.5F	5	1700	≥3.2	Preload
805	BPDS-31224-0806/17	PE	Straight with double side flaps	8.5F	6	1700	≥3.2	Preload
806	BPDS-31224-0807/17	PE	Straight with double side flaps	8.5F	7	1700	≥3.2	Preload
807	BPDS-31224-0808/17	PE	Straight with double side flaps	8.5F	8	1700	≥3.2	Preload
808	BPDS-31224-0809/17	PE	Straight with double side flaps	8.5F	9	1700	≥3.2	Preload
809	BPDS-31224-0810/17	PE	Straight with double side flaps	8.5F	10	1700	≥3.2	Preload
810	BPDS-31224-0811/17	PE	Straight with double side flaps	8.5F	11	1700	≥3.2	Preload
811	BPDS-31224-0812/17	PE	Straight with double side flaps	8.5F	12	1700	≥3.2	Preload
812	BPDS-31224-0813/17	PE	Straight with double side flaps	8.5F	13	1700	≥3.2	Preload
813	BPDS-31224-0814/17	PE	Straight with double side flaps	8.5F	14	1700	≥3.2	Preload
814	BPDS-31224-0815/17	PE	Straight with double side flaps	8.5F	15	1700	≥3.2	Preload
815	BPDS-31224-1005/17	PE	Straight with double side flaps	10F	5	1700	≥3.7	Preload
816	BPDS-31224-1006/17	PE	Straight with double side flaps	10F	6	1700	≥3.7	Preload
817	BPDS-31224-1007/17	PE	Straight with double side flaps	10F	7	1700	≥3.7	Preload
818	BPDS-31224-1008/17	PE	Straight with double side flaps	10F	8	1700	≥3.7	Preload
819	BPDS-31224-1009/17	PE	Straight with double side flaps	10F	9	1700	≥3.7	Preload
820	BPDS-31224-1010/17	PE	Straight with double side flaps	10F	10	1700	≥3.7	Preload
821	BPDS-31224-1011/17	PE	Straight with double side flaps	10F	11	1700	≥3.7	Preload
822	BPDS-31224-1012/17	PE	Straight with double side flaps	10F	12	1700	≥3.7	Preload
823	BPDS-31224-1013/17	PE	Straight with double side flaps	10F	13	1700	≥3.7	Preload
824	BPDS-31224-1014/17	PE	Straight with double side flaps	10F	14	1700	≥3.7	Preload
825	BPDS-31224-1015/17	PE	Straight with double side flaps	10F	15	1700	≥3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



826	BPDS-31224-1105/17	PE	Straight with double side flaps	11.5F	5	1700	≥4.2	Preload
827	BPDS-31224-1106/17	PE	Straight with double side flaps	11.5F	6	1700	≥4.2	Preload
828	BPDS-31224-1107/17	PE	Straight with double side flaps	11.5F	7	1700	≥4.2	Preload
829	BPDS-31224-1108/17	PE	Straight with double side flaps	11.5F	8	1700	≥4.2	Preload
830	BPDS-31224-1109/17	PE	Straight with double side flaps	11.5F	9	1700	≥4.2	Preload
831	BPDS-31224-1110/17	PE	Straight with double side flaps	11.5F	10	1700	≥4.2	Preload
832	BPDS-31224-1111/17	PE	Straight with double side flaps	11.5F	11	1700	≥4.2	Preload
833	BPDS-31224-1112/17	PE	Straight with double side flaps	11.5F	12	1700	≥4.2	Preload
834	BPDS-31224-1113/17	PE	Straight with double side flaps	11.5F	13	1700	≥4.2	Preload
835	BPDS-31224-1114/17	PE	Straight with double side flaps	11.5F	14	1700	≥4.2	Preload
836	BPDS-31224-1115/17	PE	Straight with double side flaps	11.5F	15	1700	≥4.2	Preload
837	BPDS-33224-0705/17	PE	Side bend with double side flaps	7F	5	1700	≥2.8	Divide
838	BPDS-33224-0706/17	PE	Side bend with double side flaps	7F	6	1700	≥2.8	Divide
839	BPDS-33224-0707/17	PE	Side bend with double side flaps	7F	7	1700	≥2.8	Divide
840	BPDS-33224-0708/17	PE	Side bend with double side flaps	7F	8	1700	≥2.8	Divide
841	BPDS-33224-0709/17	PE	Side bend with double side flaps	7F	9	1700	≥2.8	Divide
842	BPDS-33224-0710/17	PE	Side bend with double side flaps	7F	10	1700	≥2.8	Divide
843	BPDS-33224-0711/17	PE	Side bend with double side flaps	7F	11	1700	≥2.8	Divide
844	BPDS-33224-0712/17	PE	Side bend with double side flaps	7F	12	1700	≥2.8	Divide
845	BPDS-33224-0713/17	PE	Side bend with double side flaps	7F	13	1700	≥2.8	Divide
846	BPDS-33224-0714/17	PE	Side bend with double side flaps	7F	14	1700	≥2.8	Divide
847	BPDS-33224-0715/17	PE	Side bend with double side flaps	7F	15	1700	≥2.8	Divide
848	BPDS-33224-0805/17	PE	Side bend with double side flaps	8.5F	5	1700	≥3.2	Preload
849	BPDS-33224-0806/17	PE	Side bend with double side flaps	8.5F	6	1700	≥3.2	Preload
850	BPDS-33224-0807/17	PE	Side bend with double side flaps	8.5F	7	1700	≥3.2	Preload
851	BPDS-33224-0808/17	PE	Side bend with double side flaps	8.5F	8	1700	≥3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



852	BPDS-33224-0809/17	PE	Side bend with double side flaps	8.5F	9	1700	≥ 3.2	Preload
853	BPDS-33224-0810/17	PE	Side bend with double side flaps	8.5F	10	1700	≥ 3.2	Preload
854	BPDS-33224-0811/17	PE	Side bend with double side flaps	8.5F	11	1700	≥ 3.2	Preload
855	BPDS-33224-0812/17	PE	Side bend with double side flaps	8.5F	12	1700	≥ 3.2	Preload
856	BPDS-33224-0813/17	PE	Side bend with double side flaps	8.5F	13	1700	≥ 3.2	Preload
857	BPDS-33224-0814/17	PE	Side bend with double side flaps	8.5F	14	1700	≥ 3.2	Preload
858	BPDS-33224-0815/17	PE	Side bend with double side flaps	8.5F	15	1700	≥ 3.2	Preload
859	BPDS-33224-1005/17	PE	Side bend with double side flaps	10F	5	1700	≥ 3.7	Preload
860	BPDS-33224-1006/17	PE	Side bend with double side flaps	10F	6	1700	≥ 3.7	Preload
861	BPDS-33224-1007/17	PE	Side bend with double side flaps	10F	7	1700	≥ 3.7	Preload
862	BPDS-33224-1008/17	PE	Side bend with double side flaps	10F	8	1700	≥ 3.7	Preload
863	BPDS-33224-1009/17	PE	Side bend with double side flaps	10F	9	1700	≥ 3.7	Preload
864	BPDS-33224-1010/17	PE	Side bend with double side flaps	10F	10	1700	≥ 3.7	Preload
865	BPDS-33224-1011/17	PE	Side bend with double side flaps	10F	11	1700	≥ 3.7	Preload
866	BPDS-33224-1012/17	PE	Side bend with double side flaps	10F	12	1700	≥ 3.7	Preload
867	BPDS-33224-1013/17	PE	Side bend with double side flaps	10F	13	1700	≥ 3.7	Preload
868	BPDS-33224-1014/17	PE	Side bend with double side flaps	10F	14	1700	≥ 3.7	Preload
869	BPDS-33224-1015/17	PE	Side bend with double side flaps	10F	15	1700	≥ 3.7	Preload
870	BPDS-33224-1105/17	PE	Side bend with double side flaps	11.5F	5	1700	≥ 4.2	Preload
871	BPDS-33224-1106/17	PE	Side bend with double side flaps	11.5F	6	1700	≥ 4.2	Preload
872	BPDS-33224-1107/17	PE	Side bend with double side flaps	11.5F	7	1700	≥ 4.2	Preload
873	BPDS-33224-1108/17	PE	Side bend with double side flaps	11.5F	8	1700	≥ 4.2	Preload
874	BPDS-33224-1109/17	PE	Side bend with double side flaps	11.5F	9	1700	≥ 4.2	Preload
875	BPDS-33224-1110/17	PE	Side bend with double side flaps	11.5F	10	1700	≥ 4.2	Preload
876	BPDS-33224-1111/17	PE	Side bend with double side flaps	11.5F	11	1700	≥ 4.2	Preload
877	BPDS-33224-1112/17	PE	Side bend with double side flaps	11.5F	12	1700	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



878	BPDS-33224-1113/17	PE	Side bend with double side flaps	11.5F	13	1700	≥ 4.2	Preload
879	BPDS-33224-1114/17	PE	Side bend with double side flaps	11.5F	14	1700	≥ 4.2	Preload
880	BPDS-33224-1115/17	PE	Side bend with double side flaps	11.5F	15	1700	≥ 4.2	Preload
881	BPDS-34224-0705/17	PE	Center bend with double side flaps	7F	5	1700	≥ 2.8	Divide
882	BPDS-34224-0706/17	PE	Center bend with double side flaps	7F	6	1700	≥ 2.8	Divide
883	BPDS-34224-0707/17	PE	Center bend with double side flaps	7F	7	1700	≥ 2.8	Divide
884	BPDS-34224-0708/17	PE	Center bend with double side flaps	7F	8	1700	≥ 2.8	Divide
885	BPDS-34224-0709/17	PE	Center bend with double side flaps	7F	9	1700	≥ 2.8	Divide
886	BPDS-34224-0710/17	PE	Center bend with double side flaps	7F	10	1700	≥ 2.8	Divide
887	BPDS-34224-0711/17	PE	Center bend with double side flaps	7F	11	1700	≥ 2.8	Divide
888	BPDS-34224-0712/17	PE	Center bend with double side flaps	7F	12	1700	≥ 2.8	Divide
889	BPDS-34224-0713/17	PE	Center bend with double side flaps	7F	13	1700	≥ 2.8	Divide
890	BPDS-34224-0714/17	PE	Center bend with double side flaps	7F	14	1700	≥ 2.8	Divide
891	BPDS-34224-0715/17	PE	Center bend with double side flaps	7F	15	1700	≥ 2.8	Divide
892	BPDS-34224-0805/17	PE	Center bend with double side flaps	8.5F	5	1700	≥ 3.2	Preload
893	BPDS-34224-0806/17	PE	Center bend with double side flaps	8.5F	6	1700	≥ 3.2	Preload
894	BPDS-34224-0807/17	PE	Center bend with double side flaps	8.5F	7	1700	≥ 3.2	Preload
895	BPDS-34224-0808/17	PE	Center bend with double side flaps	8.5F	8	1700	≥ 3.2	Preload
896	BPDS-34224-0809/17	PE	Center bend with double side flaps	8.5F	9	1700	≥ 3.2	Preload
897	BPDS-34224-0810/17	PE	Center bend with double side flaps	8.5F	10	1700	≥ 3.2	Preload
898	BPDS-34224-0811/17	PE	Center bend with double side flaps	8.5F	11	1700	≥ 3.2	Preload
899	BPDS-34224-0812/17	PE	Center bend with double side flaps	8.5F	12	1700	≥ 3.2	Preload
900	BPDS-34224-0813/17	PE	Center bend with double side flaps	8.5F	13	1700	≥ 3.2	Preload
901	BPDS-34224-0814/17	PE	Center bend with double side flaps	8.5F	14	1700	≥ 3.2	Preload
902	BPDS-34224-0815/17	PE	Center bend with double side flaps	8.5F	15	1700	≥ 3.2	Preload
903	BPDS-34224-1005/17	PE	Center bend with double side flaps	10F	5	1700	≥ 3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



904	BPDS-34224-1006/17	PE	Center bend with double side flaps	10F	6	1700	≥ 3.7	Preload
905	BPDS-34224-1007/17	PE	Center bend with double side flaps	10F	7	1700	≥ 3.7	Preload
906	BPDS-34224-1008/17	PE	Center bend with double side flaps	10F	8	1700	≥ 3.7	Preload
907	BPDS-34224-1009/17	PE	Center bend with double side flaps	10F	9	1700	≥ 3.7	Preload
908	BPDS-34224-1010/17	PE	Center bend with double side flaps	10F	10	1700	≥ 3.7	Preload
909	BPDS-34224-1011/17	PE	Center bend with double side flaps	10F	11	1700	≥ 3.7	Preload
910	BPDS-34224-1012/17	PE	Center bend with double side flaps	10F	12	1700	≥ 3.7	Preload
911	BPDS-34224-1013/17	PE	Center bend with double side flaps	10F	13	1700	≥ 3.7	Preload
912	BPDS-34224-1014/17	PE	Center bend with double side flaps	10F	14	1700	≥ 3.7	Preload
913	BPDS-34224-1015/17	PE	Center bend with double side flaps	10F	15	1700	≥ 3.7	Preload
914	BPDS-34224-1105/17	PE	Center bend with double side flaps	11.5F	5	1700	≥ 4.2	Preload
915	BPDS-34224-1106/17	PE	Center bend with double side flaps	11.5F	6	1700	≥ 4.2	Preload
916	BPDS-34224-1107/17	PE	Center bend with double side flaps	11.5F	7	1700	≥ 4.2	Preload
917	BPDS-34224-1108/17	PE	Center bend with double side flaps	11.5F	8	1700	≥ 4.2	Preload
918	BPDS-34224-1109/17	PE	Center bend with double side flaps	11.5F	9	1700	≥ 4.2	Preload
919	BPDS-34224-1110/17	PE	Center bend with double side flaps	11.5F	10	1700	≥ 4.2	Preload
920	BPDS-34224-1111/17	PE	Center bend with double side flaps	11.5F	11	1700	≥ 4.2	Preload
921	BPDS-34224-1112/17	PE	Center bend with double side flaps	11.5F	12	1700	≥ 4.2	Preload
922	BPDS-34224-1113/17	PE	Center bend with double side flaps	11.5F	13	1700	≥ 4.2	Preload
923	BPDS-34224-1114/17	PE	Center bend with double side flaps	11.5F	14	1700	≥ 4.2	Preload
924	BPDS-34224-1115/17	PE	Center bend with double side flaps	11.5F	15	1700	≥ 4.2	Preload
925	BPDS-32224-0705/17	PE	Arcuate with double side flaps	7F	5	1700	≥ 2.8	Divide
926	BPDS-32224-0706/17	PE	Arcuate with double side flaps	7F	6	1700	≥ 2.8	Divide
927	BPDS-32224-0707/17	PE	Arcuate with double side flaps	7F	7	1700	≥ 2.8	Divide
928	BPDS-32224-0708/17	PE	Arcuate with double side flaps	7F	8	1700	≥ 2.8	Divide
929	BPDS-32224-0709/17	PE	Arcuate with double side flaps	7F	9	1700	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



930	BPDS-32224-0710/17	PE	Arcuate with double side flaps	7F	10	1700	≥ 2.8	Divide
931	BPDS-32224-0711/17	PE	Arcuate with double side flaps	7F	11	1700	≥ 2.8	Divide
932	BPDS-32224-0712/17	PE	Arcuate with double side flaps	7F	12	1700	≥ 2.8	Divide
933	BPDS-32224-0713/17	PE	Arcuate with double side flaps	7F	13	1700	≥ 2.8	Divide
934	BPDS-32224-0714/17	PE	Arcuate with double side flaps	7F	14	1700	≥ 2.8	Divide
935	BPDS-32224-0715/17	PE	Arcuate with double side flaps	7F	15	1700	≥ 2.8	Divide
936	BPDS-32224-0805/17	PE	Arcuate with double side flaps	8.5F	5	1700	≥ 3.2	Preload
937	BPDS-32224-0806/17	PE	Arcuate with double side flaps	8.5F	6	1700	≥ 3.2	Preload
938	BPDS-32224-0807/17	PE	Arcuate with double side flaps	8.5F	7	1700	≥ 3.2	Preload
939	BPDS-32224-0808/17	PE	Arcuate with double side flaps	8.5F	8	1700	≥ 3.2	Preload
940	BPDS-32224-0809/17	PE	Arcuate with double side flaps	8.5F	9	1700	≥ 3.2	Preload
941	BPDS-32224-0810/17	PE	Arcuate with double side flaps	8.5F	10	1700	≥ 3.2	Preload
942	BPDS-32224-0811/17	PE	Arcuate with double side flaps	8.5F	11	1700	≥ 3.2	Preload
943	BPDS-32224-0812/17	PE	Arcuate with double side flaps	8.5F	12	1700	≥ 3.2	Preload
944	BPDS-32224-0813/17	PE	Arcuate with double side flaps	8.5F	13	1700	≥ 3.2	Preload
945	BPDS-32224-0814/17	PE	Arcuate with double side flaps	8.5F	14	1700	≥ 3.2	Preload
946	BPDS-32224-0815/17	PE	Arcuate with double side flaps	8.5F	15	1700	≥ 3.2	Preload
947	BPDS-32224-1005/17	PE	Arcuate with double side flaps	10F	5	1700	≥ 3.7	Preload
948	BPDS-32224-1006/17	PE	Arcuate with double side flaps	10F	6	1700	≥ 3.7	Preload
949	BPDS-32224-1007/17	PE	Arcuate with double side flaps	10F	7	1700	≥ 3.7	Preload
950	BPDS-32224-1008/17	PE	Arcuate with double side flaps	10F	8	1700	≥ 3.7	Preload
951	BPDS-32224-1009/17	PE	Arcuate with double side flaps	10F	9	1700	≥ 3.7	Preload
952	BPDS-32224-1010/17	PE	Arcuate with double side flaps	10F	10	1700	≥ 3.7	Preload
953	BPDS-32224-1011/17	PE	Arcuate with double side flaps	10F	11	1700	≥ 3.7	Preload
954	BPDS-32224-1012/17	PE	Arcuate with double side flaps	10F	12	1700	≥ 3.7	Preload
955	BPDS-32224-1013/17	PE	Arcuate with double side flaps	10F	13	1700	≥ 3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



956	BPDS-32224-1014/17	PE	Arcuate with double side flaps	10F	14	1700	≥ 3.7	Preload
957	BPDS-32224-1015/17	PE	Arcuate with double side flaps	10F	15	1700	≥ 3.7	Preload
958	BPDS-32224-1105/17	PE	Arcuate with double side flaps	11.5F	5	1700	≥ 4.2	Preload
959	BPDS-32224-1106/17	PE	Arcuate with double side flaps	11.5F	6	1700	≥ 4.2	Preload
960	BPDS-32224-1107/17	PE	Arcuate with double side flaps	11.5F	7	1700	≥ 4.2	Preload
961	BPDS-32224-1108/17	PE	Arcuate with double side flaps	11.5F	8	1700	≥ 4.2	Preload
962	BPDS-32224-1109/17	PE	Arcuate with double side flaps	11.5F	9	1700	≥ 4.2	Preload
963	BPDS-32224-1110/17	PE	Arcuate with double side flaps	11.5F	10	1700	≥ 4.2	Preload
964	BPDS-32224-1111/17	PE	Arcuate with double side flaps	11.5F	11	1700	≥ 4.2	Preload
965	BPDS-32224-1112/17	PE	Arcuate with double side flaps	11.5F	12	1700	≥ 4.2	Preload
966	BPDS-32224-1113/17	PE	Arcuate with double side flaps	11.5F	13	1700	≥ 4.2	Preload
967	BPDS-32224-1114/17	PE	Arcuate with double side flaps	11.5F	14	1700	≥ 4.2	Preload
968	BPDS-32224-1115/17	PE	Arcuate with double side flaps	11.5F	15	1700	≥ 4.2	Preload
969	BPDS-31926-0705/17	PE	Pigtail at Proximal end with double side flaps	7F	5	1700	≥ 2.8	Divide
970	BPDS-31926-0706/17	PE	Pigtail at Proximal end with double side flaps	7F	6	1700	≥ 2.8	Divide
971	BPDS-31926-0707/17	PE	Pigtail at Proximal end with double side flaps	7F	7	1700	≥ 2.8	Divide
972	BPDS-31926-0708/17	PE	Pigtail at Proximal end with double side flaps	7F	8	1700	≥ 2.8	Divide
973	BPDS-31926-0709/17	PE	Pigtail at Proximal end with double side flaps	7F	9	1700	≥ 2.8	Divide
974	BPDS-31926-0710/17	PE	Pigtail at Proximal end with double side flaps	7F	10	1700	≥ 2.8	Divide
975	BPDS-31926-0711/17	PE	Pigtail at Proximal end with double side	7F	11	1700	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



			flaps					
976	BPDS-31926-0712/17	PE	Pigtail at Proximal end with double side flaps	7F	12	1700	≥ 2.8	Divide
977	BPDS-31926-0713/17	PE	Pigtail at Proximal end with double side flaps	7F	13	1700	≥ 2.8	Divide
978	BPDS-31926-0714/17	PE	Pigtail at Proximal end with double side flaps	7F	14	1700	≥ 2.8	Divide
979	BPDS-31926-0715/17	PE	Pigtail at Proximal end with double side flaps	7F	15	1700	≥ 2.8	Divide
980	BPDS-31926-0805/17	PE	Pigtail at Proximal end with double side flaps	8.5F	5	1700	≥ 3.2	Divide
981	BPDS-31926-0806/17	PE	Pigtail at Proximal end with double side flaps	8.5F	6	1700	≥ 3.2	Divide
982	BPDS-31926-0807/17	PE	Pigtail at Proximal end with double side flaps	8.5F	7	1700	≥ 3.2	Divide
983	BPDS-31926-0808/17	PE	Pigtail at Proximal end with double side flaps	8.5F	8	1700	≥ 3.2	Divide
984	BPDS-31926-0809/17	PE	Pigtail at Proximal end with double side flaps	8.5F	9	1700	≥ 3.2	Divide
985	BPDS-31926-0810/17	PE	Pigtail at Proximal end with double side flaps	8.5F	10	1700	≥ 3.2	Divide
986	BPDS-31926-0811/17	PE	Pigtail at Proximal end with double side flaps	8.5F	11	1700	≥ 3.2	Divide
987	BPDS-31926-0812/17	PE	Pigtail at Proximal end with double side flaps	8.5F	12	1700	≥ 3.2	Divide
988	BPDS-31926-0813/17	PE	Pigtail at Proximal end with double side flaps	8.5F	13	1700	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



989	BPDS-31926-0814/17	PE	Pigtail at Proximal end with double side flaps	8.5F	14	1700	≥ 3.2	Divide
990	BPDS-31926-0815/17	PE	Pigtail at Proximal end with double side flaps	8.5F	15	1700	≥ 3.2	Divide
991	BPDS-31926-1005/17	PE	Pigtail at Proximal end with double side flaps	10F	5	1700	≥ 3.7	Divide
992	BPDS-31926-1006/17	PE	Pigtail at Proximal end with double side flaps	10F	6	1700	≥ 3.7	Divide
993	BPDS-31926-1007/17	PE	Pigtail at Proximal end with double side flaps	10F	7	1700	≥ 3.7	Divide
994	BPDS-31926-1008/17	PE	Pigtail at Proximal end with double side flaps	10F	8	1700	≥ 3.7	Divide
995	BPDS-31926-1009/17	PE	Pigtail at Proximal end with double side flaps	10F	9	1700	≥ 3.7	Divide
996	BPDS-31926-1010/17	PE	Pigtail at Proximal end with double side flaps	10F	10	1700	≥ 3.7	Divide
997	BPDS-31926-1011/17	PE	Pigtail at Proximal end with double side flaps	10F	11	1700	≥ 3.7	Divide
998	BPDS-31926-1012/17	PE	Pigtail at Proximal end with double side flaps	10F	12	1700	≥ 3.7	Divide
999	BPDS-31926-1013/17	PE	Pigtail at Proximal end with double side flaps	10F	13	1700	≥ 3.7	Divide
1000	BPDS-31926-1014/17	PE	Pigtail at Proximal end with double side flaps	10F	14	1700	≥ 3.7	Divide
1001	BPDS-31926-1015/17	PE	Pigtail at Proximal end with double side flaps	10F	15	1700	≥ 3.7	Divide
1002	BPDS-31926-1105/17	PE	Pigtail at Proximal end with double side	11.5F	5	1700	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



			flaps					
1003	BPDS-31926-1106/17	PE	Pigtail at Proximal end with double side flaps	11.5F	6	1700	≥ 4.2	Divide
1004	BPDS-31926-1107/17	PE	Pigtail at Proximal end with double side flaps	11.5F	7	1700	≥ 4.2	Divide
1005	BPDS-31926-1108/17	PE	Pigtail at Proximal end with double side flaps	11.5F	8	1700	≥ 4.2	Divide
1006	BPDS-31926-1109/17	PE	Pigtail at Proximal end with double side flaps	11.5F	9	1700	≥ 4.2	Divide
1007	BPDS-31926-1110/17	PE	Pigtail at Proximal end with double side flaps	11.5F	10	1700	≥ 4.2	Divide
1008	BPDS-31926-1111/17	PE	Pigtail at Proximal end with double side flaps	11.5F	11	1700	≥ 4.2	Divide
1009	BPDS-31926-1112/17	PE	Pigtail at Proximal end with double side flaps	11.5F	12	1700	≥ 4.2	Divide
1010	BPDS-31926-1113/17	PE	Pigtail at Proximal end with double side flaps	11.5F	13	1700	≥ 4.2	Divide
1011	BPDS-31926-1114/17	PE	Pigtail at Proximal end with double side flaps	11.5F	14	1700	≥ 4.2	Divide
1012	BPDS-31926-1115/17	PE	Pigtail at Proximal end with double side flaps	11.5F	15	1700	≥ 4.2	Divide
1013	BPDS-31296-0705/17	PE	Pigtail at Distal end with double side flaps	7F	5	1700	≥ 2.8	Divide
1014	BPDS-31296-0706/17	PE	Pigtail at Distal end with double side flaps	7F	6	1700	≥ 2.8	Divide
1015	BPDS-31296-0707/17	PE	Pigtail at Distal end with double side flaps	7F	7	1700	≥ 2.8	Divide
1016	BPDS-31296-0708/17	PE	Pigtail at Distal end with double side flaps	7F	8	1700	≥ 2.8	Divide
1017	BPDS-31296-0709/17	PE	Pigtail at Distal end with double side flaps	7F	9	1700	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1018	BPDS-31296-0710/17	PE	Pigtail at Distal end with double side flaps	7F	10	1700	≥ 2.8	Divide
1019	BPDS-31296-0711/17	PE	Pigtail at Distal end with double side flaps	7F	11	1700	≥ 2.8	Divide
1020	BPDS-31296-0712/17	PE	Pigtail at Distal end with double side flaps	7F	12	1700	≥ 2.8	Divide
1021	BPDS-31296-0713/17	PE	Pigtail at Distal end with double side flaps	7F	13	1700	≥ 2.8	Divide
1022	BPDS-31296-0714/17	PE	Pigtail at Distal end with double side flaps	7F	14	1700	≥ 2.8	Divide
1023	BPDS-31296-0715/17	PE	Pigtail at Distal end with double side flaps	7F	15	1700	≥ 2.8	Divide
1024	BPDS-31296-0805/17	PE	Pigtail at Distal end with double side flaps	8.5F	5	1700	≥ 3.2	Divide
1025	BPDS-31296-0806/17	PE	Pigtail at Distal end with double side flaps	8.5F	6	1700	≥ 3.2	Divide
1026	BPDS-31296-0807/17	PE	Pigtail at Distal end with double side flaps	8.5F	7	1700	≥ 3.2	Divide
1027	BPDS-31296-0808/17	PE	Pigtail at Distal end with double side flaps	8.5F	8	1700	≥ 3.2	Divide
1028	BPDS-31296-0809/17	PE	Pigtail at Distal end with double side flaps	8.5F	9	1700	≥ 3.2	Divide
1029	BPDS-31296-0810/17	PE	Pigtail at Distal end with double side flaps	8.5F	10	1700	≥ 3.2	Divide
1030	BPDS-31296-0811/17	PE	Pigtail at Distal end with double side flaps	8.5F	11	1700	≥ 3.2	Divide
1031	BPDS-31296-0812/17	PE	Pigtail at Distal end with double side flaps	8.5F	12	1700	≥ 3.2	Divide
1032	BPDS-31296-0813/17	PE	Pigtail at Distal end with double side flaps	8.5F	13	1700	≥ 3.2	Divide
1033	BPDS-31296-0814/17	PE	Pigtail at Distal end with double side flaps	8.5F	14	1700	≥ 3.2	Divide
1034	BPDS-31296-0815/17	PE	Pigtail at Distal end with double side flaps	8.5F	15	1700	≥ 3.2	Divide
1035	BPDS-31296-1005/17	PE	Pigtail at Distal end with double side flaps	10F	5	1700	≥ 3.7	Divide
1036	BPDS-31296-1006/17	PE	Pigtail at Distal end with double side flaps	10F	6	1700	≥ 3.7	Divide
1037	BPDS-31296-1007/17	PE	Pigtail at Distal end with double side flaps	10F	7	1700	≥ 3.7	Divide
1038	BPDS-31296-1008/17	PE	Pigtail at Distal end with double side flaps	10F	8	1700	≥ 3.7	Divide
1039	BPDS-31296-1009/17	PE	Pigtail at Distal end with double side flaps	10F	9	1700	≥ 3.7	Divide
1040	BPDS-31296-1010/17	PE	Pigtail at Distal end with double side flaps	10F	10	1700	≥ 3.7	Divide
1041	BPDS-31296-1011/17	PE	Pigtail at Distal end with double side flaps	10F	11	1700	≥ 3.7	Divide
1042	BPDS-31296-1012/17	PE	Pigtail at Distal end with double side flaps	10F	12	1700	≥ 3.7	Divide
1043	BPDS-31296-1013/17	PE	Pigtail at Distal end with double side flaps	10F	13	1700	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1044	BPDS-31296-1014/17	PE	Pigtail at Distal end with double side flaps	10F	14	1700	≥ 3.7	Divide
1045	BPDS-31296-1015/17	PE	Pigtail at Distal end with double side flaps	10F	15	1700	≥ 3.7	Divide
1046	BPDS-31296-1105/17	PE	Pigtail at Distal end with double side flaps	11.5F	5	1700	≥ 4.2	Divide
1047	BPDS-31296-1106/17	PE	Pigtail at Distal end with double side flaps	11.5F	6	1700	≥ 4.2	Divide
1048	BPDS-31296-1107/17	PE	Pigtail at Distal end with double side flaps	11.5F	7	1700	≥ 4.2	Divide
1049	BPDS-31296-1108/17	PE	Pigtail at Distal end with double side flaps	11.5F	8	1700	≥ 4.2	Divide
1050	BPDS-31296-1109/17	PE	Pigtail at Distal end with double side flaps	11.5F	9	1700	≥ 4.2	Divide
1051	BPDS-31296-1110/17	PE	Pigtail at Distal end with double side flaps	11.5F	10	1700	≥ 4.2	Divide
1052	BPDS-31296-1111/17	PE	Pigtail at Distal end with double side flaps	11.5F	11	1700	≥ 4.2	Divide
1053	BPDS-31296-1112/17	PE	Pigtail at Distal end with double side flaps	11.5F	12	1700	≥ 4.2	Divide
1054	BPDS-31296-1113/17	PE	Pigtail at Distal end with double side flaps	11.5F	13	1700	≥ 4.2	Divide
1055	BPDS-31296-1114/17	PE	Pigtail at Distal end with double side flaps	11.5F	14	1700	≥ 4.2	Divide
1056	BPDS-31296-1115/17	PE	Pigtail at Distal end with double side flaps	11.5F	15	1700	≥ 4.2	Divide
1057	BPDS-31224-0705/19	PE	Straight with double side flaps	7F	5	1900	≥ 2.8	Preload
1058	BPDS-31224-0706/19	PE	Straight with double side flaps	7F	6	1900	≥ 2.8	Preload
1059	BPDS-31224-0707/19	PE	Straight with double side flaps	7F	7	1900	≥ 2.8	Preload
1060	BPDS-31224-0708/19	PE	Straight with double side flaps	7F	8	1900	≥ 2.8	Preload
1061	BPDS-31224-0709/19	PE	Straight with double side flaps	7F	9	1900	≥ 2.8	Preload
1062	BPDS-31224-0710/19	PE	Straight with double side flaps	7F	10	1900	≥ 2.8	Preload
1063	BPDS-31224-0711/19	PE	Straight with double side flaps	7F	11	1900	≥ 2.8	Preload
1064	BPDS-31224-0712/19	PE	Straight with double side flaps	7F	12	1900	≥ 2.8	Preload
1065	BPDS-31224-0713/19	PE	Straight with double side flaps	7F	13	1900	≥ 2.8	Preload
1066	BPDS-31224-0714/19	PE	Straight with double side flaps	7F	14	1900	≥ 2.8	Preload
1067	BPDS-31224-0715/19	PE	Straight with double side flaps	7F	15	1900	≥ 2.8	Preload
1068	BPDS-31224-0805/19	PE	Straight with double side flaps	8.5F	5	1900	≥ 3.2	Preload
1069	BPDS-31224-0806/19	PE	Straight with double side flaps	8.5F	6	1900	≥ 3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1070	BPDS-31224-0807/19	PE	Straight with double side flaps	8.5F	7	1900	≥ 3.2	Preload
1071	BPDS-31224-0808/19	PE	Straight with double side flaps	8.5F	8	1900	≥ 3.2	Preload
1072	BPDS-31224-0809/19	PE	Straight with double side flaps	8.5F	9	1900	≥ 3.2	Preload
1073	BPDS-31224-0810/19	PE	Straight with double side flaps	8.5F	10	1900	≥ 3.2	Preload
1074	BPDS-31224-0811/19	PE	Straight with double side flaps	8.5F	11	1900	≥ 3.2	Preload
1075	BPDS-31224-0812/19	PE	Straight with double side flaps	8.5F	12	1900	≥ 3.2	Preload
1076	BPDS-31224-0813/19	PE	Straight with double side flaps	8.5F	13	1900	≥ 3.2	Preload
1077	BPDS-31224-0814/19	PE	Straight with double side flaps	8.5F	14	1900	≥ 3.2	Preload
1078	BPDS-31224-0815/19	PE	Straight with double side flaps	8.5F	15	1900	≥ 3.2	Preload
1079	BPDS-31224-1005/19	PE	Straight with double side flaps	10F	5	1900	≥ 3.7	Preload
1080	BPDS-31224-1006/19	PE	Straight with double side flaps	10F	6	1900	≥ 3.7	Preload
1081	BPDS-31224-1007/19	PE	Straight with double side flaps	10F	7	1900	≥ 3.7	Preload
1082	BPDS-31224-1008/19	PE	Straight with double side flaps	10F	8	1900	≥ 3.7	Preload
1083	BPDS-31224-1009/19	PE	Straight with double side flaps	10F	9	1900	≥ 3.7	Preload
1084	BPDS-31224-1010/19	PE	Straight with double side flaps	10F	10	1900	≥ 3.7	Preload
1085	BPDS-31224-1011/19	PE	Straight with double side flaps	10F	11	1900	≥ 3.7	Preload
1086	BPDS-31224-1012/19	PE	Straight with double side flaps	10F	12	1900	≥ 3.7	Preload
1087	BPDS-31224-1013/19	PE	Straight with double side flaps	10F	13	1900	≥ 3.7	Preload
1088	BPDS-31224-1014/19	PE	Straight with double side flaps	10F	14	1900	≥ 3.7	Preload
1089	BPDS-31224-1015/19	PE	Straight with double side flaps	10F	15	1900	≥ 3.7	Preload
1090	BPDS-31224-1105/19	PE	Straight with double side flaps	11.5F	5	1900	≥ 4.2	Preload
1091	BPDS-31224-1106/19	PE	Straight with double side flaps	11.5F	6	1900	≥ 4.2	Preload
1092	BPDS-31224-1107/19	PE	Straight with double side flaps	11.5F	7	1900	≥ 4.2	Preload
1093	BPDS-31224-1108/19	PE	Straight with double side flaps	11.5F	8	1900	≥ 4.2	Preload
1094	BPDS-31224-1109/19	PE	Straight with double side flaps	11.5F	9	1900	≥ 4.2	Preload
1095	BPDS-31224-1110/19	PE	Straight with double side flaps	11.5F	10	1900	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1096	BPDS-31224-1111/19	PE	Straight with double side flaps	11.5F	11	1900	≥ 4.2	Preload
1097	BPDS-31224-1112/19	PE	Straight with double side flaps	11.5F	12	1900	≥ 4.2	Preload
1098	BPDS-31224-1113/19	PE	Straight with double side flaps	11.5F	13	1900	≥ 4.2	Preload
1099	BPDS-31224-1114/19	PE	Straight with double side flaps	11.5F	14	1900	≥ 4.2	Preload
1100	BPDS-31224-1115/19	PE	Straight with double side flaps	11.5F	15	1900	≥ 4.2	Preload
1101	BPDS-33224-0705/19	PE	Side bend with double side flaps	7F	5	1900	≥ 2.8	Divide
1102	BPDS-33224-0706/19	PE	Side bend with double side flaps	7F	6	1900	≥ 2.8	Divide
1103	BPDS-33224-0707/19	PE	Side bend with double side flaps	7F	7	1900	≥ 2.8	Divide
1104	BPDS-33224-0708/19	PE	Side bend with double side flaps	7F	8	1900	≥ 2.8	Divide
1105	BPDS-33224-0709/19	PE	Side bend with double side flaps	7F	9	1900	≥ 2.8	Divide
1106	BPDS-33224-0710/19	PE	Side bend with double side flaps	7F	10	1900	≥ 2.8	Divide
1107	BPDS-33224-0711/19	PE	Side bend with double side flaps	7F	11	1900	≥ 2.8	Divide
1108	BPDS-33224-0712/19	PE	Side bend with double side flaps	7F	12	1900	≥ 2.8	Divide
1109	BPDS-33224-0713/19	PE	Side bend with double side flaps	7F	13	1900	≥ 2.8	Divide
1110	BPDS-33224-0714/19	PE	Side bend with double side flaps	7F	14	1900	≥ 2.8	Divide
1111	BPDS-33224-0715/19	PE	Side bend with double side flaps	7F	15	1900	≥ 2.8	Divide
1112	BPDS-33224-0805/19	PE	Side bend with double side flaps	8.5F	5	1900	≥ 3.2	Preload
1113	BPDS-33224-0806/19	PE	Side bend with double side flaps	8.5F	6	1900	≥ 3.2	Preload
1114	BPDS-33224-0807/19	PE	Side bend with double side flaps	8.5F	7	1900	≥ 3.2	Preload
1115	BPDS-33224-0808/19	PE	Side bend with double side flaps	8.5F	8	1900	≥ 3.2	Preload
1116	BPDS-33224-0809/19	PE	Side bend with double side flaps	8.5F	9	1900	≥ 3.2	Preload
1117	BPDS-33224-0810/19	PE	Side bend with double side flaps	8.5F	10	1900	≥ 3.2	Preload
1118	BPDS-33224-0811/19	PE	Side bend with double side flaps	8.5F	11	1900	≥ 3.2	Preload
1119	BPDS-33224-0812/19	PE	Side bend with double side flaps	8.5F	12	1900	≥ 3.2	Preload
1120	BPDS-33224-0813/19	PE	Side bend with double side flaps	8.5F	13	1900	≥ 3.2	Preload
1121	BPDS-33224-0814/19	PE	Side bend with double side flaps	8.5F	14	1900	≥ 3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1122	BPDS-33224-0815/19	PE	Side bend with double side flaps	8.5F	15	1900	≥ 3.2	Preload
1123	BPDS-33224-1005/19	PE	Side bend with double side flaps	10F	5	1900	≥ 3.7	Preload
1124	BPDS-33224-1006/19	PE	Side bend with double side flaps	10F	6	1900	≥ 3.7	Preload
1125	BPDS-33224-1007/19	PE	Side bend with double side flaps	10F	7	1900	≥ 3.7	Preload
1126	BPDS-33224-1008/19	PE	Side bend with double side flaps	10F	8	1900	≥ 3.7	Preload
1127	BPDS-33224-1009/19	PE	Side bend with double side flaps	10F	9	1900	≥ 3.7	Preload
1128	BPDS-33224-1010/19	PE	Side bend with double side flaps	10F	10	1900	≥ 3.7	Preload
1129	BPDS-33224-1011/19	PE	Side bend with double side flaps	10F	11	1900	≥ 3.7	Preload
1130	BPDS-33224-1012/19	PE	Side bend with double side flaps	10F	12	1900	≥ 3.7	Preload
1131	BPDS-33224-1013/19	PE	Side bend with double side flaps	10F	13	1900	≥ 3.7	Preload
1132	BPDS-33224-1014/19	PE	Side bend with double side flaps	10F	14	1900	≥ 3.7	Preload
1133	BPDS-33224-1015/19	PE	Side bend with double side flaps	10F	15	1900	≥ 3.7	Preload
1134	BPDS-33224-1105/19	PE	Side bend with double side flaps	11.5F	5	1900	≥ 4.2	Preload
1135	BPDS-33224-1106/19	PE	Side bend with double side flaps	11.5F	6	1900	≥ 4.2	Preload
1136	BPDS-33224-1107/19	PE	Side bend with double side flaps	11.5F	7	1900	≥ 4.2	Preload
1137	BPDS-33224-1108/19	PE	Side bend with double side flaps	11.5F	8	1900	≥ 4.2	Preload
1138	BPDS-33224-1109/19	PE	Side bend with double side flaps	11.5F	9	1900	≥ 4.2	Preload
1139	BPDS-33224-1110/19	PE	Side bend with double side flaps	11.5F	10	1900	≥ 4.2	Preload
1140	BPDS-33224-1111/19	PE	Side bend with double side flaps	11.5F	11	1900	≥ 4.2	Preload
1141	BPDS-33224-1112/19	PE	Side bend with double side flaps	11.5F	12	1900	≥ 4.2	Preload
1142	BPDS-33224-1113/19	PE	Side bend with double side flaps	11.5F	13	1900	≥ 4.2	Preload
1143	BPDS-33224-1114/19	PE	Side bend with double side flaps	11.5F	14	1900	≥ 4.2	Preload
1144	BPDS-33224-1115/19	PE	Side bend with double side flaps	11.5F	15	1900	≥ 4.2	Preload
1145	BPDS-34224-0705/19	PE	Center bend with double side flaps	7F	5	1900	≥ 2.8	Divide
1146	BPDS-34224-0706/19	PE	Center bend with double side flaps	7F	6	1900	≥ 2.8	Divide
1147	BPDS-34224-0707/19	PE	Center bend with double side flaps	7F	7	1900	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1148	BPDS-34224-0708/19	PE	Center bend with double side flaps	7F	8	1900	≥ 2.8	Divide
1149	BPDS-34224-0709/19	PE	Center bend with double side flaps	7F	9	1900	≥ 2.8	Divide
1150	BPDS-34224-0710/19	PE	Center bend with double side flaps	7F	10	1900	≥ 2.8	Divide
1151	BPDS-34224-0711/19	PE	Center bend with double side flaps	7F	11	1900	≥ 2.8	Divide
1152	BPDS-34224-0712/19	PE	Center bend with double side flaps	7F	12	1900	≥ 2.8	Divide
1153	BPDS-34224-0713/19	PE	Center bend with double side flaps	7F	13	1900	≥ 2.8	Divide
1154	BPDS-34224-0714/19	PE	Center bend with double side flaps	7F	14	1900	≥ 2.8	Divide
1155	BPDS-34224-0715/19	PE	Center bend with double side flaps	7F	15	1900	≥ 2.8	Divide
1156	BPDS-34224-0805/19	PE	Center bend with double side flaps	8.5F	5	1900	≥ 3.2	Preload
1157	BPDS-34224-0806/19	PE	Center bend with double side flaps	8.5F	6	1900	≥ 3.2	Preload
1158	BPDS-34224-0807/19	PE	Center bend with double side flaps	8.5F	7	1900	≥ 3.2	Preload
1159	BPDS-34224-0808/19	PE	Center bend with double side flaps	8.5F	8	1900	≥ 3.2	Preload
1160	BPDS-34224-0809/19	PE	Center bend with double side flaps	8.5F	9	1900	≥ 3.2	Preload
1161	BPDS-34224-0810/19	PE	Center bend with double side flaps	8.5F	10	1900	≥ 3.2	Preload
1162	BPDS-34224-0811/19	PE	Center bend with double side flaps	8.5F	11	1900	≥ 3.2	Preload
1163	BPDS-34224-0812/19	PE	Center bend with double side flaps	8.5F	12	1900	≥ 3.2	Preload
1164	BPDS-34224-0813/19	PE	Center bend with double side flaps	8.5F	13	1900	≥ 3.2	Preload
1165	BPDS-34224-0814/19	PE	Center bend with double side flaps	8.5F	14	1900	≥ 3.2	Preload
1166	BPDS-34224-0815/19	PE	Center bend with double side flaps	8.5F	15	1900	≥ 3.2	Preload
1167	BPDS-34224-1005/19	PE	Center bend with double side flaps	10F	5	1900	≥ 3.7	Preload
1168	BPDS-34224-1006/19	PE	Center bend with double side flaps	10F	6	1900	≥ 3.7	Preload
1169	BPDS-34224-1007/19	PE	Center bend with double side flaps	10F	7	1900	≥ 3.7	Preload
1170	BPDS-34224-1008/19	PE	Center bend with double side flaps	10F	8	1900	≥ 3.7	Preload
1171	BPDS-34224-1009/19	PE	Center bend with double side flaps	10F	9	1900	≥ 3.7	Preload
1172	BPDS-34224-1010/19	PE	Center bend with double side flaps	10F	10	1900	≥ 3.7	Preload
1173	BPDS-34224-1011/19	PE	Center bend with double side flaps	10F	11	1900	≥ 3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1174	BPDS-34224-1012/19	PE	Center bend with double side flaps	10F	12	1900	≥ 3.7	Preload
1175	BPDS-34224-1013/19	PE	Center bend with double side flaps	10F	13	1900	≥ 3.7	Preload
1176	BPDS-34224-1014/19	PE	Center bend with double side flaps	10F	14	1900	≥ 3.7	Preload
1177	BPDS-34224-1015/19	PE	Center bend with double side flaps	10F	15	1900	≥ 3.7	Preload
1178	BPDS-34224-1105/19	PE	Center bend with double side flaps	11.5F	5	1900	≥ 4.2	Preload
1179	BPDS-34224-1106/19	PE	Center bend with double side flaps	11.5F	6	1900	≥ 4.2	Preload
1180	BPDS-34224-1107/19	PE	Center bend with double side flaps	11.5F	7	1900	≥ 4.2	Preload
1181	BPDS-34224-1108/19	PE	Center bend with double side flaps	11.5F	8	1900	≥ 4.2	Preload
1182	BPDS-34224-1109/19	PE	Center bend with double side flaps	11.5F	9	1900	≥ 4.2	Preload
1183	BPDS-34224-1110/19	PE	Center bend with double side flaps	11.5F	10	1900	≥ 4.2	Preload
1184	BPDS-34224-1111/19	PE	Center bend with double side flaps	11.5F	11	1900	≥ 4.2	Preload
1185	BPDS-34224-1112/19	PE	Center bend with double side flaps	11.5F	12	1900	≥ 4.2	Preload
1186	BPDS-34224-1113/19	PE	Center bend with double side flaps	11.5F	13	1900	≥ 4.2	Preload
1187	BPDS-34224-1114/19	PE	Center bend with double side flaps	11.5F	14	1900	≥ 4.2	Preload
1188	BPDS-34224-1115/19	PE	Center bend with double side flaps	11.5F	15	1900	≥ 4.2	Preload
1189	BPDS-32224-0705/19	PE	Arcuate with double side flaps	7F	5	1900	≥ 2.8	Divide
1190	BPDS-32224-0706/19	PE	Arcuate with double side flaps	7F	6	1900	≥ 2.8	Divide
1191	BPDS-32224-0707/19	PE	Arcuate with double side flaps	7F	7	1900	≥ 2.8	Divide
1192	BPDS-32224-0708/19	PE	Arcuate with double side flaps	7F	8	1900	≥ 2.8	Divide
1193	BPDS-32224-0709/19	PE	Arcuate with double side flaps	7F	9	1900	≥ 2.8	Divide
1194	BPDS-32224-0710/19	PE	Arcuate with double side flaps	7F	10	1900	≥ 2.8	Divide
1195	BPDS-32224-0711/19	PE	Arcuate with double side flaps	7F	11	1900	≥ 2.8	Divide
1196	BPDS-32224-0712/19	PE	Arcuate with double side flaps	7F	12	1900	≥ 2.8	Divide
1197	BPDS-32224-0713/19	PE	Arcuate with double side flaps	7F	13	1900	≥ 2.8	Divide
1198	BPDS-32224-0714/19	PE	Arcuate with double side flaps	7F	14	1900	≥ 2.8	Divide
1199	BPDS-32224-0715/19	PE	Arcuate with double side flaps	7F	15	1900	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1200	BPDS-32224-0805/19	PE	Arcuate with double side flaps	8.5F	5	1900	≥ 3.2	Preload
1201	BPDS-32224-0806/19	PE	Arcuate with double side flaps	8.5F	6	1900	≥ 3.2	Preload
1202	BPDS-32224-0807/19	PE	Arcuate with double side flaps	8.5F	7	1900	≥ 3.2	Preload
1203	BPDS-32224-0808/19	PE	Arcuate with double side flaps	8.5F	8	1900	≥ 3.2	Preload
1204	BPDS-32224-0809/19	PE	Arcuate with double side flaps	8.5F	9	1900	≥ 3.2	Preload
1205	BPDS-32224-0810/19	PE	Arcuate with double side flaps	8.5F	10	1900	≥ 3.2	Preload
1206	BPDS-32224-0811/19	PE	Arcuate with double side flaps	8.5F	11	1900	≥ 3.2	Preload
1207	BPDS-32224-0812/19	PE	Arcuate with double side flaps	8.5F	12	1900	≥ 3.2	Preload
1208	BPDS-32224-0813/19	PE	Arcuate with double side flaps	8.5F	13	1900	≥ 3.2	Preload
1209	BPDS-32224-0814/19	PE	Arcuate with double side flaps	8.5F	14	1900	≥ 3.2	Preload
1210	BPDS-32224-0815/19	PE	Arcuate with double side flaps	8.5F	15	1900	≥ 3.2	Preload
1211	BPDS-32224-1005/19	PE	Arcuate with double side flaps	10F	5	1900	≥ 3.7	Preload
1212	BPDS-32224-1006/19	PE	Arcuate with double side flaps	10F	6	1900	≥ 3.7	Preload
1213	BPDS-32224-1007/19	PE	Arcuate with double side flaps	10F	7	1900	≥ 3.7	Preload
1214	BPDS-32224-1008/19	PE	Arcuate with double side flaps	10F	8	1900	≥ 3.7	Preload
1215	BPDS-32224-1009/19	PE	Arcuate with double side flaps	10F	9	1900	≥ 3.7	Preload
1216	BPDS-32224-1010/19	PE	Arcuate with double side flaps	10F	10	1900	≥ 3.7	Preload
1217	BPDS-32224-1011/19	PE	Arcuate with double side flaps	10F	11	1900	≥ 3.7	Preload
1218	BPDS-32224-1012/19	PE	Arcuate with double side flaps	10F	12	1900	≥ 3.7	Preload
1219	BPDS-32224-1013/19	PE	Arcuate with double side flaps	10F	13	1900	≥ 3.7	Preload
1220	BPDS-32224-1014/19	PE	Arcuate with double side flaps	10F	14	1900	≥ 3.7	Preload
1221	BPDS-32224-1015/19	PE	Arcuate with double side flaps	10F	15	1900	≥ 3.7	Preload
1222	BPDS-32224-1105/19	PE	Arcuate with double side flaps	11.5F	5	1900	≥ 4.2	Preload
1223	BPDS-32224-1106/19	PE	Arcuate with double side flaps	11.5F	6	1900	≥ 4.2	Preload
1224	BPDS-32224-1107/19	PE	Arcuate with double side flaps	11.5F	7	1900	≥ 4.2	Preload
1225	BPDS-32224-1108/19	PE	Arcuate with double side flaps	11.5F	8	1900	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1226	BPDS-32224-1109/19	PE	Arcuate with double side flaps	11.5F	9	1900	≥ 4.2	Preload
1227	BPDS-32224-1110/19	PE	Arcuate with double side flaps	11.5F	10	1900	≥ 4.2	Preload
1228	BPDS-32224-1111/19	PE	Arcuate with double side flaps	11.5F	11	1900	≥ 4.2	Preload
1229	BPDS-32224-1112/19	PE	Arcuate with double side flaps	11.5F	12	1900	≥ 4.2	Preload
1230	BPDS-32224-1113/19	PE	Arcuate with double side flaps	11.5F	13	1900	≥ 4.2	Preload
1231	BPDS-32224-1114/19	PE	Arcuate with double side flaps	11.5F	14	1900	≥ 4.2	Preload
1232	BPDS-32224-1115/19	PE	Arcuate with double side flaps	11.5F	15	1900	≥ 4.2	Preload
1233	BPDS-31926-0705/19	PE	Pigtail at Proximal end with double side flaps	7F	5	1900	≥ 2.8	Divide
1234	BPDS-31926-0706/19	PE	Pigtail at Proximal end with double side flaps	7F	6	1900	≥ 2.8	Divide
1235	BPDS-31926-0707/19	PE	Pigtail at Proximal end with double side flaps	7F	7	1900	≥ 2.8	Divide
1236	BPDS-31926-0708/19	PE	Pigtail at Proximal end with double side flaps	7F	8	1900	≥ 2.8	Divide
1237	BPDS-31926-0709/19	PE	Pigtail at Proximal end with double side flaps	7F	9	1900	≥ 2.8	Divide
1238	BPDS-31926-0710/19	PE	Pigtail at Proximal end with double side flaps	7F	10	1900	≥ 2.8	Divide
1239	BPDS-31926-0711/19	PE	Pigtail at Proximal end with double side flaps	7F	11	1900	≥ 2.8	Divide
1240	BPDS-31926-0712/19	PE	Pigtail at Proximal end with double side flaps	7F	12	1900	≥ 2.8	Divide
1241	BPDS-31926-0713/19	PE	Pigtail at Proximal end with double side flaps	7F	13	1900	≥ 2.8	Divide
1242	BPDS-31926-0714/19	PE	Pigtail at Proximal end with double side	7F	14	1900	≥ 2.8	Divide



			flaps					
1243	BPDS-31926-0715/19	PE	Pigtail at Proximal end with double side flaps	7F	15	1900	≥ 2.8	Divide
1244	BPDS-31926-0805/19	PE	Pigtail at Proximal end with double side flaps	8.5F	5	1900	≥ 3.2	Divide
1245	BPDS-31926-0806/19	PE	Pigtail at Proximal end with double side flaps	8.5F	6	1900	≥ 3.2	Divide
1246	BPDS-31926-0807/19	PE	Pigtail at Proximal end with double side flaps	8.5F	7	1900	≥ 3.2	Divide
1247	BPDS-31926-0808/19	PE	Pigtail at Proximal end with double side flaps	8.5F	8	1900	≥ 3.2	Divide
1248	BPDS-31926-0809/19	PE	Pigtail at Proximal end with double side flaps	8.5F	9	1900	≥ 3.2	Divide
1249	BPDS-31926-0810/19	PE	Pigtail at Proximal end with double side flaps	8.5F	10	1900	≥ 3.2	Divide
1250	BPDS-31926-0811/19	PE	Pigtail at Proximal end with double side flaps	8.5F	11	1900	≥ 3.2	Divide
1251	BPDS-31926-0812/19	PE	Pigtail at Proximal end with double side flaps	8.5F	12	1900	≥ 3.2	Divide
1252	BPDS-31926-0813/19	PE	Pigtail at Proximal end with double side flaps	8.5F	13	1900	≥ 3.2	Divide
1253	BPDS-31926-0814/19	PE	Pigtail at Proximal end with double side flaps	8.5F	14	1900	≥ 3.2	Divide
1254	BPDS-31926-0815/19	PE	Pigtail at Proximal end with double side flaps	8.5F	15	1900	≥ 3.2	Divide
1255	BPDS-31926-1005/19	PE	Pigtail at Proximal end with double side flaps	10F	5	1900	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1256	BPDS-31926-1006/19	PE	Pigtail at Proximal end with double side flaps	10F	6	1900	≥ 3.7	Divide
1257	BPDS-31926-1007/19	PE	Pigtail at Proximal end with double side flaps	10F	7	1900	≥ 3.7	Divide
1258	BPDS-31926-1008/19	PE	Pigtail at Proximal end with double side flaps	10F	8	1900	≥ 3.7	Divide
1259	BPDS-31926-1009/19	PE	Pigtail at Proximal end with double side flaps	10F	9	1900	≥ 3.7	Divide
1260	BPDS-31926-1010/19	PE	Pigtail at Proximal end with double side flaps	10F	10	1900	≥ 3.7	Divide
1261	BPDS-31926-1011/19	PE	Pigtail at Proximal end with double side flaps	10F	11	1900	≥ 3.7	Divide
1262	BPDS-31926-1012/19	PE	Pigtail at Proximal end with double side flaps	10F	12	1900	≥ 3.7	Divide
1263	BPDS-31926-1013/19	PE	Pigtail at Proximal end with double side flaps	10F	13	1900	≥ 3.7	Divide
1264	BPDS-31926-1014/19	PE	Pigtail at Proximal end with double side flaps	10F	14	1900	≥ 3.7	Divide
1265	BPDS-31926-1015/19	PE	Pigtail at Proximal end with double side flaps	10F	15	1900	≥ 3.7	Divide
1266	BPDS-31926-1105/19	PE	Pigtail at Proximal end with double side flaps	11.5F	5	1900	≥ 4.2	Divide
1267	BPDS-31926-1106/19	PE	Pigtail at Proximal end with double side flaps	11.5F	6	1900	≥ 4.2	Divide
1268	BPDS-31926-1107/19	PE	Pigtail at Proximal end with double side flaps	11.5F	7	1900	≥ 4.2	Divide
1269	BPDS-31926-1108/19	PE	Pigtail at Proximal end with double side	11.5F	8	1900	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



			flaps					
1270	BPDS-31926-1109/19	PE	Pigtail at Proximal end with double side flaps	11.5F	9	1900	≥ 4.2	Divide
1271	BPDS-31926-1110/19	PE	Pigtail at Proximal end with double side flaps	11.5F	10	1900	≥ 4.2	Divide
1272	BPDS-31926-1111/19	PE	Pigtail at Proximal end with double side flaps	11.5F	11	1900	≥ 4.2	Divide
1273	BPDS-31926-1112/19	PE	Pigtail at Proximal end with double side flaps	11.5F	12	1900	≥ 4.2	Divide
1274	BPDS-31926-1113/19	PE	Pigtail at Proximal end with double side flaps	11.5F	13	1900	≥ 4.2	Divide
1275	BPDS-31926-1114/19	PE	Pigtail at Proximal end with double side flaps	11.5F	14	1900	≥ 4.2	Divide
1276	BPDS-31926-1115/19	PE	Pigtail at Proximal end with double side flaps	11.5F	15	1900	≥ 4.2	Divide
1277	BPDS-31296-0705/19	PE	Pigtail at Distal end with double side flaps	7F	5	1900	≥ 2.8	Divide
1278	BPDS-31296-0706/19	PE	Pigtail at Distal end with double side flaps	7F	6	1900	≥ 2.8	Divide
1279	BPDS-31296-0707/19	PE	Pigtail at Distal end with double side flaps	7F	7	1900	≥ 2.8	Divide
1280	BPDS-31296-0708/19	PE	Pigtail at Distal end with double side flaps	7F	8	1900	≥ 2.8	Divide
1281	BPDS-31296-0709/19	PE	Pigtail at Distal end with double side flaps	7F	9	1900	≥ 2.8	Divide
1282	BPDS-31296-0710/19	PE	Pigtail at Distal end with double side flaps	7F	10	1900	≥ 2.8	Divide
1283	BPDS-31296-0711/19	PE	Pigtail at Distal end with double side flaps	7F	11	1900	≥ 2.8	Divide
1284	BPDS-31296-0712/19	PE	Pigtail at Distal end with double side flaps	7F	12	1900	≥ 2.8	Divide
1285	BPDS-31296-0713/19	PE	Pigtail at Distal end with double side flaps	7F	13	1900	≥ 2.8	Divide
1286	BPDS-31296-0714/19	PE	Pigtail at Distal end with double side flaps	7F	14	1900	≥ 2.8	Divide
1287	BPDS-31296-0715/19	PE	Pigtail at Distal end with double side flaps	7F	15	1900	≥ 2.8	Divide



1288	BPDS-31296-0805/19	PE	Pigtail at Distal end with double side flaps	8.5F	5	1900	≥ 3.2	Divide
1289	BPDS-31296-0806/19	PE	Pigtail at Distal end with double side flaps	8.5F	6	1900	≥ 3.2	Divide
1290	BPDS-31296-0807/19	PE	Pigtail at Distal end with double side flaps	8.5F	7	1900	≥ 3.2	Divide
1291	BPDS-31296-0808/19	PE	Pigtail at Distal end with double side flaps	8.5F	8	1900	≥ 3.2	Divide
1292	BPDS-31296-0809/19	PE	Pigtail at Distal end with double side flaps	8.5F	9	1900	≥ 3.2	Divide
1293	BPDS-31296-0810/19	PE	Pigtail at Distal end with double side flaps	8.5F	10	1900	≥ 3.2	Divide
1294	BPDS-31296-0811/19	PE	Pigtail at Distal end with double side flaps	8.5F	11	1900	≥ 3.2	Divide
1295	BPDS-31296-0812/19	PE	Pigtail at Distal end with double side flaps	8.5F	12	1900	≥ 3.2	Divide
1296	BPDS-31296-0813/19	PE	Pigtail at Distal end with double side flaps	8.5F	13	1900	≥ 3.2	Divide
1297	BPDS-31296-0814/19	PE	Pigtail at Distal end with double side flaps	8.5F	14	1900	≥ 3.2	Divide
1298	BPDS-31296-0815/19	PE	Pigtail at Distal end with double side flaps	8.5F	15	1900	≥ 3.2	Divide
1299	BPDS-31296-1005/19	PE	Pigtail at Distal end with double side flaps	10F	5	1900	≥ 3.7	Divide
1300	BPDS-31296-1006/19	PE	Pigtail at Distal end with double side flaps	10F	6	1900	≥ 3.7	Divide
1301	BPDS-31296-1007/19	PE	Pigtail at Distal end with double side flaps	10F	7	1900	≥ 3.7	Divide
1302	BPDS-31296-1008/19	PE	Pigtail at Distal end with double side flaps	10F	8	1900	≥ 3.7	Divide
1303	BPDS-31296-1009/19	PE	Pigtail at Distal end with double side flaps	10F	9	1900	≥ 3.7	Divide
1304	BPDS-31296-1010/19	PE	Pigtail at Distal end with double side flaps	10F	10	1900	≥ 3.7	Divide
1305	BPDS-31296-1011/19	PE	Pigtail at Distal end with double side flaps	10F	11	1900	≥ 3.7	Divide
1306	BPDS-31296-1012/19	PE	Pigtail at Distal end with double side flaps	10F	12	1900	≥ 3.7	Divide
1307	BPDS-31296-1013/19	PE	Pigtail at Distal end with double side flaps	10F	13	1900	≥ 3.7	Divide
1308	BPDS-31296-1014/19	PE	Pigtail at Distal end with double side flaps	10F	14	1900	≥ 3.7	Divide
1309	BPDS-31296-1015/19	PE	Pigtail at Distal end with double side flaps	10F	15	1900	≥ 3.7	Divide
1310	BPDS-31296-1105/19	PE	Pigtail at Distal end with double side flaps	11.5F	5	1900	≥ 4.2	Divide
1311	BPDS-31296-1106/19	PE	Pigtail at Distal end with double side flaps	11.5F	6	1900	≥ 4.2	Divide
1312	BPDS-31296-1107/19	PE	Pigtail at Distal end with double side flaps	11.5F	7	1900	≥ 4.2	Divide
1313	BPDS-31296-1108/19	PE	Pigtail at Distal end with double side flaps	11.5F	8	1900	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1314	BPDS-31296-1109/19	PE	Pigtail at Distal end with double side flaps	11.5F	9	1900	≥ 4.2	Divide
1315	BPDS-31296-1110/19	PE	Pigtail at Distal end with double side flaps	11.5F	10	1900	≥ 4.2	Divide
1316	BPDS-31296-1111/19	PE	Pigtail at Distal end with double side flaps	11.5F	11	1900	≥ 4.2	Divide
1317	BPDS-31296-1112/19	PE	Pigtail at Distal end with double side flaps	11.5F	12	1900	≥ 4.2	Divide
1318	BPDS-31296-1113/19	PE	Pigtail at Distal end with double side flaps	11.5F	13	1900	≥ 4.2	Divide
1319	BPDS-31296-1114/19	PE	Pigtail at Distal end with double side flaps	11.5F	14	1900	≥ 4.2	Divide
1320	BPDS-31296-1115/19	PE	Pigtail at Distal end with double side flaps	11.5F	15	1900	≥ 4.2	Divide
1321	BPDS-31224-0705/22	PE	Straight with double side flaps	7F	5	2200	≥ 2.8	Preload
1322	BPDS-31224-0706/22	PE	Straight with double side flaps	7F	6	2200	≥ 2.8	Preload
1323	BPDS-31224-0707/22	PE	Straight with double side flaps	7F	7	2200	≥ 2.8	Preload
1324	BPDS-31224-0708/22	PE	Straight with double side flaps	7F	8	2200	≥ 2.8	Preload
1325	BPDS-31224-0709/22	PE	Straight with double side flaps	7F	9	2200	≥ 2.8	Preload
1326	BPDS-31224-0710/22	PE	Straight with double side flaps	7F	10	2200	≥ 2.8	Preload
1327	BPDS-31224-0711/22	PE	Straight with double side flaps	7F	11	2200	≥ 2.8	Preload
1328	BPDS-31224-0712/22	PE	Straight with double side flaps	7F	12	2200	≥ 2.8	Preload
1329	BPDS-31224-0713/22	PE	Straight with double side flaps	7F	13	2200	≥ 2.8	Preload
1330	BPDS-31224-0714/22	PE	Straight with double side flaps	7F	14	2200	≥ 2.8	Preload
1331	BPDS-31224-0715/22	PE	Straight with double side flaps	7F	15	2200	≥ 2.8	Preload
1332	BPDS-31224-0805/22	PE	Straight with double side flaps	8.5F	5	2200	≥ 3.2	Preload
1333	BPDS-31224-0806/22	PE	Straight with double side flaps	8.5F	6	2200	≥ 3.2	Preload
1334	BPDS-31224-0807/22	PE	Straight with double side flaps	8.5F	7	2200	≥ 3.2	Preload
1335	BPDS-31224-0808/22	PE	Straight with double side flaps	8.5F	8	2200	≥ 3.2	Preload
1336	BPDS-31224-0809/22	PE	Straight with double side flaps	8.5F	9	2200	≥ 3.2	Preload
1337	BPDS-31224-0810/22	PE	Straight with double side flaps	8.5F	10	2200	≥ 3.2	Preload
1338	BPDS-31224-0811/22	PE	Straight with double side flaps	8.5F	11	2200	≥ 3.2	Preload
1339	BPDS-31224-0812/22	PE	Straight with double side flaps	8.5F	12	2200	≥ 3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1340	BPDS-31224-0813/22	PE	Straight with double side flaps	8.5F	13	2200	≥ 3.2	Preload
1341	BPDS-31224-0814/22	PE	Straight with double side flaps	8.5F	14	2200	≥ 3.2	Preload
1342	BPDS-31224-0815/22	PE	Straight with double side flaps	8.5F	15	2200	≥ 3.2	Preload
1343	BPDS-31224-1005/22	PE	Straight with double side flaps	10F	5	2200	≥ 3.7	Preload
1344	BPDS-31224-1006/22	PE	Straight with double side flaps	10F	6	2200	≥ 3.7	Preload
1345	BPDS-31224-1007/22	PE	Straight with double side flaps	10F	7	2200	≥ 3.7	Preload
1346	BPDS-31224-1008/22	PE	Straight with double side flaps	10F	8	2200	≥ 3.7	Preload
1347	BPDS-31224-1009/22	PE	Straight with double side flaps	10F	9	2200	≥ 3.7	Preload
1348	BPDS-31224-1010/22	PE	Straight with double side flaps	10F	10	2200	≥ 3.7	Preload
1349	BPDS-31224-1011/22	PE	Straight with double side flaps	10F	11	2200	≥ 3.7	Preload
1350	BPDS-31224-1012/22	PE	Straight with double side flaps	10F	12	2200	≥ 3.7	Preload
1351	BPDS-31224-1013/22	PE	Straight with double side flaps	10F	13	2200	≥ 3.7	Preload
1352	BPDS-31224-1014/22	PE	Straight with double side flaps	10F	14	2200	≥ 3.7	Preload
1353	BPDS-31224-1015/22	PE	Straight with double side flaps	10F	15	2200	≥ 3.7	Preload
1354	BPDS-31224-1105/22	PE	Straight with double side flaps	11.5F	5	2200	≥ 4.2	Preload
1355	BPDS-31224-1106/22	PE	Straight with double side flaps	11.5F	6	2200	≥ 4.2	Preload
1356	BPDS-31224-1107/22	PE	Straight with double side flaps	11.5F	7	2200	≥ 4.2	Preload
1357	BPDS-31224-1108/22	PE	Straight with double side flaps	11.5F	8	2200	≥ 4.2	Preload
1358	BPDS-31224-1109/22	PE	Straight with double side flaps	11.5F	9	2200	≥ 4.2	Preload
1359	BPDS-31224-1110/22	PE	Straight with double side flaps	11.5F	10	2200	≥ 4.2	Preload
1360	BPDS-31224-1111/22	PE	Straight with double side flaps	11.5F	11	2200	≥ 4.2	Preload
1361	BPDS-31224-1112/22	PE	Straight with double side flaps	11.5F	12	2200	≥ 4.2	Preload
1362	BPDS-31224-1113/22	PE	Straight with double side flaps	11.5F	13	2200	≥ 4.2	Preload
1363	BPDS-31224-1114/22	PE	Straight with double side flaps	11.5F	14	2200	≥ 4.2	Preload
1364	BPDS-31224-1115/22	PE	Straight with double side flaps	11.5F	15	2200	≥ 4.2	Preload
1365	BPDS-33224-0705/22	PE	Side bend with double side flaps	7F	5	2200	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1366	BPDS-33224-0706/22	PE	Side bend with double side flaps	7F	6	2200	≥ 2.8	Divide
1367	BPDS-33224-0707/22	PE	Side bend with double side flaps	7F	7	2200	≥ 2.8	Divide
1368	BPDS-33224-0708/22	PE	Side bend with double side flaps	7F	8	2200	≥ 2.8	Divide
1369	BPDS-33224-0709/22	PE	Side bend with double side flaps	7F	9	2200	≥ 2.8	Divide
1370	BPDS-33224-0710/22	PE	Side bend with double side flaps	7F	10	2200	≥ 2.8	Divide
1371	BPDS-33224-0711/22	PE	Side bend with double side flaps	7F	11	2200	≥ 2.8	Divide
1372	BPDS-33224-0712/22	PE	Side bend with double side flaps	7F	12	2200	≥ 2.8	Divide
1373	BPDS-33224-0713/22	PE	Side bend with double side flaps	7F	13	2200	≥ 2.8	Divide
1374	BPDS-33224-0714/22	PE	Side bend with double side flaps	7F	14	2200	≥ 2.8	Divide
1375	BPDS-33224-0715/22	PE	Side bend with double side flaps	7F	15	2200	≥ 2.8	Divide
1376	BPDS-33224-0805/22	PE	Side bend with double side flaps	8.5F	5	2200	≥ 3.2	Preload
1377	BPDS-33224-0806/22	PE	Side bend with double side flaps	8.5F	6	2200	≥ 3.2	Preload
1378	BPDS-33224-0807/22	PE	Side bend with double side flaps	8.5F	7	2200	≥ 3.2	Preload
1379	BPDS-33224-0808/22	PE	Side bend with double side flaps	8.5F	8	2200	≥ 3.2	Preload
1380	BPDS-33224-0809/22	PE	Side bend with double side flaps	8.5F	9	2200	≥ 3.2	Preload
1381	BPDS-33224-0810/22	PE	Side bend with double side flaps	8.5F	10	2200	≥ 3.2	Preload
1382	BPDS-33224-0811/22	PE	Side bend with double side flaps	8.5F	11	2200	≥ 3.2	Preload
1383	BPDS-33224-0812/22	PE	Side bend with double side flaps	8.5F	12	2200	≥ 3.2	Preload
1384	BPDS-33224-0813/22	PE	Side bend with double side flaps	8.5F	13	2200	≥ 3.2	Preload
1385	BPDS-33224-0814/22	PE	Side bend with double side flaps	8.5F	14	2200	≥ 3.2	Preload
1386	BPDS-33224-0815/22	PE	Side bend with double side flaps	8.5F	15	2200	≥ 3.2	Preload
1387	BPDS-33224-1005/22	PE	Side bend with double side flaps	10F	5	2200	≥ 3.7	Preload
1388	BPDS-33224-1006/22	PE	Side bend with double side flaps	10F	6	2200	≥ 3.7	Preload
1389	BPDS-33224-1007/22	PE	Side bend with double side flaps	10F	7	2200	≥ 3.7	Preload
1390	BPDS-33224-1008/22	PE	Side bend with double side flaps	10F	8	2200	≥ 3.7	Preload
1391	BPDS-33224-1009/22	PE	Side bend with double side flaps	10F	9	2200	≥ 3.7	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1392	BPDS-33224-1010/22	PE	Side bend with double side flaps	10F	10	2200	≥ 3.7	Preload
1393	BPDS-33224-1011/22	PE	Side bend with double side flaps	10F	11	2200	≥ 3.7	Preload
1394	BPDS-33224-1012/22	PE	Side bend with double side flaps	10F	12	2200	≥ 3.7	Preload
1395	BPDS-33224-1013/22	PE	Side bend with double side flaps	10F	13	2200	≥ 3.7	Preload
1396	BPDS-33224-1014/22	PE	Side bend with double side flaps	10F	14	2200	≥ 3.7	Preload
1397	BPDS-33224-1015/22	PE	Side bend with double side flaps	10F	15	2200	≥ 3.7	Preload
1398	BPDS-33224-1105/22	PE	Side bend with double side flaps	11.5F	5	2200	≥ 4.2	Preload
1399	BPDS-33224-1106/22	PE	Side bend with double side flaps	11.5F	6	2200	≥ 4.2	Preload
1400	BPDS-33224-1107/22	PE	Side bend with double side flaps	11.5F	7	2200	≥ 4.2	Preload
1401	BPDS-33224-1108/22	PE	Side bend with double side flaps	11.5F	8	2200	≥ 4.2	Preload
1402	BPDS-33224-1109/22	PE	Side bend with double side flaps	11.5F	9	2200	≥ 4.2	Preload
1403	BPDS-33224-1110/22	PE	Side bend with double side flaps	11.5F	10	2200	≥ 4.2	Preload
1404	BPDS-33224-1111/22	PE	Side bend with double side flaps	11.5F	11	2200	≥ 4.2	Preload
1405	BPDS-33224-1112/22	PE	Side bend with double side flaps	11.5F	12	2200	≥ 4.2	Preload
1406	BPDS-33224-1113/22	PE	Side bend with double side flaps	11.5F	13	2200	≥ 4.2	Preload
1407	BPDS-33224-1114/22	PE	Side bend with double side flaps	11.5F	14	2200	≥ 4.2	Preload
1408	BPDS-33224-1115/22	PE	Side bend with double side flaps	11.5F	15	2200	≥ 4.2	Preload
1409	BPDS-34224-0705/22	PE	Center bend with double side flaps	7F	5	2200	≥ 2.8	Divide
1410	BPDS-34224-0706/22	PE	Center bend with double side flaps	7F	6	2200	≥ 2.8	Divide
1411	BPDS-34224-0707/22	PE	Center bend with double side flaps	7F	7	2200	≥ 2.8	Divide
1412	BPDS-34224-0708/22	PE	Center bend with double side flaps	7F	8	2200	≥ 2.8	Divide
1413	BPDS-34224-0709/22	PE	Center bend with double side flaps	7F	9	2200	≥ 2.8	Divide
1414	BPDS-34224-0710/22	PE	Center bend with double side flaps	7F	10	2200	≥ 2.8	Divide
1415	BPDS-34224-0711/22	PE	Center bend with double side flaps	7F	11	2200	≥ 2.8	Divide
1416	BPDS-34224-0712/22	PE	Center bend with double side flaps	7F	12	2200	≥ 2.8	Divide
1417	BPDS-34224-0713/22	PE	Center bend with double side flaps	7F	13	2200	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1418	BPDS-34224-0714/22	PE	Center bend with double side flaps	7F	14	2200	≥ 2.8	Divide
1419	BPDS-34224-0715/22	PE	Center bend with double side flaps	7F	15	2200	≥ 2.8	Divide
1420	BPDS-34224-0805/22	PE	Center bend with double side flaps	8.5F	5	2200	≥ 3.2	Preload
1421	BPDS-34224-0806/22	PE	Center bend with double side flaps	8.5F	6	2200	≥ 3.2	Preload
1422	BPDS-34224-0807/22	PE	Center bend with double side flaps	8.5F	7	2200	≥ 3.2	Preload
1423	BPDS-34224-0808/22	PE	Center bend with double side flaps	8.5F	8	2200	≥ 3.2	Preload
1424	BPDS-34224-0809/22	PE	Center bend with double side flaps	8.5F	9	2200	≥ 3.2	Preload
1425	BPDS-34224-0810/22	PE	Center bend with double side flaps	8.5F	10	2200	≥ 3.2	Preload
1426	BPDS-34224-0811/22	PE	Center bend with double side flaps	8.5F	11	2200	≥ 3.2	Preload
1427	BPDS-34224-0812/22	PE	Center bend with double side flaps	8.5F	12	2200	≥ 3.2	Preload
1428	BPDS-34224-0813/22	PE	Center bend with double side flaps	8.5F	13	2200	≥ 3.2	Preload
1429	BPDS-34224-0814/22	PE	Center bend with double side flaps	8.5F	14	2200	≥ 3.2	Preload
1430	BPDS-34224-0815/22	PE	Center bend with double side flaps	8.5F	15	2200	≥ 3.2	Preload
1431	BPDS-34224-1005/22	PE	Center bend with double side flaps	10F	5	2200	≥ 3.7	Preload
1432	BPDS-34224-1006/22	PE	Center bend with double side flaps	10F	6	2200	≥ 3.7	Preload
1433	BPDS-34224-1007/22	PE	Center bend with double side flaps	10F	7	2200	≥ 3.7	Preload
1434	BPDS-34224-1008/22	PE	Center bend with double side flaps	10F	8	2200	≥ 3.7	Preload
1435	BPDS-34224-1009/22	PE	Center bend with double side flaps	10F	9	2200	≥ 3.7	Preload
1436	BPDS-34224-1010/22	PE	Center bend with double side flaps	10F	10	2200	≥ 3.7	Preload
1437	BPDS-34224-1011/22	PE	Center bend with double side flaps	10F	11	2200	≥ 3.7	Preload
1438	BPDS-34224-1012/22	PE	Center bend with double side flaps	10F	12	2200	≥ 3.7	Preload
1439	BPDS-34224-1013/22	PE	Center bend with double side flaps	10F	13	2200	≥ 3.7	Preload
1440	BPDS-34224-1014/22	PE	Center bend with double side flaps	10F	14	2200	≥ 3.7	Preload
1441	BPDS-34224-1015/22	PE	Center bend with double side flaps	10F	15	2200	≥ 3.7	Preload
1442	BPDS-34224-1105/22	PE	Center bend with double side flaps	11.5F	5	2200	≥ 4.2	Preload
1443	BPDS-34224-1106/22	PE	Center bend with double side flaps	11.5F	6	2200	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1444	BPDS-34224-1107/22	PE	Center bend with double side flaps	11.5F	7	2200	≥4.2	Preload
1445	BPDS-34224-1108/22	PE	Center bend with double side flaps	11.5F	8	2200	≥4.2	Preload
1446	BPDS-34224-1109/22	PE	Center bend with double side flaps	11.5F	9	2200	≥4.2	Preload
1447	BPDS-34224-1110/22	PE	Center bend with double side flaps	11.5F	10	2200	≥4.2	Preload
1448	BPDS-34224-1111/22	PE	Center bend with double side flaps	11.5F	11	2200	≥4.2	Preload
1449	BPDS-34224-1112/22	PE	Center bend with double side flaps	11.5F	12	2200	≥4.2	Preload
1450	BPDS-34224-1113/22	PE	Center bend with double side flaps	11.5F	13	2200	≥4.2	Preload
1451	BPDS-34224-1114/22	PE	Center bend with double side flaps	11.5F	14	2200	≥4.2	Preload
1452	BPDS-34224-1115/22	PE	Center bend with double side flaps	11.5F	15	2200	≥4.2	Preload
1453	BPDS-32224-0705/22	PE	Arcuate with double side flaps	7F	5	2200	≥2.8	Divide
1454	BPDS-32224-0706/22	PE	Arcuate with double side flaps	7F	6	2200	≥2.8	Divide
1455	BPDS-32224-0707/22	PE	Arcuate with double side flaps	7F	7	2200	≥2.8	Divide
1456	BPDS-32224-0708/22	PE	Arcuate with double side flaps	7F	8	2200	≥2.8	Divide
1457	BPDS-32224-0709/22	PE	Arcuate with double side flaps	7F	9	2200	≥2.8	Divide
1458	BPDS-32224-0710/22	PE	Arcuate with double side flaps	7F	10	2200	≥2.8	Divide
1459	BPDS-32224-0711/22	PE	Arcuate with double side flaps	7F	11	2200	≥2.8	Divide
1460	BPDS-32224-0712/22	PE	Arcuate with double side flaps	7F	12	2200	≥2.8	Divide
1461	BPDS-32224-0713/22	PE	Arcuate with double side flaps	7F	13	2200	≥2.8	Divide
1462	BPDS-32224-0714/22	PE	Arcuate with double side flaps	7F	14	2200	≥2.8	Divide
1463	BPDS-32224-0715/22	PE	Arcuate with double side flaps	7F	15	2200	≥2.8	Divide
1464	BPDS-32224-0805/22	PE	Arcuate with double side flaps	8.5F	5	2200	≥3.2	Preload
1465	BPDS-32224-0806/22	PE	Arcuate with double side flaps	8.5F	6	2200	≥3.2	Preload
1466	BPDS-32224-0807/22	PE	Arcuate with double side flaps	8.5F	7	2200	≥3.2	Preload
1467	BPDS-32224-0808/22	PE	Arcuate with double side flaps	8.5F	8	2200	≥3.2	Preload
1468	BPDS-32224-0809/22	PE	Arcuate with double side flaps	8.5F	9	2200	≥3.2	Preload
1469	BPDS-32224-0810/22	PE	Arcuate with double side flaps	8.5F	10	2200	≥3.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1470	BPDS-32224-0811/22	PE	Arcuate with double side flaps	8.5F	11	2200	≥ 3.2	Preload
1471	BPDS-32224-0812/22	PE	Arcuate with double side flaps	8.5F	12	2200	≥ 3.2	Preload
1472	BPDS-32224-0813/22	PE	Arcuate with double side flaps	8.5F	13	2200	≥ 3.2	Preload
1473	BPDS-32224-0814/22	PE	Arcuate with double side flaps	8.5F	14	2200	≥ 3.2	Preload
1474	BPDS-32224-0815/22	PE	Arcuate with double side flaps	8.5F	15	2200	≥ 3.2	Preload
1475	BPDS-32224-1005/22	PE	Arcuate with double side flaps	10F	5	2200	≥ 3.7	Preload
1476	BPDS-32224-1006/22	PE	Arcuate with double side flaps	10F	6	2200	≥ 3.7	Preload
1477	BPDS-32224-1007/22	PE	Arcuate with double side flaps	10F	7	2200	≥ 3.7	Preload
1478	BPDS-32224-1008/22	PE	Arcuate with double side flaps	10F	8	2200	≥ 3.7	Preload
1479	BPDS-32224-1009/22	PE	Arcuate with double side flaps	10F	9	2200	≥ 3.7	Preload
1480	BPDS-32224-1010/22	PE	Arcuate with double side flaps	10F	10	2200	≥ 3.7	Preload
1481	BPDS-32224-1011/22	PE	Arcuate with double side flaps	10F	11	2200	≥ 3.7	Preload
1482	BPDS-32224-1012/22	PE	Arcuate with double side flaps	10F	12	2200	≥ 3.7	Preload
1483	BPDS-32224-1013/22	PE	Arcuate with double side flaps	10F	13	2200	≥ 3.7	Preload
1484	BPDS-32224-1014/22	PE	Arcuate with double side flaps	10F	14	2200	≥ 3.7	Preload
1485	BPDS-32224-1015/22	PE	Arcuate with double side flaps	10F	15	2200	≥ 3.7	Preload
1486	BPDS-32224-1105/22	PE	Arcuate with double side flaps	11.5F	5	2200	≥ 4.2	Preload
1487	BPDS-32224-1106/22	PE	Arcuate with double side flaps	11.5F	6	2200	≥ 4.2	Preload
1488	BPDS-32224-1107/22	PE	Arcuate with double side flaps	11.5F	7	2200	≥ 4.2	Preload
1489	BPDS-32224-1108/22	PE	Arcuate with double side flaps	11.5F	8	2200	≥ 4.2	Preload
1490	BPDS-32224-1109/22	PE	Arcuate with double side flaps	11.5F	9	2200	≥ 4.2	Preload
1491	BPDS-32224-1110/22	PE	Arcuate with double side flaps	11.5F	10	2200	≥ 4.2	Preload
1492	BPDS-32224-1111/22	PE	Arcuate with double side flaps	11.5F	11	2200	≥ 4.2	Preload
1493	BPDS-32224-1112/22	PE	Arcuate with double side flaps	11.5F	12	2200	≥ 4.2	Preload
1494	BPDS-32224-1113/22	PE	Arcuate with double side flaps	11.5F	13	2200	≥ 4.2	Preload
1495	BPDS-32224-1114/22	PE	Arcuate with double side flaps	11.5F	14	2200	≥ 4.2	Preload

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1496	BPDS-32224-1115/22	PE	Arcuate with double side flaps	11.5F	15	2200	≥ 4.2	Preload
1497	BPDS-31926-0705/22	PE	Pigtail at Proximal end with double side flaps	7F	5	2200	≥ 2.8	Divide
1498	BPDS-31926-0706/22	PE	Pigtail at Proximal end with double side flaps	7F	6	2200	≥ 2.8	Divide
1499	BPDS-31926-0707/22	PE	Pigtail at Proximal end with double side flaps	7F	7	2200	≥ 2.8	Divide
1500	BPDS-31926-0708/22	PE	Pigtail at Proximal end with double side flaps	7F	8	2200	≥ 2.8	Divide
1501	BPDS-31926-0709/22	PE	Pigtail at Proximal end with double side flaps	7F	9	2200	≥ 2.8	Divide
1502	BPDS-31926-0710/22	PE	Pigtail at Proximal end with double side flaps	7F	10	2200	≥ 2.8	Divide
1503	BPDS-31926-0711/22	PE	Pigtail at Proximal end with double side flaps	7F	11	2200	≥ 2.8	Divide
1504	BPDS-31926-0712/22	PE	Pigtail at Proximal end with double side flaps	7F	12	2200	≥ 2.8	Divide
1505	BPDS-31926-0713/22	PE	Pigtail at Proximal end with double side flaps	7F	13	2200	≥ 2.8	Divide
1506	BPDS-31926-0714/22	PE	Pigtail at Proximal end with double side flaps	7F	14	2200	≥ 2.8	Divide
1507	BPDS-31926-0715/22	PE	Pigtail at Proximal end with double side flaps	7F	15	2200	≥ 2.8	Divide
1508	BPDS-31926-0805/22	PE	Pigtail at Proximal end with double side flaps	8.5F	5	2200	≥ 3.2	Divide
1509	BPDS-31926-0806/22	PE	Pigtail at Proximal end with double side flaps	8.5F	6	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1510	BPDS-31926-0807/22	PE	Pigtail at Proximal end with double side flaps	8.5F	7	2200	≥ 3.2	Divide
1511	BPDS-31926-0808/22	PE	Pigtail at Proximal end with double side flaps	8.5F	8	2200	≥ 3.2	Divide
1512	BPDS-31926-0809/22	PE	Pigtail at Proximal end with double side flaps	8.5F	9	2200	≥ 3.2	Divide
1513	BPDS-31926-0810/22	PE	Pigtail at Proximal end with double side flaps	8.5F	10	2200	≥ 3.2	Divide
1514	BPDS-31926-0811/22	PE	Pigtail at Proximal end with double side flaps	8.5F	11	2200	≥ 3.2	Divide
1515	BPDS-31926-0812/22	PE	Pigtail at Proximal end with double side flaps	8.5F	12	2200	≥ 3.2	Divide
1516	BPDS-31926-0813/22	PE	Pigtail at Proximal end with double side flaps	8.5F	13	2200	≥ 3.2	Divide
1517	BPDS-31926-0814/22	PE	Pigtail at Proximal end with double side flaps	8.5F	14	2200	≥ 3.2	Divide
1518	BPDS-31926-0815/22	PE	Pigtail at Proximal end with double side flaps	8.5F	15	2200	≥ 3.2	Divide
1519	BPDS-31926-1005/22	PE	Pigtail at Proximal end with double side flaps	10F	5	2200	≥ 3.7	Divide
1520	BPDS-31926-1006/22	PE	Pigtail at Proximal end with double side flaps	10F	6	2200	≥ 3.7	Divide
1521	BPDS-31926-1007/22	PE	Pigtail at Proximal end with double side flaps	10F	7	2200	≥ 3.7	Divide
1522	BPDS-31926-1008/22	PE	Pigtail at Proximal end with double side flaps	10F	8	2200	≥ 3.7	Divide
1523	BPDS-31926-1009/22	PE	Pigtail at Proximal end with double side	10F	9	2200	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



			flaps					
1524	BPDS-31926-1010/22	PE	Pigtail at Proximal end with double side flaps	10F	10	2200	≥ 3.7	Divide
1525	BPDS-31926-1011/22	PE	Pigtail at Proximal end with double side flaps	10F	11	2200	≥ 3.7	Divide
1526	BPDS-31926-1012/22	PE	Pigtail at Proximal end with double side flaps	10F	12	2200	≥ 3.7	Divide
1527	BPDS-31926-1013/22	PE	Pigtail at Proximal end with double side flaps	10F	13	2200	≥ 3.7	Divide
1528	BPDS-31926-1014/22	PE	Pigtail at Proximal end with double side flaps	10F	14	2200	≥ 3.7	Divide
1529	BPDS-31926-1015/22	PE	Pigtail at Proximal end with double side flaps	10F	15	2200	≥ 3.7	Divide
1530	BPDS-31926-1105/22	PE	Pigtail at Proximal end with double side flaps	11.5F	5	2200	≥ 4.2	Divide
1531	BPDS-31926-1106/22	PE	Pigtail at Proximal end with double side flaps	11.5F	6	2200	≥ 4.2	Divide
1532	BPDS-31926-1107/22	PE	Pigtail at Proximal end with double side flaps	11.5F	7	2200	≥ 4.2	Divide
1533	BPDS-31926-1108/22	PE	Pigtail at Proximal end with double side flaps	11.5F	8	2200	≥ 4.2	Divide
1534	BPDS-31926-1109/22	PE	Pigtail at Proximal end with double side flaps	11.5F	9	2200	≥ 4.2	Divide
1535	BPDS-31926-1110/22	PE	Pigtail at Proximal end with double side flaps	11.5F	10	2200	≥ 4.2	Divide
1536	BPDS-31926-1111/22	PE	Pigtail at Proximal end with double side flaps	11.5F	11	2200	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1537	BPDS-31926-1112/22	PE	Pigtail at Proximal end with double side flaps	11.5F	12	2200	≥ 4.2	Divide
1538	BPDS-31926-1113/22	PE	Pigtail at Proximal end with double side flaps	11.5F	13	2200	≥ 4.2	Divide
1539	BPDS-31926-1114/22	PE	Pigtail at Proximal end with double side flaps	11.5F	14	2200	≥ 4.2	Divide
1540	BPDS-31926-1115/22	PE	Pigtail at Proximal end with double side flaps	11.5F	15	2200	≥ 4.2	Divide
1541	BPDS-31296-0705/22	PE	Pigtail at Distal end with double side flaps	7F	5	2200	≥ 2.8	Divide
1542	BPDS-31296-0706/22	PE	Pigtail at Distal end with double side flaps	7F	6	2200	≥ 2.8	Divide
1543	BPDS-31296-0707/22	PE	Pigtail at Distal end with double side flaps	7F	7	2200	≥ 2.8	Divide
1544	BPDS-31296-0708/22	PE	Pigtail at Distal end with double side flaps	7F	8	2200	≥ 2.8	Divide
1545	BPDS-31296-0709/22	PE	Pigtail at Distal end with double side flaps	7F	9	2200	≥ 2.8	Divide
1546	BPDS-31296-0710/22	PE	Pigtail at Distal end with double side flaps	7F	10	2200	≥ 2.8	Divide
1547	BPDS-31296-0711/22	PE	Pigtail at Distal end with double side flaps	7F	11	2200	≥ 2.8	Divide
1548	BPDS-31296-0712/22	PE	Pigtail at Distal end with double side flaps	7F	12	2200	≥ 2.8	Divide
1549	BPDS-31296-0713/22	PE	Pigtail at Distal end with double side flaps	7F	13	2200	≥ 2.8	Divide
1550	BPDS-31296-0714/22	PE	Pigtail at Distal end with double side flaps	7F	14	2200	≥ 2.8	Divide
1551	BPDS-31296-0715/22	PE	Pigtail at Distal end with double side flaps	7F	15	2200	≥ 2.8	Divide
1552	BPDS-31296-0805/22	PE	Pigtail at Distal end with double side flaps	8.5F	5	2200	≥ 3.2	Divide
1553	BPDS-31296-0806/22	PE	Pigtail at Distal end with double side flaps	8.5F	6	2200	≥ 3.2	Divide
1554	BPDS-31296-0807/22	PE	Pigtail at Distal end with double side flaps	8.5F	7	2200	≥ 3.2	Divide
1555	BPDS-31296-0808/22	PE	Pigtail at Distal end with double side flaps	8.5F	8	2200	≥ 3.2	Divide
1556	BPDS-31296-0809/22	PE	Pigtail at Distal end with double side flaps	8.5F	9	2200	≥ 3.2	Divide
1557	BPDS-31296-0810/22	PE	Pigtail at Distal end with double side flaps	8.5F	10	2200	≥ 3.2	Divide
1558	BPDS-31296-0811/22	PE	Pigtail at Distal end with double side flaps	8.5F	11	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1559	BPDS-31296-0812/22	PE	Pigtail at Distal end with double side flaps	8.5F	12	2200	≥ 3.2	Divide
1560	BPDS-31296-0813/22	PE	Pigtail at Distal end with double side flaps	8.5F	13	2200	≥ 3.2	Divide
1561	BPDS-31296-0814/22	PE	Pigtail at Distal end with double side flaps	8.5F	14	2200	≥ 3.2	Divide
1562	BPDS-31296-0815/22	PE	Pigtail at Distal end with double side flaps	8.5F	15	2200	≥ 3.2	Divide
1563	BPDS-31296-1005/22	PE	Pigtail at Distal end with double side flaps	10F	5	2200	≥ 3.7	Divide
1564	BPDS-31296-1006/22	PE	Pigtail at Distal end with double side flaps	10F	6	2200	≥ 3.7	Divide
1565	BPDS-31296-1007/22	PE	Pigtail at Distal end with double side flaps	10F	7	2200	≥ 3.7	Divide
1566	BPDS-31296-1008/22	PE	Pigtail at Distal end with double side flaps	10F	8	2200	≥ 3.7	Divide
1567	BPDS-31296-1009/22	PE	Pigtail at Distal end with double side flaps	10F	9	2200	≥ 3.7	Divide
1568	BPDS-31296-1010/22	PE	Pigtail at Distal end with double side flaps	10F	10	2200	≥ 3.7	Divide
1569	BPDS-31296-1011/22	PE	Pigtail at Distal end with double side flaps	10F	11	2200	≥ 3.7	Divide
1570	BPDS-31296-1012/22	PE	Pigtail at Distal end with double side flaps	10F	12	2200	≥ 3.7	Divide
1571	BPDS-31296-1013/22	PE	Pigtail at Distal end with double side flaps	10F	13	2200	≥ 3.7	Divide
1572	BPDS-31296-1014/22	PE	Pigtail at Distal end with double side flaps	10F	14	2200	≥ 3.7	Divide
1573	BPDS-31296-1015/22	PE	Pigtail at Distal end with double side flaps	10F	15	2200	≥ 3.7	Divide
1574	BPDS-31296-1105/22	PE	Pigtail at Distal end with double side flaps	11.5F	5	2200	≥ 4.2	Divide
1575	BPDS-31296-1106/22	PE	Pigtail at Distal end with double side flaps	11.5F	6	2200	≥ 4.2	Divide
1576	BPDS-31296-1107/22	PE	Pigtail at Distal end with double side flaps	11.5F	7	2200	≥ 4.2	Divide
1577	BPDS-31296-1108/22	PE	Pigtail at Distal end with double side flaps	11.5F	8	2200	≥ 4.2	Divide
1578	BPDS-31296-1109/22	PE	Pigtail at Distal end with double side flaps	11.5F	9	2200	≥ 4.2	Divide
1579	BPDS-31296-1110/22	PE	Pigtail at Distal end with double side flaps	11.5F	10	2200	≥ 4.2	Divide
1580	BPDS-31296-1111/22	PE	Pigtail at Distal end with double side flaps	11.5F	11	2200	≥ 4.2	Divide
1581	BPDS-31296-1112/22	PE	Pigtail at Distal end with double side flaps	11.5F	12	2200	≥ 4.2	Divide
1582	BPDS-31296-1113/22	PE	Pigtail at Distal end with double side flaps	11.5F	13	2200	≥ 4.2	Divide
1583	BPDS-31296-1114/22	PE	Pigtail at Distal end with double side flaps	11.5F	14	2200	≥ 4.2	Divide
1584	BPDS-31296-1115/22	PE	Pigtail at Distal end with double side flaps	11.5F	15	2200	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1585	BPDS-11442-0805/17	PTFE	Straight with four side flaps	8.5F	5	1700	≥3.2	Divide
1586	BPDS-11442-0806/17	PTFE	Straight with four side flaps	8.5F	6	1700	≥3.2	Divide
1587	BPDS-11442-0807/17	PTFE	Straight with four side flaps	8.5F	7	1700	≥3.2	Divide
1588	BPDS-11442-0808/17	PTFE	Straight with four side flaps	8.5F	8	1700	≥3.2	Divide
1589	BPDS-11442-0809/17	PTFE	Straight with four side flaps	8.5F	9	1700	≥3.2	Divide
1590	BPDS-11442-0810/17	PTFE	Straight with four side flaps	8.5F	10	1700	≥3.2	Divide
1591	BPDS-11442-0811/17	PTFE	Straight with four side flaps	8.5F	11	1700	≥3.2	Divide
1592	BPDS-11442-0812/17	PTFE	Straight with four side flaps	8.5F	12	1700	≥3.2	Divide
1593	BPDS-11442-0813/17	PTFE	Straight with four side flaps	8.5F	13	1700	≥3.2	Divide
1594	BPDS-11442-0814/17	PTFE	Straight with four side flaps	8.5F	14	1700	≥3.2	Divide
1595	BPDS-11442-0815/17	PTFE	Straight with four side flaps	8.5F	15	1700	≥3.2	Divide
1596	BPDS-11442-1005/17	PTFE	Straight with four side flaps	10F	5	1700	≥3.7	Divide
1597	BPDS-11442-1006/17	PTFE	Straight with four side flaps	10F	6	1700	≥3.7	Divide
1598	BPDS-11442-1007/17	PTFE	Straight with four side flaps	10F	7	1700	≥3.7	Divide
1599	BPDS-11442-1008/17	PTFE	Straight with four side flaps	10F	8	1700	≥3.7	Divide
1600	BPDS-11442-1009/17	PTFE	Straight with four side flaps	10F	9	1700	≥3.7	Divide
1601	BPDS-11442-1010/17	PTFE	Straight with four side flaps	10F	10	1700	≥3.7	Divide
1602	BPDS-11442-1011/17	PTFE	Straight with four side flaps	10F	11	1700	≥3.7	Divide
1603	BPDS-11442-1012/17	PTFE	Straight with four side flaps	10F	12	1700	≥3.7	Divide
1604	BPDS-11442-1013/17	PTFE	Straight with four side flaps	10F	13	1700	≥3.7	Divide
1605	BPDS-11442-1014/17	PTFE	Straight with four side flaps	10F	14	1700	≥3.7	Divide
1606	BPDS-11442-1015/17	PTFE	Straight with four side flaps	10F	15	1700	≥3.7	Divide
1607	BPDS-11442-1105/17	PTFE	Straight with four side flaps	11.5F	5	1700	≥4.2	Divide
1608	BPDS-11442-1106/17	PTFE	Straight with four side flaps	11.5F	6	1700	≥4.2	Divide
1609	BPDS-11442-1107/17	PTFE	Straight with four side flaps	11.5F	7	1700	≥4.2	Divide
1610	BPDS-11442-1108/17	PTFE	Straight with four side flaps	11.5F	8	1700	≥4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1611	BPDS-11442-1109/17	PTFE	Straight with four side flaps	11.5F	9	1700	≥ 4.2	Divide
1612	BPDS-11442-1110/17	PTFE	Straight with four side flaps	11.5F	10	1700	≥ 4.2	Divide
1613	BPDS-11442-1111/17	PTFE	Straight with four side flaps	11.5F	11	1700	≥ 4.2	Divide
1614	BPDS-11442-1112/17	PTFE	Straight with four side flaps	11.5F	12	1700	≥ 4.2	Divide
1615	BPDS-11442-1113/17	PTFE	Straight with four side flaps	11.5F	13	1700	≥ 4.2	Divide
1616	BPDS-11442-1114/17	PTFE	Straight with four side flaps	11.5F	14	1700	≥ 4.2	Divide
1617	BPDS-11442-1115/17	PTFE	Straight with four side flaps	11.5F	15	1700	≥ 4.2	Divide
1618	BPDS-13442-0805/17	PTFE	Side bend with four side flaps	8.5F	5	1700	≥ 3.2	Divide
1619	BPDS-13442-0806/17	PTFE	Side bend with four side flaps	8.5F	6	1700	≥ 3.2	Divide
1620	BPDS-13442-0807/17	PTFE	Side bend with four side flaps	8.5F	7	1700	≥ 3.2	Divide
1621	BPDS-13442-0808/17	PTFE	Side bend with four side flaps	8.5F	8	1700	≥ 3.2	Divide
1622	BPDS-13442-0809/17	PTFE	Side bend with four side flaps	8.5F	9	1700	≥ 3.2	Divide
1623	BPDS-13442-0810/17	PTFE	Side bend with four side flaps	8.5F	10	1700	≥ 3.2	Divide
1624	BPDS-13442-0811/17	PTFE	Side bend with four side flaps	8.5F	11	1700	≥ 3.2	Divide
1625	BPDS-13442-0812/17	PTFE	Side bend with four side flaps	8.5F	12	1700	≥ 3.2	Divide
1626	BPDS-13442-0813/17	PTFE	Side bend with four side flaps	8.5F	13	1700	≥ 3.2	Divide
1627	BPDS-13442-0814/17	PTFE	Side bend with four side flaps	8.5F	14	1700	≥ 3.2	Divide
1628	BPDS-13442-0815/17	PTFE	Side bend with four side flaps	8.5F	15	1700	≥ 3.2	Divide
1629	BPDS-13442-1005/17	PTFE	Side bend with four side flaps	10F	5	1700	≥ 3.7	Divide
1630	BPDS-13442-1006/17	PTFE	Side bend with four side flaps	10F	6	1700	≥ 3.7	Divide
1631	BPDS-13442-1007/17	PTFE	Side bend with four side flaps	10F	7	1700	≥ 3.7	Divide
1632	BPDS-13442-1008/17	PTFE	Side bend with four side flaps	10F	8	1700	≥ 3.7	Divide
1633	BPDS-13442-1009/17	PTFE	Side bend with four side flaps	10F	9	1700	≥ 3.7	Divide
1634	BPDS-13442-1010/17	PTFE	Side bend with four side flaps	10F	10	1700	≥ 3.7	Divide
1635	BPDS-13442-1011/17	PTFE	Side bend with four side flaps	10F	11	1700	≥ 3.7	Divide
1636	BPDS-13442-1012/17	PTFE	Side bend with four side flaps	10F	12	1700	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1637	BPDS-13442-1013/17	PTFE	Side bend with four side flaps	10F	13	1700	≥ 3.7	Divide
1638	BPDS-13442-1014/17	PTFE	Side bend with four side flaps	10F	14	1700	≥ 3.7	Divide
1639	BPDS-13442-1015/17	PTFE	Side bend with four side flaps	10F	15	1700	≥ 3.7	Divide
1640	BPDS-13442-1105/17	PTFE	Side bend with four side flaps	11.5F	5	1700	≥ 4.2	Divide
1641	BPDS-13442-1106/17	PTFE	Side bend with four side flaps	11.5F	6	1700	≥ 4.2	Divide
1642	BPDS-13442-1107/17	PTFE	Side bend with four side flaps	11.5F	7	1700	≥ 4.2	Divide
1643	BPDS-13442-1108/17	PTFE	Side bend with four side flaps	11.5F	8	1700	≥ 4.2	Divide
1644	BPDS-13442-1109/17	PTFE	Side bend with four side flaps	11.5F	9	1700	≥ 4.2	Divide
1645	BPDS-13442-1110/17	PTFE	Side bend with four side flaps	11.5F	10	1700	≥ 4.2	Divide
1646	BPDS-13442-1111/17	PTFE	Side bend with four side flaps	11.5F	11	1700	≥ 4.2	Divide
1647	BPDS-13442-1112/17	PTFE	Side bend with four side flaps	11.5F	12	1700	≥ 4.2	Divide
1648	BPDS-13442-1113/17	PTFE	Side bend with four side flaps	11.5F	13	1700	≥ 4.2	Divide
1649	BPDS-13442-1114/17	PTFE	Side bend with four side flaps	11.5F	14	1700	≥ 4.2	Divide
1650	BPDS-13442-1115/17	PTFE	Side bend with four side flaps	11.5F	15	1700	≥ 4.2	Divide
1651	BPDS-14442-0805/17	PTFE	Center bend with four side flaps	8.5F	5	1700	≥ 3.2	Divide
1652	BPDS-14442-0806/17	PTFE	Center bend with four side flaps	8.5F	6	1700	≥ 3.2	Divide
1653	BPDS-14442-0807/17	PTFE	Center bend with four side flaps	8.5F	7	1700	≥ 3.2	Divide
1654	BPDS-14442-0808/17	PTFE	Center bend with four side flaps	8.5F	8	1700	≥ 3.2	Divide
1655	BPDS-14442-0809/17	PTFE	Center bend with four side flaps	8.5F	9	1700	≥ 3.2	Divide
1656	BPDS-14442-0810/17	PTFE	Center bend with four side flaps	8.5F	10	1700	≥ 3.2	Divide
1657	BPDS-14442-0811/17	PTFE	Center bend with four side flaps	8.5F	11	1700	≥ 3.2	Divide
1658	BPDS-14442-0812/17	PTFE	Center bend with four side flaps	8.5F	12	1700	≥ 3.2	Divide
1659	BPDS-14442-0813/17	PTFE	Center bend with four side flaps	8.5F	13	1700	≥ 3.2	Divide
1660	BPDS-14442-0814/17	PTFE	Center bend with four side flaps	8.5F	14	1700	≥ 3.2	Divide
1661	BPDS-14442-0815/17	PTFE	Center bend with four side flaps	8.5F	15	1700	≥ 3.2	Divide
1662	BPDS-14442-1005/17	PTFE	Center bend with four side flaps	10F	5	1700	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1663	BPDS-14442-1006/17	PTFE	Center bend with four side flaps	10F	6	1700	≥ 3.7	Divide
1664	BPDS-14442-1007/17	PTFE	Center bend with four side flaps	10F	7	1700	≥ 3.7	Divide
1665	BPDS-14442-1008/17	PTFE	Center bend with four side flaps	10F	8	1700	≥ 3.7	Divide
1666	BPDS-14442-1009/17	PTFE	Center bend with four side flaps	10F	9	1700	≥ 3.7	Divide
1667	BPDS-14442-1010/17	PTFE	Center bend with four side flaps	10F	10	1700	≥ 3.7	Divide
1668	BPDS-14442-1011/17	PTFE	Center bend with four side flaps	10F	11	1700	≥ 3.7	Divide
1669	BPDS-14442-1012/17	PTFE	Center bend with four side flaps	10F	12	1700	≥ 3.7	Divide
1670	BPDS-14442-1013/17	PTFE	Center bend with four side flaps	10F	13	1700	≥ 3.7	Divide
1671	BPDS-14442-1014/17	PTFE	Center bend with four side flaps	10F	14	1700	≥ 3.7	Divide
1672	BPDS-14442-1015/17	PTFE	Center bend with four side flaps	10F	15	1700	≥ 3.7	Divide
1673	BPDS-14442-1105/17	PTFE	Center bend with four side flaps	11.5F	5	1700	≥ 4.2	Divide
1674	BPDS-14442-1106/17	PTFE	Center bend with four side flaps	11.5F	6	1700	≥ 4.2	Divide
1675	BPDS-14442-1107/17	PTFE	Center bend with four side flaps	11.5F	7	1700	≥ 4.2	Divide
1676	BPDS-14442-1108/17	PTFE	Center bend with four side flaps	11.5F	8	1700	≥ 4.2	Divide
1677	BPDS-14442-1109/17	PTFE	Center bend with four side flaps	11.5F	9	1700	≥ 4.2	Divide
1678	BPDS-14442-1110/17	PTFE	Center bend with four side flaps	11.5F	10	1700	≥ 4.2	Divide
1679	BPDS-14442-1111/17	PTFE	Center bend with four side flaps	11.5F	11	1700	≥ 4.2	Divide
1680	BPDS-14442-1112/17	PTFE	Center bend with four side flaps	11.5F	12	1700	≥ 4.2	Divide
1681	BPDS-14442-1113/17	PTFE	Center bend with four side flaps	11.5F	13	1700	≥ 4.2	Divide
1682	BPDS-14442-1114/17	PTFE	Center bend with four side flaps	11.5F	14	1700	≥ 4.2	Divide
1683	BPDS-14442-1115/17	PTFE	Center bend with four side flaps	11.5F	15	1700	≥ 4.2	Divide
1684	BPDS-12442-0805/17	PTFE	Arcuate with four side flaps	8.5F	5	1700	≥ 3.2	Divide
1685	BPDS-12442-0806/17	PTFE	Arcuate with four side flaps	8.5F	6	1700	≥ 3.2	Divide
1686	BPDS-12442-0807/17	PTFE	Arcuate with four side flaps	8.5F	7	1700	≥ 3.2	Divide
1687	BPDS-12442-0808/17	PTFE	Arcuate with four side flaps	8.5F	8	1700	≥ 3.2	Divide
1688	BPDS-12442-0809/17	PTFE	Arcuate with four side flaps	8.5F	9	1700	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1689	BPDS-12442-0810/17	PTFE	Arcuate with four side flaps	8.5F	10	1700	≥ 3.2	Divide
1690	BPDS-12442-0811/17	PTFE	Arcuate with four side flaps	8.5F	11	1700	≥ 3.2	Divide
1691	BPDS-12442-0812/17	PTFE	Arcuate with four side flaps	8.5F	12	1700	≥ 3.2	Divide
1692	BPDS-12442-0813/17	PTFE	Arcuate with four side flaps	8.5F	13	1700	≥ 3.2	Divide
1693	BPDS-12442-0814/17	PTFE	Arcuate with four side flaps	8.5F	14	1700	≥ 3.2	Divide
1694	BPDS-12442-0815/17	PTFE	Arcuate with four side flaps	8.5F	15	1700	≥ 3.2	Divide
1695	BPDS-12442-1005/17	PTFE	Arcuate with four side flaps	10F	5	1700	≥ 3.7	Divide
1696	BPDS-12442-1006/17	PTFE	Arcuate with four side flaps	10F	6	1700	≥ 3.7	Divide
1697	BPDS-12442-1007/17	PTFE	Arcuate with four side flaps	10F	7	1700	≥ 3.7	Divide
1698	BPDS-12442-1008/17	PTFE	Arcuate with four side flaps	10F	8	1700	≥ 3.7	Divide
1699	BPDS-12442-1009/17	PTFE	Arcuate with four side flaps	10F	9	1700	≥ 3.7	Divide
1700	BPDS-12442-1010/17	PTFE	Arcuate with four side flaps	10F	10	1700	≥ 3.7	Divide
1701	BPDS-12442-1011/17	PTFE	Arcuate with four side flaps	10F	11	1700	≥ 3.7	Divide
1702	BPDS-12442-1012/17	PTFE	Arcuate with four side flaps	10F	12	1700	≥ 3.7	Divide
1703	BPDS-12442-1013/17	PTFE	Arcuate with four side flaps	10F	13	1700	≥ 3.7	Divide
1704	BPDS-12442-1014/17	PTFE	Arcuate with four side flaps	10F	14	1700	≥ 3.7	Divide
1705	BPDS-12442-1015/17	PTFE	Arcuate with four side flaps	10F	15	1700	≥ 3.7	Divide
1706	BPDS-12442-1105/17	PTFE	Arcuate with four side flaps	11.5F	5	1700	≥ 4.2	Divide
1707	BPDS-12442-1106/17	PTFE	Arcuate with four side flaps	11.5F	6	1700	≥ 4.2	Divide
1708	BPDS-12442-1107/17	PTFE	Arcuate with four side flaps	11.5F	7	1700	≥ 4.2	Divide
1709	BPDS-12442-1108/17	PTFE	Arcuate with four side flaps	11.5F	8	1700	≥ 4.2	Divide
1710	BPDS-12442-1109/17	PTFE	Arcuate with four side flaps	11.5F	9	1700	≥ 4.2	Divide
1711	BPDS-12442-1110/17	PTFE	Arcuate with four side flaps	11.5F	10	1700	≥ 4.2	Divide
1712	BPDS-12442-1111/17	PTFE	Arcuate with four side flaps	11.5F	11	1700	≥ 4.2	Divide
1713	BPDS-12442-1112/17	PTFE	Arcuate with four side flaps	11.5F	12	1700	≥ 4.2	Divide
1714	BPDS-12442-1113/17	PTFE	Arcuate with four side flaps	11.5F	13	1700	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1715	BPDS-12442-1114/17	PTFE	Arcuate with four side flaps	11.5F	14	1700	≥4.2	Divide
1716	BPDS-12442-1115/17	PTFE	Arcuate with four side flaps	11.5F	15	1700	≥4.2	Divide
1717	BPDS-11442-0805/19	PTFE	Straight with four side flaps	8.5F	5	1900	≥3.2	Divide
1718	BPDS-11442-0806/19	PTFE	Straight with four side flaps	8.5F	6	1900	≥3.2	Divide
1719	BPDS-11442-0807/19	PTFE	Straight with four side flaps	8.5F	7	1900	≥3.2	Divide
1720	BPDS-11442-0808/19	PTFE	Straight with four side flaps	8.5F	8	1900	≥3.2	Divide
1721	BPDS-11442-0809/19	PTFE	Straight with four side flaps	8.5F	9	1900	≥3.2	Divide
1722	BPDS-11442-0810/19	PTFE	Straight with four side flaps	8.5F	10	1900	≥3.2	Divide
1723	BPDS-11442-0811/19	PTFE	Straight with four side flaps	8.5F	11	1900	≥3.2	Divide
1724	BPDS-11442-0812/19	PTFE	Straight with four side flaps	8.5F	12	1900	≥3.2	Divide
1725	BPDS-11442-0813/19	PTFE	Straight with four side flaps	8.5F	13	1900	≥3.2	Divide
1726	BPDS-11442-0814/19	PTFE	Straight with four side flaps	8.5F	14	1900	≥3.2	Divide
1727	BPDS-11442-0815/19	PTFE	Straight with four side flaps	8.5F	15	1900	≥3.2	Divide
1728	BPDS-11442-1005/19	PTFE	Straight with four side flaps	10F	5	1900	≥3.7	Divide
1729	BPDS-11442-1006/19	PTFE	Straight with four side flaps	10F	6	1900	≥3.7	Divide
1730	BPDS-11442-1007/19	PTFE	Straight with four side flaps	10F	7	1900	≥3.7	Divide
1731	BPDS-11442-1008/19	PTFE	Straight with four side flaps	10F	8	1900	≥3.7	Divide
1732	BPDS-11442-1009/19	PTFE	Straight with four side flaps	10F	9	1900	≥3.7	Divide
1733	BPDS-11442-1010/19	PTFE	Straight with four side flaps	10F	10	1900	≥3.7	Divide
1734	BPDS-11442-1011/19	PTFE	Straight with four side flaps	10F	11	1900	≥3.7	Divide
1735	BPDS-11442-1012/19	PTFE	Straight with four side flaps	10F	12	1900	≥3.7	Divide
1736	BPDS-11442-1013/19	PTFE	Straight with four side flaps	10F	13	1900	≥3.7	Divide
1737	BPDS-11442-1014/19	PTFE	Straight with four side flaps	10F	14	1900	≥3.7	Divide
1738	BPDS-11442-1015/19	PTFE	Straight with four side flaps	10F	15	1900	≥3.7	Divide
1739	BPDS-11442-1105/19	PTFE	Straight with four side flaps	11.5F	5	1900	≥4.2	Divide
1740	BPDS-11442-1106/19	PTFE	Straight with four side flaps	11.5F	6	1900	≥4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1741	BPDS-11442-1107/19	PTFE	Straight with four side flaps	11.5F	7	1900	≥4.2	Divide
1742	BPDS-11442-1108/19	PTFE	Straight with four side flaps	11.5F	8	1900	≥4.2	Divide
1743	BPDS-11442-1109/19	PTFE	Straight with four side flaps	11.5F	9	1900	≥4.2	Divide
1744	BPDS-11442-1110/19	PTFE	Straight with four side flaps	11.5F	10	1900	≥4.2	Divide
1745	BPDS-11442-1111/19	PTFE	Straight with four side flaps	11.5F	11	1900	≥4.2	Divide
1746	BPDS-11442-1112/19	PTFE	Straight with four side flaps	11.5F	12	1900	≥4.2	Divide
1747	BPDS-11442-1113/19	PTFE	Straight with four side flaps	11.5F	13	1900	≥4.2	Divide
1748	BPDS-11442-1114/19	PTFE	Straight with four side flaps	11.5F	14	1900	≥4.2	Divide
1749	BPDS-11442-1115/19	PTFE	Straight with four side flaps	11.5F	15	1900	≥4.2	Divide
1750	BPDS-13442-0805/19	PTFE	Side bend with four side flaps	8.5F	5	1900	≥3.2	Divide
1751	BPDS-13442-0806/19	PTFE	Side bend with four side flaps	8.5F	6	1900	≥3.2	Divide
1752	BPDS-13442-0807/19	PTFE	Side bend with four side flaps	8.5F	7	1900	≥3.2	Divide
1753	BPDS-13442-0808/19	PTFE	Side bend with four side flaps	8.5F	8	1900	≥3.2	Divide
1754	BPDS-13442-0809/19	PTFE	Side bend with four side flaps	8.5F	9	1900	≥3.2	Divide
1755	BPDS-13442-0810/19	PTFE	Side bend with four side flaps	8.5F	10	1900	≥3.2	Divide
1756	BPDS-13442-0811/19	PTFE	Side bend with four side flaps	8.5F	11	1900	≥3.2	Divide
1757	BPDS-13442-0812/19	PTFE	Side bend with four side flaps	8.5F	12	1900	≥3.2	Divide
1758	BPDS-13442-0813/19	PTFE	Side bend with four side flaps	8.5F	13	1900	≥3.2	Divide
1759	BPDS-13442-0814/19	PTFE	Side bend with four side flaps	8.5F	14	1900	≥3.2	Divide
1760	BPDS-13442-0815/19	PTFE	Side bend with four side flaps	8.5F	15	1900	≥3.2	Divide
1761	BPDS-13442-1005/19	PTFE	Side bend with four side flaps	10F	5	1900	≥3.7	Divide
1762	BPDS-13442-1006/19	PTFE	Side bend with four side flaps	10F	6	1900	≥3.7	Divide
1763	BPDS-13442-1007/19	PTFE	Side bend with four side flaps	10F	7	1900	≥3.7	Divide
1764	BPDS-13442-1008/19	PTFE	Side bend with four side flaps	10F	8	1900	≥3.7	Divide
1765	BPDS-13442-1009/19	PTFE	Side bend with four side flaps	10F	9	1900	≥3.7	Divide
1766	BPDS-13442-1010/19	PTFE	Side bend with four side flaps	10F	10	1900	≥3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1767	BPDS-13442-1011/19	PTFE	Side bend with four side flaps	10F	11	1900	≥ 3.7	Divide
1768	BPDS-13442-1012/19	PTFE	Side bend with four side flaps	10F	12	1900	≥ 3.7	Divide
1769	BPDS-13442-1013/19	PTFE	Side bend with four side flaps	10F	13	1900	≥ 3.7	Divide
1770	BPDS-13442-1014/19	PTFE	Side bend with four side flaps	10F	14	1900	≥ 3.7	Divide
1771	BPDS-13442-1015/19	PTFE	Side bend with four side flaps	10F	15	1900	≥ 3.7	Divide
1772	BPDS-13442-1105/19	PTFE	Side bend with four side flaps	11.5F	5	1900	≥ 4.2	Divide
1773	BPDS-13442-1106/19	PTFE	Side bend with four side flaps	11.5F	6	1900	≥ 4.2	Divide
1774	BPDS-13442-1107/19	PTFE	Side bend with four side flaps	11.5F	7	1900	≥ 4.2	Divide
1775	BPDS-13442-1108/19	PTFE	Side bend with four side flaps	11.5F	8	1900	≥ 4.2	Divide
1776	BPDS-13442-1109/19	PTFE	Side bend with four side flaps	11.5F	9	1900	≥ 4.2	Divide
1777	BPDS-13442-1110/19	PTFE	Side bend with four side flaps	11.5F	10	1900	≥ 4.2	Divide
1778	BPDS-13442-1111/19	PTFE	Side bend with four side flaps	11.5F	11	1900	≥ 4.2	Divide
1779	BPDS-13442-1112/19	PTFE	Side bend with four side flaps	11.5F	12	1900	≥ 4.2	Divide
1780	BPDS-13442-1113/19	PTFE	Side bend with four side flaps	11.5F	13	1900	≥ 4.2	Divide
1781	BPDS-13442-1114/19	PTFE	Side bend with four side flaps	11.5F	14	1900	≥ 4.2	Divide
1782	BPDS-13442-1115/19	PTFE	Side bend with four side flaps	11.5F	15	1900	≥ 4.2	Divide
1783	BPDS-14442-0805/19	PTFE	Center bend with four side flaps	8.5F	5	1900	≥ 3.2	Divide
1784	BPDS-14442-0806/19	PTFE	Center bend with four side flaps	8.5F	6	1900	≥ 3.2	Divide
1785	BPDS-14442-0807/19	PTFE	Center bend with four side flaps	8.5F	7	1900	≥ 3.2	Divide
1786	BPDS-14442-0808/19	PTFE	Center bend with four side flaps	8.5F	8	1900	≥ 3.2	Divide
1787	BPDS-14442-0809/19	PTFE	Center bend with four side flaps	8.5F	9	1900	≥ 3.2	Divide
1788	BPDS-14442-0810/19	PTFE	Center bend with four side flaps	8.5F	10	1900	≥ 3.2	Divide
1789	BPDS-14442-0811/19	PTFE	Center bend with four side flaps	8.5F	11	1900	≥ 3.2	Divide
1790	BPDS-14442-0812/19	PTFE	Center bend with four side flaps	8.5F	12	1900	≥ 3.2	Divide
1791	BPDS-14442-0813/19	PTFE	Center bend with four side flaps	8.5F	13	1900	≥ 3.2	Divide
1792	BPDS-14442-0814/19	PTFE	Center bend with four side flaps	8.5F	14	1900	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1793	BPDS-14442-0815/19	PTFE	Center bend with four side flaps	8.5F	15	1900	≥ 3.2	Divide
1794	BPDS-14442-1005/19	PTFE	Center bend with four side flaps	10F	5	1900	≥ 3.7	Divide
1795	BPDS-14442-1006/19	PTFE	Center bend with four side flaps	10F	6	1900	≥ 3.7	Divide
1796	BPDS-14442-1007/19	PTFE	Center bend with four side flaps	10F	7	1900	≥ 3.7	Divide
1797	BPDS-14442-1008/19	PTFE	Center bend with four side flaps	10F	8	1900	≥ 3.7	Divide
1798	BPDS-14442-1009/19	PTFE	Center bend with four side flaps	10F	9	1900	≥ 3.7	Divide
1799	BPDS-14442-1010/19	PTFE	Center bend with four side flaps	10F	10	1900	≥ 3.7	Divide
1800	BPDS-14442-1011/19	PTFE	Center bend with four side flaps	10F	11	1900	≥ 3.7	Divide
1801	BPDS-14442-1012/19	PTFE	Center bend with four side flaps	10F	12	1900	≥ 3.7	Divide
1802	BPDS-14442-1013/19	PTFE	Center bend with four side flaps	10F	13	1900	≥ 3.7	Divide
1803	BPDS-14442-1014/19	PTFE	Center bend with four side flaps	10F	14	1900	≥ 3.7	Divide
1804	BPDS-14442-1015/19	PTFE	Center bend with four side flaps	10F	15	1900	≥ 3.7	Divide
1805	BPDS-14442-1105/19	PTFE	Center bend with four side flaps	11.5F	5	1900	≥ 4.2	Divide
1806	BPDS-14442-1106/19	PTFE	Center bend with four side flaps	11.5F	6	1900	≥ 4.2	Divide
1807	BPDS-14442-1107/19	PTFE	Center bend with four side flaps	11.5F	7	1900	≥ 4.2	Divide
1808	BPDS-14442-1108/19	PTFE	Center bend with four side flaps	11.5F	8	1900	≥ 4.2	Divide
1809	BPDS-14442-1109/19	PTFE	Center bend with four side flaps	11.5F	9	1900	≥ 4.2	Divide
1810	BPDS-14442-1110/19	PTFE	Center bend with four side flaps	11.5F	10	1900	≥ 4.2	Divide
1811	BPDS-14442-1111/19	PTFE	Center bend with four side flaps	11.5F	11	1900	≥ 4.2	Divide
1812	BPDS-14442-1112/19	PTFE	Center bend with four side flaps	11.5F	12	1900	≥ 4.2	Divide
1813	BPDS-14442-1113/19	PTFE	Center bend with four side flaps	11.5F	13	1900	≥ 4.2	Divide
1814	BPDS-14442-1114/19	PTFE	Center bend with four side flaps	11.5F	14	1900	≥ 4.2	Divide
1815	BPDS-14442-1115/19	PTFE	Center bend with four side flaps	11.5F	15	1900	≥ 4.2	Divide
1816	BPDS-12442-0805/19	PTFE	Arcuate with four side flaps	8.5F	5	1900	≥ 3.2	Divide
1817	BPDS-12442-0806/19	PTFE	Arcuate with four side flaps	8.5F	6	1900	≥ 3.2	Divide
1818	BPDS-12442-0807/19	PTFE	Arcuate with four side flaps	8.5F	7	1900	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1819	BPDS-12442-0808/19	PTFE	Arcuate with four side flaps	8.5F	8	1900	≥3.2	Divide
1820	BPDS-12442-0809/19	PTFE	Arcuate with four side flaps	8.5F	9	1900	≥3.2	Divide
1821	BPDS-12442-0810/19	PTFE	Arcuate with four side flaps	8.5F	10	1900	≥3.2	Divide
1822	BPDS-12442-0811/19	PTFE	Arcuate with four side flaps	8.5F	11	1900	≥3.2	Divide
1823	BPDS-12442-0812/19	PTFE	Arcuate with four side flaps	8.5F	12	1900	≥3.2	Divide
1824	BPDS-12442-0813/19	PTFE	Arcuate with four side flaps	8.5F	13	1900	≥3.2	Divide
1825	BPDS-12442-0814/19	PTFE	Arcuate with four side flaps	8.5F	14	1900	≥3.2	Divide
1826	BPDS-12442-0815/19	PTFE	Arcuate with four side flaps	8.5F	15	1900	≥3.2	Divide
1827	BPDS-12442-1005/19	PTFE	Arcuate with four side flaps	10F	5	1900	≥3.7	Divide
1828	BPDS-12442-1006/19	PTFE	Arcuate with four side flaps	10F	6	1900	≥3.7	Divide
1829	BPDS-12442-1007/19	PTFE	Arcuate with four side flaps	10F	7	1900	≥3.7	Divide
1830	BPDS-12442-1008/19	PTFE	Arcuate with four side flaps	10F	8	1900	≥3.7	Divide
1831	BPDS-12442-1009/19	PTFE	Arcuate with four side flaps	10F	9	1900	≥3.7	Divide
1832	BPDS-12442-1010/19	PTFE	Arcuate with four side flaps	10F	10	1900	≥3.7	Divide
1833	BPDS-12442-1011/19	PTFE	Arcuate with four side flaps	10F	11	1900	≥3.7	Divide
1834	BPDS-12442-1012/19	PTFE	Arcuate with four side flaps	10F	12	1900	≥3.7	Divide
1835	BPDS-12442-1013/19	PTFE	Arcuate with four side flaps	10F	13	1900	≥3.7	Divide
1836	BPDS-12442-1014/19	PTFE	Arcuate with four side flaps	10F	14	1900	≥3.7	Divide
1837	BPDS-12442-1015/19	PTFE	Arcuate with four side flaps	10F	15	1900	≥3.7	Divide
1838	BPDS-12442-1105/19	PTFE	Arcuate with four side flaps	11.5F	5	1900	≥4.2	Divide
1839	BPDS-12442-1106/19	PTFE	Arcuate with four side flaps	11.5F	6	1900	≥4.2	Divide
1840	BPDS-12442-1107/19	PTFE	Arcuate with four side flaps	11.5F	7	1900	≥4.2	Divide
1841	BPDS-12442-1108/19	PTFE	Arcuate with four side flaps	11.5F	8	1900	≥4.2	Divide
1842	BPDS-12442-1109/19	PTFE	Arcuate with four side flaps	11.5F	9	1900	≥4.2	Divide
1843	BPDS-12442-1110/19	PTFE	Arcuate with four side flaps	11.5F	10	1900	≥4.2	Divide
1844	BPDS-12442-1111/19	PTFE	Arcuate with four side flaps	11.5F	11	1900	≥4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1845	BPDS-12442-1112/19	PTFE	Arcuate with four side flaps	11.5F	12	1900	≥4.2	Divide
1846	BPDS-12442-1113/19	PTFE	Arcuate with four side flaps	11.5F	13	1900	≥4.2	Divide
1847	BPDS-12442-1114/19	PTFE	Arcuate with four side flaps	11.5F	14	1900	≥4.2	Divide
1848	BPDS-12442-1115/19	PTFE	Arcuate with four side flaps	11.5F	15	1900	≥4.2	Divide
1849	BPDS-11442-0805/22	PTFE	Straight with four side flaps	8.5F	5	2200	≥3.2	Divide
1850	BPDS-11442-0806/22	PTFE	Straight with four side flaps	8.5F	6	2200	≥3.2	Divide
1851	BPDS-11442-0807/22	PTFE	Straight with four side flaps	8.5F	7	2200	≥3.2	Divide
1852	BPDS-11442-0808/22	PTFE	Straight with four side flaps	8.5F	8	2200	≥3.2	Divide
1853	BPDS-11442-0809/22	PTFE	Straight with four side flaps	8.5F	9	2200	≥3.2	Divide
1854	BPDS-11442-0810/22	PTFE	Straight with four side flaps	8.5F	10	2200	≥3.2	Divide
1855	BPDS-11442-0811/22	PTFE	Straight with four side flaps	8.5F	11	2200	≥3.2	Divide
1856	BPDS-11442-0812/22	PTFE	Straight with four side flaps	8.5F	12	2200	≥3.2	Divide
1857	BPDS-11442-0813/22	PTFE	Straight with four side flaps	8.5F	13	2200	≥3.2	Divide
1858	BPDS-11442-0814/22	PTFE	Straight with four side flaps	8.5F	14	2200	≥3.2	Divide
1859	BPDS-11442-0815/22	PTFE	Straight with four side flaps	8.5F	15	2200	≥3.2	Divide
1860	BPDS-11442-1005/22	PTFE	Straight with four side flaps	10F	5	2200	≥3.7	Divide
1861	BPDS-11442-1006/22	PTFE	Straight with four side flaps	10F	6	2200	≥3.7	Divide
1862	BPDS-11442-1007/22	PTFE	Straight with four side flaps	10F	7	2200	≥3.7	Divide
1863	BPDS-11442-1008/22	PTFE	Straight with four side flaps	10F	8	2200	≥3.7	Divide
1864	BPDS-11442-1009/22	PTFE	Straight with four side flaps	10F	9	2200	≥3.7	Divide
1865	BPDS-11442-1010/22	PTFE	Straight with four side flaps	10F	10	2200	≥3.7	Divide
1866	BPDS-11442-1011/22	PTFE	Straight with four side flaps	10F	11	2200	≥3.7	Divide
1867	BPDS-11442-1012/22	PTFE	Straight with four side flaps	10F	12	2200	≥3.7	Divide
1868	BPDS-11442-1013/22	PTFE	Straight with four side flaps	10F	13	2200	≥3.7	Divide
1869	BPDS-11442-1014/22	PTFE	Straight with four side flaps	10F	14	2200	≥3.7	Divide
1870	BPDS-11442-1015/22	PTFE	Straight with four side flaps	10F	15	2200	≥3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1871	BPDS-11442-1105/22	PTFE	Straight with four side flaps	11.5F	5	2200	≥4.2	Divide
1872	BPDS-11442-1106/22	PTFE	Straight with four side flaps	11.5F	6	2200	≥4.2	Divide
1873	BPDS-11442-1107/22	PTFE	Straight with four side flaps	11.5F	7	2200	≥4.2	Divide
1874	BPDS-11442-1108/22	PTFE	Straight with four side flaps	11.5F	8	2200	≥4.2	Divide
1875	BPDS-11442-1109/22	PTFE	Straight with four side flaps	11.5F	9	2200	≥4.2	Divide
1876	BPDS-11442-1110/22	PTFE	Straight with four side flaps	11.5F	10	2200	≥4.2	Divide
1877	BPDS-11442-1111/22	PTFE	Straight with four side flaps	11.5F	11	2200	≥4.2	Divide
1878	BPDS-11442-1112/22	PTFE	Straight with four side flaps	11.5F	12	2200	≥4.2	Divide
1879	BPDS-11442-1113/22	PTFE	Straight with four side flaps	11.5F	13	2200	≥4.2	Divide
1880	BPDS-11442-1114/22	PTFE	Straight with four side flaps	11.5F	14	2200	≥4.2	Divide
1881	BPDS-11442-1115/22	PTFE	Straight with four side flaps	11.5F	15	2200	≥4.2	Divide
1882	BPDS-13442-0805/22	PTFE	Side bend with four side flaps	8.5F	5	2200	≥3.2	Divide
1883	BPDS-13442-0806/22	PTFE	Side bend with four side flaps	8.5F	6	2200	≥3.2	Divide
1884	BPDS-13442-0807/22	PTFE	Side bend with four side flaps	8.5F	7	2200	≥3.2	Divide
1885	BPDS-13442-0808/22	PTFE	Side bend with four side flaps	8.5F	8	2200	≥3.2	Divide
1886	BPDS-13442-0809/22	PTFE	Side bend with four side flaps	8.5F	9	2200	≥3.2	Divide
1887	BPDS-13442-0810/22	PTFE	Side bend with four side flaps	8.5F	10	2200	≥3.2	Divide
1888	BPDS-13442-0811/22	PTFE	Side bend with four side flaps	8.5F	11	2200	≥3.2	Divide
1889	BPDS-13442-0812/22	PTFE	Side bend with four side flaps	8.5F	12	2200	≥3.2	Divide
1890	BPDS-13442-0813/22	PTFE	Side bend with four side flaps	8.5F	13	2200	≥3.2	Divide
1891	BPDS-13442-0814/22	PTFE	Side bend with four side flaps	8.5F	14	2200	≥3.2	Divide
1892	BPDS-13442-0815/22	PTFE	Side bend with four side flaps	8.5F	15	2200	≥3.2	Divide
1893	BPDS-13442-1005/22	PTFE	Side bend with four side flaps	10F	5	2200	≥3.7	Divide
1894	BPDS-13442-1006/22	PTFE	Side bend with four side flaps	10F	6	2200	≥3.7	Divide
1895	BPDS-13442-1007/22	PTFE	Side bend with four side flaps	10F	7	2200	≥3.7	Divide
1896	BPDS-13442-1008/22	PTFE	Side bend with four side flaps	10F	8	2200	≥3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1897	BPDS-13442-1009/22	PTFE	Side bend with four side flaps	10F	9	2200	≥ 3.7	Divide
1898	BPDS-13442-1010/22	PTFE	Side bend with four side flaps	10F	10	2200	≥ 3.7	Divide
1899	BPDS-13442-1011/22	PTFE	Side bend with four side flaps	10F	11	2200	≥ 3.7	Divide
1900	BPDS-13442-1012/22	PTFE	Side bend with four side flaps	10F	12	2200	≥ 3.7	Divide
1901	BPDS-13442-1013/22	PTFE	Side bend with four side flaps	10F	13	2200	≥ 3.7	Divide
1902	BPDS-13442-1014/22	PTFE	Side bend with four side flaps	10F	14	2200	≥ 3.7	Divide
1903	BPDS-13442-1015/22	PTFE	Side bend with four side flaps	10F	15	2200	≥ 3.7	Divide
1904	BPDS-13442-1105/22	PTFE	Side bend with four side flaps	11.5F	5	2200	≥ 4.2	Divide
1905	BPDS-13442-1106/22	PTFE	Side bend with four side flaps	11.5F	6	2200	≥ 4.2	Divide
1906	BPDS-13442-1107/22	PTFE	Side bend with four side flaps	11.5F	7	2200	≥ 4.2	Divide
1907	BPDS-13442-1108/22	PTFE	Side bend with four side flaps	11.5F	8	2200	≥ 4.2	Divide
1908	BPDS-13442-1109/22	PTFE	Side bend with four side flaps	11.5F	9	2200	≥ 4.2	Divide
1909	BPDS-13442-1110/22	PTFE	Side bend with four side flaps	11.5F	10	2200	≥ 4.2	Divide
1910	BPDS-13442-1111/22	PTFE	Side bend with four side flaps	11.5F	11	2200	≥ 4.2	Divide
1911	BPDS-13442-1112/22	PTFE	Side bend with four side flaps	11.5F	12	2200	≥ 4.2	Divide
1912	BPDS-13442-1113/22	PTFE	Side bend with four side flaps	11.5F	13	2200	≥ 4.2	Divide
1913	BPDS-13442-1114/22	PTFE	Side bend with four side flaps	11.5F	14	2200	≥ 4.2	Divide
1914	BPDS-13442-1115/22	PTFE	Side bend with four side flaps	11.5F	15	2200	≥ 4.2	Divide
1915	BPDS-14442-0805/22	PTFE	Center bend with four side flaps	8.5F	5	2200	≥ 3.2	Divide
1916	BPDS-14442-0806/22	PTFE	Center bend with four side flaps	8.5F	6	2200	≥ 3.2	Divide
1917	BPDS-14442-0807/22	PTFE	Center bend with four side flaps	8.5F	7	2200	≥ 3.2	Divide
1918	BPDS-14442-0808/22	PTFE	Center bend with four side flaps	8.5F	8	2200	≥ 3.2	Divide
1919	BPDS-14442-0809/22	PTFE	Center bend with four side flaps	8.5F	9	2200	≥ 3.2	Divide
1920	BPDS-14442-0810/22	PTFE	Center bend with four side flaps	8.5F	10	2200	≥ 3.2	Divide
1921	BPDS-14442-0811/22	PTFE	Center bend with four side flaps	8.5F	11	2200	≥ 3.2	Divide
1922	BPDS-14442-0812/22	PTFE	Center bend with four side flaps	8.5F	12	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1923	BPDS-14442-0813/22	PTFE	Center bend with four side flaps	8.5F	13	2200	≥ 3.2	Divide
1924	BPDS-14442-0814/22	PTFE	Center bend with four side flaps	8.5F	14	2200	≥ 3.2	Divide
1925	BPDS-14442-0815/22	PTFE	Center bend with four side flaps	8.5F	15	2200	≥ 3.2	Divide
1926	BPDS-14442-1005/22	PTFE	Center bend with four side flaps	10F	5	2200	≥ 3.7	Divide
1927	BPDS-14442-1006/22	PTFE	Center bend with four side flaps	10F	6	2200	≥ 3.7	Divide
1928	BPDS-14442-1007/22	PTFE	Center bend with four side flaps	10F	7	2200	≥ 3.7	Divide
1929	BPDS-14442-1008/22	PTFE	Center bend with four side flaps	10F	8	2200	≥ 3.7	Divide
1930	BPDS-14442-1009/22	PTFE	Center bend with four side flaps	10F	9	2200	≥ 3.7	Divide
1931	BPDS-14442-1010/22	PTFE	Center bend with four side flaps	10F	10	2200	≥ 3.7	Divide
1932	BPDS-14442-1011/22	PTFE	Center bend with four side flaps	10F	11	2200	≥ 3.7	Divide
1933	BPDS-14442-1012/22	PTFE	Center bend with four side flaps	10F	12	2200	≥ 3.7	Divide
1934	BPDS-14442-1013/22	PTFE	Center bend with four side flaps	10F	13	2200	≥ 3.7	Divide
1935	BPDS-14442-1014/22	PTFE	Center bend with four side flaps	10F	14	2200	≥ 3.7	Divide
1936	BPDS-14442-1015/22	PTFE	Center bend with four side flaps	10F	15	2200	≥ 3.7	Divide
1937	BPDS-14442-1105/22	PTFE	Center bend with four side flaps	11.5F	5	2200	≥ 4.2	Divide
1938	BPDS-14442-1106/22	PTFE	Center bend with four side flaps	11.5F	6	2200	≥ 4.2	Divide
1939	BPDS-14442-1107/22	PTFE	Center bend with four side flaps	11.5F	7	2200	≥ 4.2	Divide
1940	BPDS-14442-1108/22	PTFE	Center bend with four side flaps	11.5F	8	2200	≥ 4.2	Divide
1941	BPDS-14442-1109/22	PTFE	Center bend with four side flaps	11.5F	9	2200	≥ 4.2	Divide
1942	BPDS-14442-1110/22	PTFE	Center bend with four side flaps	11.5F	10	2200	≥ 4.2	Divide
1943	BPDS-14442-1111/22	PTFE	Center bend with four side flaps	11.5F	11	2200	≥ 4.2	Divide
1944	BPDS-14442-1112/22	PTFE	Center bend with four side flaps	11.5F	12	2200	≥ 4.2	Divide
1945	BPDS-14442-1113/22	PTFE	Center bend with four side flaps	11.5F	13	2200	≥ 4.2	Divide
1946	BPDS-14442-1114/22	PTFE	Center bend with four side flaps	11.5F	14	2200	≥ 4.2	Divide
1947	BPDS-14442-1115/22	PTFE	Center bend with four side flaps	11.5F	15	2200	≥ 4.2	Divide
1948	BPDS-12442-0805/22	PTFE	Arcuate with four side flaps	8.5F	5	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1949	BPDS-12442-0806/22	PTFE	Arcuate with four side flaps	8.5F	6	2200	≥ 3.2	Divide
1950	BPDS-12442-0807/22	PTFE	Arcuate with four side flaps	8.5F	7	2200	≥ 3.2	Divide
1951	BPDS-12442-0808/22	PTFE	Arcuate with four side flaps	8.5F	8	2200	≥ 3.2	Divide
1952	BPDS-12442-0809/22	PTFE	Arcuate with four side flaps	8.5F	9	2200	≥ 3.2	Divide
1953	BPDS-12442-0810/22	PTFE	Arcuate with four side flaps	8.5F	10	2200	≥ 3.2	Divide
1954	BPDS-12442-0811/22	PTFE	Arcuate with four side flaps	8.5F	11	2200	≥ 3.2	Divide
1955	BPDS-12442-0812/22	PTFE	Arcuate with four side flaps	8.5F	12	2200	≥ 3.2	Divide
1956	BPDS-12442-0813/22	PTFE	Arcuate with four side flaps	8.5F	13	2200	≥ 3.2	Divide
1957	BPDS-12442-0814/22	PTFE	Arcuate with four side flaps	8.5F	14	2200	≥ 3.2	Divide
1958	BPDS-12442-0815/22	PTFE	Arcuate with four side flaps	8.5F	15	2200	≥ 3.2	Divide
1959	BPDS-12442-1005/22	PTFE	Arcuate with four side flaps	10F	5	2200	≥ 3.7	Divide
1960	BPDS-12442-1006/22	PTFE	Arcuate with four side flaps	10F	6	2200	≥ 3.7	Divide
1961	BPDS-12442-1007/22	PTFE	Arcuate with four side flaps	10F	7	2200	≥ 3.7	Divide
1962	BPDS-12442-1008/22	PTFE	Arcuate with four side flaps	10F	8	2200	≥ 3.7	Divide
1963	BPDS-12442-1009/22	PTFE	Arcuate with four side flaps	10F	9	2200	≥ 3.7	Divide
1964	BPDS-12442-1010/22	PTFE	Arcuate with four side flaps	10F	10	2200	≥ 3.7	Divide
1965	BPDS-12442-1011/22	PTFE	Arcuate with four side flaps	10F	11	2200	≥ 3.7	Divide
1966	BPDS-12442-1012/22	PTFE	Arcuate with four side flaps	10F	12	2200	≥ 3.7	Divide
1967	BPDS-12442-1013/22	PTFE	Arcuate with four side flaps	10F	13	2200	≥ 3.7	Divide
1968	BPDS-12442-1014/22	PTFE	Arcuate with four side flaps	10F	14	2200	≥ 3.7	Divide
1969	BPDS-12442-1015/22	PTFE	Arcuate with four side flaps	10F	15	2200	≥ 3.7	Divide
1970	BPDS-12442-1105/22	PTFE	Arcuate with four side flaps	11.5F	5	2200	≥ 4.2	Divide
1971	BPDS-12442-1106/22	PTFE	Arcuate with four side flaps	11.5F	6	2200	≥ 4.2	Divide
1972	BPDS-12442-1107/22	PTFE	Arcuate with four side flaps	11.5F	7	2200	≥ 4.2	Divide
1973	BPDS-12442-1108/22	PTFE	Arcuate with four side flaps	11.5F	8	2200	≥ 4.2	Divide
1974	BPDS-12442-1109/22	PTFE	Arcuate with four side flaps	11.5F	9	2200	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



1975	BPDS-12442-1110/22	PTFE	Arcuate with four side flaps	11.5F	10	2200	≥4.2	Divide
1976	BPDS-12442-1111/22	PTFE	Arcuate with four side flaps	11.5F	11	2200	≥4.2	Divide
1977	BPDS-12442-1112/22	PTFE	Arcuate with four side flaps	11.5F	12	2200	≥4.2	Divide
1978	BPDS-12442-1113/22	PTFE	Arcuate with four side flaps	11.5F	13	2200	≥4.2	Divide
1979	BPDS-12442-1114/22	PTFE	Arcuate with four side flaps	11.5F	14	2200	≥4.2	Divide
1980	BPDS-12442-1115/22	PTFE	Arcuate with four side flaps	11.5F	15	2200	≥4.2	Divide
1981	BPDS-11441-0805/17	PTFE	Straight with four side flaps	8.5F	5	1700	≥3.2	Divide
1982	BPDS-11441-0806/17	PTFE	Straight with four side flaps	8.5F	6	1700	≥3.2	Divide
1983	BPDS-11441-0807/17	PTFE	Straight with four side flaps	8.5F	7	1700	≥3.2	Divide
1984	BPDS-11441-0808/17	PTFE	Straight with four side flaps	8.5F	8	1700	≥3.2	Divide
1985	BPDS-11441-0809/17	PTFE	Straight with four side flaps	8.5F	9	1700	≥3.2	Divide
1986	BPDS-11441-0810/17	PTFE	Straight with four side flaps	8.5F	10	1700	≥3.2	Divide
1987	BPDS-11441-0811/17	PTFE	Straight with four side flaps	8.5F	11	1700	≥3.2	Divide
1988	BPDS-11441-0812/17	PTFE	Straight with four side flaps	8.5F	12	1700	≥3.2	Divide
1989	BPDS-11441-0813/17	PTFE	Straight with four side flaps	8.5F	13	1700	≥3.2	Divide
1990	BPDS-11441-0814/17	PTFE	Straight with four side flaps	8.5F	14	1700	≥3.2	Divide
1991	BPDS-11441-0815/17	PTFE	Straight with four side flaps	8.5F	15	1700	≥3.2	Divide
1992	BPDS-11441-1005/17	PTFE	Straight with four side flaps	10F	5	1700	≥3.7	Divide
1993	BPDS-11441-1006/17	PTFE	Straight with four side flaps	10F	6	1700	≥3.7	Divide
1994	BPDS-11441-1007/17	PTFE	Straight with four side flaps	10F	7	1700	≥3.7	Divide
1995	BPDS-11441-1008/17	PTFE	Straight with four side flaps	10F	8	1700	≥3.7	Divide
1996	BPDS-11441-1009/17	PTFE	Straight with four side flaps	10F	9	1700	≥3.7	Divide
1997	BPDS-11441-1010/17	PTFE	Straight with four side flaps	10F	10	1700	≥3.7	Divide
1998	BPDS-11441-1011/17	PTFE	Straight with four side flaps	10F	11	1700	≥3.7	Divide
1999	BPDS-11441-1012/17	PTFE	Straight with four side flaps	10F	12	1700	≥3.7	Divide
2000	BPDS-11441-1013/17	PTFE	Straight with four side flaps	10F	13	1700	≥3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2001	BPDS-11441-1014/17	PTFE	Straight with four side flaps	10F	14	1700	≥ 3.7	Divide
2002	BPDS-11441-1015/17	PTFE	Straight with four side flaps	10F	15	1700	≥ 3.7	Divide
2003	BPDS-11441-1105/17	PTFE	Straight with four side flaps	11.5F	5	1700	≥ 4.2	Divide
2004	BPDS-11441-1106/17	PTFE	Straight with four side flaps	11.5F	6	1700	≥ 4.2	Divide
2005	BPDS-11441-1107/17	PTFE	Straight with four side flaps	11.5F	7	1700	≥ 4.2	Divide
2006	BPDS-11441-1108/17	PTFE	Straight with four side flaps	11.5F	8	1700	≥ 4.2	Divide
2007	BPDS-11441-1109/17	PTFE	Straight with four side flaps	11.5F	9	1700	≥ 4.2	Divide
2008	BPDS-11441-1110/17	PTFE	Straight with four side flaps	11.5F	10	1700	≥ 4.2	Divide
2009	BPDS-11441-1111/17	PTFE	Straight with four side flaps	11.5F	11	1700	≥ 4.2	Divide
2010	BPDS-11441-1112/17	PTFE	Straight with four side flaps	11.5F	12	1700	≥ 4.2	Divide
2011	BPDS-11441-1113/17	PTFE	Straight with four side flaps	11.5F	13	1700	≥ 4.2	Divide
2012	BPDS-11441-1114/17	PTFE	Straight with four side flaps	11.5F	14	1700	≥ 4.2	Divide
2013	BPDS-11441-1115/17	PTFE	Straight with four side flaps	11.5F	15	1700	≥ 4.2	Divide
2014	BPDS-13441-0805/17	PTFE	Side bend with four side flaps	8.5F	5	1700	≥ 3.2	Divide
2015	BPDS-13441-0806/17	PTFE	Side bend with four side flaps	8.5F	6	1700	≥ 3.2	Divide
2016	BPDS-13441-0807/17	PTFE	Side bend with four side flaps	8.5F	7	1700	≥ 3.2	Divide
2017	BPDS-13441-0808/17	PTFE	Side bend with four side flaps	8.5F	8	1700	≥ 3.2	Divide
2018	BPDS-13441-0809/17	PTFE	Side bend with four side flaps	8.5F	9	1700	≥ 3.2	Divide
2019	BPDS-13441-0810/17	PTFE	Side bend with four side flaps	8.5F	10	1700	≥ 3.2	Divide
2020	BPDS-13441-0811/17	PTFE	Side bend with four side flaps	8.5F	11	1700	≥ 3.2	Divide
2021	BPDS-13441-0812/17	PTFE	Side bend with four side flaps	8.5F	12	1700	≥ 3.2	Divide
2022	BPDS-13441-0813/17	PTFE	Side bend with four side flaps	8.5F	13	1700	≥ 3.2	Divide
2023	BPDS-13441-0814/17	PTFE	Side bend with four side flaps	8.5F	14	1700	≥ 3.2	Divide
2024	BPDS-13441-0815/17	PTFE	Side bend with four side flaps	8.5F	15	1700	≥ 3.2	Divide
2025	BPDS-13441-1005/17	PTFE	Side bend with four side flaps	10F	5	1700	≥ 3.7	Divide
2026	BPDS-13441-1006/17	PTFE	Side bend with four side flaps	10F	6	1700	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2027	BPDS-13441-1007/17	PTFE	Side bend with four side flaps	10F	7	1700	≥ 3.7	Divide
2028	BPDS-13441-1008/17	PTFE	Side bend with four side flaps	10F	8	1700	≥ 3.7	Divide
2029	BPDS-13441-1009/17	PTFE	Side bend with four side flaps	10F	9	1700	≥ 3.7	Divide
2030	BPDS-13441-1010/17	PTFE	Side bend with four side flaps	10F	10	1700	≥ 3.7	Divide
2031	BPDS-13441-1011/17	PTFE	Side bend with four side flaps	10F	11	1700	≥ 3.7	Divide
2032	BPDS-13441-1012/17	PTFE	Side bend with four side flaps	10F	12	1700	≥ 3.7	Divide
2033	BPDS-13441-1013/17	PTFE	Side bend with four side flaps	10F	13	1700	≥ 3.7	Divide
2034	BPDS-13441-1014/17	PTFE	Side bend with four side flaps	10F	14	1700	≥ 3.7	Divide
2035	BPDS-13441-1015/17	PTFE	Side bend with four side flaps	10F	15	1700	≥ 3.7	Divide
2036	BPDS-13441-1105/17	PTFE	Side bend with four side flaps	11.5F	5	1700	≥ 4.2	Divide
2037	BPDS-13441-1106/17	PTFE	Side bend with four side flaps	11.5F	6	1700	≥ 4.2	Divide
2038	BPDS-13441-1107/17	PTFE	Side bend with four side flaps	11.5F	7	1700	≥ 4.2	Divide
2039	BPDS-13441-1108/17	PTFE	Side bend with four side flaps	11.5F	8	1700	≥ 4.2	Divide
2040	BPDS-13441-1109/17	PTFE	Side bend with four side flaps	11.5F	9	1700	≥ 4.2	Divide
2041	BPDS-13441-1110/17	PTFE	Side bend with four side flaps	11.5F	10	1700	≥ 4.2	Divide
2042	BPDS-13441-1111/17	PTFE	Side bend with four side flaps	11.5F	11	1700	≥ 4.2	Divide
2043	BPDS-13441-1112/17	PTFE	Side bend with four side flaps	11.5F	12	1700	≥ 4.2	Divide
2044	BPDS-13441-1113/17	PTFE	Side bend with four side flaps	11.5F	13	1700	≥ 4.2	Divide
2045	BPDS-13441-1114/17	PTFE	Side bend with four side flaps	11.5F	14	1700	≥ 4.2	Divide
2046	BPDS-13441-1115/17	PTFE	Side bend with four side flaps	11.5F	15	1700	≥ 4.2	Divide
2047	BPDS-14441-0805/17	PTFE	Center bend with four side flaps	8.5F	5	1700	≥ 3.2	Divide
2048	BPDS-14441-0806/17	PTFE	Center bend with four side flaps	8.5F	6	1700	≥ 3.2	Divide
2049	BPDS-14441-0807/17	PTFE	Center bend with four side flaps	8.5F	7	1700	≥ 3.2	Divide
2050	BPDS-14441-0808/17	PTFE	Center bend with four side flaps	8.5F	8	1700	≥ 3.2	Divide
2051	BPDS-14441-0809/17	PTFE	Center bend with four side flaps	8.5F	9	1700	≥ 3.2	Divide
2052	BPDS-14441-0810/17	PTFE	Center bend with four side flaps	8.5F	10	1700	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2053	BPDS-14441-0811/17	PTFE	Center bend with four side flaps	8.5F	11	1700	≥ 3.2	Divide
2054	BPDS-14441-0812/17	PTFE	Center bend with four side flaps	8.5F	12	1700	≥ 3.2	Divide
2055	BPDS-14441-0813/17	PTFE	Center bend with four side flaps	8.5F	13	1700	≥ 3.2	Divide
2056	BPDS-14441-0814/17	PTFE	Center bend with four side flaps	8.5F	14	1700	≥ 3.2	Divide
2057	BPDS-14441-0815/17	PTFE	Center bend with four side flaps	8.5F	15	1700	≥ 3.2	Divide
2058	BPDS-14441-1005/17	PTFE	Center bend with four side flaps	10F	5	1700	≥ 3.7	Divide
2059	BPDS-14441-1006/17	PTFE	Center bend with four side flaps	10F	6	1700	≥ 3.7	Divide
2060	BPDS-14441-1007/17	PTFE	Center bend with four side flaps	10F	7	1700	≥ 3.7	Divide
2061	BPDS-14441-1008/17	PTFE	Center bend with four side flaps	10F	8	1700	≥ 3.7	Divide
2062	BPDS-14441-1009/17	PTFE	Center bend with four side flaps	10F	9	1700	≥ 3.7	Divide
2063	BPDS-14441-1010/17	PTFE	Center bend with four side flaps	10F	10	1700	≥ 3.7	Divide
2064	BPDS-14441-1011/17	PTFE	Center bend with four side flaps	10F	11	1700	≥ 3.7	Divide
2065	BPDS-14441-1012/17	PTFE	Center bend with four side flaps	10F	12	1700	≥ 3.7	Divide
2066	BPDS-14441-1013/17	PTFE	Center bend with four side flaps	10F	13	1700	≥ 3.7	Divide
2067	BPDS-14441-1014/17	PTFE	Center bend with four side flaps	10F	14	1700	≥ 3.7	Divide
2068	BPDS-14441-1015/17	PTFE	Center bend with four side flaps	10F	15	1700	≥ 3.7	Divide
2069	BPDS-14441-1105/17	PTFE	Center bend with four side flaps	11.5F	5	1700	≥ 4.2	Divide
2070	BPDS-14441-1106/17	PTFE	Center bend with four side flaps	11.5F	6	1700	≥ 4.2	Divide
2071	BPDS-14441-1107/17	PTFE	Center bend with four side flaps	11.5F	7	1700	≥ 4.2	Divide
2072	BPDS-14441-1108/17	PTFE	Center bend with four side flaps	11.5F	8	1700	≥ 4.2	Divide
2073	BPDS-14441-1109/17	PTFE	Center bend with four side flaps	11.5F	9	1700	≥ 4.2	Divide
2074	BPDS-14441-1110/17	PTFE	Center bend with four side flaps	11.5F	10	1700	≥ 4.2	Divide
2075	BPDS-14441-1111/17	PTFE	Center bend with four side flaps	11.5F	11	1700	≥ 4.2	Divide
2076	BPDS-14441-1112/17	PTFE	Center bend with four side flaps	11.5F	12	1700	≥ 4.2	Divide
2077	BPDS-14441-1113/17	PTFE	Center bend with four side flaps	11.5F	13	1700	≥ 4.2	Divide
2078	BPDS-14441-1114/17	PTFE	Center bend with four side flaps	11.5F	14	1700	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2079	BPDS-14441-1115/17	PTFE	Center bend with four side flaps	11.5F	15	1700	≥ 4.2	Divide
2080	BPDS-12441-0805/17	PTFE	Arcuate with four side flaps	8.5F	5	1700	≥ 3.2	Divide
2081	BPDS-12441-0806/17	PTFE	Arcuate with four side flaps	8.5F	6	1700	≥ 3.2	Divide
2082	BPDS-12441-0807/17	PTFE	Arcuate with four side flaps	8.5F	7	1700	≥ 3.2	Divide
2083	BPDS-12441-0808/17	PTFE	Arcuate with four side flaps	8.5F	8	1700	≥ 3.2	Divide
2084	BPDS-12441-0809/17	PTFE	Arcuate with four side flaps	8.5F	9	1700	≥ 3.2	Divide
2085	BPDS-12441-0810/17	PTFE	Arcuate with four side flaps	8.5F	10	1700	≥ 3.2	Divide
2086	BPDS-12441-0811/17	PTFE	Arcuate with four side flaps	8.5F	11	1700	≥ 3.2	Divide
2087	BPDS-12441-0812/17	PTFE	Arcuate with four side flaps	8.5F	12	1700	≥ 3.2	Divide
2088	BPDS-12441-0813/17	PTFE	Arcuate with four side flaps	8.5F	13	1700	≥ 3.2	Divide
2089	BPDS-12441-0814/17	PTFE	Arcuate with four side flaps	8.5F	14	1700	≥ 3.2	Divide
2090	BPDS-12441-0815/17	PTFE	Arcuate with four side flaps	8.5F	15	1700	≥ 3.2	Divide
2091	BPDS-12441-1005/17	PTFE	Arcuate with four side flaps	10F	5	1700	≥ 3.7	Divide
2092	BPDS-12441-1006/17	PTFE	Arcuate with four side flaps	10F	6	1700	≥ 3.7	Divide
2093	BPDS-12441-1007/17	PTFE	Arcuate with four side flaps	10F	7	1700	≥ 3.7	Divide
2094	BPDS-12441-1008/17	PTFE	Arcuate with four side flaps	10F	8	1700	≥ 3.7	Divide
2095	BPDS-12441-1009/17	PTFE	Arcuate with four side flaps	10F	9	1700	≥ 3.7	Divide
2096	BPDS-12441-1010/17	PTFE	Arcuate with four side flaps	10F	10	1700	≥ 3.7	Divide
2097	BPDS-12441-1011/17	PTFE	Arcuate with four side flaps	10F	11	1700	≥ 3.7	Divide
2098	BPDS-12441-1012/17	PTFE	Arcuate with four side flaps	10F	12	1700	≥ 3.7	Divide
2099	BPDS-12441-1013/17	PTFE	Arcuate with four side flaps	10F	13	1700	≥ 3.7	Divide
2100	BPDS-12441-1014/17	PTFE	Arcuate with four side flaps	10F	14	1700	≥ 3.7	Divide
2101	BPDS-12441-1015/17	PTFE	Arcuate with four side flaps	10F	15	1700	≥ 3.7	Divide
2102	BPDS-12441-1105/17	PTFE	Arcuate with four side flaps	11.5F	5	1700	≥ 4.2	Divide
2103	BPDS-12441-1106/17	PTFE	Arcuate with four side flaps	11.5F	6	1700	≥ 4.2	Divide
2104	BPDS-12441-1107/17	PTFE	Arcuate with four side flaps	11.5F	7	1700	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2105	BPDS-12441-1108/17	PTFE	Arcuate with four side flaps	11.5F	8	1700	≥4.2	Divide
2106	BPDS-12441-1109/17	PTFE	Arcuate with four side flaps	11.5F	9	1700	≥4.2	Divide
2107	BPDS-12441-1110/17	PTFE	Arcuate with four side flaps	11.5F	10	1700	≥4.2	Divide
2108	BPDS-12441-1111/17	PTFE	Arcuate with four side flaps	11.5F	11	1700	≥4.2	Divide
2109	BPDS-12441-1112/17	PTFE	Arcuate with four side flaps	11.5F	12	1700	≥4.2	Divide
2110	BPDS-12441-1113/17	PTFE	Arcuate with four side flaps	11.5F	13	1700	≥4.2	Divide
2111	BPDS-12441-1114/17	PTFE	Arcuate with four side flaps	11.5F	14	1700	≥4.2	Divide
2112	BPDS-12441-1115/17	PTFE	Arcuate with four side flaps	11.5F	15	1700	≥4.2	Divide
2113	BPDS-11441-0805/19	PTFE	Straight with four side flaps	8.5F	5	1900	≥3.2	Divide
2114	BPDS-11441-0806/19	PTFE	Straight with four side flaps	8.5F	6	1900	≥3.2	Divide
2115	BPDS-11441-0807/19	PTFE	Straight with four side flaps	8.5F	7	1900	≥3.2	Divide
2116	BPDS-11441-0808/19	PTFE	Straight with four side flaps	8.5F	8	1900	≥3.2	Divide
2117	BPDS-11441-0809/19	PTFE	Straight with four side flaps	8.5F	9	1900	≥3.2	Divide
2118	BPDS-11441-0810/19	PTFE	Straight with four side flaps	8.5F	10	1900	≥3.2	Divide
2119	BPDS-11441-0811/19	PTFE	Straight with four side flaps	8.5F	11	1900	≥3.2	Divide
2120	BPDS-11441-0812/19	PTFE	Straight with four side flaps	8.5F	12	1900	≥3.2	Divide
2121	BPDS-11441-0813/19	PTFE	Straight with four side flaps	8.5F	13	1900	≥3.2	Divide
2122	BPDS-11441-0814/19	PTFE	Straight with four side flaps	8.5F	14	1900	≥3.2	Divide
2123	BPDS-11441-0815/19	PTFE	Straight with four side flaps	8.5F	15	1900	≥3.2	Divide
2124	BPDS-11441-1005/19	PTFE	Straight with four side flaps	10F	5	1900	≥3.7	Divide
2125	BPDS-11441-1006/19	PTFE	Straight with four side flaps	10F	6	1900	≥3.7	Divide
2126	BPDS-11441-1007/19	PTFE	Straight with four side flaps	10F	7	1900	≥3.7	Divide
2127	BPDS-11441-1008/19	PTFE	Straight with four side flaps	10F	8	1900	≥3.7	Divide
2128	BPDS-11441-1009/19	PTFE	Straight with four side flaps	10F	9	1900	≥3.7	Divide
2129	BPDS-11441-1010/19	PTFE	Straight with four side flaps	10F	10	1900	≥3.7	Divide
2130	BPDS-11441-1011/19	PTFE	Straight with four side flaps	10F	11	1900	≥3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2131	BPDS-11441-1012/19	PTFE	Straight with four side flaps	10F	12	1900	≥3.7	Divide
2132	BPDS-11441-1013/19	PTFE	Straight with four side flaps	10F	13	1900	≥3.7	Divide
2133	BPDS-11441-1014/19	PTFE	Straight with four side flaps	10F	14	1900	≥3.7	Divide
2134	BPDS-11441-1015/19	PTFE	Straight with four side flaps	10F	15	1900	≥3.7	Divide
2135	BPDS-11441-1105/19	PTFE	Straight with four side flaps	11.5F	5	1900	≥4.2	Divide
2136	BPDS-11441-1106/19	PTFE	Straight with four side flaps	11.5F	6	1900	≥4.2	Divide
2137	BPDS-11441-1107/19	PTFE	Straight with four side flaps	11.5F	7	1900	≥4.2	Divide
2138	BPDS-11441-1108/19	PTFE	Straight with four side flaps	11.5F	8	1900	≥4.2	Divide
2139	BPDS-11441-1109/19	PTFE	Straight with four side flaps	11.5F	9	1900	≥4.2	Divide
2140	BPDS-11441-1110/19	PTFE	Straight with four side flaps	11.5F	10	1900	≥4.2	Divide
2141	BPDS-11441-1111/19	PTFE	Straight with four side flaps	11.5F	11	1900	≥4.2	Divide
2142	BPDS-11441-1112/19	PTFE	Straight with four side flaps	11.5F	12	1900	≥4.2	Divide
2143	BPDS-11441-1113/19	PTFE	Straight with four side flaps	11.5F	13	1900	≥4.2	Divide
2144	BPDS-11441-1114/19	PTFE	Straight with four side flaps	11.5F	14	1900	≥4.2	Divide
2145	BPDS-11441-1115/19	PTFE	Straight with four side flaps	11.5F	15	1900	≥4.2	Divide
2146	BPDS-13441-0805/19	PTFE	Side bend with four side flaps	8.5F	5	1900	≥3.2	Divide
2147	BPDS-13441-0806/19	PTFE	Side bend with four side flaps	8.5F	6	1900	≥3.2	Divide
2148	BPDS-13441-0807/19	PTFE	Side bend with four side flaps	8.5F	7	1900	≥3.2	Divide
2149	BPDS-13441-0808/19	PTFE	Side bend with four side flaps	8.5F	8	1900	≥3.2	Divide
2150	BPDS-13441-0809/19	PTFE	Side bend with four side flaps	8.5F	9	1900	≥3.2	Divide
2151	BPDS-13441-0810/19	PTFE	Side bend with four side flaps	8.5F	10	1900	≥3.2	Divide
2152	BPDS-13441-0811/19	PTFE	Side bend with four side flaps	8.5F	11	1900	≥3.2	Divide
2153	BPDS-13441-0812/19	PTFE	Side bend with four side flaps	8.5F	12	1900	≥3.2	Divide
2154	BPDS-13441-0813/19	PTFE	Side bend with four side flaps	8.5F	13	1900	≥3.2	Divide
2155	BPDS-13441-0814/19	PTFE	Side bend with four side flaps	8.5F	14	1900	≥3.2	Divide
2156	BPDS-13441-0815/19	PTFE	Side bend with four side flaps	8.5F	15	1900	≥3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2157	BPDS-13441-1005/19	PTFE	Side bend with four side flaps	10F	5	1900	≥ 3.7	Divide
2158	BPDS-13441-1006/19	PTFE	Side bend with four side flaps	10F	6	1900	≥ 3.7	Divide
2159	BPDS-13441-1007/19	PTFE	Side bend with four side flaps	10F	7	1900	≥ 3.7	Divide
2160	BPDS-13441-1008/19	PTFE	Side bend with four side flaps	10F	8	1900	≥ 3.7	Divide
2161	BPDS-13441-1009/19	PTFE	Side bend with four side flaps	10F	9	1900	≥ 3.7	Divide
2162	BPDS-13441-1010/19	PTFE	Side bend with four side flaps	10F	10	1900	≥ 3.7	Divide
2163	BPDS-13441-1011/19	PTFE	Side bend with four side flaps	10F	11	1900	≥ 3.7	Divide
2164	BPDS-13441-1012/19	PTFE	Side bend with four side flaps	10F	12	1900	≥ 3.7	Divide
2165	BPDS-13441-1013/19	PTFE	Side bend with four side flaps	10F	13	1900	≥ 3.7	Divide
2166	BPDS-13441-1014/19	PTFE	Side bend with four side flaps	10F	14	1900	≥ 3.7	Divide
2167	BPDS-13441-1015/19	PTFE	Side bend with four side flaps	10F	15	1900	≥ 3.7	Divide
2168	BPDS-13441-1105/19	PTFE	Side bend with four side flaps	11.5F	5	1900	≥ 4.2	Divide
2169	BPDS-13441-1106/19	PTFE	Side bend with four side flaps	11.5F	6	1900	≥ 4.2	Divide
2170	BPDS-13441-1107/19	PTFE	Side bend with four side flaps	11.5F	7	1900	≥ 4.2	Divide
2171	BPDS-13441-1108/19	PTFE	Side bend with four side flaps	11.5F	8	1900	≥ 4.2	Divide
2172	BPDS-13441-1109/19	PTFE	Side bend with four side flaps	11.5F	9	1900	≥ 4.2	Divide
2173	BPDS-13441-1110/19	PTFE	Side bend with four side flaps	11.5F	10	1900	≥ 4.2	Divide
2174	BPDS-13441-1111/19	PTFE	Side bend with four side flaps	11.5F	11	1900	≥ 4.2	Divide
2175	BPDS-13441-1112/19	PTFE	Side bend with four side flaps	11.5F	12	1900	≥ 4.2	Divide
2176	BPDS-13441-1113/19	PTFE	Side bend with four side flaps	11.5F	13	1900	≥ 4.2	Divide
2177	BPDS-13441-1114/19	PTFE	Side bend with four side flaps	11.5F	14	1900	≥ 4.2	Divide
2178	BPDS-13441-1115/19	PTFE	Side bend with four side flaps	11.5F	15	1900	≥ 4.2	Divide
2179	BPDS-14441-0805/19	PTFE	Center bend with four side flaps	8.5F	5	1900	≥ 3.2	Divide
2180	BPDS-14441-0806/19	PTFE	Center bend with four side flaps	8.5F	6	1900	≥ 3.2	Divide
2181	BPDS-14441-0807/19	PTFE	Center bend with four side flaps	8.5F	7	1900	≥ 3.2	Divide
2182	BPDS-14441-0808/19	PTFE	Center bend with four side flaps	8.5F	8	1900	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2183	BPDS-14441-0809/19	PTFE	Center bend with four side flaps	8.5F	9	1900	≥ 3.2	Divide
2184	BPDS-14441-0810/19	PTFE	Center bend with four side flaps	8.5F	10	1900	≥ 3.2	Divide
2185	BPDS-14441-0811/19	PTFE	Center bend with four side flaps	8.5F	11	1900	≥ 3.2	Divide
2186	BPDS-14441-0812/19	PTFE	Center bend with four side flaps	8.5F	12	1900	≥ 3.2	Divide
2187	BPDS-14441-0813/19	PTFE	Center bend with four side flaps	8.5F	13	1900	≥ 3.2	Divide
2188	BPDS-14441-0814/19	PTFE	Center bend with four side flaps	8.5F	14	1900	≥ 3.2	Divide
2189	BPDS-14441-0815/19	PTFE	Center bend with four side flaps	8.5F	15	1900	≥ 3.2	Divide
2190	BPDS-14441-1005/19	PTFE	Center bend with four side flaps	10F	5	1900	≥ 3.7	Divide
2191	BPDS-14441-1006/19	PTFE	Center bend with four side flaps	10F	6	1900	≥ 3.7	Divide
2192	BPDS-14441-1007/19	PTFE	Center bend with four side flaps	10F	7	1900	≥ 3.7	Divide
2193	BPDS-14441-1008/19	PTFE	Center bend with four side flaps	10F	8	1900	≥ 3.7	Divide
2194	BPDS-14441-1009/19	PTFE	Center bend with four side flaps	10F	9	1900	≥ 3.7	Divide
2195	BPDS-14441-1010/19	PTFE	Center bend with four side flaps	10F	10	1900	≥ 3.7	Divide
2196	BPDS-14441-1011/19	PTFE	Center bend with four side flaps	10F	11	1900	≥ 3.7	Divide
2197	BPDS-14441-1012/19	PTFE	Center bend with four side flaps	10F	12	1900	≥ 3.7	Divide
2198	BPDS-14441-1013/19	PTFE	Center bend with four side flaps	10F	13	1900	≥ 3.7	Divide
2199	BPDS-14441-1014/19	PTFE	Center bend with four side flaps	10F	14	1900	≥ 3.7	Divide
2200	BPDS-14441-1015/19	PTFE	Center bend with four side flaps	10F	15	1900	≥ 3.7	Divide
2201	BPDS-14441-1105/19	PTFE	Center bend with four side flaps	11.5F	5	1900	≥ 4.2	Divide
2202	BPDS-14441-1106/19	PTFE	Center bend with four side flaps	11.5F	6	1900	≥ 4.2	Divide
2203	BPDS-14441-1107/19	PTFE	Center bend with four side flaps	11.5F	7	1900	≥ 4.2	Divide
2204	BPDS-14441-1108/19	PTFE	Center bend with four side flaps	11.5F	8	1900	≥ 4.2	Divide
2205	BPDS-14441-1109/19	PTFE	Center bend with four side flaps	11.5F	9	1900	≥ 4.2	Divide
2206	BPDS-14441-1110/19	PTFE	Center bend with four side flaps	11.5F	10	1900	≥ 4.2	Divide
2207	BPDS-14441-1111/19	PTFE	Center bend with four side flaps	11.5F	11	1900	≥ 4.2	Divide
2208	BPDS-14441-1112/19	PTFE	Center bend with four side flaps	11.5F	12	1900	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2209	BPDS-14441-1113/19	PTFE	Center bend with four side flaps	11.5F	13	1900	≥4.2	Divide
2210	BPDS-14441-1114/19	PTFE	Center bend with four side flaps	11.5F	14	1900	≥4.2	Divide
2211	BPDS-14441-1115/19	PTFE	Center bend with four side flaps	11.5F	15	1900	≥4.2	Divide
2212	BPDS-12441-0805/19	PTFE	Arcuate with four side flaps	8.5F	5	1900	≥3.2	Divide
2213	BPDS-12441-0806/19	PTFE	Arcuate with four side flaps	8.5F	6	1900	≥3.2	Divide
2214	BPDS-12441-0807/19	PTFE	Arcuate with four side flaps	8.5F	7	1900	≥3.2	Divide
2215	BPDS-12441-0808/19	PTFE	Arcuate with four side flaps	8.5F	8	1900	≥3.2	Divide
2216	BPDS-12441-0809/19	PTFE	Arcuate with four side flaps	8.5F	9	1900	≥3.2	Divide
2217	BPDS-12441-0810/19	PTFE	Arcuate with four side flaps	8.5F	10	1900	≥3.2	Divide
2218	BPDS-12441-0811/19	PTFE	Arcuate with four side flaps	8.5F	11	1900	≥3.2	Divide
2219	BPDS-12441-0812/19	PTFE	Arcuate with four side flaps	8.5F	12	1900	≥3.2	Divide
2220	BPDS-12441-0813/19	PTFE	Arcuate with four side flaps	8.5F	13	1900	≥3.2	Divide
2221	BPDS-12441-0814/19	PTFE	Arcuate with four side flaps	8.5F	14	1900	≥3.2	Divide
2222	BPDS-12441-0815/19	PTFE	Arcuate with four side flaps	8.5F	15	1900	≥3.2	Divide
2223	BPDS-12441-1005/19	PTFE	Arcuate with four side flaps	10F	5	1900	≥3.7	Divide
2224	BPDS-12441-1006/19	PTFE	Arcuate with four side flaps	10F	6	1900	≥3.7	Divide
2225	BPDS-12441-1007/19	PTFE	Arcuate with four side flaps	10F	7	1900	≥3.7	Divide
2226	BPDS-12441-1008/19	PTFE	Arcuate with four side flaps	10F	8	1900	≥3.7	Divide
2227	BPDS-12441-1009/19	PTFE	Arcuate with four side flaps	10F	9	1900	≥3.7	Divide
2228	BPDS-12441-1010/19	PTFE	Arcuate with four side flaps	10F	10	1900	≥3.7	Divide
2229	BPDS-12441-1011/19	PTFE	Arcuate with four side flaps	10F	11	1900	≥3.7	Divide
2230	BPDS-12441-1012/19	PTFE	Arcuate with four side flaps	10F	12	1900	≥3.7	Divide
2231	BPDS-12441-1013/19	PTFE	Arcuate with four side flaps	10F	13	1900	≥3.7	Divide
2232	BPDS-12441-1014/19	PTFE	Arcuate with four side flaps	10F	14	1900	≥3.7	Divide
2233	BPDS-12441-1015/19	PTFE	Arcuate with four side flaps	10F	15	1900	≥3.7	Divide
2234	BPDS-12441-1105/19	PTFE	Arcuate with four side flaps	11.5F	5	1900	≥4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2235	BPDS-12441-1106/19	PTFE	Arcuate with four side flaps	11.5F	6	1900	≥4.2	Divide
2236	BPDS-12441-1107/19	PTFE	Arcuate with four side flaps	11.5F	7	1900	≥4.2	Divide
2237	BPDS-12441-1108/19	PTFE	Arcuate with four side flaps	11.5F	8	1900	≥4.2	Divide
2238	BPDS-12441-1109/19	PTFE	Arcuate with four side flaps	11.5F	9	1900	≥4.2	Divide
2239	BPDS-12441-1110/19	PTFE	Arcuate with four side flaps	11.5F	10	1900	≥4.2	Divide
2240	BPDS-12441-1111/19	PTFE	Arcuate with four side flaps	11.5F	11	1900	≥4.2	Divide
2241	BPDS-12441-1112/19	PTFE	Arcuate with four side flaps	11.5F	12	1900	≥4.2	Divide
2242	BPDS-12441-1113/19	PTFE	Arcuate with four side flaps	11.5F	13	1900	≥4.2	Divide
2243	BPDS-12441-1114/19	PTFE	Arcuate with four side flaps	11.5F	14	1900	≥4.2	Divide
2244	BPDS-12441-1115/19	PTFE	Arcuate with four side flaps	11.5F	15	1900	≥4.2	Divide
2245	BPDS-11441-0805/22	PTFE	Straight with four side flaps	8.5F	5	2200	≥3.2	Divide
2246	BPDS-11441-0806/22	PTFE	Straight with four side flaps	8.5F	6	2200	≥3.2	Divide
2247	BPDS-11441-0807/22	PTFE	Straight with four side flaps	8.5F	7	2200	≥3.2	Divide
2248	BPDS-11441-0808/22	PTFE	Straight with four side flaps	8.5F	8	2200	≥3.2	Divide
2249	BPDS-11441-0809/22	PTFE	Straight with four side flaps	8.5F	9	2200	≥3.2	Divide
2250	BPDS-11441-0810/22	PTFE	Straight with four side flaps	8.5F	10	2200	≥3.2	Divide
2251	BPDS-11441-0811/22	PTFE	Straight with four side flaps	8.5F	11	2200	≥3.2	Divide
2252	BPDS-11441-0812/22	PTFE	Straight with four side flaps	8.5F	12	2200	≥3.2	Divide
2253	BPDS-11441-0813/22	PTFE	Straight with four side flaps	8.5F	13	2200	≥3.2	Divide
2254	BPDS-11441-0814/22	PTFE	Straight with four side flaps	8.5F	14	2200	≥3.2	Divide
2255	BPDS-11441-0815/22	PTFE	Straight with four side flaps	8.5F	15	2200	≥3.2	Divide
2256	BPDS-11441-1005/22	PTFE	Straight with four side flaps	10F	5	2200	≥3.7	Divide
2257	BPDS-11441-1006/22	PTFE	Straight with four side flaps	10F	6	2200	≥3.7	Divide
2258	BPDS-11441-1007/22	PTFE	Straight with four side flaps	10F	7	2200	≥3.7	Divide
2259	BPDS-11441-1008/22	PTFE	Straight with four side flaps	10F	8	2200	≥3.7	Divide
2260	BPDS-11441-1009/22	PTFE	Straight with four side flaps	10F	9	2200	≥3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2261	BPDS-11441-1010/22	PTFE	Straight with four side flaps	10F	10	2200	≥ 3.7	Divide
2262	BPDS-11441-1011/22	PTFE	Straight with four side flaps	10F	11	2200	≥ 3.7	Divide
2263	BPDS-11441-1012/22	PTFE	Straight with four side flaps	10F	12	2200	≥ 3.7	Divide
2264	BPDS-11441-1013/22	PTFE	Straight with four side flaps	10F	13	2200	≥ 3.7	Divide
2265	BPDS-11441-1014/22	PTFE	Straight with four side flaps	10F	14	2200	≥ 3.7	Divide
2266	BPDS-11441-1015/22	PTFE	Straight with four side flaps	10F	15	2200	≥ 3.7	Divide
2267	BPDS-11441-1105/22	PTFE	Straight with four side flaps	11.5F	5	2200	≥ 4.2	Divide
2268	BPDS-11441-1106/22	PTFE	Straight with four side flaps	11.5F	6	2200	≥ 4.2	Divide
2269	BPDS-11441-1107/22	PTFE	Straight with four side flaps	11.5F	7	2200	≥ 4.2	Divide
2270	BPDS-11441-1108/22	PTFE	Straight with four side flaps	11.5F	8	2200	≥ 4.2	Divide
2271	BPDS-11441-1109/22	PTFE	Straight with four side flaps	11.5F	9	2200	≥ 4.2	Divide
2272	BPDS-11441-1110/22	PTFE	Straight with four side flaps	11.5F	10	2200	≥ 4.2	Divide
2273	BPDS-11441-1111/22	PTFE	Straight with four side flaps	11.5F	11	2200	≥ 4.2	Divide
2274	BPDS-11441-1112/22	PTFE	Straight with four side flaps	11.5F	12	2200	≥ 4.2	Divide
2275	BPDS-11441-1113/22	PTFE	Straight with four side flaps	11.5F	13	2200	≥ 4.2	Divide
2276	BPDS-11441-1114/22	PTFE	Straight with four side flaps	11.5F	14	2200	≥ 4.2	Divide
2277	BPDS-11441-1115/22	PTFE	Straight with four side flaps	11.5F	15	2200	≥ 4.2	Divide
2278	BPDS-13441-0805/22	PTFE	Side bend with four side flaps	8.5F	5	2200	≥ 3.2	Divide
2279	BPDS-13441-0806/22	PTFE	Side bend with four side flaps	8.5F	6	2200	≥ 3.2	Divide
2280	BPDS-13441-0807/22	PTFE	Side bend with four side flaps	8.5F	7	2200	≥ 3.2	Divide
2281	BPDS-13441-0808/22	PTFE	Side bend with four side flaps	8.5F	8	2200	≥ 3.2	Divide
2282	BPDS-13441-0809/22	PTFE	Side bend with four side flaps	8.5F	9	2200	≥ 3.2	Divide
2283	BPDS-13441-0810/22	PTFE	Side bend with four side flaps	8.5F	10	2200	≥ 3.2	Divide
2284	BPDS-13441-0811/22	PTFE	Side bend with four side flaps	8.5F	11	2200	≥ 3.2	Divide
2285	BPDS-13441-0812/22	PTFE	Side bend with four side flaps	8.5F	12	2200	≥ 3.2	Divide
2286	BPDS-13441-0813/22	PTFE	Side bend with four side flaps	8.5F	13	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2287	BPDS-13441-0814/22	PTFE	Side bend with four side flaps	8.5F	14	2200	≥ 3.2	Divide
2288	BPDS-13441-0815/22	PTFE	Side bend with four side flaps	8.5F	15	2200	≥ 3.2	Divide
2289	BPDS-13441-1005/22	PTFE	Side bend with four side flaps	10F	5	2200	≥ 3.7	Divide
2290	BPDS-13441-1006/22	PTFE	Side bend with four side flaps	10F	6	2200	≥ 3.7	Divide
2291	BPDS-13441-1007/22	PTFE	Side bend with four side flaps	10F	7	2200	≥ 3.7	Divide
2292	BPDS-13441-1008/22	PTFE	Side bend with four side flaps	10F	8	2200	≥ 3.7	Divide
2293	BPDS-13441-1009/22	PTFE	Side bend with four side flaps	10F	9	2200	≥ 3.7	Divide
2294	BPDS-13441-1010/22	PTFE	Side bend with four side flaps	10F	10	2200	≥ 3.7	Divide
2295	BPDS-13441-1011/22	PTFE	Side bend with four side flaps	10F	11	2200	≥ 3.7	Divide
2296	BPDS-13441-1012/22	PTFE	Side bend with four side flaps	10F	12	2200	≥ 3.7	Divide
2297	BPDS-13441-1013/22	PTFE	Side bend with four side flaps	10F	13	2200	≥ 3.7	Divide
2298	BPDS-13441-1014/22	PTFE	Side bend with four side flaps	10F	14	2200	≥ 3.7	Divide
2299	BPDS-13441-1015/22	PTFE	Side bend with four side flaps	10F	15	2200	≥ 3.7	Divide
2300	BPDS-13441-1105/22	PTFE	Side bend with four side flaps	11.5F	5	2200	≥ 4.2	Divide
2301	BPDS-13441-1106/22	PTFE	Side bend with four side flaps	11.5F	6	2200	≥ 4.2	Divide
2302	BPDS-13441-1107/22	PTFE	Side bend with four side flaps	11.5F	7	2200	≥ 4.2	Divide
2303	BPDS-13441-1108/22	PTFE	Side bend with four side flaps	11.5F	8	2200	≥ 4.2	Divide
2304	BPDS-13441-1109/22	PTFE	Side bend with four side flaps	11.5F	9	2200	≥ 4.2	Divide
2305	BPDS-13441-1110/22	PTFE	Side bend with four side flaps	11.5F	10	2200	≥ 4.2	Divide
2306	BPDS-13441-1111/22	PTFE	Side bend with four side flaps	11.5F	11	2200	≥ 4.2	Divide
2307	BPDS-13441-1112/22	PTFE	Side bend with four side flaps	11.5F	12	2200	≥ 4.2	Divide
2308	BPDS-13441-1113/22	PTFE	Side bend with four side flaps	11.5F	13	2200	≥ 4.2	Divide
2309	BPDS-13441-1114/22	PTFE	Side bend with four side flaps	11.5F	14	2200	≥ 4.2	Divide
2310	BPDS-13441-1115/22	PTFE	Side bend with four side flaps	11.5F	15	2200	≥ 4.2	Divide
2311	BPDS-14441-0805/22	PTFE	Center bend with four side flaps	8.5F	5	2200	≥ 3.2	Divide
2312	BPDS-14441-0806/22	PTFE	Center bend with four side flaps	8.5F	6	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2313	BPDS-14441-0807/22	PTFE	Center bend with four side flaps	8.5F	7	2200	≥3.2	Divide
2314	BPDS-14441-0808/22	PTFE	Center bend with four side flaps	8.5F	8	2200	≥3.2	Divide
2315	BPDS-14441-0809/22	PTFE	Center bend with four side flaps	8.5F	9	2200	≥3.2	Divide
2316	BPDS-14441-0810/22	PTFE	Center bend with four side flaps	8.5F	10	2200	≥3.2	Divide
2317	BPDS-14441-0811/22	PTFE	Center bend with four side flaps	8.5F	11	2200	≥3.2	Divide
2318	BPDS-14441-0812/22	PTFE	Center bend with four side flaps	8.5F	12	2200	≥3.2	Divide
2319	BPDS-14441-0813/22	PTFE	Center bend with four side flaps	8.5F	13	2200	≥3.2	Divide
2320	BPDS-14441-0814/22	PTFE	Center bend with four side flaps	8.5F	14	2200	≥3.2	Divide
2321	BPDS-14441-0815/22	PTFE	Center bend with four side flaps	8.5F	15	2200	≥3.2	Divide
2322	BPDS-14441-1005/22	PTFE	Center bend with four side flaps	10F	5	2200	≥3.7	Divide
2323	BPDS-14441-1006/22	PTFE	Center bend with four side flaps	10F	6	2200	≥3.7	Divide
2324	BPDS-14441-1007/22	PTFE	Center bend with four side flaps	10F	7	2200	≥3.7	Divide
2325	BPDS-14441-1008/22	PTFE	Center bend with four side flaps	10F	8	2200	≥3.7	Divide
2326	BPDS-14441-1009/22	PTFE	Center bend with four side flaps	10F	9	2200	≥3.7	Divide
2327	BPDS-14441-1010/22	PTFE	Center bend with four side flaps	10F	10	2200	≥3.7	Divide
2328	BPDS-14441-1011/22	PTFE	Center bend with four side flaps	10F	11	2200	≥3.7	Divide
2329	BPDS-14441-1012/22	PTFE	Center bend with four side flaps	10F	12	2200	≥3.7	Divide
2330	BPDS-14441-1013/22	PTFE	Center bend with four side flaps	10F	13	2200	≥3.7	Divide
2331	BPDS-14441-1014/22	PTFE	Center bend with four side flaps	10F	14	2200	≥3.7	Divide
2332	BPDS-14441-1015/22	PTFE	Center bend with four side flaps	10F	15	2200	≥3.7	Divide
2333	BPDS-14441-1105/22	PTFE	Center bend with four side flaps	11.5F	5	2200	≥4.2	Divide
2334	BPDS-14441-1106/22	PTFE	Center bend with four side flaps	11.5F	6	2200	≥4.2	Divide
2335	BPDS-14441-1107/22	PTFE	Center bend with four side flaps	11.5F	7	2200	≥4.2	Divide
2336	BPDS-14441-1108/22	PTFE	Center bend with four side flaps	11.5F	8	2200	≥4.2	Divide
2337	BPDS-14441-1109/22	PTFE	Center bend with four side flaps	11.5F	9	2200	≥4.2	Divide
2338	BPDS-14441-1110/22	PTFE	Center bend with four side flaps	11.5F	10	2200	≥4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2339	BPDS-14441-1111/22	PTFE	Center bend with four side flaps	11.5F	11	2200	≥4.2	Divide
2340	BPDS-14441-1112/22	PTFE	Center bend with four side flaps	11.5F	12	2200	≥4.2	Divide
2341	BPDS-14441-1113/22	PTFE	Center bend with four side flaps	11.5F	13	2200	≥4.2	Divide
2342	BPDS-14441-1114/22	PTFE	Center bend with four side flaps	11.5F	14	2200	≥4.2	Divide
2343	BPDS-14441-1115/22	PTFE	Center bend with four side flaps	11.5F	15	2200	≥4.2	Divide
2344	BPDS-12441-0805/22	PTFE	Arcuate with four side flaps	8.5F	5	2200	≥3.2	Divide
2345	BPDS-12441-0806/22	PTFE	Arcuate with four side flaps	8.5F	6	2200	≥3.2	Divide
2346	BPDS-12441-0807/22	PTFE	Arcuate with four side flaps	8.5F	7	2200	≥3.2	Divide
2347	BPDS-12441-0808/22	PTFE	Arcuate with four side flaps	8.5F	8	2200	≥3.2	Divide
2348	BPDS-12441-0809/22	PTFE	Arcuate with four side flaps	8.5F	9	2200	≥3.2	Divide
2349	BPDS-12441-0810/22	PTFE	Arcuate with four side flaps	8.5F	10	2200	≥3.2	Divide
2350	BPDS-12441-0811/22	PTFE	Arcuate with four side flaps	8.5F	11	2200	≥3.2	Divide
2351	BPDS-12441-0812/22	PTFE	Arcuate with four side flaps	8.5F	12	2200	≥3.2	Divide
2352	BPDS-12441-0813/22	PTFE	Arcuate with four side flaps	8.5F	13	2200	≥3.2	Divide
2353	BPDS-12441-0814/22	PTFE	Arcuate with four side flaps	8.5F	14	2200	≥3.2	Divide
2354	BPDS-12441-0815/22	PTFE	Arcuate with four side flaps	8.5F	15	2200	≥3.2	Divide
2355	BPDS-12441-1005/22	PTFE	Arcuate with four side flaps	10F	5	2200	≥3.7	Divide
2356	BPDS-12441-1006/22	PTFE	Arcuate with four side flaps	10F	6	2200	≥3.7	Divide
2357	BPDS-12441-1007/22	PTFE	Arcuate with four side flaps	10F	7	2200	≥3.7	Divide
2358	BPDS-12441-1008/22	PTFE	Arcuate with four side flaps	10F	8	2200	≥3.7	Divide
2359	BPDS-12441-1009/22	PTFE	Arcuate with four side flaps	10F	9	2200	≥3.7	Divide
2360	BPDS-12441-1010/22	PTFE	Arcuate with four side flaps	10F	10	2200	≥3.7	Divide
2361	BPDS-12441-1011/22	PTFE	Arcuate with four side flaps	10F	11	2200	≥3.7	Divide
2362	BPDS-12441-1012/22	PTFE	Arcuate with four side flaps	10F	12	2200	≥3.7	Divide
2363	BPDS-12441-1013/22	PTFE	Arcuate with four side flaps	10F	13	2200	≥3.7	Divide
2364	BPDS-12441-1014/22	PTFE	Arcuate with four side flaps	10F	14	2200	≥3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2365	BPDS-12441-1015/22	PTFE	Arcuate with four side flaps	10F	15	2200	≥ 3.7	Divide
2366	BPDS-12441-1105/22	PTFE	Arcuate with four side flaps	11.5F	5	2200	≥ 4.2	Divide
2367	BPDS-12441-1106/22	PTFE	Arcuate with four side flaps	11.5F	6	2200	≥ 4.2	Divide
2368	BPDS-12441-1107/22	PTFE	Arcuate with four side flaps	11.5F	7	2200	≥ 4.2	Divide
2369	BPDS-12441-1108/22	PTFE	Arcuate with four side flaps	11.5F	8	2200	≥ 4.2	Divide
2370	BPDS-12441-1109/22	PTFE	Arcuate with four side flaps	11.5F	9	2200	≥ 4.2	Divide
2371	BPDS-12441-1110/22	PTFE	Arcuate with four side flaps	11.5F	10	2200	≥ 4.2	Divide
2372	BPDS-12441-1111/22	PTFE	Arcuate with four side flaps	11.5F	11	2200	≥ 4.2	Divide
2373	BPDS-12441-1112/22	PTFE	Arcuate with four side flaps	11.5F	12	2200	≥ 4.2	Divide
2374	BPDS-12441-1113/22	PTFE	Arcuate with four side flaps	11.5F	13	2200	≥ 4.2	Divide
2375	BPDS-12441-1114/22	PTFE	Arcuate with four side flaps	11.5F	14	2200	≥ 4.2	Divide
2376	BPDS-12441-1115/22	PTFE	Arcuate with four side flaps	11.5F	15	2200	≥ 4.2	Divide
2377	BPDS-13441-0805/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	5	2200	≥ 3.2	Divide
2378	BPDS-13441-0806/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	6	2200	≥ 3.2	Divide
2379	BPDS-13441-0807/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	7	2200	≥ 3.2	Divide
2380	BPDS-13441-0808/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	8	2200	≥ 3.2	Divide
2381	BPDS-13441-0809/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	9	2200	≥ 3.2	Divide
2382	BPDS-13441-0810/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	10	2200	≥ 3.2	Divide
2383	BPDS-13441-0811/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	11	2200	≥ 3.2	Divide
2384	BPDS-13441-0812/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	12	2200	≥ 3.2	Divide
2385	BPDS-13441-0813/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	13	2200	≥ 3.2	Divide
2386	BPDS-13441-0814/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	14	2200	≥ 3.2	Divide
2387	BPDS-13441-0815/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	15	2200	≥ 3.2	Divide
2388	BPDS-13441-1005/22-T	PTFE	Side bend with four side flaps and one tip	10F	5	2200	≥ 3.7	Divide
2389	BPDS-13441-1006/22-T	PTFE	Side bend with four side flaps and one tip	10F	6	2200	≥ 3.7	Divide
2390	BPDS-13441-1007/22-T	PTFE	Side bend with four side flaps and one tip	10F	7	2200	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2391	BPDS-13441-1008/22-T	PTFE	Side bend with four side flaps and one tip	10F	8	2200	≥ 3.7	Divide
2392	BPDS-13441-1009/22-T	PTFE	Side bend with four side flaps and one tip	10F	9	2200	≥ 3.7	Divide
2393	BPDS-13441-1010/22-T	PTFE	Side bend with four side flaps and one tip	10F	10	2200	≥ 3.7	Divide
2394	BPDS-13441-1011/22-T	PTFE	Side bend with four side flaps and one tip	10F	11	2200	≥ 3.7	Divide
2395	BPDS-13441-1012/22-T	PTFE	Side bend with four side flaps and one tip	10F	12	2200	≥ 3.7	Divide
2396	BPDS-13441-1013/22-T	PTFE	Side bend with four side flaps and one tip	10F	13	2200	≥ 3.7	Divide
2397	BPDS-13441-1014/22-T	PTFE	Side bend with four side flaps and one tip	10F	14	2200	≥ 3.7	Divide
2398	BPDS-13441-1015/22-T	PTFE	Side bend with four side flaps and one tip	10F	15	2200	≥ 3.7	Divide
2399	BPDS-13441-1105/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	5	2200	≥ 4.2	Divide
2400	BPDS-13441-1106/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	6	2200	≥ 4.2	Divide
2401	BPDS-13441-1107/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	7	2200	≥ 4.2	Divide
2402	BPDS-13441-1108/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	8	2200	≥ 4.2	Divide
2403	BPDS-13441-1109/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	9	2200	≥ 4.2	Divide
2404	BPDS-13441-1110/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	10	2200	≥ 4.2	Divide
2405	BPDS-13441-1111/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	11	2200	≥ 4.2	Divide
2406	BPDS-13441-1112/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	12	2200	≥ 4.2	Divide
2407	BPDS-13441-1113/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	13	2200	≥ 4.2	Divide
2408	BPDS-13441-1114/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	14	2200	≥ 4.2	Divide
2409	BPDS-13441-1115/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	15	2200	≥ 4.2	Divide
2410	BPDS-13442-0805/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	5	2200	≥ 3.2	Divide
2411	BPDS-13442-0806/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	6	2200	≥ 3.2	Divide
2412	BPDS-13442-0807/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	7	2200	≥ 3.2	Divide
2413	BPDS-13442-0808/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	8	2200	≥ 3.2	Divide
2414	BPDS-13442-0809/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	9	2200	≥ 3.2	Divide
2415	BPDS-13442-0810/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	10	2200	≥ 3.2	Divide
2416	BPDS-13442-0811/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	11	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2417	BPDS-13442-0812/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	12	2200	≥ 3.2	Divide
2418	BPDS-13442-0813/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	13	2200	≥ 3.2	Divide
2419	BPDS-13442-0814/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	14	2200	≥ 3.2	Divide
2420	BPDS-13442-0815/22-T	PTFE	Side bend with four side flaps and one tip	8.5F	15	2200	≥ 3.2	Divide
2421	BPDS-13442-1005/22-T	PTFE	Side bend with four side flaps and one tip	10F	5	2200	≥ 3.7	Divide
2422	BPDS-13442-1006/22-T	PTFE	Side bend with four side flaps and one tip	10F	6	2200	≥ 3.7	Divide
2423	BPDS-13442-1007/22-T	PTFE	Side bend with four side flaps and one tip	10F	7	2200	≥ 3.7	Divide
2424	BPDS-13442-1008/22-T	PTFE	Side bend with four side flaps and one tip	10F	8	2200	≥ 3.7	Divide
2425	BPDS-13442-1009/22-T	PTFE	Side bend with four side flaps and one tip	10F	9	2200	≥ 3.7	Divide
2426	BPDS-13442-1010/22-T	PTFE	Side bend with four side flaps and one tip	10F	10	2200	≥ 3.7	Divide
2427	BPDS-13442-1011/22-T	PTFE	Side bend with four side flaps and one tip	10F	11	2200	≥ 3.7	Divide
2428	BPDS-13442-1012/22-T	PTFE	Side bend with four side flaps and one tip	10F	12	2200	≥ 3.7	Divide
2429	BPDS-13442-1013/22-T	PTFE	Side bend with four side flaps and one tip	10F	13	2200	≥ 3.7	Divide
2430	BPDS-13442-1014/22-T	PTFE	Side bend with four side flaps and one tip	10F	14	2200	≥ 3.7	Divide
2431	BPDS-13442-1015/22-T	PTFE	Side bend with four side flaps and one tip	10F	15	2200	≥ 3.7	Divide
2432	BPDS-13442-1105/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	5	2200	≥ 4.2	Divide
2433	BPDS-13442-1106/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	6	2200	≥ 4.2	Divide
2434	BPDS-13442-1107/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	7	2200	≥ 4.2	Divide
2435	BPDS-13442-1108/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	8	2200	≥ 4.2	Divide
2436	BPDS-13442-1109/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	9	2200	≥ 4.2	Divide
2437	BPDS-13442-1110/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	10	2200	≥ 4.2	Divide
2438	BPDS-13442-1111/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	11	2200	≥ 4.2	Divide
2439	BPDS-13442-1112/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	12	2200	≥ 4.2	Divide
2440	BPDS-13442-1113/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	13	2200	≥ 4.2	Divide
2441	BPDS-13442-1114/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	14	2200	≥ 4.2	Divide
2442	BPDS-13442-1115/22-T	PTFE	Side bend with four side flaps and one tip	11.5F	15	2200	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2443	BPDS-31993-0705/17	PE	Q-shape Double pigtails	7F	5	1700	≥ 2.8	Divide
2444	BPDS-31993-0706/17	PE	Q-shape Double pigtails	7F	6	1700	≥ 2.8	Divide
2445	BPDS-31993-0707/17	PE	Q-shape Double pigtails	7F	7	1700	≥ 2.8	Divide
2446	BPDS-31993-0708/17	PE	Q-shape Double pigtails	7F	8	1700	≥ 2.8	Divide
2447	BPDS-31993-0709/17	PE	Q-shape Double pigtails	7F	9	1700	≥ 2.8	Divide
2448	BPDS-31993-0710/17	PE	Q-shape Double pigtails	7F	10	1700	≥ 2.8	Divide
2449	BPDS-31993-0711/17	PE	Q-shape Double pigtails	7F	11	1700	≥ 2.8	Divide
2450	BPDS-31993-0712/17	PE	Q-shape Double pigtails	7F	12	1700	≥ 2.8	Divide
2451	BPDS-31993-0713/17	PE	Q-shape Double pigtails	7F	13	1700	≥ 2.8	Divide
2452	BPDS-31993-0714/17	PE	Q-shape Double pigtails	7F	14	1700	≥ 2.8	Divide
2453	BPDS-31993-0715/17	PE	Q-shape Double pigtails	7F	15	1700	≥ 2.8	Divide
2454	BPDS-31993-0805/17	PE	Q-shape Double pigtails	8.5F	5	1700	≥ 3.2	Divide
2455	BPDS-31993-0806/17	PE	Q-shape Double pigtails	8.5F	6	1700	≥ 3.2	Divide
2456	BPDS-31993-0807/17	PE	Q-shape Double pigtails	8.5F	7	1700	≥ 3.2	Divide
2457	BPDS-31993-0808/17	PE	Q-shape Double pigtails	8.5F	8	1700	≥ 3.2	Divide
2458	BPDS-31993-0809/17	PE	Q-shape Double pigtails	8.5F	9	1700	≥ 3.2	Divide
2459	BPDS-31993-0810/17	PE	Q-shape Double pigtails	8.5F	10	1700	≥ 3.2	Divide
2460	BPDS-31993-0811/17	PE	Q-shape Double pigtails	8.5F	11	1700	≥ 3.2	Divide
2461	BPDS-31993-0812/17	PE	Q-shape Double pigtails	8.5F	12	1700	≥ 3.2	Divide
2462	BPDS-31993-0813/17	PE	Q-shape Double pigtails	8.5F	13	1700	≥ 3.2	Divide
2463	BPDS-31993-0814/17	PE	Q-shape Double pigtails	8.5F	14	1700	≥ 3.2	Divide
2464	BPDS-31993-0815/17	PE	Q-shape Double pigtails	8.5F	15	1700	≥ 3.2	Divide
2465	BPDS-31993-1005/17	PE	Q-shape Double pigtails	10F	5	1700	≥ 3.7	Divide
2466	BPDS-31993-1006/17	PE	Q-shape Double pigtails	10F	6	1700	≥ 3.7	Divide
2467	BPDS-31993-1007/17	PE	Q-shape Double pigtails	10F	7	1700	≥ 3.7	Divide
2468	BPDS-31993-1008/17	PE	Q-shape Double pigtails	10F	8	1700	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2469	BPDS-31993-1009/17	PE	Q-shape Double pigtails	10F	9	1700	≥ 3.7	Divide
2470	BPDS-31993-1010/17	PE	Q-shape Double pigtails	10F	10	1700	≥ 3.7	Divide
2471	BPDS-31993-1011/17	PE	Q-shape Double pigtails	10F	11	1700	≥ 3.7	Divide
2472	BPDS-31993-1012/17	PE	Q-shape Double pigtails	10F	12	1700	≥ 3.7	Divide
2473	BPDS-31993-1013/17	PE	Q-shape Double pigtails	10F	13	1700	≥ 3.7	Divide
2474	BPDS-31993-1014/17	PE	Q-shape Double pigtails	10F	14	1700	≥ 3.7	Divide
2475	BPDS-31993-1015/17	PE	Q-shape Double pigtails	10F	15	1700	≥ 3.7	Divide
2476	BPDS-31993-1105/17	PE	Q-shape Double pigtails	11.5F	5	1700	≥ 4.2	Divide
2477	BPDS-31993-1106/17	PE	Q-shape Double pigtails	11.5F	6	1700	≥ 4.2	Divide
2478	BPDS-31993-1107/17	PE	Q-shape Double pigtails	11.5F	7	1700	≥ 4.2	Divide
2479	BPDS-31993-1108/17	PE	Q-shape Double pigtails	11.5F	8	1700	≥ 4.2	Divide
2480	BPDS-31993-1109/17	PE	Q-shape Double pigtails	11.5F	9	1700	≥ 4.2	Divide
2481	BPDS-31993-1110/17	PE	Q-shape Double pigtails	11.5F	10	1700	≥ 4.2	Divide
2482	BPDS-31993-1111/17	PE	Q-shape Double pigtails	11.5F	11	1700	≥ 4.2	Divide
2483	BPDS-31993-1112/17	PE	Q-shape Double pigtails	11.5F	12	1700	≥ 4.2	Divide
2484	BPDS-31993-1113/17	PE	Q-shape Double pigtails	11.5F	13	1700	≥ 4.2	Divide
2485	BPDS-31993-1114/17	PE	Q-shape Double pigtails	11.5F	14	1700	≥ 4.2	Divide
2486	BPDS-31993-1115/17	PE	Q-shape Double pigtails	11.5F	15	1700	≥ 4.2	Divide
2487	BPDS-31993-0705/19	PE	Q-shape Double pigtails	7F	5	1900	≥ 2.8	Divide
2488	BPDS-31993-0706/19	PE	Q-shape Double pigtails	7F	6	1900	≥ 2.8	Divide
2489	BPDS-31993-0707/19	PE	Q-shape Double pigtails	7F	7	1900	≥ 2.8	Divide
2490	BPDS-31993-0708/19	PE	Q-shape Double pigtails	7F	8	1900	≥ 2.8	Divide
2491	BPDS-31993-0709/19	PE	Q-shape Double pigtails	7F	9	1900	≥ 2.8	Divide
2492	BPDS-31993-0710/19	PE	Q-shape Double pigtails	7F	10	1900	≥ 2.8	Divide
2493	BPDS-31993-0711/19	PE	Q-shape Double pigtails	7F	11	1900	≥ 2.8	Divide
2494	BPDS-31993-0712/19	PE	Q-shape Double pigtails	7F	12	1900	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2495	BPDS-31993-0713/19	PE	Q-shape Double pigtails	7F	13	1900	≥ 2.8	Divide
2496	BPDS-31993-0714/19	PE	Q-shape Double pigtails	7F	14	1900	≥ 2.8	Divide
2497	BPDS-31993-0715/19	PE	Q-shape Double pigtails	7F	15	1900	≥ 2.8	Divide
2498	BPDS-31993-0805/19	PE	Q-shape Double pigtails	8.5F	5	1900	≥ 3.2	Divide
2499	BPDS-31993-0806/19	PE	Q-shape Double pigtails	8.5F	6	1900	≥ 3.2	Divide
2500	BPDS-31993-0807/19	PE	Q-shape Double pigtails	8.5F	7	1900	≥ 3.2	Divide
2501	BPDS-31993-0808/19	PE	Q-shape Double pigtails	8.5F	8	1900	≥ 3.2	Divide
2502	BPDS-31993-0809/19	PE	Q-shape Double pigtails	8.5F	9	1900	≥ 3.2	Divide
2503	BPDS-31993-0810/19	PE	Q-shape Double pigtails	8.5F	10	1900	≥ 3.2	Divide
2504	BPDS-31993-0811/19	PE	Q-shape Double pigtails	8.5F	11	1900	≥ 3.2	Divide
2505	BPDS-31993-0812/19	PE	Q-shape Double pigtails	8.5F	12	1900	≥ 3.2	Divide
2506	BPDS-31993-0813/19	PE	Q-shape Double pigtails	8.5F	13	1900	≥ 3.2	Divide
2507	BPDS-31993-0814/19	PE	Q-shape Double pigtails	8.5F	14	1900	≥ 3.2	Divide
2508	BPDS-31993-0815/19	PE	Q-shape Double pigtails	8.5F	15	1900	≥ 3.2	Divide
2509	BPDS-31993-1005/19	PE	Q-shape Double pigtails	10F	5	1900	≥ 3.7	Divide
2510	BPDS-31993-1006/19	PE	Q-shape Double pigtails	10F	6	1900	≥ 3.7	Divide
2511	BPDS-31993-1007/19	PE	Q-shape Double pigtails	10F	7	1900	≥ 3.7	Divide
2512	BPDS-31993-1008/19	PE	Q-shape Double pigtails	10F	8	1900	≥ 3.7	Divide
2513	BPDS-31993-1009/19	PE	Q-shape Double pigtails	10F	9	1900	≥ 3.7	Divide
2514	BPDS-31993-1010/19	PE	Q-shape Double pigtails	10F	10	1900	≥ 3.7	Divide
2515	BPDS-31993-1011/19	PE	Q-shape Double pigtails	10F	11	1900	≥ 3.7	Divide
2516	BPDS-31993-1012/19	PE	Q-shape Double pigtails	10F	12	1900	≥ 3.7	Divide
2517	BPDS-31993-1013/19	PE	Q-shape Double pigtails	10F	13	1900	≥ 3.7	Divide
2518	BPDS-31993-1014/19	PE	Q-shape Double pigtails	10F	14	1900	≥ 3.7	Divide
2519	BPDS-31993-1015/19	PE	Q-shape Double pigtails	10F	15	1900	≥ 3.7	Divide
2520	BPDS-31993-1105/19	PE	Q-shape Double pigtails	11.5F	5	1900	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2521	BPDS-31993-1106/19	PE	Q-shape Double pigtails	11.5F	6	1900	≥4.2	Divide
2522	BPDS-31993-1107/19	PE	Q-shape Double pigtails	11.5F	7	1900	≥4.2	Divide
2523	BPDS-31993-1108/19	PE	Q-shape Double pigtails	11.5F	8	1900	≥4.2	Divide
2524	BPDS-31993-1109/19	PE	Q-shape Double pigtails	11.5F	9	1900	≥4.2	Divide
2525	BPDS-31993-1110/19	PE	Q-shape Double pigtails	11.5F	10	1900	≥4.2	Divide
2526	BPDS-31993-1111/19	PE	Q-shape Double pigtails	11.5F	11	1900	≥4.2	Divide
2527	BPDS-31993-1112/19	PE	Q-shape Double pigtails	11.5F	12	1900	≥4.2	Divide
2528	BPDS-31993-1113/19	PE	Q-shape Double pigtails	11.5F	13	1900	≥4.2	Divide
2529	BPDS-31993-1114/19	PE	Q-shape Double pigtails	11.5F	14	1900	≥4.2	Divide
2530	BPDS-31993-1115/19	PE	Q-shape Double pigtails	11.5F	15	1900	≥4.2	Divide
2531	BPDS-31993-0705/22	PE	Q-shape Double pigtails	7F	5	2200	≥2.8	Divide
2532	BPDS-31993-0706/22	PE	Q-shape Double pigtails	7F	6	2200	≥2.8	Divide
2533	BPDS-31993-0707/22	PE	Q-shape Double pigtails	7F	7	2200	≥2.8	Divide
2534	BPDS-31993-0708/22	PE	Q-shape Double pigtails	7F	8	2200	≥2.8	Divide
2535	BPDS-31993-0709/22	PE	Q-shape Double pigtails	7F	9	2200	≥2.8	Divide
2536	BPDS-31993-0710/22	PE	Q-shape Double pigtails	7F	10	2200	≥2.8	Divide
2537	BPDS-31993-0711/22	PE	Q-shape Double pigtails	7F	11	2200	≥2.8	Divide
2538	BPDS-31993-0712/22	PE	Q-shape Double pigtails	7F	12	2200	≥2.8	Divide
2539	BPDS-31993-0713/22	PE	Q-shape Double pigtails	7F	13	2200	≥2.8	Divide
2540	BPDS-31993-0714/22	PE	Q-shape Double pigtails	7F	14	2200	≥2.8	Divide
2541	BPDS-31993-0715/22	PE	Q-shape Double pigtails	7F	15	2200	≥2.8	Divide
2542	BPDS-31993-0805/22	PE	Q-shape Double pigtails	8.5F	5	2200	≥3.2	Divide
2543	BPDS-31993-0806/22	PE	Q-shape Double pigtails	8.5F	6	2200	≥3.2	Divide
2544	BPDS-31993-0807/22	PE	Q-shape Double pigtails	8.5F	7	2200	≥3.2	Divide
2545	BPDS-31993-0808/22	PE	Q-shape Double pigtails	8.5F	8	2200	≥3.2	Divide
2546	BPDS-31993-0809/22	PE	Q-shape Double pigtails	8.5F	9	2200	≥3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2547	BPDS-31993-0810/22	PE	Q-shape Double pigtails	8.5F	10	2200	≥ 3.2	Divide
2548	BPDS-31993-0811/22	PE	Q-shape Double pigtails	8.5F	11	2200	≥ 3.2	Divide
2549	BPDS-31993-0812/22	PE	Q-shape Double pigtails	8.5F	12	2200	≥ 3.2	Divide
2550	BPDS-31993-0813/22	PE	Q-shape Double pigtails	8.5F	13	2200	≥ 3.2	Divide
2551	BPDS-31993-0814/22	PE	Q-shape Double pigtails	8.5F	14	2200	≥ 3.2	Divide
2552	BPDS-31993-0815/22	PE	Q-shape Double pigtails	8.5F	15	2200	≥ 3.2	Divide
2553	BPDS-31993-1005/22	PE	Q-shape Double pigtails	10F	5	2200	≥ 3.7	Divide
2554	BPDS-31993-1006/22	PE	Q-shape Double pigtails	10F	6	2200	≥ 3.7	Divide
2555	BPDS-31993-1007/22	PE	Q-shape Double pigtails	10F	7	2200	≥ 3.7	Divide
2556	BPDS-31993-1008/22	PE	Q-shape Double pigtails	10F	8	2200	≥ 3.7	Divide
2557	BPDS-31993-1009/22	PE	Q-shape Double pigtails	10F	9	2200	≥ 3.7	Divide
2558	BPDS-31993-1010/22	PE	Q-shape Double pigtails	10F	10	2200	≥ 3.7	Divide
2559	BPDS-31993-1011/22	PE	Q-shape Double pigtails	10F	11	2200	≥ 3.7	Divide
2560	BPDS-31993-1012/22	PE	Q-shape Double pigtails	10F	12	2200	≥ 3.7	Divide
2561	BPDS-31993-1013/22	PE	Q-shape Double pigtails	10F	13	2200	≥ 3.7	Divide
2562	BPDS-31993-1014/22	PE	Q-shape Double pigtails	10F	14	2200	≥ 3.7	Divide
2563	BPDS-31993-1015/22	PE	Q-shape Double pigtails	10F	15	2200	≥ 3.7	Divide
2564	BPDS-31993-1105/22	PE	Q-shape Double pigtails	11.5F	5	2200	≥ 4.2	Divide
2565	BPDS-31993-1106/22	PE	Q-shape Double pigtails	11.5F	6	2200	≥ 4.2	Divide
2566	BPDS-31993-1107/22	PE	Q-shape Double pigtails	11.5F	7	2200	≥ 4.2	Divide
2567	BPDS-31993-1108/22	PE	Q-shape Double pigtails	11.5F	8	2200	≥ 4.2	Divide
2568	BPDS-31993-1109/22	PE	Q-shape Double pigtails	11.5F	9	2200	≥ 4.2	Divide
2569	BPDS-31993-1110/22	PE	Q-shape Double pigtails	11.5F	10	2200	≥ 4.2	Divide
2570	BPDS-31993-1111/22	PE	Q-shape Double pigtails	11.5F	11	2200	≥ 4.2	Divide
2571	BPDS-31993-1112/22	PE	Q-shape Double pigtails	11.5F	12	2200	≥ 4.2	Divide
2572	BPDS-31993-1113/22	PE	Q-shape Double pigtails	11.5F	13	2200	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2573	BPDS-31993-1114/22	PE	Q-shape Double pigtails	11.5F	14	2200	≥ 4.2	Divide
2574	BPDS-31993-1115/22	PE	Q-shape Double pigtails	11.5F	15	2200	≥ 4.2	Divide
2575	BPDS-31003-0705/17	PE	O-shape Double pigtails	7F	5	1700	≥ 2.8	Divide
2576	BPDS-31003-0706/17	PE	O-shape Double pigtails	7F	6	1700	≥ 2.8	Divide
2577	BPDS-31003-0707/17	PE	O-shape Double pigtails	7F	7	1700	≥ 2.8	Divide
2578	BPDS-31003-0708/17	PE	O-shape Double pigtails	7F	8	1700	≥ 2.8	Divide
2579	BPDS-31003-0709/17	PE	O-shape Double pigtails	7F	9	1700	≥ 2.8	Divide
2580	BPDS-31003-0710/17	PE	O-shape Double pigtails	7F	10	1700	≥ 2.8	Divide
2581	BPDS-31003-0711/17	PE	O-shape Double pigtails	7F	11	1700	≥ 2.8	Divide
2582	BPDS-31003-0712/17	PE	O-shape Double pigtails	7F	12	1700	≥ 2.8	Divide
2583	BPDS-31003-0713/17	PE	O-shape Double pigtails	7F	13	1700	≥ 2.8	Divide
2584	BPDS-31003-0714/17	PE	O-shape Double pigtails	7F	14	1700	≥ 2.8	Divide
2585	BPDS-31003-0715/17	PE	O-shape Double pigtails	7F	15	1700	≥ 2.8	Divide
2586	BPDS-31003-0805/17	PE	O-shape Double pigtails	8.5F	5	1700	≥ 3.2	Divide
2587	BPDS-31003-0806/17	PE	O-shape Double pigtails	8.5F	6	1700	≥ 3.2	Divide
2588	BPDS-31003-0807/17	PE	O-shape Double pigtails	8.5F	7	1700	≥ 3.2	Divide
2589	BPDS-31003-0808/17	PE	O-shape Double pigtails	8.5F	8	1700	≥ 3.2	Divide
2590	BPDS-31003-0809/17	PE	O-shape Double pigtails	8.5F	9	1700	≥ 3.2	Divide
2591	BPDS-31003-0810/17	PE	O-shape Double pigtails	8.5F	10	1700	≥ 3.2	Divide
2592	BPDS-31003-0811/17	PE	O-shape Double pigtails	8.5F	11	1700	≥ 3.2	Divide
2593	BPDS-31003-0812/17	PE	O-shape Double pigtails	8.5F	12	1700	≥ 3.2	Divide
2594	BPDS-31003-0813/17	PE	O-shape Double pigtails	8.5F	13	1700	≥ 3.2	Divide
2595	BPDS-31003-0814/17	PE	O-shape Double pigtails	8.5F	14	1700	≥ 3.2	Divide
2596	BPDS-31003-0815/17	PE	O-shape Double pigtails	8.5F	15	1700	≥ 3.2	Divide
2597	BPDS-31003-1005/17	PE	O-shape Double pigtails	10F	5	1700	≥ 3.7	Divide
2598	BPDS-31003-1006/17	PE	O-shape Double pigtails	10F	6	1700	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2599	BPDS-31003-1007/17	PE	O-shape Double pigtails	10F	7	1700	≥ 3.7	Divide
2600	BPDS-31003-1008/17	PE	O-shape Double pigtails	10F	8	1700	≥ 3.7	Divide
2601	BPDS-31003-1009/17	PE	O-shape Double pigtails	10F	9	1700	≥ 3.7	Divide
2602	BPDS-31003-1010/17	PE	O-shape Double pigtails	10F	10	1700	≥ 3.7	Divide
2603	BPDS-31003-1011/17	PE	O-shape Double pigtails	10F	11	1700	≥ 3.7	Divide
2604	BPDS-31003-1012/17	PE	O-shape Double pigtails	10F	12	1700	≥ 3.7	Divide
2605	BPDS-31003-1013/17	PE	O-shape Double pigtails	10F	13	1700	≥ 3.7	Divide
2606	BPDS-31003-1014/17	PE	O-shape Double pigtails	10F	14	1700	≥ 3.7	Divide
2607	BPDS-31003-1015/17	PE	O-shape Double pigtails	10F	15	1700	≥ 3.7	Divide
2608	BPDS-31003-1105/17	PE	O-shape Double pigtails	11.5F	5	1700	≥ 4.2	Divide
2609	BPDS-31003-1106/17	PE	O-shape Double pigtails	11.5F	6	1700	≥ 4.2	Divide
2610	BPDS-31003-1107/17	PE	O-shape Double pigtails	11.5F	7	1700	≥ 4.2	Divide
2611	BPDS-31003-1108/17	PE	O-shape Double pigtails	11.5F	8	1700	≥ 4.2	Divide
2612	BPDS-31003-1109/17	PE	O-shape Double pigtails	11.5F	9	1700	≥ 4.2	Divide
2613	BPDS-31003-1110/17	PE	O-shape Double pigtails	11.5F	10	1700	≥ 4.2	Divide
2614	BPDS-31003-1111/17	PE	O-shape Double pigtails	11.5F	11	1700	≥ 4.2	Divide
2615	BPDS-31003-1112/17	PE	O-shape Double pigtails	11.5F	12	1700	≥ 4.2	Divide
2616	BPDS-31003-1113/17	PE	O-shape Double pigtails	11.5F	13	1700	≥ 4.2	Divide
2617	BPDS-31003-1114/17	PE	O-shape Double pigtails	11.5F	14	1700	≥ 4.2	Divide
2618	BPDS-31003-1115/17	PE	O-shape Double pigtails	11.5F	15	1700	≥ 4.2	Divide
2619	BPDS-31003-0705/19	PE	O-shape Double pigtails	7F	5	1900	≥ 2.8	Divide
2620	BPDS-31003-0706/19	PE	O-shape Double pigtails	7F	6	1900	≥ 2.8	Divide
2621	BPDS-31003-0707/19	PE	O-shape Double pigtails	7F	7	1900	≥ 2.8	Divide
2622	BPDS-31003-0708/19	PE	O-shape Double pigtails	7F	8	1900	≥ 2.8	Divide
2623	BPDS-31003-0709/19	PE	O-shape Double pigtails	7F	9	1900	≥ 2.8	Divide
2624	BPDS-31003-0710/19	PE	O-shape Double pigtails	7F	10	1900	≥ 2.8	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2625	BPDS-31003-0711/19	PE	O-shape Double pigtails	7F	11	1900	≥ 2.8	Divide
2626	BPDS-31003-0712/19	PE	O-shape Double pigtails	7F	12	1900	≥ 2.8	Divide
2627	BPDS-31003-0713/19	PE	O-shape Double pigtails	7F	13	1900	≥ 2.8	Divide
2628	BPDS-31003-0714/19	PE	O-shape Double pigtails	7F	14	1900	≥ 2.8	Divide
2629	BPDS-31003-0715/19	PE	O-shape Double pigtails	7F	15	1900	≥ 2.8	Divide
2630	BPDS-31003-0805/19	PE	O-shape Double pigtails	8.5F	5	1900	≥ 3.2	Divide
2631	BPDS-31003-0806/19	PE	O-shape Double pigtails	8.5F	6	1900	≥ 3.2	Divide
2632	BPDS-31003-0807/19	PE	O-shape Double pigtails	8.5F	7	1900	≥ 3.2	Divide
2633	BPDS-31003-0808/19	PE	O-shape Double pigtails	8.5F	8	1900	≥ 3.2	Divide
2634	BPDS-31003-0809/19	PE	O-shape Double pigtails	8.5F	9	1900	≥ 3.2	Divide
2635	BPDS-31003-0810/19	PE	O-shape Double pigtails	8.5F	10	1900	≥ 3.2	Divide
2636	BPDS-31003-0811/19	PE	O-shape Double pigtails	8.5F	11	1900	≥ 3.2	Divide
2637	BPDS-31003-0812/19	PE	O-shape Double pigtails	8.5F	12	1900	≥ 3.2	Divide
2638	BPDS-31003-0813/19	PE	O-shape Double pigtails	8.5F	13	1900	≥ 3.2	Divide
2639	BPDS-31003-0814/19	PE	O-shape Double pigtails	8.5F	14	1900	≥ 3.2	Divide
2640	BPDS-31003-0815/19	PE	O-shape Double pigtails	8.5F	15	1900	≥ 3.2	Divide
2641	BPDS-31003-1005/19	PE	O-shape Double pigtails	10F	5	1900	≥ 3.7	Divide
2642	BPDS-31003-1006/19	PE	O-shape Double pigtails	10F	6	1900	≥ 3.7	Divide
2643	BPDS-31003-1007/19	PE	O-shape Double pigtails	10F	7	1900	≥ 3.7	Divide
2644	BPDS-31003-1008/19	PE	O-shape Double pigtails	10F	8	1900	≥ 3.7	Divide
2645	BPDS-31003-1009/19	PE	O-shape Double pigtails	10F	9	1900	≥ 3.7	Divide
2646	BPDS-31003-1010/19	PE	O-shape Double pigtails	10F	10	1900	≥ 3.7	Divide
2647	BPDS-31003-1011/19	PE	O-shape Double pigtails	10F	11	1900	≥ 3.7	Divide
2648	BPDS-31003-1012/19	PE	O-shape Double pigtails	10F	12	1900	≥ 3.7	Divide
2649	BPDS-31003-1013/19	PE	O-shape Double pigtails	10F	13	1900	≥ 3.7	Divide
2650	BPDS-31003-1014/19	PE	O-shape Double pigtails	10F	14	1900	≥ 3.7	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2651	BPDS-31003-1015/19	PE	O-shape Double pigtails	10F	15	1900	≥ 3.7	Divide
2652	BPDS-31003-1105/19	PE	O-shape Double pigtails	11.5F	5	1900	≥ 4.2	Divide
2653	BPDS-31003-1106/19	PE	O-shape Double pigtails	11.5F	6	1900	≥ 4.2	Divide
2654	BPDS-31003-1107/19	PE	O-shape Double pigtails	11.5F	7	1900	≥ 4.2	Divide
2655	BPDS-31003-1108/19	PE	O-shape Double pigtails	11.5F	8	1900	≥ 4.2	Divide
2656	BPDS-31003-1109/19	PE	O-shape Double pigtails	11.5F	9	1900	≥ 4.2	Divide
2657	BPDS-31003-1110/19	PE	O-shape Double pigtails	11.5F	10	1900	≥ 4.2	Divide
2658	BPDS-31003-1111/19	PE	O-shape Double pigtails	11.5F	11	1900	≥ 4.2	Divide
2659	BPDS-31003-1112/19	PE	O-shape Double pigtails	11.5F	12	1900	≥ 4.2	Divide
2660	BPDS-31003-1113/19	PE	O-shape Double pigtails	11.5F	13	1900	≥ 4.2	Divide
2661	BPDS-31003-1114/19	PE	O-shape Double pigtails	11.5F	14	1900	≥ 4.2	Divide
2662	BPDS-31003-1115/19	PE	O-shape Double pigtails	11.5F	15	1900	≥ 4.2	Divide
2663	BPDS-31003-0705/22	PE	O-shape Double pigtails	7F	5	2200	≥ 2.8	Divide
2664	BPDS-31003-0706/22	PE	O-shape Double pigtails	7F	6	2200	≥ 2.8	Divide
2665	BPDS-31003-0707/22	PE	O-shape Double pigtails	7F	7	2200	≥ 2.8	Divide
2666	BPDS-31003-0708/22	PE	O-shape Double pigtails	7F	8	2200	≥ 2.8	Divide
2667	BPDS-31003-0709/22	PE	O-shape Double pigtails	7F	9	2200	≥ 2.8	Divide
2668	BPDS-31003-0710/22	PE	O-shape Double pigtails	7F	10	2200	≥ 2.8	Divide
2669	BPDS-31003-0711/22	PE	O-shape Double pigtails	7F	11	2200	≥ 2.8	Divide
2670	BPDS-31003-0712/22	PE	O-shape Double pigtails	7F	12	2200	≥ 2.8	Divide
2671	BPDS-31003-0713/22	PE	O-shape Double pigtails	7F	13	2200	≥ 2.8	Divide
2672	BPDS-31003-0714/22	PE	O-shape Double pigtails	7F	14	2200	≥ 2.8	Divide
2673	BPDS-31003-0715/22	PE	O-shape Double pigtails	7F	15	2200	≥ 2.8	Divide
2674	BPDS-31003-0805/22	PE	O-shape Double pigtails	8.5F	5	2200	≥ 3.2	Divide
2675	BPDS-31003-0806/22	PE	O-shape Double pigtails	8.5F	6	2200	≥ 3.2	Divide
2676	BPDS-31003-0807/22	PE	O-shape Double pigtails	8.5F	7	2200	≥ 3.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2677	BPDS-31003-0808/22	PE	O-shape Double pigtails	8.5F	8	2200	≥ 3.2	Divide
2678	BPDS-31003-0809/22	PE	O-shape Double pigtails	8.5F	9	2200	≥ 3.2	Divide
2679	BPDS-31003-0810/22	PE	O-shape Double pigtails	8.5F	10	2200	≥ 3.2	Divide
2680	BPDS-31003-0811/22	PE	O-shape Double pigtails	8.5F	11	2200	≥ 3.2	Divide
2681	BPDS-31003-0812/22	PE	O-shape Double pigtails	8.5F	12	2200	≥ 3.2	Divide
2682	BPDS-31003-0813/22	PE	O-shape Double pigtails	8.5F	13	2200	≥ 3.2	Divide
2683	BPDS-31003-0814/22	PE	O-shape Double pigtails	8.5F	14	2200	≥ 3.2	Divide
2684	BPDS-31003-0815/22	PE	O-shape Double pigtails	8.5F	15	2200	≥ 3.2	Divide
2685	BPDS-31003-1005/22	PE	O-shape Double pigtails	10F	5	2200	≥ 3.7	Divide
2686	BPDS-31003-1006/22	PE	O-shape Double pigtails	10F	6	2200	≥ 3.7	Divide
2687	BPDS-31003-1007/22	PE	O-shape Double pigtails	10F	7	2200	≥ 3.7	Divide
2688	BPDS-31003-1008/22	PE	O-shape Double pigtails	10F	8	2200	≥ 3.7	Divide
2689	BPDS-31003-1009/22	PE	O-shape Double pigtails	10F	9	2200	≥ 3.7	Divide
2690	BPDS-31003-1010/22	PE	O-shape Double pigtails	10F	10	2200	≥ 3.7	Divide
2691	BPDS-31003-1011/22	PE	O-shape Double pigtails	10F	11	2200	≥ 3.7	Divide
2692	BPDS-31003-1012/22	PE	O-shape Double pigtails	10F	12	2200	≥ 3.7	Divide
2693	BPDS-31003-1013/22	PE	O-shape Double pigtails	10F	13	2200	≥ 3.7	Divide
2694	BPDS-31003-1014/22	PE	O-shape Double pigtails	10F	14	2200	≥ 3.7	Divide
2695	BPDS-31003-1015/22	PE	O-shape Double pigtails	10F	15	2200	≥ 3.7	Divide
2696	BPDS-31003-1105/22	PE	O-shape Double pigtails	11.5F	5	2200	≥ 4.2	Divide
2697	BPDS-31003-1106/22	PE	O-shape Double pigtails	11.5F	6	2200	≥ 4.2	Divide
2698	BPDS-31003-1107/22	PE	O-shape Double pigtails	11.5F	7	2200	≥ 4.2	Divide
2699	BPDS-31003-1108/22	PE	O-shape Double pigtails	11.5F	8	2200	≥ 4.2	Divide
2700	BPDS-31003-1109/22	PE	O-shape Double pigtails	11.5F	9	2200	≥ 4.2	Divide
2701	BPDS-31003-1110/22	PE	O-shape Double pigtails	11.5F	10	2200	≥ 4.2	Divide
2702	BPDS-31003-1111/22	PE	O-shape Double pigtails	11.5F	11	2200	≥ 4.2	Divide

Confidentiality: This document contains information that is confidential and proprietary property of Micro-Tech (Nanjing) CO., Ltd. Neither this document nor the information therein may be reproduced, used or distributed to or for the benefit of any third party without prior written consent of Micro-Tech (Nanjing) CO., Ltd.



2703	BPDS-31003-1112/22	PE	O-shape Double pigtails	11.5F	12	2200	≥ 4.2	Divide
2704	BPDS-31003-1113/22	PE	O-shape Double pigtails	11.5F	13	2200	≥ 4.2	Divide
2705	BPDS-31003-1114/22	PE	O-shape Double pigtails	11.5F	14	2200	≥ 4.2	Divide
2706	BPDS-31003-1115/22	PE	O-shape Double pigtails	11.5F	15	2200	≥ 4.2	Divide