

ACUSON S1000[™] Ultrasound System^{*}

Release 1.0

TABLE OF CONTENTS

7CF2 Transducer	3	4V1c Transducer	8
6C2 Transducer	3	14L5 SP Transducer	
4C1 Transducer	4	14L5 Transducer	g
9EVF4 Transducer	4	9L4 Transducer	g
EC9-4 Transducer	5	V7M Transducer	10
EV-8C4 Transducer	5	V5Ms Transducer	10
4P1 Transducer	6	CW5 Transducer	11
10V4 Transducer	6	CW2 Transducer	11
8V3 Transducer	7	AcuNav 8F	12
4V1 Transducer	7	AcuNay 10F	12



7CF2 Transducer

Frequency Bandwidth:	2 – 7 MHz
Compatible With:	ACUSON S2000™ ultrasound system ACUSON S3000™ ultrasound system**
Exam Types:	Abdomen, Fetal Echo, OB/GYN, Pelvis, Renal

- Design Attributes:

 Lightweight transducer with flexible cable

 Ergonomically designed form factor

 User-selectable MultiHertz™ multiple frequency imaging

 Wide bandwidth curved array volume transducer



6C2 Transducer

Frequency Bandwidth:	2 – 6 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system ACUSON Sequoia™ ultrasound system
Exam Types:	Abdomen, Fetal Echo, OB/GYN, Pediatric Abdomen, Pelvis, Peripheral Vascular Arterial, Peripheral Vascular Venous, Renal

- Curved Vector format
 Hanafy lens transducer technology
 Ergonomically designed form factor
 User-selectable MultiHertz imaging

^{*}The ACUSON S1000 ultrasound system is not commercially available in all countries. Please contact your local Siemens organization for further details.

**The ACUSON S3000 ultrasound system is 510(k) pending.



4C1 Transducer

Frequency Bandwidth:	1 – 4.5 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system** ACUSON Sequoia ultrasound system ACUSON Aspen™ ultrasound system
Exam Types:	Abdomen, Fetal Echo, OB/GYN, Pelvis, Renal

Design Attributes:

- Curved Vector Format
 Hanafy lens transducer technology
 User-selectable MultiHertz imaging

*At the time of publication, the U.S. Food and Drug Administration has cleared ultrasound contrast agents only for use in LVO. Check the current regulations for the country in which you are using this system for contrast agent clearance.



9EVF4 Transducer

Frequency Bandwidth:	4 – 9 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system
Exam Types:	Fetal Echo, Neonatal Head, OB/GYN

- Wide bandwidth endovaginal volume transducer
 Lightweight transducer with flexible cable
- User-selectable MultiHertz imaging



EC9-4 Transducer

Frequency Bandwidth:	3.75 – 9 MHz
Exam Types:	Neonatal Head, OB/GYN, Prostate
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system**

- Design Attributes:
 Ergonomically designed form factor
 Lightweight transducer with flexible cable
 User-selectable MultiHertz imaging
 Harmonic compounding
 Curved array format

- Curved array format

At the time of publication, the U.S. Food and Drug Administration has cleared ultrasound contrast agent only for use in LVO. Check current regulations for the country in which you are using this system for contrast agent clearance.



EV-8C4 Transducer

Frequency Bandwidth:	4 – 9 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system
Exam types:	Endovaginal Gynecology, Endovaginal Obstetrics

- Design Attributes:
 Tightly curved format
 Wide field of view
- User-selectable MultiHertz imaging Harmonic compounding

^{*}Cadence CPS available on prostate exam only.



4P1 Transducer

Frequency Bandwidth:	1 – 4.5 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system**
Exam Types:	Abdomen, Adult Echo, Fetal Echo, OB/GYN, Pediatric Echo, Pelvis, Renal, Transcranial

- Design Attributes:

 Multi-D™ matrix array transducer

 Ergonomically designed form factor

 Lightweight transducer with flexible cable

 User-selectable MultiHertz imaging

 Vector™ imaging format



10V4 Transducer

Frequency Bandwidth:	4 – 10 MHz
Compatible With:	ACUSON S2000 ultrasound system
	ACUSON S3000 ultrasound system
	ACUSON Sequoia ultrasound system
Exam Types:	Neonatal Echo, Neonatal Head, Pediatric
	Abdomen, Pediatric Echo, Pelvis, Renal

- Vector imaging formatUser-selectable MultiHertz imaging

^{*}The ACUSON S1000 ultrasound system is not commercially available in all countries. Please contact your local Siemens organization for further details.

**The ACUSON S3000 ultrasound system is 510(k) pending.



8V3 Transducer

Frequency Bandwidth:	2.5 – 8 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system** ACUSON Sequoia ultrasound system
Exam Types:	Fetal Echo, Neonatal Echo, Neonatal Head, Pediatric Abdomen, Pediatric Echo

- Design Attributes:
 Hanafy lens transducer technology
 Vector imaging format
 User-selectable MultiHertz imaging



4V1 Transducer

Frequency Bandwidth:	1 – 4.5 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system ACUSON Sequoia ultrasound system ACUSON Aspen ultrasound system
Exam Types:	Abdomen, Fetal Echo, OB/GYN Pelvis, Renal

- Hanafy lens transducer technology
 User-selectable MultiHertz imaging
 Harmonic compounding

- Vector imaging format



4V1c Transducer

Frequency Bandwidth:	1 – 4.5 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system** ACUSON SC2000™ ultrasound system ACUSON Sequoia ultrasound system
Exam Types:	Abdomen, Adult Echo, Pediatric Echo, Renal, Transcranial



14L5 SP Transducer

5 – 14 MHz
ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system
Breast, Cerebrovascular, Digital, Penile, Intraoperative Abdomen, Intraoperative Vascular, Musculoskeletal, Testicle, Thyroid

- Design Attributes:
 Lightweight transducer with flexible cable Ergonomically designed form factor
- Virtual format imaging
- Sterilizable high resolution linear array for special applications
 User-selectable MultiHertz imaging

^{*}The ACUSON S1000 ultrasound system is not commercially available in all countries. Please contact your local Siemens organization for further details.

**The ACUSON S3000 ultrasound system is 510(k) pending.



14L5 Transducer

Frequency Bandwidth:	5 – 14 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system**
Exam Types:	Breast, Cerebrovascular, Digital, Musculoskeletal, Penile, Peripheral Vascular, Testicle, Thyroid

- Design Attributes:

 Multi-D matrix transducer

 Ergonomically designed form factor

 Lightweight transducer with flexible cable

 Virtual format imaging

 User-selectable MultiHertz imaging



9L4 Transducer

JET Hansaace.	
Frequency Bandwidth:	4 – 9 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system ACUSON SC2000 ultrasound system ACUSON Sequoia ultrasound system
Exam Types:	Breast, Cerebrovascular, Digital, Fetal Echo, Musculoskeletal, OB/GYN, Pediatric Abdomen, Pediatric Hip, Pelvis, Penile, Peripheral Vascular, Testicle, Thyroid

- Multi-D matrix transducer
 Ergonomically designed form factor
 Lightweight transducer with flexible cable
- User-selectable MultiHertz imagingHarmonic compounding



V7M Transducer

Frequency Bandwidth:	4.0 – 8.0 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system** ACUSON Sequoia ultrasound system
Exam Types:	Pediatric and Adult Transesophageal Echo

Design Attributes:

- Design Attributes:

 Endoscope diameter = 7.0 mm; length = 70 cm

 Small tip size for increased patient comfort: width = 10.9 mm, thickness = 8.0 mm, circumference = 22 mm

 Ergonomic design featuring one-hand control

 Manual rotation: -10° 190°

 Vector wide-view imaging format phased array

 User-selectable Wideband MultiHertz imaging

 DTI™ Doppler tissue imaging



V5Ms Transducer

Frequency Bandwidth:	3 – 7 MHz
Compatible With:	ACUSON S2000 ultrasound system
·	ACUSON S3000 ultrasound system
	ACUSON SC2000 ultrasound system
	ACUSON X300™ ultrasound system
	ACUSON X300™ ultrasound system, premium edition (PE
	ACUSON Sequoia ultrasound system
	ACUSON Antares™ ultrasound system
	ACUSON CV70™ cardiovascular system
	ACUSON Cypress™ cardiovascular system
	ACUSON Aspen ultrasound system
Exam Types:	Transesophageal Echo

- Endoscope diameter = 10.5 mm, length = 110 cm
 Adult tip size: width = 14.5 mm, height = 11.5 mm
- Ergonomic design featuring one-hand control with variable speed rotation: 90° per sec
- RF shielding
 User-selectable MultiHertz imaging



CW5 Transducer

Selectable CW Doppler Frequencies:	5 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system** ACUSON Antares ultrasound system ACUSON X500™ ultrasound system ACUSON X300 ultrasound system SONOLINE G60 S™ ultrasound system ACUSON CV70 cardiovascular system
Exam Types:	Adult Echo, Cerebrovascular, Neonatal Echo, Peripheral Vascular, Pediatric Echo, Transcranial



CW2 Transducer

Selectable CW Doppler Frequencies:	2 MHz
Compatible With:	ACUSON S2000 ultrasound system
·	ACUSON S3000 ultrasound system
	ACUSON SC2000 ultrasound system
	ACUSON Antares ultrasound system
	ACUSON X500 ultrasound system
	ACUSON X300 ultrasound system
	SONOLINE G60 S ultrasound system
	ACUSON CV70 cardiovascular system
Exam Types:	Adult Echo, Cerebrovascular, Neonatal Echo, Pediatric Echo, Peripheral Vascular, Transcranial

^{*}The ACUSON S1000 ultrasound system is not commercially available in all countries. Please contact your local Siemens organization for further details.

**The ACUSON S3000 ultrasound system is 510(k) pending.



AcuNav 8F+


Frequency Bandwidth:	4.0 – 10.0 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system** ACUSON SC2000 ultrasound system ACUSON Sequoia C512 echocardiography system ACUSON Sequoia C256 echocardiography system ACUSON CV70 cardiovascular system ACUSON Cypress cardiovascular system ACUSON P50™ ultrasound system
Applications:	Adult intracardiac echocardiography

Design Attributes:

- 8 french catheter (2.7 mm diameter)
- 90 cm insertable length
 Sterile, single-use advanced miniaturization
 ACUSON AcuNav™ ultrasound catheter family
 Reusable SwiftLink™ catheter connector

Requires cardiac package.

- Four-way steering in two planes: 160° in each direction
 Longitudinal side-fire imaging
 Vector imaging format
 DTI capability



AcuNav 10F+

Frequency Bandwidth:	4.0 – 10.0 MHz
Compatible With:	ACUSON S2000 ultrasound system ACUSON S3000 ultrasound system ACUSON SC2000 ultrasound system ACUSON Sequoia C512 echocardiography system ACUSON Sequoia C256 echocardiography system ACUSON CV70 cardiovascular system ACUSON Cypress cardiovascular system ACUSON Cypress cardiovascular system ACUSON P50 ultrasound system
Applications:	Adult Intracardiac Echocardiography
Design Attributes:	
 10 french catheter (3.3 mm diameter) 90 cm insertable length Sterile, single-use advanced miniaturization ACUSON AcuNav ultrasound catheter family Reusable SwiftLink catheter connector 	 Four-way steering in two planes: 160° in each direction Longitudinal side-fire imaging Vector imaging format DTI capability

⁺ For purchase or inquires, contact Biosense Webster: USA (909-839-8500 and 800-729-9010), Belgium +32-2-352-1411, Asia Pacific +(65) 6827-6100.

[†] Adaptor supprts 8F⁺ and 10F⁺ catheters.

Frequency Bandwidth measurements represent bandwidth at ±20 dB.

AcuNav, ACUSON, Antares, Aspen, CV70, Cypress, DTI, G60 S, Multi-D, MultiHertz, P50, S1000, S2000, S3000, Sequoia, SwiftLink, Vector, X300 and X500 are trademarks of Siemens Medical Solutions USA, Inc.

DS 0112 | $\mbox{\ensuremath{\circledcirc}}$ 01.2012, Siemens Medical Solutions USA, Inc.

Global Siemens Headquarters Siemens AG Wittelsbacherplatz 2 80333 Muenchen Germany Global Siemens Healthcare Headquarters

Siemens AG Healthcare Sector Henkestrasse 127 91052 Erlangen Telephone: +49 9131 84-0

Germany

www.siemens.com/healthcare

Legal Manufacturer

Siemens Medical Solutions USA, Inc. Ultrasound 1230 Shorebird Way Mountain View, CA 94043 USA Telephone: 1-888-826-9702

Telephone: 1-888-826-9702 www.siemens.com/ultrasound