



Etajul 1




Ferestre 13 buc


Sandvici 24mm




Usi balcon 2 buc




Ferestre 2 buc




Ferestre 1 buc




Ferestre 4 buc




Ferestre 2 buc



Ferestre 9 buc




Ferestre 4 buc




Ferestre WC 1 buc


Sticla mat




Ferestre WC 1 buc

			02-23-RC		
Nr. doc.	N. P.	Semnat.	Schimbarea ferestre,usi Biblioteca Etajul 1		
Elaborat.	Botnari N.		faza	Plansa	Planse
Verificat			P	1	5
Aprobat			Usi clasa A scara 1:20		S.C.R.C USARB m.Balti, 2023


Etajul 1




Usi(geam mat) 6 buc




Usi 4buc




Usi 1buc




Usi 1buc




Et. 1 Glasvandri(geam mat) 1 buc




Usi 1buc




Usi intrare in bloc 1 buc




Usi 1buc




Usi 1buc




Usi 1buc

			01-23-RC		
Nr. doc.	N. P.	Semnat.	Biblioteca Schimbarea ferestre,usi Etajul 1		
Elaborat.	Botnari N.				
Verificat			faza	Plansa	Planse
Aprobat			P	2	5
			Usi clasa A scara 1:20		S.C.R.C USARB m.Balti, 2023


Etajul 2




Ferestre 12 buc




Ferestre 19 buc



Ferestre 2 buc




Ferestre WC 1 buc




Ferestre WC 1 buc


Sticla mat




Ferestre 1 buc




Ferestre 4 buc

			01-23-RC		
Nr. doc.	N. P.	Semnat.	Schimbarea ferestre,usi Biblioteca Et.2		
Elaborat.	Botnari N.				
Verificat			faza	Planşa	Planşe
			P	3	5
Aprobat			Ferestre,Usi clasa A scara 1:50		S.C.R.C USARB m.Balti, 2023

Etajul 2




Etajul 3



Cerintele tehnice obligatorii p/u ferestre

1. Ferestre termopan, cu rame din profil clasa A, nu mai putin de 5 camere
2. Grosimea profilului termopan, nu mai mic de 70 mm.
3. Sticla LOW-E
4. Geamuri termopan cu grosimea nu mai putin de 24mm.
5. Furnitura; Deschidere dubla, rezistenta nu mai putin de 50mii deschideri
6. Glafuri exterioare din aluminiu
7. Plasa antiantari (desen, caetul de sarcini)
8. Doua deschideri cercevea de aerisire.
9. Marimile se vor decide la fiecare gol de fereastră

				01-23-RC		
Nr. doc.	N. P.	Semnat.	Schimbarea usi Biblioteca Etajul 2;3			
Elaborat.	Botnari N.					
Verificat				faza	Plansa	Planse
Aprobat				P	5	5
				Usi clasa A scara 1:50		S.C.R.C USARB m.Balti, 2023

