



rompetrol

KazMunayGas
Group
Member

Statement of Compliance

No: **59640** ; Date: **10/11/2025** Time: **10:38:39**

Manufacturer's name: ROMPETROL RAFINARE S.A.

Manufacturer's address: Navodari, 215 Navodari Boulevard, Administrativ Building, Constanta County

Registration No. with the Register of Commerce: J1991000534130

Unique registration Code: 1860712

Hereby duly assure, guarantee, and state that:

Name of product: Gasoil EN 590 - 10PPM
of (batch/lot/tank): M92/09.11.2025.16:30-LPP93769-for barge TMS ALNIKA
Transported with: BARGE TMS ALNIKA
Delivered from: **Petromidia Secondary place of business (Navodari City, 1-283 Navodari Boulevard, Constanta County)**
Quantity: Kg
Beneficiary: IM ROMPETROL MOLDOVA
Drawn according to standard: ASTM D 4057-2022*

In compliance with:

Specification/Standard/Contract no.: SS-2.6.6 T **Title:** Euro 5 Diesel **Edition/Revision/Date of issuance:** - / 10 / 01/09/2023/

above-described product does not threaten life, health, labor safety and does not have a negative impact upon the environment, are maintaining characteristics if respect the requirements of :

Safety data sheet no. SDS 2.6.T **Title:** **Edition/Revision/Date of issuance:** - / 10 / 29/07/2024

Derogation: It's not necessary

Validity period: 3 Months **Warranty period:** 1 month from delivery date

Additional information:

The tests performed are listed in the test report no.: 61035 of date: 10/11/2025 10:38:00AM, in attach.

Certificat RAR nr.2584/valabil pana la 18.08.2026

- Rompetrol Rafinare S.A. has the Quality-Environmental-Health and Occupational Health and Safety Management Integrated System certified by DNV, according to standards: ISO 9001, ISO 14001, ISO 45001, ISO 50001.
- Rompetrol Refining has registered/ notified the product, according with the Regulation 1907/2006, REACH.
- Rompetrol Rafinare S.A. has empowered Rompetrol Quality Control SRL by a Contract of Representation Mandate to issue on its behalf the Conformity Statement.
- Material testing laboratories owned by Rompetrol Quality Control SRL are accredited by RENAR (Romanian Accreditation Association) according to SR EN ISO/IEC 17025.

For and on behalf of Rompetrol Rafinare SA

Rompetrol Quality Control SRL -

Head of Oil Products Laboratory

Elena Lucia Pop ROMPETROL RAFINARE S.A.

LPP-RQC Official Test

Irina Rizea

Tel: +(40)241 506 158; 241 506 700,

Fax: +(40)241 506 916; 241 506 929

www.rompetrol-rafinare.ro

www.rompetrol.com

office.rafinare@rompetrol.com


Testing report no:61035; date:10/11/2025 10:37:53

Customer: ROMPETROL RAFINARE SA
Sample: Gasoil EN 590 - 10PPM
Receiving date: 10/11/2025 09:45:00
Completion date: 10/11/2025
Sampling method: ASTM D 4057-2022*
Tanks: M92/09.11.2025.16:30-LPP93769-for barge TMS ALNIKA
Sampled by: RQC-UTI
Contract/Order: Contract RR nr. 5/ 07.01.2019/ PI- rev.7 RRC,P&E
Ship: BARGE TMS ALNIKA/LPP94006
Sample tested: 4L
Customer address: Navodari,B-dul Navodari nr. 215, Pavilion Administrativ,Constanta

No.	Property	Test Method	UM	Required value	Determined value	Uncertainty ³⁾
1	Cetane Number	EN ISO 5165:20		min. 51.0	51,2	-
2	Cetane Index	EN ISO 4264:2018		min. 46.0	50,9	-
3	Density At 15°C	EN ISO 12185:2024	kg/m³	min. 815 max. 845	840,6	-
4	Polycyclic Aromatic Hydrocarbons	EN 12916:2019+A1:2024	% (m/m)	max. 8.0	5,1	-
5	Sulfur Content	EN ISO 20846:19	mg/kg	max. 10.0	9,2	-
6	Flash Point, Pm	EN ISO 2719:2016,EN ISO 2719:2016/A1:2021:21	°C	min. >55	58,5	-
7	Carbon Residue(In 10% Distillation Residue)	EN ISO 10370:15	% (m/m)	max. 0.30	<0.1	-
8	Ash Content	EN ISO 6245:03	% (m/m)	max. 0.010	0,001	-
9	Water Content	SR EN ISO 12937:01, SR EN ISO 12937:01/C91:14	% (m/m)	max. 0.020	0,015	-
10	Total Contamination	EN 12662:2024	mg/kg	max. 24	<12	-
11	Corrosion, Copper Strip (3H At 50°C)	EN ISO 2160:03	evaluation	clasa 1	1b	-
12	Fatty Acid-Methyl Ester (Fame) Content	EN 14078:14	% (v/v)	max. 7	<0.05	-
13	Oxidation Stability	EN ISO 12205:1999	g/m³	max. 25	6,3	-
14	Lubricity, Wear Scar Diameter (Wsd) At 60°C	EN ISO 12156-1:2023	µm	max. 460	420	-
15	Viscosity At 40°C	EN ISO 3104:2023	mm²/s	min. 2.000 max. 4.500	2,867	-
16	%(V/V) Recovered At 250°C	EN ISO 3405:19	% (v/v)	<65	33,9	-
17	%(V/V) Recovered At 350°C	EN ISO 3405:19	% (v/v)	min. 85	92,1	-
18	95 %(V/V) Recovered At	EN ISO 3405:19	°C	max. 360	359,8	-
19	Cold Filter Plugging Point (Cfpp), Class E	EN 116:16	°C	max. -15	-17	-
20	Manganese(S)	SR EN 16576:15*	mg/l	max. 2.0	<0.5	-

Amendment: not applicable

Remarks: (S) Subcontracted testing to SC TUV AUSTRIA ROMANIA SRL Fatty Acid Methyl Ester (EMAG) Content - Test Performed in RQC – Environmental Laboratory;



- The Rompetrol Quality Control SRL laboratory is accredited by RENAR for testing activity in compliance with SR EN ISO/CEI 17025:2018 as specified in the accreditation certificate no. LI 333. The tests covered by the accreditation are available at www.renar.ro
- "" The marked tests are not covered by the RENAR accreditation.
- Expanded uncertainty of 95% confidence level with coverage factor k=2.
- The testing report cannot be partially reproduced without explicit written approval of the testing laboratory.
- The testing results refer to the tested sample and not the entire lot.
- The observations contained in this report are not covered by the Renar accreditation

ROMPETROL QUALITY CONTROL SRL
215 Navodari Blvd., 2nd floor, room 220, Navodari - Constanta, Postal Code 905700 ROMANIA
phone: + (40) 241 50 6700 |fax: +(40) 241 506 916 , email: Comercial.RQC@rompetrol.com
www.rqc.ro

cod: F. LPP.02-PG.07

ed.5/rev.4/04.2023

page 1 of 1