

HP EliteStudio 8 All-in-One G1i 27 inch Desktop AI PC

Collaborate seamlessly with a sophisticated AiO design

Elevate your workspace with the elegantly designed HP EliteStudio 8 AiO G1i 27 AI PC. Built for immersive collaboration to enhances virtual meetings, it also delivers AI-enhanced performance with an Intel® Core™ Ultra processor² with an up to 13 TOPS NPU.³

Interoperability across HP AiO and notebook systems

Seamlessly connect your AiO to your notebook with optional Device Switch⁴ to create a cohesive and efficient workspace. The HP EliteStudio 8 AiO G1i AI PC ensures smooth transitions and consistent performance across different HP devices, enhancing productivity.

Sophisticated design that elevates your workspace

Featuring a premium black and silver finish with a 3-sided near-borderless display the HP EliteStudio 8 AiO G1i AI PC offers flexibility with portrait and landscape orientations on an optional height adjustable stand,⁵ and an optional articulating stand⁵ for various workspace setups.

Build personal connections with colleagues across the globe

Experience studio quality collaboration with Poly Camera Pro⁶, high-SNR mics, and four speakers tuned by Poly Studio. The HP EliteStudio 8 AiO G1i AI PC ensures crystal clear audio and video for every conference call, supported by AI-based noise reduction.⁷



*Product image may differ from actual product

Sustainability in action

Help protect our shared future

At least 85 percent of main components plastic used in this PC is post-consumer recycled plastic.⁸ 100% of HP paper-based packaging is from recycled or certified sustainable sources.⁹ This PC is ENERGY STAR® certified and EPEAT® Climate+ Gold registered.¹⁰



HP EliteStudio 8 All-in-One G1i 27 inch Desktop AI PC

Featuring

HP Recommends Windows 11 Pro for business with Microsoft Copilot

Work without compromising on performance with Windows 11 and HP collaboration, security, and connectivity technology. Summarize and get relevant content recommendations with Microsoft Copilot.^{1,11}

Intel® powers PCs enhanced by AI

Free up time to focus on what matters with the latest Intel® Core™ Ultra processor with an up to 13 TOPS NPU. Three compute engines manage workloads, help improve video conferencing and allow for advanced content creation.^{2,3}

Create and do more

Experience reliable performance with Intel UHD Graphics, offering essential graphics capabilities that help you connect, build, and learn. Intel UHD Graphics ensures smooth visuals and efficient multitasking.

Collaboration through the NPU

Look your best on video calls and save some power too. Manage your video controls for internal and external cameras with Poly Camera Pro. Now Auto Frame, Spotlight, Background Blur, and virtual backgrounds save power running on the NPU.⁶

Walk away lock and wake on approach

Wake and lock your PC with your presence. A proximity sensor in the optional 5 MP HDR +IR camera detects when you leave your PC and locks it. Upon your return, the sensor triggers the camera and Windows Hello to verify your identity and unlock the PC.¹³

Keep visual hackers at bay

Stop shoulder surfers in their tracks with optional HP Sure View with onlooker detection that activates Sure View reducing visual light making your screen unreadable when viewed from the side.¹⁴

Hear and be heard

Dynamic Voice Leveling automatically enhances microphone gain to optimize voice clarity within 3-meters of the PC. AI Noise Reduction uses noise-filtering technology to enhance audio conferencing experience even while wearing a mask.⁶

Balanced light for a clear image

Make sure you can clearly be seen on calls with Dynamic Color Tuning that adjusts camera auto-color and auto-white balance for a more natural color when you are in front of a monochromatic background.

Get going fast

Your PC keeps working even when you're not with Modern Standby. When you wake the PC it's ready to work, meaning your email, notifications, and updates have all been updating themselves while the PC is asleep and connected to a network.¹⁵

Protected by HP Wolf Security

HP Wolf Security for Business creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.¹²

Robust security against quantum computing attacks

Fortify your workforce against quantum threats with the built-in HP Endpoint Security Controller (ESC). The latest ESC protects firmware against quantum computer attacks and helps ensure the integrity of sensitive and regulated data.¹⁶

Enhanced predictive coverage

Limit interruptions with HP Premium+ Support, a smart service that alerts of potential device issues using predictive AI-powered insights, automation and proactive 24/7 support for our fastest diagnosis and repair – wherever work happens.^{17,18}



HP EliteStudio 8 All-in-One G1i 27 inch Desktop AI PC

Technical specifications

Available Operating Systems	Windows 11 Pro ¹ Windows 11 Pro Education ¹ Windows 11 Home – HP recommends Windows 11 Pro for business ¹ Windows 11 Home Single Language – HP recommends Windows 11 Pro for business ¹ Windows 11 Home Single Language – HP recommends Windows 11 Pro for business ¹ FreeDOS
Processor family	Intel® Core™ Ultra 9 processor Intel® Core™ Ultra 7 processor Intel® Core™ Ultra 5 processor
Available Processors ^{4,36}	Intel® Core™ Ultra 9 285 (up to 5.6 GHz with Intel® Turbo Boost Max Technology, 36 MB L3 cache, 24 cores, 24 threads) with Intel® Graphics and Intel® AI Boost (13 NPU TOPS), supports Intel® vPro® Technology Intel® Core™ Ultra 7 265 (up to 5.3 GHz with Intel® Turbo Boost Max Technology, 30 MB L3 cache, 20 cores, 20 threads) with Intel® Graphics and Intel® AI Boost (13 NPU TOPS), supports Intel® vPro® Technology Intel® Core™ Ultra 5 245 (up to 5.1 GHz Max Turbo frequency, 24 MB L3 cache, 14 cores, 14 threads) with Intel® Graphics and Intel® AI Boost (13 NPU TOPS), supports Intel® vPro® Technology Intel® Core™ Ultra 5 235 (up to 5 GHz Max Turbo frequency, 24 MB L3 cache, 14 cores, 14 threads) with Intel® Graphics and Intel® AI Boost (13 NPU TOPS), supports Intel® vPro® Technology Intel® Core™ Ultra 5 225 (up to 4.9 GHz Max Turbo frequency, 20 MB L3 cache, 10 cores, 10 threads) with Intel® Graphics and Intel® AI Boost (13 NPU TOPS)
Neural Processing Unit	Intel® AI Boost
Chipset ⁴	Intel® Q870 (vPro®)
@@Brightness@@	350 nits (touch); 300 nits (non-touch)
Product colour	Pike silver
Form factor	All-in-One
Maximum memory	64 GB DDR5-5600 MT/s; ^{5,6} Transfer rates up to 5600 MT/s.
Memory slots	2 SODIMM (with support for RAID 1)
Internal storage	256 GB up to 1 TB PCIe® NVMe™ M.2 SSD ^{2,3} 512 GB up to 2 TB PCIe® NVMe™ TLC M.2 SSD ^{2,3} 512 GB PCIe® NVMe™ SED Opal 2 TLC M.2 SSD ^{2,3}
Display	68.6 cm (27") diagonal, QHD (1920 x 1080), touch, IPS, anti-glare, TUV Rhineland Low Blue Light, 350 nits, 72% NTSC; 68.6 cm (27") diagonal, QHD (1920 x 1080), non-touch, IPS, anti-glare, TUV Rhineland Low Blue Light, 300 nits, 72% NTSC
Available Graphics	Integrated: Intel® UHD Graphics 4Xe; Intel® UHD Graphics 3Xe; Intel® UHD Graphics 2Xe NVIDIA® GeForce RTX™ 5050 (8 GB GDDR6 dedicated) (Models available with either integrated or discrete graphics and must be configured at purchase (integrated graphics will depend on processor).)
Audio	2x5 W down-firing speakersRealtek ALC3252 codec, internal speaker, combo microphone/headphone jack
Expansion slots	1 M.2 2230 (WLAN); 2 M.2 2280 (SSD)
Ports and connectors	Bottom: 1 USB Type-A 10Gbps signaling rate; 1 3.5 mm universal audio jack; 1 USB Type-C® 20Gbps signaling rate (15W charging) ; Rear: 1 USB Type-A 10Gbps signaling rate; 1 HDMI-out 2.1; 1 RJ-45; 1 DisplayPort™ 2.1; 1 Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate (100W USB Power Delivery, KVM switch); 2 USB Type-A 5Gbps signaling rate (keyboard wake capable); 1 USB Type-C® 10Gbps signaling rate (with DisplayPort™ Alt Mode)
Input devices	HP 725 Multi-Device Rechargeable Wireless Keyboard and Mouse combo; HP USB 320K v2 Keyboard; HP USB Business Slim Wired v2 SmartCard CCID Keyboard; HP 125 v2 Wired Keyboard; HP 125 v2 AntiMicrobial Wired Keyboard ¹⁰ ; HP 125 Wired Mouse; HP 128 Laser Wired Mouse; HP 125 Antimicrobial Wired Mouse; HP USB Hardened Optical Wired Mouse; HP Wired 320M Mouse ¹⁰
Communications	LAN: Intel® I219-LM PCIe® GbE NIC, vPro® ; Realtek Wi-Fi 6E RTL8852CE 802.11a/b/g/n/ax (2x2) and Bluetooth® 5.3 wireless card; Intel® Wi-Fi 7 BE200 (2x2) and Bluetooth® 5.4 wireless card, vPro®; Intel® Wi-Fi 7 BE200 (2x2) and Bluetooth® 5.4 wireless card, non-vPro®
Camera	5 MP RGB fixed camera (push-in) with Ambient Color Sensor (ACS), adjustable tilt (15 degrees), and integrated dual array microphones (high SNR); 5 MP HDR + IR fixed camera (pull-up) with AI Human Presence Detection and integrated dual array microphones (normal SNR) ¹¹
Environmental	Operating temperature: 10 to 35°C; Operating humidity: 10 to 90% RH
Software	HP Notifications; HP PC Hardware Diagnostics UEFI; HP PC Hardware Diagnostics Windows; Buy Microsoft Office (sold separately) ¹⁹ ; HP Hotkey support; HP Privacy Settings; HP Services Scan ²⁰ ; HP Setup Integrated OOB; HP Smart Support ²¹ ; HP Support Assistant ²² ; HSA Fusion for Commercial; HSA Telemetry for Commercial; myHP; myHP with Multicamera support; Poly Lens ²³
Security management	Secured-Core PC Enable; HP Wolf Security for Business includes: HP Sure Start, HP Secure Erase ²⁴ ; HP Sure Admin ²⁵ ; HP Sure Click ²⁶ ; HP Sure Run ²⁷ ; HP Sure Sense ²⁸ ; HP Sure Recover ²⁹ ; HP Sure Start ³⁰ ; HP Tamper Lock ³¹ ; Absolute Persistence Module ³² ; Audio Permanent Disable; HP BIOS Recovery; BIOS Update via Network; HP BIOSphere ³³ ; HP Secure Erase ³⁴ ; HP DriveLock and Automatic DriveLock; Trusted Platform Module TPM 2.0 Embedded endpoint security controller (Common Criteria EAL4+ certified) (FIPS 140-2 Level 2 certified)



HP EliteStudio 8 All-in-One G1i 27 inch Desktop AI PC

Technical specifications

Management features	HP Client Catalog (download) ¹² ; HP Client Management Script Library (download); HP Cloud Recovery ¹³ ; HP Connect for Microsoft Endpoint Manager ¹⁴ ; HP Driver Packs (download) ¹⁵ ; HP Image Assistant (download) ¹⁶ ; HP Manageability Integration Kit (download) ¹⁷ ; HP Patch Assistant (download) ¹⁸
Power	280 W internal power supply, up to 93% efficiency, active PFC
Dimensions	61.34 x 37.17 x 5.25 cm; 74 x 22.80 x 48 cm (Package)
Weight	7.8 kg; (Exact weight depends on configuration.)
Ecolabels	EPEAT® registered with Climate+; TCO Gen 10 Certified
Energy star certified	ENERGY STAR® certified
Certification and compliance	TCG certified; MIL-STD 810H (12 durability tests)
Sustainable impact specifications	5% REE recycled magnets in system; 20% recycled metal in enclosure; 60% recycled plastic in system; 25% ocean-bound plastic in thermal fan module; 5% ocean-bound plastic in speaker enclosure; 35% recycled indium and 20% recycled glass in display panels
Display color gamut	72% NTSC



HP Series 7 Pro 27 inch QHD Thunderbolt 4 Monitor - 727pu

Power to see ideas realized

See your bright ideas become brilliant. The HP 27" QHD Thunderbolt 4 Monitor pairs striking colors with seamless connectivity to help reimagine your creative process. Keep your vision in focus with crisp front-of-screen visuals and powerful multitasking capabilities.



*Product image may differ from actual product



Your vision, exactly as you dream it

The clearer you see, the better you create. Trust what you see right out of the box with factory-calibrated color accuracy on a DreamColor-class display.¹ Jump into a wide array of vivid, lifelike hues and rich contrast thanks to IPS Black, HDR 400, 98% Display P3, and more.²



Productivity at its most beautiful

Get the power to take on any task, unhindered. This superfast Thunderbolt™ 4 display delivers high-resolution video, high-speed data, and up to 100W charging.³ Ditch the extra cables, and enjoy the freedom and performance of this single-cable solution.



Made to fit you perfectly

For all-day comfort, settle into your workflow by finding your screen's perfect position with four-way adjustability and Ergonomic Setup Guide.⁴ Help your eyes stay fresh, day or night, with the ambient light sensor that automatically adjusts the monitor's brightness.

Sustainability in action


Materials that make an impact

The better choice for a brighter tomorrow, this energy-efficient monitor is made with 90% recycled plastic content.⁵ And with 100% sustainably sourced packaging⁶, you can be confident knowing your monitor does good things for you and the planet.



HP Series 7 Pro 27 inch QHD Thunderbolt 4 Monitor - 727pu

Featuring



QHD Resolution

Dive into the captivating definition and sharp details of 3.7 million pixels. 2560 x 1440 Quad HD resolution transforms all your content for a stunning viewing experience on this 27" monitor.

IPS Black Technology

View brilliant visuals from any angle with deeper colors, darker shadows, and brighter highlights with IPS Black. Enjoy a stunning 2,000:1 contrast ratio—twice that of a traditional IPS—and ultra-wide viewing angles.²

Superb Color Accuracy

For color-critical projects, trust this Pantone-validated™ display with superb color accuracy, achieved by strict factory color calibration that ensures over 300 colors achieve a Delta E < 2, making any color difference virtually indistinguishable.

HDR and Wide Color Gamut

Replicate reality on your screen with 98% Display P3, 100% sRGB and VESA DisplayHDR™ 400 for a wide range of vibrant colors and deeper hues that represent colors as they are in the real world.²

AMD FreeSync™ Premium & High Refresh Rate

Enjoy buttery-smooth scrolling and ultra-fluid, tear-free entertainment at peak performance with AMD FreeSync™ Premium* and a 120Hz refresh rate to keep you productive and engaged for work or play.^{2,7}

HP User Color Recalibration

For professionals who demand exact, consistent, and top-quality color for their monitor, this feature allows users to recalibrate their displays to maintain professional-grade color accuracy throughout the life of the monitor.⁸

Thunderbolt™ 4 Technology

Multitask as a pro with a superfast Thunderbolt™ 4 monitor to deliver video and data at speeds up to 40Gbps while charging devices up to 100W with a single cable for a seamless work setup.³

Smart KVM and PbP

Boost your productivity with Smart KVM switch that seamlessly detects and switches between two different computers, so you can multi-task with just one keyboard and mouse. Plus, see both devices side-by-side on screen with Picture-by-picture.⁹

More Ports. More Flexibility

More ports mean more capabilities. With Thunderbolt™ 4, USB-C® upstream, HDMI 2.0, DisplayPort™ 1.4 In and Out, RJ-45, 1 USB-C® 3.2 Gen 2, and 5 USB-A 3.2 Gen 2 ports, you can daisy-chain multiple monitors and connect a mouse, keyboard, and more.¹⁰

Always-on, True Color, Low-Blue Light Filter

HP Eye Ease is an always-on, low-blue light filter that helps keep your eyes comfortable throughout the day by reducing blue light without impacting color accuracy or adding a yellow color shift.

Sleek and functional design

Sleek design, maximum view—4-sided micro-edge bezel, adjustable stand, and natural silver finish for aesthetic appeal.

HP Display Center

Customize your monitor with the intuitive HP Display Center that lets you tailor your settings, partition screens, and more—all through the host PC. Plus, learn how to find your perfect posture with help from the included HP Ergonomic Setup Guide.¹¹

Remote Management Reimagined

HP Client Management Script Library (CMSL) makes remote manageability easy to use. This powerful solution works seamlessly with Intune/SCCM to manage your display fleet using PowerShell.¹²

Peace of Mind

Enjoy peace of mind with a 3-year limited warranty and HP Zero Bright Dot Guarantee. For all HP Series 7 Pro monitors, even if one subpixel fails, HP will replace the entire monitor, no questions asked.¹³



HP Series 7 Pro 27 inch QHD Thunderbolt 4 Monitor - 727pu

Specifications

Display specifications

Display size
27"¹

Viewable diagonal size
27" (68.47 cm)

Aspect ratio
16:9¹

Curvature
Flat

Native resolution
QHD (2560 x 1440)^{1,2}

Resolution (maximum)
QHD (2560 X 1440 @ 120 Hz)¹

Resolutions supported
640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 1024; 1440 x 900; 1600 x 900; 1600 x 1200; 1680 x 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440

Panel type
IPS Black; LCD¹

Bezel
4-sided borderless

Panel bit depth
10 bit (8 bit + FRC)¹

Display colors
Up to 1.07 billion colors supported^{1,3}

Display color gamut
100% sRGB; 98% Display P3

HDR Support
VESA DisplayHDR™ 400

Refresh rate (maximum)
120 Hz¹

Display scan frequency
48-120 Hz (Vertical)¹ 30-190 kHz (Horizontal)¹

Response time
5ms GtG (with overdrive)¹

Brightness
400 nits¹

Contrast ratio
2000:1 (Static)¹ 10000000:1 (Dynamic)¹

Pixel pitch
0.23 x 0.23 mm¹

Pixels per inch (ppi)
109 ppi¹

Viewing angle
178° (Vertical) 178° (Horizontal)

Backlight type
Edge-lit

Backlight lamp life
30,000 hours

Display features
Single Power ON; AMD FreeSync™ Premium; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease; IPS Black; Ambient light sensor; KVM switch; Daisy chain; Picture-in-Picture; Picture-by-Picture; Pantone validated; Factory color calibration; HP User Color recalibration

Display User Control Options
Color; Image; Input; Power; Menu; Management; Information; Exit; Split screen

Management software
HP Display Center; HP Client Management Script Library^{6,13}

Remote manageability
Out-of-Band MAC Address Pass Through (MAPT); Out-of-Band Wake on LAN (WoL); PXE Boot

Low blue light modes
Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)¹

Flicker-free
Yes

Screen treatment
Anti-glare

Hardness
3H¹

Haze
25%

VESA mount
100 x 100 mm (bracket included)

Height adjustment range
150 mm

Tilt
-5 to +20°

Swivel
±45°

Pivot
±90°

Camera
No integrated camera

Connectivity and communications

Port and connectors
1 HDMI 2.0
1 DisplayPort™ 1.4
1 DisplayPort™ 1.4-out
1 USB Type-C® 10Gbps signaling rate upstream (Up to 15W USB Power Delivery); 1 USB Type-C® 10Gbps signaling rate (15 W charging)
1 Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate (up to 100 W USB Power Delivery, DisplayPort™ 1.4); 1 Thunderbolt™ 4 Out for Daisy chain (15 W charging)
5 USB Type-A 10Gbps signaling rate (1 charging with 7.5 W)
1 RJ-45 (10/100/1000 Mbps)

HDCP
Yes, DisplayPort™, HDMI and Thunderbolt™

Power supply
100 - 240 VAC 50/60 Hz
(Internal)

Power consumption
210 W (maximum), 41 W (typical), 0.5 W (standby)

Logistics and Physical

Product color
Black bezel; Silver rear cover

Stand color
Black; Silver

Detachable stand
Yes

Physical security
Security lock-ready⁵

Base area footprint
10.08 x 7.68 in

Dimensions without Stand (W x D x H)
24.15 x 2.93 x 13.94 in

Dimensions with stand (W x D x H)
24.15 x 8.87 x 21.28 in

Weight
15.43 lb (with stand)

Packaged Dimensions (W x D x H)
28.15 x 6.34 x 17.91 in

Packaged weight
22.7 lb

Certification and compliance

Energy efficiency
ENERGY STAR® certified

Ecolabels
TCO Certified; TCO Certified Edge; EPEAT® registered with Climate+⁷

Environmental specifications
Low halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; 90% post-consumer recycled plastic; Made with 15% recycled steel; 90% recycled aluminum^{8,9,10,11,12}

Certifications
BIS; BSMI; CB; CCC; CE; CECP; CEL; EAC; FCC; ISO 9241-307; KC; KCC; NOM; PSB; RCM; SEPA; TUV-S; UL/CSA; VCCI; WEEE; ISC; Low blue light; ICE; UAE; GS; Ukraine EE; Belarus EE; Korea MEPS; CEL Grade 2

Microsoft WHQL certification
Windows 11; Windows 10

Operating temperature range
41 to 95°F

Operating humidity range
20 to 80% RH (non-condensing)

Additional information

Manufacturer Warranty
HP three-year limited warranty

What's in the box
Monitor; Thunderbolt™ cable; DisplayPort™ cable; HDMI cable; Warranty card; Quick Setup Poster; 1 USB Type-C® to Type-A cable; AC power cord; Color calibration report; VESA mount adapter⁴

Country of origin
Made in China



HP Series 7 Pro 27 inch QHD Thunderbolt 4 Monitor - 727pu

Accessories and services (not included)

HP Z G3 Conferencing Speaker Bar



What you say and hear is just as important as what you see on conference calls. If you are looking for clearer, richer sound along with style and flexibility, look no further than the Z G3 Conferencing Speaker Bar to improve your audio experience.
Product number: 32C42AA
¹ Includes 3.5mm audio jack.
² Also compatible with DreamColor-class displays.

HP Business PC Security Lock v3 Kit



Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the affordable HP Business PC Security Lock v3 Kit.
Product number: 3XJ17AA

HP Quick Release Bracket 2



HP Quick Release is an easy to use, 100 mm VESA-compliant, LCD monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts. HP Quick Release can also be used for mounting any combination of devices that are compatible with the 100 mm VESA Flat Display Mounting Interface Standard. The failsafe "Sure-Lock" mechanism snaps the monitor (or mounted device) securely in place, and can be further secured with a theft-deterrent security screw.
Product number: 6KD15AA

Z G3 Conferencing Speaker Bar Stand



Enjoy the flexibility of placing the Z Speaker Bar¹ where you want by mounting it directly to a stand² that can be moved around.
Product number: 74N60AA
¹ Must pair it with the HP Z G3 Conferencing Speaker Bar (32C42AA). Z Speaker Bar sold separately.
² Stand sold separately.

HP Quick Release Monitor Single Arm



Enjoy more comfort and space with the HP Quick Release Monitor Arm. Easily mount and quickly release select E-Series G5¹, Series 5 Pro², and Series 7 Pro³ monitors to maximize workday comfort and desk space.
Product number: 762U0AA
¹ Compatible with monitors that have 100 x 100 VESA mount and adapter. Quick release attach capability is available for the following E-Series G5 monitors: E22 G5, E24 G5, E24t G5, E24q G5, E27 G5, E27q G5, E24u G5, E27u G5, E27k G5, and E32k G5.
² Requires monitor VESA adapter for selected models. Please contact your Sales agent or HP Service for further guidance.

HP B560 PC Mounting Bracket



Create a compact workspace with the HP B560 PC Mounting Bracket. Attach your HP Desktop Mini PC¹ behind select E-Series G5², Series 5 Pro³, or Series 7 Pro⁴ monitors for a fully adjustable, space-saving solution.
Product number: 763U8AA
¹ Compatible with Desktop Mini PCs and Workstations that have a 100 mm x 100 mm VESA mount. Use included spacer kit to allow compatibility with HP Thin Clients that have a 100 mm x 100 mm VESA mount.
² Compatible with the following E-Series monitors: E22 G5, E24 G5, E24t G5, E24q G5, E27 G5, E27q G5, E24u G5, E27u G5, E27k G5, and E32k G5, E45c G5.

HP Desktop Mini v4+ VESA Sleeve



Wrap your HP Desktop Mini PC in the HP Desktop Mini v4+ VESA Sleeve to securely mount it— with or without an Expansion Module^{1,2}—behind your display, position the solution on a wall, and lock it down with the integrated security bracket and optional HP Ultra-Slim Cable Lock.
Product number: 99T54AA
¹ Each sold separately. Expansion Modules are compatible with the HP Desktop Mini v4+ VESA Sleeve (99T54AA). The HP DM VESA Power Supply Holder Kit and HP DM VESA Quick Deploy Adhesive are only compatible with HP Desktop Mini v4+ VESA Sleeve (99T54AA). See product QuickSpecs for exact configurations.
² Requires HP Quick Release Monitor Arm, or HP B600/B550/B560 PC mounting bracket for selected models. Please contact your Sales agent or HP Service for further guidance.



HP ZBook Fury G1i 16 inch Mobile Workstation PC

So powerful you'll forget it's a laptop.



Tackle your most intense workflows with the HP ZBook Fury—offering a desktop class CPU in a laptop. With pro-graphics, massive memory and storage, and AI enhanced collaboration features, you can edit 8K videos, render in 3D or fine-tune machine learning models. Experience AI workstation performance on the go.

Tackle multiple heavy workflows—simultaneously

Get unthrottled performance¹ with a desktop class Intel® CPU,² with up to 13 NPU TOPS,² and a next-gen NVIDIA® laptop GPU.³ With thermal technology designed to keep the PC cool you can simultaneously analyze data and run model inferencing.

Upgrade. Expand. Evolve.

Get desktop-level storage and memory with slots for up to 192GB of RAM,⁴ and capacity for 16TB of storage.⁵ Expansion is simple with tool-free access to removable components, and an extensive port selection to connect to critical accessories.

Supercharged AI mobile workstation

Accelerate AI development and inferencing locally on the HP ZBook Fury, with a next-gen NVIDIA® laptop GPU³ delivering AI TOPS for advanced AI workflows. Process proprietary data securely on a local workstation to gain insights faster.

Help protect our shared future with PCs that drive towards increasing sustainability.

At HP, we care about the impact our products have on our people, communities, and the planet. That's why this device is EPEAT® Gold registered⁶ and the outer box packaging is 100% sustainably sourced.⁷



HP ZBook Fury G1i 16 inch Mobile Workstation PC



HP Recommends Windows 11 Pro for business with Microsoft Copilot

Work anywhere without compromising on performance with Windows 11 and HP collaboration, security, and connectivity technology. Summarize and rewrite content, get relevant content recommendations, and stay organized with Microsoft Copilot.^{8,9}

Intel® Core™ Ultra Processor

Unleash power-efficient performance with up to an Intel® Core™ Ultra 9 HX CPU. This CPU not only unlocks performance for the next era of AI-enhanced software, but the dedicated NPU greatly increases efficiency for productivity tasks.²

NVIDIA® Graphics

Experience high-end visualization and seamlessly render, design and multi-task on your biggest projects with a next-gen NVIDIA® laptop GPU.³

Large Memory Configurations

Power through projects with up to 192 GB RAM for fast editing and design.¹⁰

Lightning-fast Storage

Blitz through multiple tasks and ditch external drives with up to 16 TB local NVMe storage.¹¹

HP Vaporforce Thermals

HP Vaporforce Thermals helps protect your workstation from overheating, so you can cut through your heaviest workloads with peak processing power.

HP Smart Sense

HP Smart Sense intelligently optimizes your PC's thermal and power management based on your usage. Select full performance mode when completing demanding tasks to maximize performance.¹²

Thunderbolt 5

Now offering Thunderbolt 5 with a singling data rate up to 120Gb/s. Connect multiple external displays with just a single cable and expand your workspace¹³

Poly Camera Pro

Look your best on video calls and save some power too. Manage your video controls for internal and external cameras with Poly Camera Pro. Now Auto Frame, Spotlight, Background Blur, and virtual backgrounds save power running on the NPU.¹⁴

HP Power Manager

Manage and monitor your battery's performance and condition and customize charging options with the easy-to-use Battery Manager in the myHP app.^{15,16}



HP ZBook Fury G1i 16 inch Mobile Workstation PC

Specifications Table

Available Operating Systems	Windows 11 Pro ¹ Windows 11 Home – HP recommends Windows 11 Pro for business ¹ Windows 11 Home Single Language – HP recommends Windows 11 Pro for business ¹ FreeDOS 3.0 Ubuntu 24.04 LTS ²
Processor family ^{3,4,42}	Intel® Core™ Ultra 9 processor; Intel® Core™ Ultra 7 processor; Intel® Core™ Ultra 5 processor
Available Processors ^{3,4,42,49}	Intel® Core™ Ultra 5 245HX (up to 4.5 GHz E-core Max Turbo Frequency, up to 5.1 GHz P-core Max Turbo Frequency, 26 MB L2 cache, 6 P-cores and 8 E-cores, 14 threads), with Intel® Graphics and Intel® AI Boost (13 NPU TOPS), supports Intel® vPro® Technology Intel® Core™ Ultra 7 255HX (up to 4.5 GHz E-core Max Turbo Frequency, up to 5.2 GHz P-core Max Turbo Frequency, 36 MB L2 cache, 8 P-cores and 12 E-cores, 20 threads), with Intel® Graphics and Intel® AI Boost (13 NPU TOPS) Intel® Core™ Ultra 7 265HX (up to 4.6 GHz E-core Max Turbo Frequency, up to 5.3 GHz P-core Max Turbo Frequency, 36 MB L2 cache, 8 P-cores and 12 E-cores, 20 threads), with Intel® Graphics and Intel® AI Boost (13 NPU TOPS), supports Intel® vPro® Technology Intel® Core™ Ultra 9 285HX (up to 4.6 GHz E-core Max Turbo Frequency, up to 5.5 GHz P-core Max Turbo Frequency, 40 MB L2 cache, 8 P-cores and 16 E-cores, 24 threads), with Intel® Graphics and Intel® AI Boost (13 NPU TOPS), supports Intel® vPro® Technology
Neural Processing Unit	Intel® AI Boost
Chipset	Intel® WM890
Product colour	Meteor silver
Maximum memory	128 GB DDR5-5600 MT/s ECC; 192 GB DDR5-5600 MT/s non-ECC ^{7,26} Transfer rates up to 5600 MT/s.
Memory slots	4 SODIMM; supports dual channel ³⁶
Internal storage	512 GB up to 4 TB PCIe® Gen4 x4 NVMe™ M.2 2280 TLC SSD ⁶ 1 TB up to 2 TB PCIe® Gen4 x4 NVMe™ M.2 2280 TLC SED OPAL 2 SSD ⁶ 1 TB up to 2 TB PCIe® Gen5 x4 NVMe™ M.2 2280 SSD ⁶ 512 GB up to 2 TB Citadel PCIe-3x4 NVMe™ M.2 2280 TLC SED OPAL2 FIPS SSD ⁶
Display size (diagonal)	16"
Display size (diagonal, metric)	40.6 cm (16")
Available Displays (Imperial) ^{10,12,29,33}	16" diagonal, (2560 x 1600), 120 Hz, UWVA, anti-glare, Low Blue Light, 400 nits, 100% sRGB 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, 100% sRGB, HP Sure View integrated privacy screen 16" diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, low power, 100% sRGB 16" diagonal, WUXGA (1920 x 1200), touch, UWVA, BrightView, Low Blue Light, 400 nits, low power, 100% sRGB 16" diagonal, WQXGA (3840 x 2400), 120 Hz, anti-glare, 500 nits, 100% DCI-P3, HP DreamColor
Available Displays (Metric)	40.6 cm (16") diagonal, (2560 x 1600), 120 Hz, UWVA, anti-glare, Low Blue Light, 400 nits, 100% sRGB 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 800 nits, 100% sRGB, HP Sure View integrated privacy screen 40.6 cm (16") diagonal, WUXGA (1920 x 1200), UWVA, anti-glare, Low Blue Light, 400 nits, low power, 100% sRGB 40.6 cm (16") diagonal, WUXGA (1920 x 1200), touch, UWVA, BrightView, Low Blue Light, 400 nits, low power, 100% sRGB 40.6 cm (16") diagonal, WQXGA (3840 x 2400), 120 Hz, anti-glare, 500 nits, 100% DCI-P3, HP DreamColor
Available Graphics	Integrated: Intel® Graphics Discrete: NVIDIA RTX™ Pro 1000 Blackwell Generation Laptop GPU (8 GB GDDR7 dedicated) NVIDIA RTX™ Pro 2000 Blackwell Generation Laptop GPU (8 GB GDDR7 dedicated) NVIDIA RTX™ Pro 5000 Blackwell Generation Laptop GPU (24 GB GDDR7 dedicated) NVIDIA RTX™ Pro 3000 Blackwell Generation Laptop GPU (12 GB GDDR7 dedicated) NVIDIA RTX™ Pro 4000 Blackwell Generation Laptop GPU (16 GB GDDR7 dedicated) ¹¹ (Discrete graphics options planned to be available at a later date and require factory configuration at the time of hardware purchase.)
Audio	Audio by Poly Studio, 4 integrated stereo speakers (1W/8 ohm per speaker), discrete amplifiers, 2 integrated dual array digital microphones
Memory card device	1 smart card reader (select models)
Ports and connectors	Left side: 1 HDMI 2.1; 1 SD card reader; 2 Thunderbolt™ 5 with USB Type-C® 80 Gbps signaling rate (USB Power Delivery, DisplayPort™ 2.1) ³² ; Right side: 1 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo; 1 RJ-45; 1 Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate (USB Power Delivery, DisplayPort™ 2.1) ⁴⁵



HP ZBook Fury G1i 16 inch Mobile Workstation PC

Specifications Table

Keyboard	HP Lumen RGB Z Keyboard, quietKey, spill-resistant, extra large 3 button track pad, backlight keyboard and DuraKey
Mouse	Clickpad with multi-touch gesture support, taps enabled as default
Communications	WLAN: Intel® Wi-Fi 7 BE200 (2x2) and Bluetooth® 5.4 wireless card, vPro®; Intel® Wi-Fi 7 BE200 (2x2) and Bluetooth® 5.4 wireless card, non-vPro® ⁸ ; WWAN: Qualcomm® 9205 LTE Cat-M1; HP Kavalan R15 5G Solution ⁹ ;
Camera	IR Camera (optional); 5 MP camera ^{12,13}
Software	HSA Telemetry for Commercial; Copilot in Windows with Copilot key ^{17,61} ; Edge Customization; HP Support Assistant; HSA Fusion for Commercial; HP Connection Optimizer ²² ; myHP ³¹ ; HP UEFI BIOS Certification level 2.7B; HP MAC Address Manager; HP PC Hardware Diagnostics Windows; HP Privacy Settings; Poly Camera Pro; Poly Lens ¹⁸ ; HP Services Scan ⁴³ ; HP Notifications; Buy Microsoft Office (sold separately); HP Hotkey support; HP Smart Support ¹⁹
Security management	HP Tamper Lock (select models) ³⁸ ; HP Sure Click ²⁵ ; Windows Hello Enhanced Sign-in Security (ESS) Enable ¹³ ; Absolute Persistence Module ⁵⁰ ; HP BIOS Recovery; BIOS Update via Network; HP BIOSphere ²¹ ; HP DriveLock and Automatic DriveLock; HP Secure Erase ³⁵ ; HP Wake on WLAN; Audio Permanent Disable; HP Sure Run ²⁷ ; HP Client Security Manager ³⁹ ; HP Sure Recover ³⁷ ; Secured-core PC capable; HP Sure Sense ³⁰ ; HP Sure Start ⁴⁰ ; HP Sure Admin ⁴¹
Security Software Licenses	HP Wolf Pro Security Edition ⁵⁶
Fingerprint reader	Fingerprint reader (select models)
Management features	HP Client Catalog ⁵³ ; HP Power Manager with Battery Health Manager (download) ⁴⁸ ; HP Client Management Script Library (download); HP Image Assistant (download) ⁵¹ ; HP Manageability Integration Kit (download) ³⁴ ; HP Cloud Recovery; HP Connect for Microsoft Endpoint Manager ⁴¹ ; HP Driver Packs (download) ⁵²
Power	HP 150W Slim 4.5 mm PFC Right Angle Smart (3-pin) AC Power Adapter; HP 200W Slim 4.5 mm PFC Right Angle Smart (3-pin) AC Power Adapter; HP 280W Standard 4.5 mm Right Angle Smart (3-pin) AC Power Adapter ⁵
Battery type	HP 99 Wh Long Life Polymer Fast Charge 8 cell Battery ⁴⁴
Battery recharge time	Supports battery fast charge: approximately 50% in 30 minutes ²⁰
Dimensions	14.16 x 9.81 x 1.09 in; 35.9 x 24.9 x 2.7 cm; (Dimensions vary by configuration)
Weight	Starting at 5.36 lb; Starting at 2.43 kg; (Weight varies by configuration and components.)
Ecolabels	EPEAT® registered configurations available ⁵⁴
Sustainable impact specifications	Low halogen; 40% post-consumer recycled plastic; Bulk packaging available; External power supply 90% efficiency; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable ^{55,57,58,59,60}





(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: HSD-0165-W- R1

(en) Manufacturer's Name (de) Herstellername (fr) Nom du fabricant (es) Nombre del fabricante	HP Inc.
(en) Manufacturer's Address (de) Adresse des Herstellers (fr) Adresse du fabricant (es) Dirección del fabricante	1501 Page Mill Road, Palo Alto, CA 94303-1112 USA
(en) declare, under its sole responsibility that the product (de) erklärt, dass das Produkt (fr) déclare que le produit (es) declara que el producto	
(en) Product Name and Model ^{5.2} (de) Produktname und Modell ^{5.2} (fr) Nom du produit et modèle ^{5.2} (es) Nombre del producto y modelo ^{5.2}	HP 727pu, HP Series 7 Pro 727pu, HP Series 7 Pro 27 inch QHD Thunderbolt 4 Monitor – 727pu
(en) Regulatory Model Number ^{5.1} (de) Regulatorische Modell Nummer ^{5.1} (fr) Numéro de modèle réglementaire ^{5.1} (es) Número de modelo reglamentario ^{5.1}	HSD-0165-W
(en) Product Options (de) Produktoptionen (fr) Options du produit (es) Opciones del producto	(en) None (de) Keine Optionen (fr) Pas d'options (es) Sin opciones
(en) conforms to the following Product Specifications and Regulations (de) entspricht den folgenden Produktspezifikationen und Vorschriften (fr) est conforme aux normes et règlements de produit suivants (es) cumple con las siguientes especificaciones y normas de productos (en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad (en) EMC / (de) EMV / (fr) EMC / (es) EMC EN 62479:2010 EN 55032:2015+A11:2020 Class B EN IEC 62368-1:2020 +A11:2020 EN 55035:2017+A11:2020 IEC 62368-1:2018 EN IEC 61000-3-2:2019 EN 61000-3-3:2013 +A1:2019 FCC CFR 47 Part 15 ICES-003, Issue 7 (en) Ecodesign / (de) Öko-Design / (fr) Écoconception / (es) Diseño ecológico Regulation (EU) No. 2019/2021 IEC 62087:2015 EN 50564:2011 RoHS EN IEC 63000:2018	
(en) The product herewith complies with the requirements of the following and carries the CE -marking accordingly (de) Das Produkt hiermit entspricht den Anforderungen der folgenden und trägt das entsprechende CE -Kennzeichen (fr) Le produit est conforme aux exigences suivantes et porte le marquage CE en conséquence (es) El producto presente cumple con los requisitos de lo siguiente y conlleva el marcado CE en consecuencia	EMC Directive 2014/30/EU Low Voltage Directive 2014/35/EU Ecodesign Directive 2009/125/EU RoHS Directive 2011/65/EU
UK ONLY: This product herewith complies with the requirements of the following and carries the UK CA marking.	Electromagnetic Compatibility Regulations 2016 Electrical Equipment (Safety) Regulations 2016 Ecodesign for Energy-Related Products Regulations 2010 Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: HSD-0165-W- R1

U.S. ONLY: This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

(en) Additional Information
(de) Zusätzliche Information
(fr) Informations complémentaires
(es) Información Adicional:

5.1)

(en) This product is assigned a Regulatory Model Number which stays with the regulatory aspects of the design. The Regulatory Model Number is the main product identifier in the regulatory documentation and test reports, this number should not be confused with the marketing name or the product numbers.

(de) Für die regulatorischen Aspekte zum Design wurde diesem Produkt eine Regulatorische Modell Nummer zugeordnet. Zur Produktidentifizierung in der regulatorischen Dokumentation und den Prüfberichten wird diese Regulatorische Modell Nummer verwendet und sollte nicht zu Verwechslungen von Marketingnamen oder Produktnummern führen.

(fr) A ce produit est assigné un numéro de modèle réglementaire qui est associé avec les aspects réglementaires liés à la conception du produit. Le numéro de modèle réglementaire est le principal identificateur du produit dans la documentation réglementaire et les rapports d'essais, ce nombre ne doit pas être confondu avec le nom commercial ou les numéros de produit.

(es) A este producto se asigna un número de modelo regulatorio que cumple con los aspectos regulatorios del diseño. El número de modelo normativo es el identificador principal del producto en la documentación reglamentaria e informes de ensayo, este número no se debe confundir con el nombre comercial o los números del producto.

5.2)

(en) This product was tested in a typical HP environment in conjunction with an HP host system.

(de) Dieses Produkt wurde in einer typischen HP Konfiguration getestet, in Verbindung mit einem HP-Hostsystem.

(fr) Ce produit a été testé dans un environnement typique HP, en conjonction avec un système hôte HP.

(es) Este producto se ha probado en un entorno típico de HP, en combinación con un sistema host HP..

(en) An HP product will comply with the requirements of the country in which HP originally delivers it. That same unit may not necessarily comply with all requirements of all other countries, particularly countries outside of the geographic region of original HP delivery.

(de) Ein HP-Produkt erfüllt die Anforderungen des Ziellandes für welches es vorgesehen ist. Anforderungen anderer Länder werden nicht notwendigerweise eingehalten, vor allem nicht für Länder außerhalb der geographischen Region des ursprünglichen Ziellandes.

(fr) Un produit HP sera conforme aux exigences du pays dans lequel HP délivre à l'origine il. Ce même appareil peut ne pas nécessairement conformes à toutes les exigences de tous les autres pays, notamment les pays en dehors de la zone géographique de destination d'origine HP

(es) Un producto HP cumplirá con los requisitos del país en el que HP originalmente lo entrega. Esa misma unidad no necesariamente cumple con todos los requisitos de todos los demás países, en particular los países de fuera de la región geográfica de la entrega original de HP.

Palo Alto, CA
12-01-2024

 **HP Inc.**
1501 Page Mill Road, Palo Alto, CA
Gilles Soulard, Manager
Houston Product Compliance Center


Gilles Soulard, Manager
Product Compliance Center

(en) Local contact for regulatory topics only
(de) Lokale Ansprechpartner für Richtlinien und Bestimmungen
(fr) Contact local uniquement pour les réglementations
(es) Contacto local únicamente para temas de normativa:

EU: HP REG 23010, 08028 Barcelona, Spain

UK: HP Inc UK Ltd, Regulatory Enquiries, Earley West, 300 Thames Valley Park Drive, Reading, RG6 1PT

U.S.: HP Inc., 1501 Page Mill Road, Palo Alto 94304, U.S.A. 650-857-1501

Email: reg@hp.com



(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: HSC-I009-27- R2

(en) Manufacturer's Name (de) Herstellername (fr) Nom du fabricant (es) Nombre del fabricante	HP Inc.
(en) Manufacturer's Address (de) Adresse des Herstellers (fr) Adresse du fabricant (es) Dirección del fabricante	1501 Page Mill Road, Palo Alto, CA 94304 USA
(en) declare, under its sole responsibility that the product (de) erklärt, dass das Produkt (fr) déclare que le produit (es) declara que el producto	
(en) Product Name and Model ^{5.2} (de) Produktname und Modell ^{5.2} (fr) Nom du produit et modèle ^{5.2} (es) Nombre del producto y modelo ^{5.2}	HP EliteStudio 8 All-in-One G1i 27 inch Desktop AI PC HP EliteStudio 8 AIO G1i 27 HP EliteStudio 8 All-in-One G1i 27 inch Desktop AI PCX HP EliteStudio 8 AIO G1i 27X
(en) Regulatory Model Number ^{5.1} (de) Regulatorische Modell Nummer ^{5.1} (fr) Numéro de modèle réglementaire ^{5.1} (es) Número de modelo reglamentario ^{5.1}	HSC-I009-27
(en) Product Options (de) Produktoptionen (fr) Options du produit (es) Opciones del producto	(en) Please See ANNEX 1 (de) Siehe Anhang I (fr) Voir l'annexe I (es) Ver Anexo I
(en) conforms to the following Product Specifications and Regulations (de) entspricht den folgenden Produktspezifikationen und Vorschriften (fr) est conforme aux normes et règlements de produit suivants (es) cumple con las siguientes especificaciones y normas de productos	
(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad EN IEC 62368-1:2020 +A11:2020 IEC 62368-1:2018 EN 62311:2008 EN IEC 62311:2020 EN 50665:2017 EN 62479:2010 EN 50663:2017	(en) EMC / (de) EMV / (fr) EMC / (es) EMC EN 301 489-1 V2.2.3 EN 301 489-3 V2.3.2 EN 301 489-17 V3.3.1 EN 55032:2015+A11:2020 Class B EN 55035:2017+A11:2020 EN 61000-3-2:2014 EN 61000-3-3:2013 +A1:2019 CISPR 32:2015 Class B CISPR 32:2015 +A1:2019 Class B FCC CFR 47 Part 15 ICES-003, Issue 7
(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico EN 300 328 V2.2.2 EN 301 893 V2.1.1 EN 300 440 V2.1.1 EN 303 687 V1.1.1	
(en) Ecodesign / (de) Öko-Design / (fr) Écoconception / (es) Diseño ecológico Regulation (EU) No. 617/2013 EN 62623:2013	
RoHS EN IEC 63000:2018	
(en) Cybersecurity / (de) Cybersicherheit / (fr) Cybersécurité / (es) Ciberseguridad EN 18031-1: 2024 EN 18031-2: 2024	
(en) Accessibility / (de) Barrierefreiheit / (fr) Accessibilité / (es) Accesibilidad EN 301 549 V3.2.1	
(en) The product herewith complies with the requirements of the following and carries the CE -marking accordingly	Radio Equipment Directive 2014/53/EU

(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: HSC-1009-27- R2

(de) Das Produkt hiermit entspricht den Anforderungen der folgenden und trägt das entsprechende CE-Kennzeichen (fr) Le produit est conforme aux exigences suivantes et porte le marquage CE en conséquence (es) El producto presente cumple con los requisitos de lo siguiente y conlleva el marcado CE en consecuencia	Ecodesign Directive 2009/125/EU RoHS Directive 2011/65/EU Battery Regulation 2023/1542 European Accessibility Act 2019/882/EU
UK ONLY: This product herewith complies with the requirements of the following and carries the UK CA marking.	Radio Equipment Regulations 2017 Ecodesign for Energy-Related Products Regulations 2010 Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012
U.S. ONLY: This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.	
(en) Additional Information (de) Zusätzliche Information (fr) Informations complémentaires (es) Información Adicional:	
5.1) (en) This product is assigned a Regulatory Model Number which stays with the regulatory aspects of the design. The Regulatory Model Number is the main product identifier in the regulatory documentation and test reports, this number should not be confused with the marketing name or the product numbers. (de) Für die regulatorischen Aspekte zum Design wurde diesem Produkt eine Regulatorische Modell Nummer zugeordnet. Zur Produktidentifizierung in der regulatorischen Dokumentation und den Prüfberichten wird diese Regulatorische Modell Nummer verwendet und sollte nicht zu Verwechslungen von Marketingnamen oder Produktnummern führen. (fr) A ce produit est assigné un numéro de modèle réglementaire qui est associé avec les aspects réglementaires liés à la conception du produit. Le numéro de modèle réglementaire est le principal identificateur du produit dans la documentation réglementaire et les rapports d'essais, ce nombre ne doit pas être confondu avec le nom commercial ou les numéros de produit. (es) A este producto se asigna un número de modelo regulatorio que cumple con los aspectos regulatorios del diseño. El número de modelo normativo es el identificador principal del producto en la documentación reglamentaria e informes de ensayo, este número no se debe confundir con el nombre comercial o los números del producto.	
5.2) (en) This product was tested in a typical HP environment. (de) Dieses Produkt wurde in einer typischen HP Konfiguration getestet. (fr) Ce produit a été testé dans un environnement typique HP. (es) Este producto se ha probado en un entorno típico de HP.	
(en) The listed Notified Body issued the listed EU-type examination certificate, according to Annex III, for the essential requirement of article 3.2 of the RED Directive. (de) Die aufgeführte angegebene Einrichtung hat das aufgeführte EU-Prüfungszertifikat gemäß Anhang III für die wesentliche Anforderung von Artikel 3.2 der Red Richtlinie herausgegeben. (fr) L'organisme notifié répertorié a délivré le certificat d'examen de type UE répertorié, selon l'annexe III, pour l'exigence essentielle de l'article 3.2 de la directive rouge. (es) El organismo notificado listado emitió el certificado de examen de tipo UE listado, de acuerdo con el Anexo III, para el requisito esencial del Artículo 3.2 de la Directiva Roja.	Notified Body: TIMCO Engineering, Inc. Notified Body Number: 1177 Certificate ID: E1177-244914
UK ONLY: The listed Notified Body issued the listed UK-type examination certificate, according to Annex III, for the essential requirement of article 3.2 of the RED Directive.	Notified Body: TIMCO Engineering, Inc. Notified Body Number: 1177 Certificate ID: U1177-242786

Palo Alto, CA
09-07-2025


Gilles Soulard
Gilles Soulard, Manager
12:00:00 AM

**(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE
CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD**

DoC #: HSC-I009-27- R2

(en) Local contact for regulatory topics only
(de) Lokale Ansprechpartner für Richtlinien und Bestimmungen
(fr) Contact local uniquement pour les réglementations
(es) Contacto local únicamente para temas de normativa:

EU: HP REG 23010, 08028 Barcelona, Spain

UK: HP Inc UK Ltd, Regulatory Enquiries, Earley West, 300 Thames Valley Park Drive, Reading, RG6 1PT

U.S.: HP Inc., 1501 Page Mill Road, Palo Alto 94304, U.S.A. 650-857-1501

Email: reg@hp.com

www.hp.eu/certificates

**(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE
CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD**

DoC #: HSC-I009-27- R2

(en) ANNEX I (de) ANHANG I (fr) ANNEXE I (es) ANEXO I	
(en) Regulatory Model Number (RMN) (de) Regulatorische Modell Nummer (RMN) (fr) Numéro de modèle réglementaire (RMN) (es) Número de modelo reglamentario (RMN)	HSC-I009-27
1 (en) DESCRIPTION 2 (en) OPTION RMN* 1 (de) BESCHREIBUNG 2 (de) RMN OPTION* 1 (fr) DESCRIPTION 2 (fr) RMN OPTION* 1 (es) DESCRIPCIÓN 2 (es) RMN OPCIÓN*	

1	2
2.4, 5, 6 GHz WLAN + Bluetooth Combo	BE200NGW RTL8852CE

(en) *Where X represents any alpha numeric character.
(de) *Wo X steht für eine beliebige alphanumerische Zeichen
(fr) *Où X représente n'importe quel caractère alphanumérique
(es) *Donde X representa cualquier carácter alfanumérico



(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: HSN-I64C-6- R3

(en) Manufacturer's Name (de) Herstellername (fr) Nom du fabricant (es) Nombre del fabricante	HP Inc.			
(en) Manufacturer's Address (de) Adresse des Herstellers (fr) Adresse du fabricant (es) Dirección del fabricante	1501 Page Mill Road, Palo Alto, CA 94304 USA			
(en) declare, under its sole responsibility that the product (de) erklärt, dass das Produkt (fr) déclare que le produit (es) declara que el producto				
(en) Product Name and Model ^{5.2} (de) Produktname und Modell ^{5.2} (fr) Nom du produit et modèle ^{5.2} (es) Nombre del producto y modelo ^{5.2}	HP ZBook Fury G1i 16 inch Mobile Workstation PC HP ZBook Fury G1i 16 series			
(en) Regulatory Model Number ^{5.1} (de) Regulatorische Modell Nummer ^{5.1} (fr) Numéro de modèle réglementaire ^{5.1} (es) Número de modelo reglamentario ^{5.1}	HSN-I64C-6			
(en) Product Options (de) Produktoptionen (fr) Options du produit (es) Opciones del producto	(en) Please See ANNEX 1 (de) Siehe Anhang I (fr) Voir l'annexe I (es) Ver Anexo I			
(en) conforms to the following Product Specifications and Regulations (de) entspricht den folgenden Produktspezifikationen und Vorschriften (fr) est conforme aux normes et règlements de produit suivants (es) cumple con las siguientes especificaciones y normas de productos				
<table border="0"><tr><td>(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad EN IEC 62368-1:2020+A11:2020 IEC 62368-1:2018 EN 50364:2018 EN 62311:2008 EN 62479:2010 EN 50665:2017 EN 50663:2017 EN IEC 62311:2020</td><td>(en) EMC / (de) EMV / (fr) EMC / (es) EMC EN 55032:2015+A11:2020 Class B EN 61000-3-3:2013+A1:2019 EN 61000-3-2:2014 EN 55035:2017+A11:2020 ICES-003, Issue 7 FCC CFR 47 Part 15 EN 60601-1-2:2015+AMD1:2021 EN 301 489-17 v3.3.1 EN 301 489-52 v1.2.1 EN 301 489-3 v2.3.2 EN 301 489-19 v2.2.1 EN 301 489-1 v2.2.3</td><td>(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico EN 301 908-13 V13.2.1 EN 300 330 V2.1.1 EN 300 440 V2.1.1 EN 301 893 V2.1.1 EN 303 413 V1.2.1 EN 301 511 V12.5.1 EN 301 908-25 V15.1.1 EN 303 687 V1.1.1 EN 301 908-2 V13.1.1 EN 301 908-1 V15.2.1 EN 300 328 V2.2.2</td></tr></table>		(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad EN IEC 62368-1:2020+A11:2020 IEC 62368-1:2018 EN 50364:2018 EN 62311:2008 EN 62479:2010 EN 50665:2017 EN 50663:2017 EN IEC 62311:2020	(en) EMC / (de) EMV / (fr) EMC / (es) EMC EN 55032:2015+A11:2020 Class B EN 61000-3-3:2013+A1:2019 EN 61000-3-2:2014 EN 55035:2017+A11:2020 ICES-003, Issue 7 FCC CFR 47 Part 15 EN 60601-1-2:2015+AMD1:2021 EN 301 489-17 v3.3.1 EN 301 489-52 v1.2.1 EN 301 489-3 v2.3.2 EN 301 489-19 v2.2.1 EN 301 489-1 v2.2.3	(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico EN 301 908-13 V13.2.1 EN 300 330 V2.1.1 EN 300 440 V2.1.1 EN 301 893 V2.1.1 EN 303 413 V1.2.1 EN 301 511 V12.5.1 EN 301 908-25 V15.1.1 EN 303 687 V1.1.1 EN 301 908-2 V13.1.1 EN 301 908-1 V15.2.1 EN 300 328 V2.2.2
(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad EN IEC 62368-1:2020+A11:2020 IEC 62368-1:2018 EN 50364:2018 EN 62311:2008 EN 62479:2010 EN 50665:2017 EN 50663:2017 EN IEC 62311:2020	(en) EMC / (de) EMV / (fr) EMC / (es) EMC EN 55032:2015+A11:2020 Class B EN 61000-3-3:2013+A1:2019 EN 61000-3-2:2014 EN 55035:2017+A11:2020 ICES-003, Issue 7 FCC CFR 47 Part 15 EN 60601-1-2:2015+AMD1:2021 EN 301 489-17 v3.3.1 EN 301 489-52 v1.2.1 EN 301 489-3 v2.3.2 EN 301 489-19 v2.2.1 EN 301 489-1 v2.2.3	(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico EN 301 908-13 V13.2.1 EN 300 330 V2.1.1 EN 300 440 V2.1.1 EN 301 893 V2.1.1 EN 303 413 V1.2.1 EN 301 511 V12.5.1 EN 301 908-25 V15.1.1 EN 303 687 V1.1.1 EN 301 908-2 V13.1.1 EN 301 908-1 V15.2.1 EN 300 328 V2.2.2		
(en) Ecodesign / (de) Öko-Design / (fr) Écoconception / (es) Diseño ecológico Regulation (EU) 2023/826 EN 50564:2011 IEC 62301:2011				
RoHS EN IEC 63000:2018				
(en) Cybersecurity / (de) Cybersicherheit / (fr) Cybersécurité / (es) Ciberseguridad EN 18031-1:2024 EN 18031-2:2024				
(en) Accessibility / (de) Barrierefreiheit / (fr) Accessibilité / (es) Accesibilidad EN 301 549				
(en) The product herewith complies with the requirements of the following and carries the CE -marking accordingly	Radio Equipment Directive 2014/53/EU Ecodesign Directive 2009/125/EU			

(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: HSN-I64C-6- R3

(de) Das Produkt hiermit entspricht den Anforderungen der folgenden und trägt das entsprechende CE-Kennzeichen (fr) Le produit est conforme aux exigences suivantes et porte le marquage CE en conséquence (es) El producto presente cumple con los requisitos de lo siguiente y conlleva el marcado CE en consecuencia	RoHS Directive 2011/65/EU Battery Regulation 2023/1542 European Accessibility Act 2019/882/EU
UK ONLY: This product herewith complies with the requirements of the following and carries the UK CA marking.	Radio Equipment Regulations 2017 Ecodesign for Energy-Related Products Regulations 2010 Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012
U.S. ONLY: This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.	
(en) Additional Information (de) Zusätzliche Information (fr) Informations complémentaires (es) Información Adicional:	
5.1) (en) This product is assigned a Regulatory Model Number which stays with the regulatory aspects of the design. The Regulatory Model Number is the main product identifier in the regulatory documentation and test reports, this number should not be confused with the marketing name or the product numbers. (de) Für die regulatorischen Aspekte zum Design wurde diesem Produkt eine Regulatorische Modell Nummer zugeordnet. Zur Produktidentifizierung in der regulatorischen Dokumentation und den Prüfberichten wird diese Regulatorische Modell Nummer verwendet und sollte nicht zu Verwechslungen von Marketingnamen oder Produktnummern führen. (fr) A ce produit est assigné un numéro de modèle réglementaire qui est associé avec les aspects réglementaires liés à la conception du produit. Le numéro de modèle réglementaire est le principal identificateur du produit dans la documentation réglementaire et les rapports d'essais, ce nombre ne doit pas être confondu avec le nom commercial ou les numéros de produit. (es) A este producto se asigna un número de modelo regulatorio que cumple con los aspectos regulatorios del diseño. El número de modelo normativo es el identificador principal del producto en la documentación reglamentaria e informes de ensayo, este número no se debe confundir con el nombre comercial o los números del producto.	
5.2) (en) This product was tested in a typical HP environment. (de) Dieses Produkt wurde in einer typischen HP Konfiguration getestet. (fr) Ce produit a été testé dans un environnement typique HP. (es) Este producto se ha probado en un entorno típico de HP.	
(en) The listed Notified Body issued the listed EU-type examination certificate, according to Annex III, for the essential requirement of article 3.2 of the RED Directive. (de) Die aufgeführte angegebene Einrichtung hat das aufgeführte EU-Prüfungszertifikat gemäß Anhang III für die wesentliche Anforderung von Artikel 3.2 der Red Richtlinie herausgegeben. (fr) L'organisme notifié répertorié a délivré le certificat d'examen de type UE répertorié, selon l'annexe III, pour l'exigence essentielle de l'article 3.2 de la directive rouge. (es) El organismo notificado listado emitió el certificado de examen de tipo UE listado, de acuerdo con el Anexo III, para el requisito esencial del Artículo 3.2 de la Directiva Roja.	Notified Body: TIMCO Engineering, Inc. Notified Body Number: 1177 Certificate ID: E1177-255125



Palo Alto, CA
15-07-2025

Gilles Soulard
Gilles Soulard, Manager
Product Compliance Center

(en) Local contact for regulatory topics only
(de) Lokale Ansprechpartner für Richtlinien und Bestimmungen

**(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE
CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD**

DoC #: HSN-I64C-6- R3

(fr) Contact local uniquement pour les réglementations

(es) Contacto local únicamente para temas de normativa:

EU: HP Deutschland GmbH, HP HQ-TRE, 71025 Boeblingen, Germany

UK: HP Inc UK Ltd, Regulatory Enquiries, Earley West, 300 Thames Valley Park Drive, Reading, RG6 1PT

U.S.: HP Inc., 1501 Page Mill Road, Palo Alto 94304, U.S.A. 650-857-1501

Email: reg@hp.com

www.hp.eu/certificates

(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: HSN-I64C-6- R3

(en) ANNEX I (de) ANHANG I (fr) ANNEXE I (es) ANEXO I	
(en) Regulatory Model Number (RMN) (de) Regulatorische Modell Nummer (RMN) (fr) Numéro de modèle réglementaire (RMN) (es) Número de modelo reglamentario (RMN)	HSN-I64C-6
1 (en) DESCRIPTION 2 (en) OPTION RMN* 1 (de) BESCHREIBUNG 2 (de) RMN OPTION* 1 (fr) DESCRIPTION 2 (fr) RMN OPTION* 1 (es) DESCRIPCIÓN 2 (es) RMN OPCIÓN*	

1	2
Power Adapter	TPN-LA27 TPN-DA23 TPN-CA26 TPN-CA23 TPN-DA09 TPN-CA11
Battery Pack	TPN-DB2D HSTNN-OB3U
WLAN+BT	BE200NGW
NFC	XRAV-1
WWAN	RW350R-GL TX520-GL

(en) *Where X represents any alpha numeric character.
 (de) *Wo X steht für eine beliebige alphanumerische Zeichen
 (fr) *Où X représente n'importe quel caractère alphanumérique
 (es) *Donde X representa cualquier carácter alfanumérico