



BC „MOLDINDCONBANK” S.A.

Sucursala „Invest”

Republica Moldova, MD-2068
mun. Chișinău bd. Moscovei, 14/1
Tel.: (373 22) 43-46-07, 43-46-24
Fax: (373 22) 43-44-22

Data 12.02.2020
Nr. 03-22/139

Республика Молдова, MD-20638
мун. Кишинэу, бул. Московей, 14/1
Тел.: (373 22) 43-46-07, 43-46-24
Факс: (373 22) 43-44-22

Beneficiar: I.M.S.P. CENTRUL MEDICILOR DE FAMILIE MUNICIPAL BĂLȚI
c/f 1003602150710
MD-3100, mun. Bălți, str. Decebal 101 "V"

Garanție bancară

1. BC „Moldindconbank” S.A., sucursala Invest, cu adresa juridică mun. Chișinău, bd. Moscova, 14/1 a fost informată că „BioSistem MLD” S.R.L., cu adresa juridică str. Albișoara, 16/1, ap. 7, mun. Chișinău, Republica Moldova, IDNO 1010600028048 (numit în continuare „Ofertant”) urmează să înainteze oferta către Dvs. până la data de 17.01.2020 (numită în continuare „ofertă”) pentru „reagenți și consumabile de laborator pentru anul 2020”, conform licitației nr. ocds-b3wdp1-MD-1580473123996 din 13.02.2020.
2. La cererea Ofertantului, noi, BC „Moldindconbank” S.A., sucursala Invest, cu adresa juridică mun. Chișinău, bd. Moscova, 14/1, IDNO 1002600028096 în persoana directorului dl Denis Cebanu, care activează în baza procurii, denumită în continuare „GARANT”, prin prezenta, ne angajăm în mod irevocabil să vă plătim orice sumă sau sume ce nu depășesc în total suma de **1000 MDL (una mie lei 00 bani)**, la primirea de către noi a primei solicitări din partea Dvs. în scris, însoțite de o declarație în care se specifică faptul că Ofertantul încalcă una sau mai multe dintre obligațiile sale referitor la condițiile ofertei, și anume:
 - a) și-a retras oferta în timpul perioadei valabilității ofertei sau a modificat oferta după expirarea termenului-limită de depunere a ofertelor; sau
 - b) fiind anunțat de către autoritatea contractantă, în perioada de valabilitate a ofertei, despre adjudecarea contractului: (i) eșuează sau refuză să semneze formularul contractului; sau (ii) eșuează sau refuză să prezinte garanția de bună execuție, dacă se cere conform condițiilor licitației, ori nu a executat vreo condiție specificată în documentele de atribuire, înainte de semnarea contractului de achiziție.
3. Această garanție va expira în cazul în care Ofertantul devine câștigător, la primirea de către noi a copiei înștiințării privind adjudecarea contractului și în urma emiterii garanției de bună execuție eliberată către Dvs. la solicitarea Ofertantului.
4. Prezenta garanție este valabilă până la data de **01.04.2020** inclusiv.
5. Prin urmare, orice cerere sau plată în conformitate cu această garanție trebuie recepționată de către noi la oficiu până la data respectivă inclusiv.
6. Prezenta garanție se eliberează în original Ordonatorului spre a-i fi transmisă în original Beneficiarului.

Director al sucursalei

Denis Cebanu

Director financiar al sucursalei

Maria Stegarescu-Vîșcovschiei



Confidențial – MICB

Atenție! Se interzice deținerea, sustragerea, alterarea, multiplicarea, distrugerea sau folosirea acestui document fără a dispune de drept de acces autorizat!



REPUBLICA MOLDOVA

LICENȚĂ

Seria A MMII

Nr. 044322

Denumirea autorității de licențiere

Camera de Licențiere

Denumirea, forma juridică de organizare, sediul (adresa juridică) a titularului de licență

**Societatea cu Răspundere Limitată
"BIOSISTEM MLD"**

mun. Chișinău, str. Albișoara, 16/1, ap. 7

Data și numărul certificatului de înregistrare de stat a titularului de licență

12.08.2010 MD 0101250

Numărul de înregistrare a întreprinderii sau IDNO

1010600028048

Codul fiscal

Genul de activitate, integral sau parțial, pentru a cărui desfășurare se eliberează licența

*** Importul, comercializarea, asistența tehnică și reparația dispozitivelor medicale ***

Data eliberării licenței

4 octombrie 2010

Reperfectată: 1)19.10.2012; 2)14.05.2014

Valabilă pînă la

4 octombrie 2015

Prelungită pînă la: 03.10.2020

**Semnătura conducătorului
autorității de licențiere**

Director al Camerei de Licențiere

Valentin GUZNAC



Notă: Licența este valabilă numai cu anexa autenticată de autoritatea de licențiere, în care sînt indicate condițiile de licențiere pentru genul de activitate specificat în licență.



BC "MOLDINDCONBANK" S.A.

Filiala "Invest"

Republica Moldova, MD-2068
mun. Chişinău, bd. Moscovei, 14/1
Tel. : (373-22) 43-44-81, 43-46-24
Fax : (373-22) 43-44-22
cod: MOLDMD2X329

Data 14. IAN. 2016
Nr. 03/2 - 19/23

Республика Молдова, MD-2068
мун. Кишинэу, бул. Московской, 14/1
Тел. : (373-22) 43-44-81, 43-46-24
Факс : (373-22) 43-44-22
код: MOLDMD2X329

Filiala „Invest” BC „Moldindconbank” SA confirmă existența contului curent in moneda nationala al “BIOSISTEM MLD” S.R.L. (c/f 1010600028048), cu IBAN MD95ML000000002251429243.

Codul băncii MOLDMD2X329.

Director

Nina Turcan

Director financiar



Nina Balmuş

Ex. Diana Brinza
Tel. 43-45-96

REPUBLICA



MOLDOVA

CERTIFICAT DE ÎNREGISTRARE

Societatea cu Răspundere Limitată "BIOSISTEM MLD"
ESTE ÎNREGISTRATĂ LA CAMERA ÎNREGISTRĂRII DE STAT

Numărul de identificare de stat - codul fiscal
1010600028048

Data înregistrării

12.08.2010

Data eliberării

12.08.2010

Svirepova Ludmila, registrator

*Funcția, numele, prenumele persoanei
care a eliberat certificatul*

L. Svirepova
semnătura

MD 0101250





„CAMERA ÎNREGISTRĂRII DE STAT” Î.S.
Secția fonduri speciale și informații curente

EXTRAS
din Registrul de stat al persoanelor juridice

nr. 14419 din 11.07.2016

Denumirea completă: **Societatea cu Răspundere Limitată «BIOSISTEM MLD».**

Denumirea prescurtată: «BIOSISTEM MLD» S.R.L.

Forma juridică de organizare: **Societate cu Răspundere Limitată.**

Numărul de identificare de stat și codul fiscal: **1010600028048.**

Data înregistrării de stat: **12.08.2010.**

Sediul: **MD-2001, str. Albișoara, 16/1, ap.(of.) 7, mun. Chișinău, Republica Moldova.**

Modul de constituire: **nou creată.**

Obiectul principal de activitate:

- 1 Activitatea farmaceutică;**
- 2 Importul, fabricarea, comercializarea, asistența tehnică și (sau) reparația dispozitivelor medicale și (sau) a opticii;**
- 3 Acordarea asistenței medicale de către instituțiile medico-sanitare private;**
- 4 Comerțul cu ridicata al calculatoarelor, echipamentelor periferice și software-ului;**
- 5 Întreținerea și repararea mașinilor de birou și a tehnicii de calcul;**
- 6 Consultații în domeniul sistemelor de calcul.**

Capitalul social: **5400 lei.**

Administrator: POIATA VITALIE, IDNP 0983103892591,

Asociați:

- 1. POIATA VITALIE , IDNP 0983103892591**
cota 1803.60 lei, ce constituie 33,4 %
- 2. NASEDCHIN ALEXANDR , IDNP 2002001070747**
cota 1798.20 lei, ce constituie 33,3 %
- 3. KOJEVNIKOV DMITRII , IDNP 0972305012362**
cota 1798.20 lei, ce constituie 33,3 %.

Prezentul extras este eliberat în temeiul art. 34 al Legii nr. 220-XVI din 19 octombrie 2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de: 11.07.2016.

Specialist principal
tel. 022-266-252


Lazari Aliona



Lista fondatorilor Biosistem-mld SRL

Nr.	Nume, Prenume	IDNP
1.	Vitalie Poiata	0983103892591
2.	Alexandru Nasedchin	2002001070747
3.	Dmitrii Kojevnikov	0972305012362

21.08.2016
Izmir / Turkey

DECLARATION FOR THE ISSUANCE OF QUALITY CERTIFICATES

To Whom It May Concern,

According to IVD 98/79/EC directive,

FOR ANNEX II LIST A which includes HIV, Hepatitis B and Hepatitis C tests; the Notified Body must verify that the product meets the Common Technical Specification (CTS) and must release each batch of product before it is placed on the European market. The batch release often requires testing. These have EC Design Examination certificates by the notified body.

FOR ANNEX III which includes all other tests for Professional use; the manufacturer prepares a declaration of conformity in a similar way to the general devices.

For the above mentioned reason, we hereby declare that we provide CE Certificate for only the Hepatitis B, Hepatitis C and HIV tests for Professional use. For the group of other Professional tests; it is enough to present a self-Declaration of Conformity to the EU standards.

Cordially,

TURKLAB TIBBİ MALZEMELER SAN TİC A.Ş



EC CERTIFICATE No. 1434-IVDD-56/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical device, List A:

HBsAg Test

Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

manufactured by:

TURKLAB Tıbbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

was examined by PCBC according to Annex IV p. 4 Directive 98/79/EC (with subsequent amendments) transposed into the Polish law and comply with the essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

CE 1434

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

Application No. 45/2016
Contract No. MD-18/2016

Module H6



EC CERTIFICATE No. 1434-IVDD-57/2016

Full Quality Assurance System

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies quality assurance system in company:

**TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey**

for the design, manufacture and final inspection of in vitro diagnostic medical devices,
List A:

**HBsAg Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®**

complies with the requirements of Annex IV excl. 4, 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law. The audit of the quality
assurance system carried out by PCBC has provided evidence of the above.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 45/2016
Contract No. MD-18/2016

Module H7



EC CERTIFICATE No. 1434-IVDD-52/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical
device, List A:

**Anti-HCV Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®**

manufactured by:

**TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey**

was examined by PCBC according to Annex IV p. 4 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law and comply with the
essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 43/2016
Contract No. MD-16/2016

Module H6



EC CERTIFICATE No. 1434-IVDD-53/2016

Full Quality Assurance System

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies quality assurance system in company:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

for the design, manufacture and final inspection of in vitro diagnostic medical devices,
List A:

Anti-HCV Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

complies with the requirements of Annex IV excl. p. 4, 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law. The audit of the quality
assurance system carried out by PCBC has provided evidence of the above.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 43/2016
Contract No. MD-16/2016

Module H7



EC CERTIFICATE No. 1434-IVDD-54/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical
device, List A:

Anti-HBs Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®
manufactured by:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

was examined by PCBC according to Annex IV p. 4 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law and comply with the
essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 44/2016
Contract No. MD-17/2016

Module H6



EC CERTIFICATE No. 1434-IVDD-55/2016

Full Quality Assurance System

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies quality assurance system in company:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

for the design, manufacture and final inspection of in vitro diagnostic medical devices,
List A:

Brands: Info®, Toyo®, Rapidan Tester®, Labmen®
Anti-HBs Test

complies with the requirements of Annex IV excl. p. 4, 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law. The audit of the quality
assurance system carried out by PCBC has provided evidence of the above.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 44/2016
Contract No. MD-17/2016

Module H7



EC CERTIFICATE No. 1434-IVDD-58/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical
devices, List A:

Anti - HIV 1/2 Test
Brands: Info®, Toyo®, Rapidan Tester®, Labmen®

manufactured by:

TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey

was examined by PCBC according to Annex IV p. 4 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law and comply with the
essential requirements of the Directive.

This certificate is valid from **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 46/2016
Contract No. MD-19/2016

Module H6



EC CERTIFICATE No. 1434-IVDD-59/2016

Full Quality Assurance System

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies quality assurance system in company:

**TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey**

for the design, manufacture and final inspection of in vitro diagnostic medical devices,
List A:

**Brands: Info®, Toyo®, Rapidan Tester®, Labmen®
Anti - HIV 1/2 Test**

complies with the requirements of Annex IV excl. p. 4, 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law. The audit of the quality
assurance system carried out by PCBC has provided evidence of the above.

This certificate is valid from: **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 46/2016
Contract No. MD-19/2016

Module II7



EC CERTIFICATE No. 1434-IVDD-51/2016

EC Design-Examination

Directive 98/79/EC on in vitro diagnostic medical devices

PCBC certifies that the design documentation relating to in vitro diagnostic medical
device for self-testing:

**hCG Pregnancy Test
Brands: Rapidan Nova®, Rapidan Optima®, Info®, Toyo®, Rapidan
Tester®, Rapidan Compact®, Labmen®
manufactured by:**

**TÜRKLAB Tibbi Mal. San. Tic. A.Ş.
İTOB 10031 Sokak No: 15 Tekeli Menderes
Izmir, Turkey**

was examined by PCBC according to Annex III p. 6 Directive 98/79/EC
(with subsequent amendments) transposed into the Polish law and comply with the
essential requirements of the Directive.

This certificate is valid from: **2016-08-29** to **2019-08-28**

Date of certificate issue: **2016-08-29**

Date of first certificate issue: **2008-08-29**



Anna Wyroba
Anna Wyroba
Vice President of PCBC

PCBC Notified Body
23A, Kłobucka Str., PL-02-699 Warsaw

CE 1434

Application No. 42/2016
Contract No. MD-15/2016

Module A1



CERTIFICATE

No. J - 2670/2/2018

This is to certify that:

TÜRKLAB TIBBI MALZ. SAN. VE TIC. A.Ş.
Sasalı Merkez Mh. Doğa Dostları Sitesi 131 Sk. No: 2/5
35621 Çiğli, İzmir, Turkey
Factory: ITOB 10031 Sk. No: 15 Menderes / İzmir - Turkey

is in conformance with

EN ISO 9001:2015

in the following scope of activities:

**design, development, manufacturing, final control
and distribution of in vitro diagnostic medical devices
intended for self-testing and professional use,
ECG electrodes and antibiotic susceptibility discs**

The audit carried out by the Polish Centre for Testing and Certification has afforded evidence of the above.

This Certificate shall remain valid provided that above standard are respected by the Organization.

This certificate is valid:

from **24.08.2018** to **21.12.2020**



AC 019
QMS




Anna Wyroba, M.Sc.
Vice President



Certificate No. **J - 2670/2/2018**
Issued under the Contract No. 2897/JM/3/2017
Date of certification decision: 24.08.2018
Bears the PCBC hologram.
Warsaw, 24.08.2018



CERTIFICATE

No. M - 56/2/2018

This is to certify that:

TÜRKLAB TIBBI MALZ. SAN. VE TIC. A.Ş.
Sasalı Merkez Mh. Doğa Dostları Sitesi 131 Sk. No: 2/5
35621 Çiğli, İzmir, Turkey
Factory: ITOB 10031 Sk. No: 15 Menderes / İzmir - Turkey

is in conformance with

EN ISO 13485:2016

in the following scope of activities:

**design, development, manufacturing, final control
and distribution of in vitro diagnostic medical devices
intended for self-testing and professional use,
ECG electrodes and antibiotic susceptibility discs**

The audit carried out by the Polish Centre for Testing and Certification has afforded evidence of the above.

This Certificate shall remain valid provided that above standard are respected by the Organization.

This certificate is valid:

from **24.08.2018** to **21.12.2020**



AC 019
QMS



Anna Wyroba
Anna Wyroba, M.Sc.
Vice President



Certificate No. **M - 56/2/2018**

Issued under the Contract No. 2897/JM/3/2017

Date of certification decision: 24.08.2018

Bears the PCBC hologram.

Warsaw, 24.08.2018

"To Whom It May Concern"

Rubí, 7th March 2017

We, DELTALAB, S.L. with address at Plaza de la Verneda, 1, Pol. Ind. "La Llana", 08191 Rubí (Barcelona), Spain, herewith **certify** that the company, BIOSISTEM MLD S.R.L., with address at STR. ALBISOARA 16/1, AP. 7 CHISINAU, MOLDOVA, is one of our authorized distributors to promote and sell the products included in our in force catalogue DELTALAB under the conditions specified there for the tender

Yours Sincerely,




DELTALAB S.L.
Plaza de la Verneda 1, Pol. Ind. La Llana
08191 Rubí - Barcelona
T. +34 936 995 000. F. +34 936 994 512

Mònica Torras
Sales and Marketing Director
Deltalab S.L.

Ref : 54/17



Certificado ES10/81672

The management system of

DELTALAB, S.L.

Pol. Ind. La Llana, Plaza De La Verneda, 1
08191 Rubí (Barcelona)

has been assessed and certified as meeting the requirements of

ISO 9001:2015

For the following activities

Design, manufacture and sale of laboratory material for the collection, transport and conservation of samples for microbiological, molecular biology, haematology, biochemistry, histology, microscopy and colorimetric analysis.
Commercialization of equipment for the storage of prepared samples, cryogenic stored samples, general labware and industrial packages.

Diseño, fabricación y comercialización de material de laboratorio para la toma, transporte y conservación de muestras para análisis de microbiología, biología molecular, hematología, bioquímica, histología, microscopía y coloración.
Comercialización de equipos para el almacenamiento de muestras preparadas, almacenamiento de muestras para criogenización, material general de laboratorio y envases industriales.

in/ from the following sites

Pol. Ind. La Llana, Plaza De La Verneda 1 - 08191 Rubí (Barcelona)

This certificate is valid from
29 November 2017 until 11 October 2019.
Issue 7. Certified since October 2010.

Este certificado es válido desde
29 de noviembre de 2017 hasta 11 de octubre de 2019.
Edición 7. Certificado desde octubre de 2010..


Authorized by



Dirección de Certificación

SGS ICS Ibérica, S.A. (Unipersonal)
C/Trespaderne, 29. 28042 Madrid. España.
t 34 91 313 8115 f 34 91 313 8102 www.sgs.com

Page 1 of 1



This document is issued by the Company subject to its General Conditions of Certification Services accessible at www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues established therein. The authenticity of this document may be verified at <http://www.sgs.com/en/certified-clients-and-products/certified-client-directory>. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate ES10/81671

The management system of

DELTALAB, S.L.

Polígono Industrial La Llana, Plaza De La Vereda 1,
08191 Rubí, Barcelona. Spain

has been assessed and certified as meeting the requirements of

ISO 13485:2016 EN ISO 13485:2016



For the following activities

Design, manufacture and sale of sterile and non sterile medical devices for the collection, transport and conservation of biological samples for clinical and IVD analysis.

Diseño, fabricación y comercialización de productos sanitarios estériles y no estériles para la toma, transporte y conservación de muestras biológicas para análisis clínicos y de IVD.

This certificate is valid from 18 September 2017 until 11 October 2019 and remains valid subject to satisfactory surveillance audits.
Re certification audit due before 10 September 2019
Issue 7. Certified since 12 October 2010

Authorised by


SGS United Kingdom Ltd
Rossmore Business Park Ellesmere Port Cheshire CH65 3EN UK
t +44 (0)151 350-6666 f +44 (0)151 350-6600 www.sgs.com

SGS 13485 2016 0417

Page 1 of 1



0005



S/REF DELTALAB, S.L.
 N/REF: PS/DP/MST PLAZA DE LA VERNEDA, 1
 Date: 01/12/2015 POLIGONO INDUSTRIAL LA LLANA
 Subject: Information to the addressee 081191 RUBÍ
 (BARCELONA)

In response to your email dated 24/11/2015 requesting information on the products detailed below, which are included as items for general laboratory use in your company's catalogue, and after having made the relevant inquiries, I can inform you that:

- Slides
- Uncoated cover slides
- Pasteur pipettes
- Tips for general purpose pipettes
- Sample cups and cuvettes
- Spreaders for extensions
- Calibrated loops
- Petri dishes
- Vials
- Caps
- Serological pipettes
- Cryovials
- Ritips
- Cassettes for biopsy
- Microtitre plates
- E.S.R. system stands
- Anticoagulants and preservatives in bulk
- Stains for microbiology.

[State seal]
 MINISTRY OF HEALTH, SOCIAL
 SERVICES AND EQUALITY
 SUPPORTING RECORD
 AGENCIA ESPAÑOLA DE
 MEDICAMENTOS Y PRODUCTOS
 SANITARIOS
 [SPANISH STATE AGENCY OF MEDICATION
 AND SANITARY PRODUCTS]
 EXIT
 Registration No: 26082/RG53761
 Date: 14/12/2015 09:24:32

These products do not fall under the scope of Royal Decrees 1591/2009 of 16 October and 1662/2000 of 29 September, which regulate medical devices and medical devices for in vitro diagnostics respectively. These decrees transpose Directive 93/42/EEC on medical devices and Directive 98/79/EC of the European Parliament and of the Council dated 27 October 1998 on in vitro diagnostic medical devices to Spanish legislation, therefore their marketing falls under commercial legislation, consumer and user protection legislation and any applicable specific legislation.

THE HEAD OF THE DEPARTMENT OF SANITARY PRODUCTS

[Illegible signature]
 M^a del Carmen Abad Luna
 [Seal: Spanish State Agency of
 Medication and Sanitary Products]
 C/CAMPEZO, 1-EDIFICIO 8
 28022 MADRID
 TELEPHONE: 91 822 52 61
 FAX: 91 822 52 89

Doña Marta Casanova Hernández, Traductora e
 Intérprete jurada de inglés nombrada por el Ministerio
 de Asuntos Exteriores y Cooperación certifica que la
 que antecede es traducción fiel y completa al inglés de
 un documento redactado en español.
 En Salamanca, a 15 de diciembre de 2015

Marta Casanova, Sworn Translator and Interpreter of
 English named by the Ministry of Foreign Affairs and
 Cooperation, hereby certify that the foregoing is a true
 and complete translation into English of a document
 written in Spanish.
 In Madrid, 15 December 2015

MARTA CASANOVA HERNANDEZ
 Traductora-Intérprete Jurada de INGLÉS

Marta Casanova

Declaración de Conformidad "CE"
 "CE" Declaration of conformity

Directiva Productos Sanitarios para el Diagnóstico In Vitro 98/79/CE
 In Vitro Diagnostic Medical Devices Directive 98/79/EC

Fabricante / Manufacturer: **AQUISEL, S.L.**
 Dirección / Address: Autovía A-2 Km 585,1 08630 ABRERA (BARCELONA) - SPAIN

Declaro bajo su responsabilidad que los productos listados debajo, han estado diseñados para la aplicación de diagnóstico In Vitro y cumplen todos los requisitos esenciales del anexo I del Real Decreto 1662/2000 transposición a la Legislación Española de la Directiva 98/79/CE sobre productos sanitarios para diagnóstico In Vitro.

Declares under their responsibility that the products listed below have been designed for In Vitro diagnostic application and that they comply with all essential requirements as laid out in Annex I of Real Decreto 1662/2000 transposition to the Spanish Legislation of the Directive 98/79/EC for In Vitro Diagnostic Medical Devices.

"Tubos AQUISEL"; contenedores para la recogida de muestras de sangre, variantes:
 The "AQUISEL tube"; containers for blood sampling collection, kinds:

- | | |
|--|---|
| • K3E/EDTA 3K (anticoagulante) | • K3E/EDTA 3K (anticoagulant) |
| • K2E/EDTA 2K (anticoagulante) | • K2E/EDTA 2K (anticoagulant) |
| • 4NC/Citrato 3Na (anticoagulante) | • 4NC/Citrato 3Na (anticoagulant) |
| • 5NC/Citrato 3Na (anticoagulante) | • 5NC/Citrato 3Na (anticoagulant) |
| • LH/Heparina LI (anticoagulante) | • LH/LI Heparin (anticoagulant) |
| • LH/Heparina LI - Gel (anticoagulante) | • LH/LI Heparin + Gel (anticoagulant) |
| • MonoiodoAcetato LI + Gránulos PS activador (antiglicolítico) | • IodoAcetate LI + Granulos activador (antiglycolitic) |
| • LH/Heparina LI + MonoiodoAcetato LI (anticoagulante + antiglicolítico) | • LH/LI Heparin + IodoAcetate LI (anticoagulant + antiglycolitic) |
| • FX/Fluoruro Na + Oxalato K (antiglicolítico + anticoagulante) | • FX/Na Fluoride + K Oxalate (antiglycolitic + anticoagulant) |
| • Z/Vacio (sin aditivo) | • Z/Empty (non additive) |
| • Z/ Tubo tratado (para suero) | • Z/ Treatment Tube (for serum) |
| • Z/ Tubo tratado con Gel separador (para suero) | • Z/ Treatment Tube with Separator Gel (for serum) |
| • Z/ Tubo tratado con Gránulos PS (para suero) | • Z/ Treatment Tube with Granulos PS (for serum) |
| • Z/ Tubo con activador de la coagulación (para suero) | • Z/ Tube with clotting activator (for serum) |
| • Z/ Tubo con activador + Gel separador (para suero) | • Z/ Tube with clotting activator + Separator Gel (for serum) |
| • Z/ Tubo con activador + Gránulos PS (para suero) | • Z/ Tube with clotting activator + Granulos PS (for serum) |

Accesorios
 • CAP-GALET (Embudo para muestras de sangre)
 • CAP-GALET (Funnels for Blood Sampling)

Abre a 09 Octubre de 2014, Abre a 09th October 2014

Firmado/Signed: 
 (Gerente / Manager)

AQUISEL, S.L. 08630 ABRERA (Barcelona) España Tel: (93) 770 38 00 Fax: (93) 770 38 15

file:TF-1004_F_03-2014



DECLARACIÓN DE CONFORMIDAD CE
 CE DECLARATION OF CONFORMITY

El fabricante / The manufacturer:

DELTALAB S.L.
 Plaza de la Verneda, 1
 Pol. Ind. La Llana
 08191 RUBÍ (BARCELONA) - SPAIN

Declaro bajo su responsabilidad que el producto:
 Declares under its responsibility that the product:

SISTEMA INVASIVO ESTÉRIL DE TOMA DE MUESTRAS CON Y SIN MEDIO DE
 TRANSPORTE MARCA EUROTUBO
 INVASIVE STERILE EUROTUBO COLLECTION SWAB FOR SAMPLE COLLECTION WITH
 AND WITHOUT TRANSPORT MEDIUM
 (Códigos según Anexo 1 / Codes in Annex 1)

Tipo: Sistema invasivo estéril de recogida de muestras por contacto directo con el paciente
 Type: Invasive sterile collection system by direct contact with the patient

Finalidad Prevista: Recogida y transporte de muestras biológicas para posteriores análisis
 microbiológicos
 Intended Use: Collection and transport of biological samples for subsequent microbiological
 analysis

Código GMDN / GMDN Code: 33722

CUMPLE LOS REQUISITOS DE LAS NORMAS Y DIRECTIVAS:
 CONFORMS TO THE REQUISITES OF THE STANDARDS AND DIRECTIVES:

ESCOBILLON - Swab

Directiva 93/42/CEE Directiva Productos Sanitarios.
 Transposición a la legislación española en Real Decreto 1591/2009.
 Directive 93/42/ECC Medical Devices Directive.
 Transposition to Spanish legislation in Real Decreto 1591/2009.

Clasificación: Clase IIa
 Classification: Class IIa

INFORMACIÓN ADICIONAL

En referencia a los escobillones, este documento tiene su apoyo en el Certificado CE número 2005.06.0474 CP
 artículo 1, de Garantía de Calidad de la Producción de acuerdo con los Anexos V y VII de la Directiva 93/42/CEE,
 emitido por la Agencia Española de Medicamentos y Productos Sanitarios (AEMPS), Organismo Notificado número
 0318.

OTHER INFORMATION:

Regarding the swabs, this documentation is supported by the CE Certificate number 2005.06.0474 CP, Paragraph 1,
 Production Quality Assurance according to Annexes V and VII of Directive 93/42/EEC issued by the Agencia Española
 de Medicamentos y Productos Sanitarios (AEMPS), Notified Body number 0318.



TUBO CON MEDIO DE TRANSPORTE - Tube with transport medium

Directiva 98/79/CE Directiva Productos Sanitarios para Diagnóstico In Vitro.
 Transposición a la legislación española en Real Decreto 1662/2000.
 Directive 98/79/EC In vitro Diagnostic Medical Devices Directive.
 Transposition to Spanish legislation in Real Decreto 1662/2000.

 
 José Saez Anna Mir
 Director General / Managing Director, (93) 770 38 00 Responsable Técnico / Technical Director

ANEXO 1 – DESCRIPCIÓN DE ARTÍCULOS
ANNEX 1 – ARTICLES DESCRIPTION

REF	DESCRIPCIÓN	DESCRIPTION
300200	ESCOBILLON MAD.+ALGODON PEEL/1	SWAB IWV PEEL/1 WOOD+COTTON
300201	ESCOBILLON PS+ALGODON PEEL/1	SWAB IWV PEEL/1 PS+COTTON
300202	ESCOBILLON PS+VISCOSA PEEL/1	SWAB IWV PEEL/1 PS+VISCOSSE
300203	ESCOBILLON ALU+ALGODON PEEL	SWAB IWV PEEL ALUM+COTTON
300210	ESCOBILLON MAD.+ALGOD. B/2 PEEL	SWAB B/2 PEEL/2 WOOD+COTTON
300250	ESCOBILLON MAD.+ALGODON TUBO	SWAB IN TUBE WOOD+COTTON
300251	ESCOBILLON ALU.+ALGODON TUBO	SWAB IN TUBE ALUM+COTTON
300252	ESCOBILLON PS+VISCOSA TUBO	SWAB IN TUBE PS+VISCOSSE
300253	ESCOBILLON ALU.+VISCOSA TUBO	SWAB IN TUBE ALUM+VISCOSSE
300254	ESC.ALUM.TRENZADO+VISCOSA TUBO	SWAB TWISTED ALUM+VISCOSSE TUBE
300259	ESCOBILLON MAD.+VISCOSA TUBO	SWAB IN TUBE WOOD+VISCOSSE
300261	ESCOBILLON PS+ALGODON TUBO	SWAB IN TUBE PP+COTTON
300263	ESCOBILLÓN 13X165MM PS C/POLIÉSTER	SWAB 13X165MM PS W/POLYESTER
300280	CARY BLAIR MADERA+ALGODON	CARY BLAIR SWAB WOOD+COTTON
300281	AMIES ALUMINIO+VISCOSA	AMIES SWAB ALUMINIUM+VISCOSSE
300284	AMIES LIQUIDO PS+VISCOSA	AMIES SWAB LIQUID PS+VISCOSSE
300285	AMIES CARBON PS+VISCOSA	AMIES+CHARCOAL SWAB PS+VISCOSSE
300287	AMIES PS+VISCOSA	AMIES SWAB PS+VISCOSSE
300290	STUART MADERA+ALGODÓN	STUART SWAB WOOD+COTTON
300291	STUART ALUMINIO+ALGODÓN	STUART SWAB ALUM+COTTON
300292	STUART ALUMIN.TRENZADO+VISCOSA	STUART SWAB TWISTED ALU + VISC
300294	VIRUS ALUMINIO + POLIÉSTER	VIRUS SWAB ALUMINIUM POLYESTER
300296	STUART 13X165MM PS C/VISCOSA	STUART 13X165MM PS W/VISCOSSE
300296	H. VIRUS ALUM. ALGODÓN	SWAB FOR VIRUS WIRE+COTTON TIP
300297	VIRUS PS+POLIÉSTER	VIRUS SWAB PS POLYESTER
300299	CHLAMYDIA PS+POLIÉSTER	CHLAMYDIA SWAB PS+POLYESTER
310200	ESCOBILLON MAD.+ALGODON FLOW	WOOD+COTTON SWAB FLOW
310202	ESCOBILLON PS+VISCOSA FLOW	PS+VISCOSSE SWAB FLOW

REF	DESCRIPCIÓN	DESCRIPTION
300211.1	ESCOBILLÓN PS+ALG. PACK PEEL/2	SWAB B/2 PS+COTTON PEEL/2
300212.1	ESCOBILLON PS+VISCOSA PEEL/2	SWAB PEEL/2 PS+VISCOSSE
300250.1	ESCOBILLON MAD.+ALGOD. PURO TU	SWAB IN TUBE WOOD+PURE COTTON
300250.M	ESCOBILLON MAD.+ALGODON TUBO	SWAB IN TUBE WOOD+COTTON
300261.M	ESCOBILLON PS+ALGODON TUBO	SWAB IN TUBE PS+COTTON
300268.B	ESCOBILLON PS+POLIÉSTER PEEL PACK	SWAB PS+POLIESTER IND.WRAPPED
300280.2	CARY BLAIR PS+VISCOSA	CARY BLAIR SWAB PS+VISCOSSE
300281/1	ESC. AMIES+CARBON ALUM.VISCOSA	AMIES CHARCOAL SWAB WIRE+VISCOSSE
300281T	AMIES ALUMINIO TRENZADO+ VISCOS	AMIES SWAB TWIST WIRE+VISCOSSE
300281TC	AMIES+CARBON ALU.TRENZADO+ VISC	AMIES+CHARCOAL TWIS.WIRE+VISCOS
300285.M	AMIES CARBON PS VISCOSA 6x100	AMIES CHARCOAL PS RAYON 6X100
300287.5	AMIES PS VISCOSA CAJAS 6x100	AMIES PS VISCOSSE CASES 6X100
300287.A	ESCOB.AMIES PS+VISCOSA	AMIES SWAB PS+VISCOSSE
300295C	STUART CARBÓN PS + VISCOSA	STUART+CHARCOAL SWAB PS+VISCOSSE
310253.1	ESCOB. ALUM+VISCOSA FLOW	ALUM+VISCOSSE SWAB FLOW
310211.1	ESCOBILLON PS+ALGODON B/2 FLOW	PS+COTTON SWAB B/2 FLOW
300250.MY	ESCOBILLON MAD.+ALGODON TUBO	SWAB IN TUBE WOOD+COTTON
300211.10	ESCOBILLÓN PS+ALG. PACK PEEL/10	SWAB PS+COTTON PEEL/10
300281AV	ESCOBILLON PS+ALGODON TUBO	SWAB IN TUBE PS+COTTON

DECLARACIÓN DE CONFORMIDAD CE
CE DECLARATION OF CONFORMITY

El fabricante / The manufacturer:

DELTALAB S.L.
Plaza de la Verneda, nº 1
Pol. Ind. La Llana
08191 Rubí (Barcelona) – España

Declara bajo su responsabilidad que el producto:
Declares under its responsibility that the product:

SISTEMA INVASIVO ESTÉRIL, CON PUNTA ABSORBENTE, PARA TOMA DE MUESTRAS CON Y SIN MEDIO DE TRANSPORTE.
INVASIVE STERILE COLLECTION SWAB, WITH ABSORBENT TIPPED, FOR SAMPLE COLLECTION WITH AND WITHOUT TRANSPORT MEDIUM
(Códigos según Anexo 1 / Codes in Annex 1)

Tipo: Escobillón estéril con punta absorbente para la recogida de muestras.
Type: Absorbent tipped sterile swab for samples collection.

Finalidad Prevista: Recogida y transporte de muestras biológicas para posteriores análisis microbiológicos
Intended Use: Collection and transport of biological samples for subsequent microbiological analysis

Código GMDN / GMDN Code: 33722

CUMPLE LOS REQUISITOS DE LAS NORMAS Y DIRECTIVAS:
CONFORMS TO THE REQUISITES OF THE STANDARDS AND DIRECTIVES:

ESCOBILLON - Swab

Directiva 93/42/CEE Directiva Productos Sanitarios.
Transposición a la legislación española en Real Decreto 1591/2009.
Directive 93/42/ECC Medical Devices Directive.
Transposition to Spanish legislation in Real Decreto 1591/2009.

Clasificación: Clase I Estéril
Classification: Class I Sterile

INFORMACIÓN ADICIONAL

En referencia a los escobillones, este documento tiene su apoyo en el Certificado CE número 2005.06.0475 CP. Epígrafe 6, de Garantía de Calidad de la Producción de acuerdo con los Anexos VII punto 5 y V punto 3 de la Directiva 93/42/CEE, emitido por la Agencia Española de Medicamentos y Productos Sanitarios (AEMPS), Organismo Notificado número 0318.

OTHER INFORMATION:

For the swabs, this documentation is supported by the CE Certificate number 2005.06.0475 CP. Epigraph 6, according to Annexes VII section 5 and V section 3 of Directive 93/42/EEC issued by the Agencia Española de Medicamentos y Productos Sanitarios (AEMPS), Notified Body number 0318.

TUBO CON MEDIO DE TRANSPORTE – Tube with transport medium

Directiva 98/79/CE Directiva Productos Sanitarios para Diagnóstico In Vitro.
Transposición a la legislación española en Real Decreto 1662/2000.
Directive 98/79/EC In vitro Diagnostic Medical Devices Directive.
Transposition to Spanish legislation in Real Decreto 1662/2000.



 José Saez
Director General / Managing Director
 Anna Mir
Responsable Técnico / Technical Director

ANEXO 1 – DESCRIPCIÓN DE ARTÍCULOS/ANNEX 1 – ARTICLES DESCRIPTION

REF	DESCRIPCIÓN	DESCRIPTION
300265	ESCOBILLON PS+FLOCK EN TUBO	SWAB / TUBE PS + FLOCK
303806	ESCOB.FLOCK ULTRA PEEL P.	FLOCKED SWAB PS STAND.NO/8P ST.PEEL P.
304270	VICUM 2ML ESC.FLOCK NASOFAR. 100MM	VICUM 2ML FLOCKED SWAB NASOPH.100MM
304271	VICUM 1ML ESC.FLOCK ESTANDAR 80MM	VICUM 1ML FLOCKED SWAB STANDARD 80MM
304272	VICUM 1ML ESC.FLOCK URETRAL 80MM	VICUM 1ML FLOCKED SWAB URETRAL 80MM
304273	VICUM 3ML ESC.FLOCK ESTANDAR 100MM	VICUM 3ML FLOCKED SWAB STANDARD 100MM
304274	VICUM 3ML ESC.FLOCK URETRAL 100MM	VICUM 3ML FLOCKED SWAB URETRAL 100MM
304275	VICUM 3ML ESC.FLOCK NASOFARINGEO 100MM	VICUM 3ML FLOCKED SWAB NASOPH.100MM
304276	VICUM 2ML ESC.FLOCK URETRAL 100MM	VICUM 2ML FLOCKED SWAB URETRAL 100MM
304277	VICUM 1ML ESC.FLOCK NASOFARINGEO 100MM	VICUM 1ML FLOCKED SWAB NASOPH.100MM
304278	VICUM 2ML ESC.FLOCK ESTANDAR 80MM	VICUM 2ML FLOCKED SWAB STANDARD 80MM
304279	VICUM 2ML ESC.FLOCK MINITIP 100MM	VICUM 2ML FLOCKED SWAB MINITIP 100MM
304280	CARY BLAIR 2ML ESC.FLOCK ESTANDAR 80MM	CARY BLAIR 2ML FLOCKED SWAB STANDARD 80MM
304281	AMIES 1ML ESC.FLOCK ESTANDAR 80MM	AMIES 1ML FLOCKED SWAB STANDARD 80MM
304282	AMIES 1ML ESC.FLOCK URETRAL 80MM	AMIES 1ML FLOCKED SWAB URETRAL 80MM
304285	AMIES 1ML ESC.FLOCK NASOFARINGEO 100MM	AMIES 1ML FLOCKED SWAB NASOPH.100MM
304286	AMIES 1ML ESC.FLOCK MINITIP 100MM	AMIES 1ML FLOCKED SWAB MINITIP 100MM
304287	AMIES 2ML ESC.FLOCK ESTANDAR 80MM	AMIES 2ML FLOCKED SWAB STANDARD 80MM
304291	VIRUS 1ML ESC.FLOCK ESTANDAR 80MM	VIRUS 1ML FLOCKED SWAB STAND. 80MM
304292	VIRUS 1ML ESC.FLOCK URETRAL 80MM	VIRUS 1ML FLOCKED SWAB URETRAL 80MM
304293	VIRUS 3ML ESC.FLOCK ESTANDAR 100MM	VIRUS 3ML FLOCKED SWAB STANDARD 100MM
304294	VIRUS 3ML ESC.FLOCK URETRAL 100MM	VIRUS 3ML FLOCKED SWAB URETRAL 100MM
304295	VIRUS 3ML ESC.FLOCK NASOFARINGEO 100MM	VIRUS 3ML FLOCK SWAB NASOPH.100MM
304297	VIRUS 1ML ESC.FLOCK NASOFARINGEO 100MM	VIRUS 1ML FLOCK SWAB NASOPH.100MM
304296	VIRUS 2ML ESC.FLOCK NASOFARINGEO 2X100MM	VIRUS 2ML FLOCK SWAB NASOPH.100MM
304298	VIRUS 2ML ESC.FLOCK NASOF + ST. 100/80MM	VIRUS 2ML FLOCK SWAB NASOPH. + ST. 100/80MM

REF	DESCRIPCIÓN	DESCRIPTION
304288	AMIES 1ML 3 ESC.FLOCK MRSA	AMIES 1ML 3 FLOCKED SWABS MRSA
304212	LIM BROTH 2ML ESC.FLOCK ESTANDAR 80MM	LIM BROTH 2ML FLOCKED SWAB STANDARD 80MM

**DECLARACIÓN DE CONFORMIDAD CE
CE DECLARATION OF CONFORMITY**

El fabricante / The manufacturer:

DELTALAB S.L.
Plaza de la Verneda, 1
Pol. Ind. La Llana
08191 RUBI (BARCELONA) – SPAIN

Declara bajo su responsabilidad que el producto:
Declares under its responsibility that the product:

**CONTENEDORES PARA MUESTRAS NO ESTÉRILES
GENERAL SPECIMEN CONTAINER NON-STERILE**
(Códigos según Anexo 1 / Codes in Annex 1)

Finalidad Prevista: Recogida y conservación y/o transporte, de cualquier tipo de muestra para diagnóstico (por ejemplo, orina, heces, esputo, mucosa, tejido) para análisis y/u otra investigación.

Intended Use: Collection and preservation and/or transport, of any type of diagnostic specimen (e.g. urine, faeces, sputum, mucous, tissue) for analysis and/or other investigation.

Código GMDN / GMDN Code: 47775

CUMPLE LOS REQUISITOS DE LAS NORMAS Y DIRECTIVAS:
CONFORMS TO THE REQUISITES OF THE STANDARDS AND DIRECTIVES:

Directiva 98/79/CE: Directiva Productos Sanitarios para el Diagnóstico "in vitro". Transposición a la legislación española en Real Decreto 1662/2000.
Directive 98/79/EC: "In-vitro" Diagnostics Medical Devices Directive. Transposition to Spanish legislation in Real Decreto 1662/2000.

Clasificación: Anexo 3, Clase: Otros
Classification: Annex 3, Class: Other

José Saez
Director General / Managing Director

Anna Mir
Responsable Técnico / Technical Director



**ANEXO 1 – DESCRIPCIÓN DE ARTÍCULOS
ANNEX 1 – ARTICLES DESCRIPTION**

REF	DESCRIPCIÓN	DESCRIPTION
202840	FRASCO DE SEGURIDAD 20ML	SECURITY CONTAINER 20ML
202841	FRASCO DE SEGURIDAD 40ML	SECURITY CONTAINER 40ML
202842	FRASCO DE SEGURIDAD 60ML	SECURITY CONTAINER 60ML
202843	FRASCO DE SEGURIDAD 90ML (Ø48-h75)	SECURITY CONTAINER 90ML (Ø48-h75)
202844	FRASCO DE SEGURIDAD 120ML	SECURITY CONTAINER 120ML
202845	FRASCO DE SEGURIDAD 250ML	SECURITY CONTAINER 250ML
202846	FRASCO DE SEGURIDAD 500ML	SECURITY CONTAINER 500ML
202847	FRASCO DE SEGURIDAD 1000ML	SECURITY CONTAINER 1000ML
202848	FRASCO DE SEGURIDAD 90ML(Ø53-h68)	SECURITY CONTAINER 90ML(Ø53-h68)
300100	TUBO 17 ML PS 16X150 MM	PS TUBE 16X150
300101	TUBO PS 8ML 16X75MM GRADUADO C/BORDE	PS TUBE 8ML 16X75MM GRADUATED WITH RIM
300300	TUBO 4 ML PS 11X70 MM	TUBE 11X70 PS
300400	TUBO 6 ML PS 12X88 MM GRADUADO	TUBE 12X88 PS GRADUATED
300500	TUBO 3 ML PS 11X55 MM	TUBE 11X55 PS
300700	TUBO 13X75 PS	TUBE 13X75 PS
300702	TUBO 13X75 PS TAPADO	TUBE 13X75 PS CAPPED
300704	TUBO 13X75 PS TAPADO Y ETIQ	TUBE 13X75 PS CAPPED&LABELLED
300705	TUBO 10 ML PS 16X100 MM	TUBE 16X100 PS
300800	TUBO 5ML PS 12X75 MM GRADUADO	TUBE 5ML PS 12X75MM GRADUATED
300802	TUBO 12X75 PS + TAPON 305802	PS TUBE 12X75 + CAP 305802
300804	TUBO 12X75 PS TAPADO Y ETIQ	TUBE 12X75 PS CAPPED LABELLED
300900	TUBO 10ML PS 16X95MM GRADUADO	TUBE 10ML PS 16X95MM GRADUATED
300903	TUBO 16x95 PS TAPADO	TUBE 16x95 POLYSTYRENE CAPPED
300904	TUBO 10 ML PS 16X95 MM TAPADO ETIQUETADO	TUBE 16X95 PS CAPPED LABELLED
300907	TUBO 16X100 PS TAPADO	TUBE 16X100 PS CAPPED
300908	TUBO 16X100 PS TAPADO Y ETIQ	TUBE 16X100 PS CAPPED LABELLED
300911	TUBO 16X100 PS TAPADO C/308101	TUBE 16x100 PS CAPPED W/308101
300912	TUBO 16X95 PS TAPADO 305002	16X95 TUBE PS CAPPED 305002

REF	DESCRIPCIÓN	DESCRIPTION
300913	TUBO 16X95 PS TAPADO	TUBE 16X95 PS CAPPED
300914	TUBO 16x95 TAPADO 305002	16x95 TUBE CAPPED 305002
301200	TUBO CONICO 16X102 PS	CONICAL TUBE 16X102 PS
301201	TUBO CONICO 12ML PS 16X100 MM	CONICAL TUBE 16X100 PS
301202	TUBO CONICO 16X102 PS	CONICAL TUBE 16X102 PS
301205	TUBO CONICO 301200 TAP/305502	PS TUBE 12ML CONICAL CAPPED
301206	TUBO CONICO 16X102+TAP.305502	PS CON. TUBE 16X102 + CAP305502
301207	TUBO CONICO 16x102 PS TAPADO	CONICAL TUBE 16x102 PS CAPPED
301212	TUBO CONICO 12 ML PS 17X105 MM	CONICAL TUBE 17X105 PS
301213	TUBO CÓNICO 12ML PS 16X105MM	CONICAL TUBE 12ML PS 16X105MM
301403	TUBO 12ML PS 15X102 MM TAPADO FALDON	TUBE 12ML PS CAPPED
301700	TUBO 7 ML PS 13X100 MM	TUBE 13X100 PS
309201	FRASCO 30ML PS ETIQUETADO	30ML UNIVERSAL LABELLED PS
309202	FRASCO 30ML PS	30ML CONTAINER PS
309206	FRASCO 30ML PS TAPON ROJO	30ML PS CONTAINER RED CAP
309207	FRASCO 30ML PS TAP. CU SEPARADA	PS 30ML CONTAINER SEPARATED CAP
309222	FRASCO 30ML PS B/U	30ML CONTAINER I/W PS
309402	FRASCO 40ML PS	PS 40ML CONTAINER
309501	FRASCO 60ML PS ETIQUETADO	PS 60 ML CONTAINER PRINTED LBL
309502	FRASCO 60ML PS	60ML CONTAINER PS
309505	FRASCO 60ML PS T/AZUL	CONTAINER PS 60ML BLUE CAP
309552	FRASCO 60ML PS ESPATULA	60ML CONTAINER WITH SPOON PS
400400	TUBO 6 ML PP 12X88 MM GRADUADO	TUBE 12X88 PP GRADUATED
400500	TUBO 3 ML PP 11X55 MM	TUBE 11X55 PP
400700	TUBO 5 ML PP 13X75 MM	TUBE 13X75 PP
400705	TUBO 10 ML PP 16X100 MM	TUBE 16X100 PP
400800	TUBO 5ML PP 12X75 MM GRADUADO	TUBE 5ML PP 12X75MM GRADUATED
400806	TUBO 75X12 PP TAPADO T/ROJO	TUBE 12x75 PP CAPPED 305806
400900	TUBO 16X95 PP	TUBE 16X95 PP
400908	TUBO 16x95 TAPADO 305007	16X95 PP TUBE CAPPED 305007
401100	TUBO 5 ML PP 15X50 MM	TUBE 15X50 PP

Fecha / Date: 17/01/2017
Pag. 3/8

CDCE-14 Rev.13.15

REF	DESCRIPCIÓN	DESCRIPTION
401200	TUBO CONICO 12 ML PP 16X102 MM	CONICAL TUBE 16X102 PP
401201	TUBO CONICO 12 ML PP 16X100 MM	CONICAL TUBE 16X100 PP
401202	TUBO CONICO 16x102+TAPON 16MM	CONICAL TUBE 16x102 + CAP 16MM
401204	TUBO CÓNICO 12ML PP 16X100 MM	CONICAL TUBE 12ML PP 16X100MM
401307	TUBO CONICO 16X102 PP TAPADO	CONICAL TUBE 16x102 PP CAPPED
401403	TUBO 12ML PP 15X102 MM TAPADO FALDON	PP 12 ML TUBE CAPPED
401700	TUBO 7 ML PP 13X100 MM	PP TUBE 13X100
408702	FRASCO 150 ML PP AL VACÍO	CUP F/VACUUM COLLECTION 150ml
408726	FRASCO 150 ML PP B/U AL VACÍO	CUP F/VACUUM COLLEC. 150ml I/B
409201	FRASCO 30ML PP ETIQUETADO	30ML CONTAINER LABEL PP
409202	FRASCO 30ML PP	30ML CONTAINER PP
409222	FRASCO 30ML PP BOLSA UNITARIA	30ML CONTAINER I/W PP
409402	FRASCO 40ML PP GRADUADO	40ML CONTAINER PP GRADUATED
409426	FRASCO 40ML PP B/U GRADUADO	40ML CONTAINER I/W PP
409501	FRASCO 60ML PP ETIQUETADO	60ML CONTAINER LABELLED PP
409502	FRASCO 60ML PP	60ML CONTAINER PP
409507	FRASCO 60ML PP ROSCADO T/VERDE	60ML SCREW CAP CONT PP C/GREEN
409511	FRASCO 60ML PP ETIQUETADO T/AZUL	60ML BLUE CONTAINER LABEL PP
409552	FRASCO 60ML PP C/ESPATULA	60ML CONTAINER W/SPOON
409556	FRASCO 60 ML. B/UNIT. CUCHARA	60 ML PP CONTAINER WITH SPOON UNIT BAG
409602	FRASCO 30ML PP C/CUCHARA	30ML CONTAINER WITH SPOON PP
409662	FRASCO 30ML T/AZUL CUC S/ROSC	SCREW CAP CONT. 30ml PP
409701	FRASCO 150ML PP ETIQUETADO	150ML CONTAINER LABELLED PP
409702	FRASCO 150ML PP	150ML CONTAINER PP
409703	FRASCO 150ML PP SIN ROSCAR	150ML CONT SEPARATED CAP PP
409707	FRASCO 150ML PP T/VERDE	PP 150 ML CONTAINER GREEN CAP
409711	FRASCO 150ML AZUL ETIQUETADO	150ML BLUE CONTAINER LABEL PP
409752	FRASCO 150ML PP C/CUCHARA	150ML CONTAINER WITH SPOON PP
409756	FRASCO 150ML B/U ESPATULA PP	150ML CONTAINER I/W SPOON PP
409802	FRASCO 50ML PP	50ML CONTAINER PP
409826	FRASCO 50ML PP B/U	50ML CONTAINER I/W PP

Fecha / Date: 17/01/2017
Pag. 4/8

CDCE-14 Rev.13.15

REF	DESCRIPCIÓN	DESCRIPTION
409852	FRASCO 50ML PP CON ESPATULA	50ML CONTAINER WITH SPOON PP
409902	FRASCO 200ML PP	200ML CONTAINER PP
409905	FRASCO 200ML PP AZUL TRANS. ETI	CONTAINER 200 ML PP BLUE-PLAIN LBL
409915	FRASCO 200ML PP AZUL TRANS S/E	CONTAINER 200 ML PP BLUE
409926	FRASCO 200ML PP B/U	200ML CONTAINER PP I/W
410046	FRASCO 50 ML PP T/PRECINTO	TAMPER EVIDENT CONT. 50ml H80mm
410047	FRASCO T/BISAGRA 50ml H=80mm	HINGED LID CONT. 50ml H=80mm
410056	FRASCO PRECINTO 50ml H80mm B/U	HINGED LID CONT. 50ml H80mm I/B
419802	FRASCO 50ML PP T/PRECINTO	50ML CONT SEALED CAP PP
419805	FRASCO 50ML PP T/PREC. AZUL	PP 50 ML CONT. SEALED CAP BLUE
419825	FRASCO 50ML PP T/PREC. AZUL B/U	50ML CONT SEAL BLUE CAP I/W PP
419826	FRASCO 50ML PP T/PRECINTO B/U	50ML CONT SEALED CAP I/W PP
429900	TUBO CONICO 50 ML PP TAPADO	50ML CONICAL TUBE PP
429901	TUBO CONICO 50ML PP FALDON TAPADO	50ML CONICAL TUBE SKIRT PP
429903	TUBO 50ML PP CON.FALDON S/TAP	50ML CON.TUBE SKIRTE PP NO CAP
429910	TUBO CONICO 15ML PP TAPADO	15ML CONICAL TUBE PP
444602801	FRASCO DE SEG. 60ML T/AZUL	CHILD PROOF CONT 60ML BLUE LID
444602802	ANTI-CHILD. SIN TAPON	CHILD PROOF CONT. 60ML NO CAP
444602901	FRASCO SEGURIDAD 60ML T/AZUL	CHILDPROOF CONT 60ML BLUE LID
444602903	ANTI-CHILD BLANCO T/BLANCO 60	CHILD PROOF WHITE CONTAINER 60
444603202	FRASCO DE SEG. 30ML T/BLAN PRECINTO	SECURITY CONT. 30ML WHITE CAP
444603204	F.SEGURIDAD BLANCO 30ML T/BLANCO	CHILDPROOF WH. CONT 30ML B/CAP
444603300	FRASCO SEGURIDAD 60ML T/BLANCO	CHILDPROOF CONT 60ML WHITE LID
444603305	ANTI-CHILD. AZUL TAPON BLANCO	CHILD PROOF BLUE CONT. WHITE CAP
444603306	ANTI-CHILD. VERDE TAPON BLANCO	CHILD PROOF GREEN CONT. WHITE CAP
444603308	ANTI-CHILD. ROJO TAPON BLANCO	CHILD PROOF RED CONT. WHITE CAP
444603402	F. SEGURIDAD 125ML T/BLANCO	CHILDPROOF CONT 125ML WHITE LID
202845N	TARRO HISTOLOGIA 250ML. NEGRO	HISTOLOGY CONTAINER 250ML BLACK
202846/T	FRASCO DE SEGURIDAD 500ML TAPADO	SECURITY CONTAINER 500ML CAPPED
202847/T	FRASCO DE SEGURIDAD 1000ML TAPADO	SECURITY CONTAINER 1000ML CAPPED

Fecha / Date: 17/01/2017
Pag. 5/8

CDCE-14 Rev.13.15

REF	DESCRIPCIÓN	DESCRIPTION
300500.8	TUBO 11X55 PS	TUBE 11X55 PS
300800.1	TUBO 5 ML PS 12X75 MM SIN ENRASES	TUBE 12X75 PS
300800.2	TUBO 12X75 PS REFORZADO	TUBE 12X75 PS
300900M	TUBO 16X95 PS GRAD. CAJA 5X100	TUBE 16X95 PS GRAD. CASE 5X100
309202.4	FRASCO 30ML PS	PS 30 ML. UNIVERSAL PLAIN LBL
309202.NR	FRASCO 30ML PS	30ml CONTAINER PS NO SCREW
309202V	FRASCO 30ML PS TAPON VERDE	30ML CONTAINER PS GREEN CAP
309202.WO	FRASCO 30ML PS SIN TAPON	CONT. 30ML PS NO CAP
309222.1	FRASCO 30ML PS B/U ETIQUETADO	CONTAINER 30 ML. UNIT BAG LABEL
309501BE	FRASCO 60ML PS B/50 Cód. BARRAS	60ML PS CONTAINER B/50 BAR COD
309502.10	FP-60 S/ROSCAR C/600 T/ROJO	CONT. 60ML C/600 RED CAP
309502.6	FRASCO 60 ML. PS ETIQUETA BLANC	PS 60 ML. CONTAINER PLAIN LABEL
309602E	FRASCO 30ML PS CON ESPATULA ETIQUETADO	30ML CONTAINER WITH SPOON PS
309622.1	FCO. 30 CUCH. ETIQ. ESP. B/UNIT.	PS 30ML SPOON+LABEL+UNIT BAG CONT.
400004.1	FRASCO 125ML PP 57X73	125ML CONTAINER PP
400500.B	TUBO 11x55 PP B/400	TUBE 11x55 PP B/400
400706E	TUBO 10ML C/A. BORICO TAP. ETIQ. B/U	100ML TUBE W/BORIC A. CAP. LAB. I/W
400800.1	TUBO 5 ML PP 12X75 MM SIN ENRASES	TUBE 12X75 WITHOUT RINGS PP
400906BOR	TUBO 16X100 TAP- 308106 AC. BOR	TUBE 16X100 PP CAP ACID BORIC
400906MD	TUBO 16x100 PP TAPADO 308106	16x100 TUBE PP CAPPED 308106
409201.S	FRASCO 30ML PP ETIQUETADO	30ML CONTAINER LABEL PP
409201.SE	FRASCO 30ML PP ETIQUETADO B100	30ML CONTAINER LABEL PP B/100
409202.8	FRASCO 30 ML TAPADO TAPON AZUL	30ML CONTAINER PP BLUE CAP
409202.WO	FRASCO 30ML PP SIN TAPON	CONT. 30ML PP NO CAP
409203.2	FRASCO 30ML PP T/BLAN ENV. SEP	PP 30 ML+ WHITE CAP SEPARAT. C/1800
409203.2A	FR. 30ML PP T/BL. ENV. SEP. C/IANO	PP 30ML WHITE CAP SEP. PLAIN BO
409502.2B	FR. 60ML ETIQ. T/ROJO 10X50	CONT. 60ML LABEL RED C. 10X50
409502.2C	FR. 60ML PP ETIQ. T/ROJO 16X50	60ML CONT. PP LABEL RED CAP 16X50
409502.4	FRASCO 60ML S/ROSCAR 38X65 PP	60ML CONT. UNCAPPED 38X65MM PP
409502.4Y	FRASCO 60ml S/ROSCAR PP TIAMA	60ml CONT. UNCAPPED PP YEL/LID
409502G	FRASCO 60ML GRADUADO	60ML CONTAINER GRADUATED PP

Fecha / Date: 17/01/2017
Pag. 6/8

CDCE-14 Rev.13.15

REF	DESCRIPCIÓN	DESCRIPTION
409502.G.4	FR.60 GRAD.S/ROSCAR TAP.SEPARA	CONT.60 GRAD.UNCAPPED SEP.CAP
409507G	FRASCO 60ml PP GRAD.T/VERDE	60ml CONT.PP GRAD.GREEN CAP
409511.4	FR.60ML AZUL CLARO S/ETIQUETA	60ML LIGHT BLUE CONTAINER
409511.5	FR.60ML AZUL TRANS.L ETIQ. BLANC	60ML CONTAINER TRANS.BLUE LBL
409552.Y	FRASCO 60ml PP C/ESPÁTULA T/AM	60ml CONTAINER W/SPOON YEL/LID
409552G	FRASCO 60ML PP GRADUADO C/ESPA	60ML CONTAINER W/SPOON GRADUAT
409552.TA	FRASCO 60ML PP C/ESPATULA T.AZUL	60ML CONTAINER PP W/SPOON BLUE CAP
409702.3	FRASCO 150ml PP TAPÓN BLANCO	PP CONTAINER 150ml WHITE CAP
409702.P	FRASCO 150ML PP ROSCADO	150ML PP CUPPED CONTAINER
409702.PB	FRASCO 150ML PP ROSCADO T.BLA	150ML PP CUPPED CONT.WHITE C.
409703.5	FRASCO 150 ML. T/AZUL S/ROSCAR	150ML CONT SEPARATED BLUE CAP
409703WC	FRASCO 150ML PP SIN ROSCAR T/BLANCO	150ML PP CONT.SEPAR.CAP WHITE
409711.4	FR.150ML AZUL CLARO S/ETIQUETA	150ML LIGHT BLUE CONTAINER
409711.5	FR.150ML AZUL TRANS. ETIQ. BLANC	150ML CONTAINER BLUE TRANS.LB
409805.6	FRASCO 50ML PP T/ROJO SEPARADO	50ML PP CONTAINER SEP. RED CAP
410046.5	FRASCO T/PREC.50ml H80mm C/500	HINGED LID CONT.50ml H80 C/500
410046A.5	FRASCO T/PREC.50ml 500UD AZUL	HINGED LID CONT.500U BLUE
410046R.5	FRASCO T/PREC.50ml 500UD ROSA	HINGED LID CONT.500U PINK
420900E	TUBO 12ML PP S/TAPON C/FALDON	PP 12ML TUBE W/SKIRT W/OUT CAP
429900.25	TUBO CONICO 50ml PP B/25	50ml CONICAL TUBE PP B/25
429900SP	TUBO 50ML PP CONICO SIN ROSCAR	50ML CONICAL TUBE PP SEP.CAP
429901.25	TUBO CON.50ml PP C/FALDON B/2	50ml CONICAL TUBE W/SKIRT B/25
429910SP	TUBO 15ml PP CONICO SIN ROSCAR	15ml CONICAL TUBE PP SEP.CAP
429927S/E	TUBO CONICO 50ML C/FALDON B/U	50ML CONICAL TUBE SKIRT I/W PP
44462903M	ANTI-CHILD BLANCO T/BLANCO 60	CHILDPROOF WHIE CONT.60ML WC
309202.O	FRASCO 30ML PS ST. EO	CONTAINER 30ML PS ST.EO
429930	TUBO 50ML PP CONICO IMPRESO B/25	50ML TUBE PP CONICAL PRINT 25/B
429940	TUBO 15 ML PP CONICO IMPRESO GRANEL	15ML TUBE PP CONICAL PRINTED IN BULK
429945	TUBO 15 ML PP CONICO IMPRESO B/25	15ML TUBE PP CONICAL PRINT 25/B

REF	DESCRIPCIÓN	DESCRIPTION
429950	TUBO 50 ML PP CONICO IMPRESO C/F B/25	50ML TUBE PP CONICAL PRINT SKIRTED 25/B
300500MI	TUBO 11X55 PS	TUBE 11X55 PS
175723	TUBO 5ML PS 13X75 TAPADO ROJO	TUBE 5ML PS 13X75 CAPPED RED
175724	TUBO 10ML PS 16X95 TAPADO ROJO	10ML TUBE PS 16X95 CAPPED RED
400903	TUBO 10ML PP 16X95 TAPADO ROJO	10ML TUBE PP 16X95 CAPPED RED
661035	TUBO 10ML PS 16X95 TAPADO NATURAL	10ML TUBE PS 16X95 CAPPED NATURAL
408702C	FRASCO VACÍO 120ml LOTE IMPRESO	VACUUM CONT.120ML CML
408726.A	FRASCO P/VACÍO 120ml B/I C/AN.	CUP F/VACUUM 120ml I/B PLAIN/C
400805	TUBO 75X12 PP TAPADO T/AZUL	TUBE 75X12 PP CAPPED C/BLUE
202844/T	FRASCO DE SEGURIDAD 120ML TAPADO	SECURITY CONTAINER 120ML CAPPED
409557	FRASCO 60ML PP C/ESPATULA T/VERDE	CONTAINER 60ML PP W/SPOON GREEN CAP
419802.T	FRASCO 50ML PP T/PREC. DESTAPADO	CONTAINER 50ML PP C/TAMPER EVID. UNCOVERED
409502.4B	FRASCO 60ML PP T/AZUL NO TAPADO	60ML CONTAINER PP BLUE CAP UNCOVERED
409702B	FRASCO 150ML PP B/50	150ML CONTAINER PP B/50
309205	FRASCO 30ML PS T/AZUL ETIQ.	30ML CONTAINER PS BLUE CAP LABEL
429906SP	TUBO 50ML PP CONICO T/ROJO SIN ROSCAR	50ML CONICAL TUBE PP SEP.CAP RED
429901SP	TUBO CONICO 50ML PP FALDON SIN ROSCAR	TUBE 50ML PP SKIRTED SEP. CAP
175725	TUBO 3ML PS 11X55 TAPADO ROJO	TUBE 3ML PS 11X55 CAPPED RED
409511.4TA	FRASCO 60ML PP C/CUCHARA T/AZUL	CONTAINER 60ML PP W/SPOON BLUE CAP
202842A	FRASCO SEGURIDAD 60ML T/AZUL	CONTAINER 60ML BLUE CAP
202844A	FRASCO DE SEGURIDAD 120ML T/AZUL	SECURITY CONTAINER 120ML BLUE CAP
409512	FRASCO 60ML PP T/ROJO C/GRIS	CONT. 60ML PP RED C. GREY B.
301201CA	TUBO CONICO 12ML PS 16X100 MM	CONICAL TUBE 16X100 PS

DECLARACIÓN DE CONFORMIDAD CE
CE DECLARATION OF CONFORMITY

El fabricante / The manufacturer:

DELTALAB S.L.
Plaza de la Vermeda, 1
Pol. Ind. La Llana
08191 RUBI (BARCELONA) - SPAIN

Declaro bajo su responsabilidad que el producto:
Declares under its responsibility that the product:

TUBOS DE EXTRACCIÓN - CITRATO TAMPONADO
BLOOD CONTAINERS - SODIUM CITRATE
(Códigos según Anexo 1 / Codes in Annex 1)

Finalidad Prevista: Recogida y conservación y/o transporte, de sangre para análisis y/u otra investigación (p.ej. para estudios de coagulación del plasma)
Intended Use: Collection and preservation and/or transport, of blood for analysis and/or other (e.g. for plasma coagulation studies)

Código GMDN / GMDN Code: 58139

CUMPLE LOS REQUISITOS DE LAS NORMAS Y DIRECTIVAS:
CONFORMS TO THE REQUISITES OF THE STANDARDS AND DIRECTIVES:

Directiva 98/79/CE: Directiva Productos Sanitarios para el Diagnostico "in vitro"
Transposición a la legislación española en Real Decreto 1662/2000.
Directive 98/79/EC: "In-vitro" Diagnostics Medical Devices Directive
Transposition to Spanish legislation in Real Decreto 1662/2000.

Clasificación: Anexo 3, Clase: Otros
Classification: Annex 3, Class: Other

José Sáez
Director General / Managing Director

Anna Mir
Responsable Técnico / Technical Director

ANEXO 1 - DESCRIPCIÓN DE ARTÍCULOS
ANNEX 1 - ARTICLES DESCRIPTION

REF	DESCRIPCIÓN	DESCRIPTION
601102	TUBO CITRATO PP 4 ML	CITRATE TUBE 4ML PP
601103	TUBO CITRATO PP 2,5ML	CITRATE TUBE 2.5ML PP
601203	TUBO CITRAT TAMP 3,2% PP 2,5ML	CITRATE TUBE 3.2% 2.5ML PP
621101	TUBO CITRATO 1ML PERFORABLE	CITRATE TUBE 1ML PIERCEABLE
621102	TUBO CITRATO 2ML PERFORABLE	CITRATE TUBE 1ML PIERCEABLE
601103.2	TUBO CITRATO 2.5ML RETRACTIL	CITRATE TUBE 2.5ML WRAPPEDRACK
601203.1	TUBO CITRATO 3.2% 2.5ML GRANEL	CITRATE TUBE 3.2% 2.5ML BULK

**DECLARACIÓN DE CONFORMIDAD CE
CE DECLARATION OF CONFORMITY**

El fabricante / The manufacturer:

DELTALAB S.L.
Plaza de la Verneda, 1
Pol. Ind. La Liana
08191 RUBI (BARCELONA) – SPAIN

Declara bajo su responsabilidad que el producto:
Declares under its responsibility that the product:

**TUBOS DE EXTRACCIÓN – K3EDTA
BLOOD CONTAINERS – K3EDTA**
(Códigos según Anexo 1 / Codes in Annex 1)

Finalidad Prevista: Recogida y conservación y/o transporte, de sangre para análisis y/u otra investigación (por ejemplo, hematología de sangre como conteo sanguíneo completo (SCS), y determinación cuantitativa de drogas.

Intended Use: Collection and preservation and/or transport of blood for analysis and/or other investigation (e.g. whole blood hematology such as complete blood count (CBC) and quantitative drug assay determinations).

Código GMDN / GMDN Code: 58143

CUMPLE LOS REQUISITOS DE LAS NORMAS Y DIRECTIVAS:
CONFORMS TO THE REQUISITES OF THE STANDARDS AND DIRECTIVES:

Directiva 98/79/CE: Directiva Productos Sanitarios para el Diagnostico "in vitro".
Transposición a la legislación española en Real Decreto 1662/2000.
Directive 98/79/EC: "In-vitro" Diagnostics Medical Devices Directive.
Transposition to Spanish legislation in Real Decreto 1662/2000.

Clasificación: Anexo 3, Clase: Otros
Classification: Annex 3, Class: Other

José Sáez
Director General / Managing Director

Anna Mir
Responsable Técnico / Technical Director

Fecha / Date: 22/11/2013
Pag. 1/2

CDCE-77 Rev.2

**ANEXO 1 – DESCRIPCIÓN DE ARTÍCULOS
ANNEX 1 – ARTICLES DESCRIPTION**

REF	DESCRIPCIÓN	DESCRIPTION
601603	TUBO EDTA TRIPOTASICO 2,5ML PP 13X75MM	EDTA TUBE TRI-K R/BOT 2.5ML PP
601612	TUBO EDTA TRI-K PP 4ML	EDTA TUBE TRI-K 4ML PP
601613	TUBO EDTA TRI-K PP 2,5ML	EDTA TUBE TRI-K 2.5ML PP
601702	TUBO EDTA TRI-K PP 4ML	EDTA TUBE TRI-K 4ML PP
611604	TUBO EDTA TRI-K 3ML PP 13X80 T/GOMA PERF.	EDTA TRI-K TUBE 3ML PP 13X80 RUBBER CAP PERF.
621610	TUBO EDTA TRI-1ML PP 12X55MM T/PRE PERF.	EDTA TUBE TRI-K 1ML PP 12X55MM C/PRE-PERF.
621611	TUBO EDTA TRI-K 2ML 16X55 FALDON T/PRE-PERF.	EDTA TUBE TRI-K 2ML 16X55 SKIRTED C/PRE-PERF.
621613	TUBO EDTA TRI 2,5ML PP 13X80MM T/PERFOR.	EDTA TUBE TRI-K 2.5ML PP 13X80MM T/PRE-PERF.
601603.2	TUBO EDTA TRI-K 2.5ML RETRACTILADO	EDTA TRI-K TUBE 2.5ML WRAP/RAC
601702.2	TUBO EDTA TRI-K 4ML RETRACTILADO	EDTA TRI-K TUBE 4ML WRAPP/RACK
611603.1	TUBO EDTA TRI-K PULV. 3ML 13X75 T/PERFO	EDTA TUBE PUL.K3 3ML PIERC.CAP

Fecha / Date: 20/06/2016
Pag. 2/2

CDCE-77 Rev.2

**DECLARACIÓN DE CONFORMIDAD CE
CE DECLARATION OF CONFORMITY**

El fabricante / The manufacturer:

DELTALAB S.L.
Plaza de la Verneda, 1
Pol. Ind. La Liana
08191 RUBI (BARCELONA) – SPAIN

Declara bajo su responsabilidad que el producto:
Declares under its responsibility that the product:

**TUBOS DE EXTRACCIÓN – SEROTUB
BLOOD CONTAINERS – SEROTUBE**
(Códigos según Anexo 1 / Codes in Annex 1)

Finalidad Prevista: Recogida y conservación y/o transporte, de sangre para análisis y/u otra investigación (por ejemplo, determinación química del suero sanguíneo).

Intended Use: Collection and preservation and/or transport, of blood for analysis and/or other investigation (e.g. blood serum chemistry determinations)

Código GMDN / GMDN Code: 58138

CUMPLE LOS REQUISITOS DE LAS NORMAS Y DIRECTIVAS:
CONFORMS TO THE REQUISITES OF THE STANDARDS AND DIRECTIVES:

Directiva 98/79/CE: Directiva Productos Sanitarios para el Diagnostico "in vitro".
Transposición a la legislación española en Real Decreto 1662/2000.
Directive 98/79/EC: "In-vitro" Diagnostics Medical Devices Directive.
Transposition to Spanish legislation in Real Decreto 1662/2000.

Clasificación: Anexo 3, Clase: Otros
Classification: Annex 3, Class: Other

José Sáez
Director General / Managing Director

Anna Mir
Responsable Técnico / Technical Director

Fecha / Date: 22/11/2013
Pag. 1/2

CDCE-45 Rev. 10

**ANEXO 1 – DESCRIPCIÓN DE ARTÍCULOS
ANNEX 1 – ARTICLES DESCRIPTION**

REF	DESCRIPCIÓN	DESCRIPTION
600300	TUBO SUERO PP 9ML GRANULOS	SEROTUBE W/GRANULES PP 9ML
600400	TUBO SUERO PP 4ML GRANULOS	SEROTUBE W/GRANULES PP 4ML
600602	SEROTUB GLUCOSA PP 4ML	SERUM GLUCOSE 4ML GRANULES PP
600610	SEROTUB GLUCOSA PP 10ML	PP SERUM GLUCOSE 10ML GRANULES
600800	TUBO SUERO PP 9ML GEL	SERUM TUBE W/GEL 9ML PP
600801	TUBO SUERO PP 4ML GEL	SERUM TUBE W/GEL 4ML PP
620200	TUBO SUERO 2ML PERF GRANULOS	SERUM TUBE 2ML PIER W/GRANULES
620300	TUBO SUERO 10ML PERF GRANULOS	SERUM TUBE 10ML PIER W/GRANULE
620400	TUBO SUERO 4ML PERF GRANULOS	SERUM TUBE 4ML PIER W/GRANULES
620800	TUBO SUERO 10ML PERF GEL	SERUM TUBE 10ML PIERCEABLE GEL

Fecha / Date: 22/11/2013
Pag. 2/2

CDCE-45 Rev. 10



REGISTRATION NO. 04716Q10000261

CERTIFICATE OF QUALITY MANAGEMENT SYSTEM FOR MEDICAL DEVICES

This is to certify that the quality management system of

Jinan Biobase Biotech Co., Ltd.

Registered Address: 5th Floor, Science and technology incubator building, No.6
Lanxiangzhong Road, Tianqiao District, Jinan City Postcode: 250000
Manufacturing Address: No. 51 South Gongye Road, Jinan City; North side of
Jiwang Road, Mingshui economic development District, Zhangqiu, Jinan City

Has been assessed and conformed to the following standard(s)
YY/T 0287-2017 idt ISO 13485:2016

The certificate is valid for the following scope:

The Design, Development, Production and Service of
BIOBASE Series discrete automatic biochemistry analyzer;
biological safety cabinet; BYKG series air segregation equipment;
QP series carbon dioxide incubator; BDF series medical freezer;
fume hood; laminar flow cabinet; microscope; balance; ball mill;
shaker; medical centrifuge; kjeldahl determination system;
laboratory consumables.

Date of issue: July 22, 2016
Date of expiry: July 21, 2019
Date of change: July 21, 2017

General Manager:

BEIJING HUA GUANG CERTIFICATION
OF MEDICAL DEVICES CO., LTD.

Note: This certificate will not be valid until the organization has been approved in the annual audits. The certificate information are available on the website of the certification and accreditation administration of the People's Republic of China (www.cnca.gov.cn) or the website of CMD (www.cmdc.com.cn). Add res: 5th floor of Zhong Lian building, No.188, An Ding Men West street, Dongcheng district, Beijing, 100011, P.R. China Telephone: 010-62351993

Note: This certificate will not be valid until the organization has been approved in the annual audits. The certificate information are available on the website of the certification and accreditation administration of the People's Republic of China (www.cca.gov.cn) or the website of CMD (www.cmdc.com.cn). Add ress: 5th floor of Zhong Lian building, No.188, An Ding Men Wai street, Dongcheng district, Beijing,100011, P.R. China Telephone: 010-62351993

CNAS C047-M
MANAGEMENT SYSTEM

中国认可
国际互认
管理体系



BEIJING HUA GUANG CERTIFICATION
OF MEDICAL DEVICES CO., LTD.

General Manager:

Date of issue: July 22, 2016
Date of expiry: July 21, 2019
Date of change: July 21, 2017

The Design, Development, Production and Service of
BIOBASE Series discrete automatic biochemistry analyzer;
biological safety cabinet; BYKG series air segregation equipment;
QP series carbon dioxide incubator; BDF series medical freezer;
fume hood; laminar flow cabinet; microscope; ball mill;
shaker; medical centrifuge; kjeldahl determination system;
laboratory consumables.

The certificate is valid for the following scope:

Has been assessed and conformed to the following standard(s)
GB/T 19001-2016 idt ISO 9001:2015

Jinan Biobase Biotech Co., Ltd.
Registered Address: 5th Floor, Science and technology incubator building, No.6
Lanxiangzhong Road, Tianqiao District, Jinan City Postcode: 250000
Manufacturing Address: No. 51 South Gongye Road, Jinan City; North side of
Jiwang Road, Mingshui economic development District, Zhangqiu, Jinan City

This is to certify that the quality management system of

CERTIFICATE OF QUALITY MANAGEMENT SYSTEM

REGISTRATION NO. 04716Q10254R0M



BIOBASE

Biobase Biotech (Jinan) Co.Ltd
No.51 South Gongye Road, Jinan city, China 250100
TEL: +86-531-66777721 FAX: +86-531-81219804
E-MAIL: sales72@biobase.cc WEBSITE: www.biobase.cc

To: Whoever it may concern

Biosistem-mld SRL
Albisoara 16/1 ap.7
Chisinau, R. Moldova

05.10.2018

LETTER OF AUTHORIZATION

We, **Biobase Biotech (Jinan) Co.Ltd,**

No. 51 South Gongye Road, Jinan City, Shandong province, China. P.O.Box: 250101.

do hereby authorize:

Biosistem-mld SRL with business office at Albisoara 16/1 ap.7 , Chisinau, Republic of Moldova

to bid offers for medical products on the market of Republic of Moldova and subsequently negotiate and sign the Contracts against for procurement of medical products specified in the tenders.

The authorization period is valid one year from issue date and automatically renewable if no termination letter is issued by either part.

Signature

Stamp





This is to certify that the Quality Management System of

Biobase Biodustry (Shandong) Co., Ltd.

Unified Social Credit Code : 9137018179889855X7

Operation Address : Biobase Biodustry Park, Crossing of East Jingshi Road and Mingbu Road, Mingshui Economic Development Zone, Zhangqiu, Jinan City, Shandong Province, China(Production);No.51, South Gongye Road, Jinan City, Shandong Province, China(Sale)

Registered Address : Biobase Biodustry Park, Crossing of East Jingshi Road and Mingbu Road, Mingshui Economic Development Zone, Zhangqiu, Jinan City, Shandong Province, China

applicable to

R & D, production and sales of in vitro diagnostic kit(see attachment for details), biosafety cabinet, medical aerosol absorber, pressure steam sterilizer, blood bank refrigerator, microbial incubator, blood collection tube & needle, alcohol pad and automated ELISA processor(within the scope of license qualification)

has been assessed and registered by NQA against the provisions of

ISO 9001:2015

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.

Certified Clients shall accept regular surveillance assessments, the validity of certificates shall be maintained for the positive result of audit.

The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)

SNQA's website : www.snqa.com.cn

Managing Director

Certificate Number **45013**

Date: 09 July 2018

Valid Until: 09 July 2021

EAC Code: 13/19





Biobase Biodustry (Shandong) Co., Ltd.

Annex I

1. Triglyceride detection kit (enzyme colorimetric method)
2. Low density lipoprotein cholesterol test kit (direct method)
3. High-density lipoprotein cholesterol test kit (direct method)
4. Total cholesterol test kit (enzyme colorimetric method)
5. Creatine kinase isoenzyme detection kit (IFCC recommended method)
6. Total bilirubin test kit (dialzo-2,4-dichloroaniline colorimetric method)
7. Alanine aminotransferase detection kit (IFCC recommendation method)
8. Cholinesterase detection kit (butyryl thiocholine method)
9. Glucose detection kit (oxidase method)
10. Chlorine detection kit (mercury thiocyanate colorimetric method)
11. Magnesium detection kit (colorimetric method)
12. Carbon dioxide detection kit (enzymatic method)
13. Inorganic phosphorus detection kit (colorimetric method)
14. Apolipoprotein A1 detection kit (immunotransparency turbidity method)
15. Glucose detection kit (hexose kinase method)
16. Creatinine test kit (enzymatic method)
17. Calcium detection kit (arsenazo III method)
18. Glycosylated serum protein detection kit (two points method)
19. Lipoprotein (a) detection kit (immunotransparency turbidity method)
20. Total protein detection kit (biuret method)
21. Aspartate aminotransferase detection kit (IFCC recommended method)
22. Alkaline phosphatase test kit (IFCC recommended method)
23. Albumin detection kit (bromocresol green method)
24. Apolipoprotein B detection kit (immunotransparency turbidity method)
25. Urea detection kit (urease-glutamate dehydrogenase method)

M Combsley
Managing Director

Certificate Number **45013**

Date: 09 July 2018
Valid Until: 09 July 2021
EAC Code: 13/19



013





Biobase Biodustry (Shandong) Co., Ltd.

Annex II

26. α -amylase detection kit (EPS-G7 method)
27. α -hydroxybutyrate dehydrogenase detection kit (DGKC recommended method)
28. Rheumatoid factor detection kit (immunotransparency turbidity method)
29. Total bile acid detection kit (circulating enzyme method)
30. γ -glutamyl transferase detection kit (SZASZ method)
31. Lactate dehydrogenase detection kit (DGKC recommended method)
32. Direct bilirubin test kit (diazo-2,4-dichloroaniline colorimetric method)
33. Adenosine deaminase detection kit (enzymatic method)
34. Creatine kinase test kit (IFCC recommended method)
35. Creatinine test kit (bitter acid method)
36. Urine microalbumin detection kit (immunotransparency turbidity method)
37. Uric acid detection kit (TBHBA method)
38. Total cholesterol test kit (oxidase method)
39. Sodium detection kit (enzymatic method)
40. Potassium detection kit (enzymatic method)
41. Serum iron detection kit (pyrazine method)
42. Zinc test kit (colorimetric method)
43. Copper detection kit (colorimetric method)
44. 5'-ribonucleotide hydrolase detection kit (colorimetric method)
45. Monoamine oxidase detection kit (colorimetric method)
46. Alpha-fetoprotein detection kit (immunoturbidimetry)
47. Ammonia detection kit (glutamate dehydrogenase two-point method)
48. Leucine aminopeptidase detection kit (colorimetric method)
49. Cystatin C detection kit (immunoturbidimetry)
50. β 2-microglobulin detection kit (latex enhanced immunoturbidimetry)

M. Combsley
Managing Director

Certificate Number **45013**

Date: 09 July 2018
Valid Until: 09 July 2021
EAC Code: 13/19





Biobase Biodustry (Shandong) Co., Ltd.

Annex III

51. N-acetyl- β -D-glucosaminidase detection kit (colorimetric method)
52. Triglyceride detection kit (oxidase method)
53. Homocysteine detection kit (enzymatic method)
54. Apolipoprotein E test kit (immunoturbidimetry)
55. Phospholipid test kit (oxidase method)
56. Glucose detection kit (glucose oxidase method)
57. Glycosylated hemoglobin detection kit (enzymatic method)
58. D3 hydroxybutyric acid detection kit (enzymatic method)
59. Lactic acid test kit (enzyme color method)
60. Myoglobin detection kit (immunoturbidimetry)
61. Angiotensin converting enzyme detection kit (colorimetric method)
62. Lactate dehydrogenase isoenzyme 1 detection kit (lactic acid matrix rate method)
63. Lipase detection kit (enzyme coloring method)
64. Pepsinogen I detection kit (immunoturbidimetry)
65. Pepsinogen II detection kit (immunoturbidimetry)
66. Anti-streptococcus O detection kit (immunoturbidimetry)
67. High-sensitivity C-reactive protein detection kit (immunoturbidimetry)
68. Pre-albumin detection kit (immunoturbidimetry)
69. Transferrin detection kit (immunoturbidimetry)
70. Glucose-6-phosphate dehydrogenase detection kit (UV rate method)
71. D-dimer detection kit (immunoturbidimetry)
72. Complement C3 detection kit (immunoturbidimetry)
73. Complement C4 detection kit (immunoturbidimetry)
74. Immunoglobulin IgA detection kit (immunoturbidimetry)
75. Immunoglobulin IgG detection kit (immunoturbidimetry)

M Combsley
Managing Director

Certificate Number **45013**

Date: 09 July 2018
Valid Until: 09 July 2021
EAC Code: 13/19





Biobase Biodustry (Shandong) Co., Ltd.

Annex IV

76. Immunoglobulin IgM detection kit (immunoturbidimetry)
77. α 1-acid glycoprotein detection kit (immunoturbidimetry)
78. α 1-antitrypsin detection kit (immunoturbidimetry)
79. Ethanol detection kit (enzymatic method)
80. Apolipoprotein A2 detection kit (immunoturbidimetry)
81. Apolipoprotein C2 detection kit (immunoturbidimetry)
82. Apolipoprotein C3 detection kit (immunoturbidimetry)
83. Anti-thrombin III detection kit (immunoturbidimetry)
84. B factor detection kit (immunoturbidimetry)
85. C-reactive protein detection kit (immunoturbidimetry)
86. Direct bilirubin detection kit (vanadate oxidation method)
87. Direct bilirubin detection kit (oxidase method)
88. Fibrinogen detection kit (immunoturbidimetry)
89. Ferritin detection kit (latex enhanced immunoturbidimetry)
90. Fiber binding protein detection kit (immunoturbidimetry)
91. Glutamate dehydrogenase detection kit (enzymatic method)
92. Glycyl valine dipeptidyl aminopeptidase detection kit (enzymatic method)
93. Glycosylated hemoglobin detection kit (latex enhanced immunoturbidimetry)
94. Homocysteine detection kit (enzymatic method)
95. Immunoglobulin E detection kit (immunoturbidimetry)
96. Ischemic modified albumin detection kit (colorimetric method)
97. Aspartate aminotransferase mitochondrial isoenzyme detection kit (enzyme inhibition method)
98. Plasminogen detection kit (immunoturbidimetry)
99. Retinol binding protein detection kit (immunoturbidimetry)
100. Total bilirubin test kit (vanadate oxidation method)

M Combsley

Managing Director

Certificate Number **45013**

Date: 09 July 2018

Valid Until: 09 July 2021

EAC Code: 13/19



015





Biobase Biodustry (Shandong) Co., Ltd.

Annex V

- 101. Total bilirubin test kit (oxidase method)
- 102. Troponin I test kit (latex enhanced immunoturbidimetry)
- 103. Unsaturated iron binding force detection kit (Ferene method)
- 104. Urine total protein detection kit (colorimetric method)
- 105. α 1-microglobulin test kit (latex enhanced immunoturbidimetry)
- 106. Fibrin and fibrinogen decomposition product determination kit (latex immunoturbidimetry)
- 107. Haptoglobin assay kit (immunoturbidimetry)
- 108. Procalcitonin assay kit (latex immunoturbidimetry)
- 109. Glycocholic acid assay kit (latex immunoturbidimetry)
- 110. Free fatty acid determination kit (ACS-PAP method)
- 111. Glycated albumin assay kit (peroxidase method)
- 112. α 2 macroglobulin determination kit (immunoturbidimetry)
- 113. Heart-shaped fatty acid binding protein assay kit (latex immunoturbidimetry)
- 114. Anti-cyclic citrullinated peptide antibody assay kit (latex immunoturbidimetry)
- 115. Neutrophil gelatinase-related lipocalin assay kit (latex immunoturbidimetry)
- 116. Sialic acid assay kit (neuraminidase method)

M Combs
 Managing Director

Certificate Number **45013**

Date: 09 July 2018
 Valid Until: 09 July 2021
 EAC Code: 13/19



BIOBASE

ADD: No.51 South Gongye Road, Jinan, China250100
TEL: +86-531-81219803 FAX: +86-531-81219804
E-MAIL: export@biobase.cn WEBSITE: www.biobase.cc / www.meihuatrade.com

EC DECLARATION OF CONFORMITY

We, **Biobase Biindustry (Shandong) Co., Ltd**,
No. 51 South Gongye Road, Jinan City, Shandong Province, P.R. China

herewith declare that the blow mentioned product meets the provisions of the **Council Directive 98/79/EC** for in vitro medical devices(IVDD). All supporting documentation is retained under these premises and/or the premises of manufacture's subcontractors.

Product Name: **Blood Collection Needle**

Model: **23G**

Classification: **Others** (according to classification rules in 98/79/EC)

Conformity Assessment Rout: Annex III without section 6

Relevant harmonised standards: see the attachment

This DECLARATION OF CONFORMITY is valid in connection with the release document for the respective serial of produced devices.

The DECLARATION OF CONFORMITY is only valid in connection with a batch specific Certificate of compliance for the above products concerned bearing the CE mark.

Date of CE marking: October 9, 2018
Signed for and on behalf of
Company: **Biobase Biindustry (Shandong) Co., Ltd.**
General Manager: *Robert Wang*
Document No: **IVD-1810092**



BIOBASE

ADD: No.51 South Gongye Road, Jinan, China250100
TEL: +86-531-81219803 FAX: +86-531-81219804
E-MAIL: export@biobase.cn WEBSITE: www.biobase.cc / www.meihuatrade.com

Attachment For the relevant harmonised standards

Standard	Title
EN ISO 13485:2016 EN ISO 13485:2016/AC:2016	Medical devices - Quality management systems - Requirements for regulatory purposes
EN ISO 14971:2012	Medical devices - Application of risk management to medical devices
EN ISO 15223-1:2016	Medical devices - Symbols to be used with medical device labels, labelling and information to be supplied - Part 1: General requirements
EN ISO 18113-1:2011	In vitro diagnostic medical devices - Information supplied by the manufacturer (labelling) - Part 1: Terms, definitions and general requirements
EN ISO 18113-3:2011	In vitro diagnostic medical devices - Information supplied by the manufacturer (labelling) - Part 3: In vitro diagnostic instruments for professional use
EN 62366:2008	Medical devices - Application of usability engineering to medical devices



This is to certify that the Quality Management System of

Biobase Biodustry (Shandong) Co., Ltd.

Unified Social Credit Code : 9137018179889855X7

Operation Address : Biobase Biodustry Park, Crossing of East Jingshi Road and Mingbu Road, Mingshui Economic Development Zone, Zhangqiu, Jinan City, Shandong Province, China(Production);No.51, South Gongye Road, Jinan City, Shandong Province, China(Sale)

Registered Address : Biobase Biodustry Park, Crossing of East Jingshi Road and Mingbu Road, Mingshui Economic Development Zone, Zhangqiu, Jinan City, Shandong Province, China

applicable to

R & D, production and sales of in vitro diagnostic kit(see attachment for details), biosafety cabinet, medical aerosol absorber, pressure steam sterilizer, blood bank refrigerator, microbial incubator, blood collection tube & needle, alcohol pad and automated ELISA processor(within the scope of license qualification)

has been assessed and registered by NQA against the provisions of

ISO 13485: 2016

This registration is subject to the company maintaining a quality management system, to the above standard, which will be monitored by NQA.

Certified Clients shall accept regular surveillance assessments, the validity of certificates shall be maintained for the positive result of audit.

The information of this certificate can be checked on CNCA's website (www.cnca.gov.cn)

SNQA's website : www.snqa.com.cn

M Comley
Managing Director

Certificate Number **45014**

Date: 09 July 2018

Valid Until: 09 July 2021

EAC Code: 19





Biobase Biodustry (Shandong) Co., Ltd.

Annex I

1. Triglyceride detection kit (enzyme colorimetric method)
2. Low density lipoprotein cholesterol test kit (direct method)
3. High-density lipoprotein cholesterol test kit (direct method)
4. Total cholesterol test kit (enzyme colorimetric method)
5. Creatine kinase isoenzyme detection kit (IFCC recommended method)
6. Total bilirubin test kit (diazo-2,4-dichloroaniline colorimetric method)
7. Alanine aminotransferase detection kit (IFCC recommendation method)
8. Cholinesterase detection kit (butyryl thiocholine method)
9. Glucose detection kit (oxidase method)
10. Chlorine detection kit (mercury thiocyanate colorimetric method)
11. Magnesium detection kit (colorimetric method)
12. Carbon dioxide detection kit (enzymatic method)
13. Inorganic phosphorus detection kit (colorimetric method)
14. Apolipoprotein A1 detection kit (immunotransparency turbidity method)
15. Glucose detection kit (hexose kinase method)
16. Creatinine test kit (enzymatic method)
17. Calcium detection kit (arsenazo III method)
18. Glycosylated serum protein detection kit (two points method)
19. Lipoprotein (a) detection kit (immunotransparency turbidity method)
20. Total protein detection kit (biuret method)
21. Aspartate aminotransferase detection kit (IFCC recommended method)
22. Alkaline phosphatase test kit (IFCC recommended method)
23. Albumin detection kit (bromocresol green method)
24. Apolipoprotein B detection kit (immunotransparency turbidity method)
25. Urea detection kit (urease-glutamate dehydrogenase method)

M. Combsley

Managing Director



015

Certificate Number **45014**

Date: 09 July 2018

Valid Until: 09 July 2021

EAC Code: 19





Biobase Biodustry (Shandong) Co., Ltd.

Annex II

26. α -amylase detection kit (EPS-G7 method)
27. α -hydroxybutyrate dehydrogenase detection kit (DGKC recommended method)
28. Rheumatoid factor detection kit (immunotransparency turbidity method)
29. Total bile acid detection kit (circulating enzyme method)
30. γ -glutamyl transferase detection kit (SZASZ method)
31. Lactate dehydrogenase detection kit (DGKC recommended method)
32. Direct bilirubin test kit (diazo-2,4-dichloroaniline colorimetric method)
33. Adenosine deaminase detection kit (enzymatic method)
34. Creatine kinase test kit (IFCC recommended method)
35. Creatinine test kit (bitter acid method)
36. Urine microalbumin detection kit (immunotransparency turbidity method)
37. Uric acid detection kit (TBHBA method)
38. Total cholesterol test kit (oxidase method)
39. Sodium detection kit (enzymatic method)
40. Potassium detection kit (enzymatic method)
41. Serum iron detection kit (pyrazine method)
42. Zinc test kit (colorimetric method)
43. Copper detection kit (colorimetric method)
44. 5'-ribonucleotide hydrolase detection kit (colorimetric method)
45. Monoamine oxidase detection kit (colorimetric method)
46. Alpha-fetoprotein detection kit (immunoturbidimetry)
47. Ammonia detection kit (glutamate dehydrogenase two-point method)
48. Leucine aminopeptidase detection kit (colorimetric method)
49. Cystatin C detection kit (immunoturbidimetry)
50. β 2-microglobulin detection kit (latex enhanced immunoturbidimetry)

M Combsley
Managing Director

Certificate Number **45014**

Date: 09 July 2018

Valid Until: 09 July 2021

EAC Code: 19





Biobase Biodustry (Shandong) Co., Ltd.

Annex III

51. N-acetyl- β -D-glucosaminidase detection kit (colorimetric method)
52. Triglyceride detection kit (oxidase method)
53. Homocysteine detection kit (enzymatic method)
54. Apolipoprotein E test kit (immunoturbidimetry)
55. Phospholipid test kit (oxidase method)
56. Glucose detection kit (glucose oxidase method)
57. Glycosylated hemoglobin detection kit (enzymatic method)
58. D3 hydroxybutyric acid detection kit (enzymatic method)
59. Lactic acid test kit (enzyme color method)
60. Myoglobin detection kit (immunoturbidimetry)
61. Angiotensin converting enzyme detection kit (colorimetric method)
62. Lactate dehydrogenase isoenzyme 1 detection kit (lactic acid matrix rate method)
63. Lipase detection kit (enzyme coloring method)
64. Pepsinogen I detection kit (immunoturbidimetry)
65. Pepsinogen II detection kit (immunoturbidimetry)
66. Anti-streptococcus O detection kit (immunoturbidimetry)
67. High-sensitivity C-reactive protein detection kit (immunoturbidimetry)
68. Pre-albumin detection kit (immunoturbidimetry)
69. Transferrin detection kit (immunoturbidimetry)
70. Glucose-6-phosphate dehydrogenase detection kit (UV rate method)
71. D-dimer detection kit (immunoturbidimetry)
72. Complement C3 detection kit (immunoturbidimetry)
73. Complement C4 detection kit (immunoturbidimetry)
74. Immunoglobulin IgA detection kit (immunoturbidimetry)
75. Immunoglobulin IgG detection kit (immunoturbidimetry)

M Combsley

Managing Director



Certificate Number **45014**

Date: 09 July 2018

Valid Until: 09 July 2021

EAC Code: 19





Biobase Biodustry (Shandong) Co., Ltd.

Annex IV

- 76. Immunoglobulin IgM detection kit (immunoturbidimetry)
- 77. α 1-acid glycoprotein detection kit (immunoturbidimetry)
- 78. α 1-antitrypsin detection kit (immunoturbidimetry)
- 79. Ethanol detection kit (enzymatic method)
- 80. Apolipoprotein A2 detection kit (immunoturbidimetry)
- 81. Apolipoprotein C2 detection kit (immunoturbidimetry)
- 82. Apolipoprotein C3 detection kit (immunoturbidimetry)
- 83. Anti-thrombin III detection kit (immunoturbidimetry)
- 84. B factor detection kit (immunoturbidimetry)
- 85. C-reactive protein detection kit (immunoturbidimetry)
- 86. Direct bilirubin detection kit (vanadate oxidation method)
- 87. Direct bilirubin detection kit (oxidase method)
- 88. Fibrinogen detection kit (immunoturbidimetry)
- 89. Ferritin detection kit (latex enhanced immunoturbidimetry)
- 90. Fiber binding protein detection kit (immunoturbidimetry)
- 91. Glutamate dehydrogenase detection kit (enzymatic method)
- 92. Glycyl valine dipeptidyl aminopeptidase detection kit (enzymatic method)
- 93. Glycosylated hemoglobin detection kit (latex enhanced immunoturbidimetry)
- 94. Homocysteine detection kit (enzymatic method)
- 95. Immunoglobulin E detection kit (immunoturbidimetry)
- 96. Ischemic modified albumin detection kit (colorimetric method)
- 97. Aspartate aminotransferase mitochondrial isoenzyme detection kit (enzyme inhibition method)
- 98. Plasminogen detection kit (immunoturbidimetry)
- 99. Retinol binding protein detection kit (immunoturbidimetry)
- 100. Total bilirubin test kit (vanadate oxidation method)

M Combs

Managing Director



Certificate Number **45014**

Date: 09 July 2018

Valid Until: 09 July 2021

EAC Code: 19





Biobase Biodustry (Shandong) Co., Ltd.

Annex V

101. Total bilirubin test kit (oxidase method)
102. Troponin I test kit (latex enhanced immunoturbidimetry)
103. Unsaturated iron binding force detection kit (Ferene method)
104. Urine total protein detection kit (colorimetric method)
105. α 1-microglobulin test kit (latex enhanced immunoturbidimetry)
106. Fibrin and fibrinogen decomposition product determination kit (latex immunoturbidimetry)
107. Haptoglobin assay kit (immunoturbidimetry)
108. Procalcitonin assay kit (latex immunoturbidimetry)
109. Glycocholic acid assay kit (latex immunoturbidimetry)
110. Free fatty acid determination kit (ACS-PAP method)
111. Glycated albumin assay kit (peroxidase method)
112. α 2 macroglobulin determination kit (immunoturbidimetry)
113. Heart-shaped fatty acid binding protein assay kit (latex immunoturbidimetry)
114. Anti-cyclic citrullinated peptide antibody assay kit (latex immunoturbidimetry)
115. Neutrophil gelatinase-related lipocalin assay kit (latex immunoturbidimetry)
116. Sialic acid assay kit (neuraminidase method)

Managing Director



015

Certificate Number **45014**

Date: 09 July 2018

Valid Until: 09 July 2021

EAC Code: 19

