

## dicoNEX

### single-use syringe, 3-part, luer, sterile

#### features

- transparent barrel allows full visual control of content
- green contrasting plunger
- luer nozzle
- sealing in the form of double ring on plunger stopper situated on the top of plunger
- smooth plunger sliding thanks to rubber sealing
- limitation flange securing against accidental removal of plunger
- name of syringe and manufacturer's logo placed on barrel
- clear, legible and permanent black graduation facilitating dosage, adequately:
  - every 0,1 ml for capacity of 2 ml
  - every 0,2 ml for capacity of 5 ml
  - every 0,2 ml for capacity of 10 ml
  - every 0,5 ml for capacity of 20 ml
  - every 1 ml for capacity of 50 ml
- single-use, non-pyrogenic, non-toxic
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

#### indication

- 3-piece syringe intended for drawing up and administering of medicines/liquids to patient and collecting body fluid samples from patient

REF	capacity	intermediate packaging	bulk packaging
002ML-3CZ-BL	2 ml	100 pcs	30 x 100 pcs
005ML-3CZ-BL	5 ml	100 pcs	24 x 100 pcs
010ML-3CZ-BL	10 ml	100 pcs	16 x 100 pcs
020ML-3CZ-BL	20 ml	50 pcs	16 x 50 pcs
050ML-3CZ-BL	50 ml	25 pcs	16 x 25 pcs



BESTSELLER



## dicoNEX

### single-use syringe, 3-part, luer lock, sterile

#### features

- transparent barrel allows full visual control of content
- green contrasting plunger (amber-coloured syringe - white contrasting plunger)
- luer lock nozzle
- sealing in the form of double ring on plunger stopper situated on the top of plunger
- smooth plunger sliding thanks to rubber sealing
- limitation flange securing against accidental removal of plunger
- name of syringe and manufacturer's logo placed on barrel
- clear, legible and permanent black graduation facilitating dosage, adequately:
  - every 0,1 ml for capacity of 2 ml
  - every 0,2 ml for capacity of 5 ml and of 10 ml
  - every 0,5 ml for capacity of 20 ml
  - every 1 ml for capacity of 30 ml and of 50 ml
- single-use
- non-pyrogenic, non-toxic
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

#### indication

- 3-piece syringe intended for drawing up and administering of medicines/liquids to patient and collecting body fluid samples from patient
- amber-coloured syringe is intended for drawing up and administering of photosensitive medicines

REF	capacity	colour of plunger	intermediate packaging	bulk packaging
003ML-3CZ-LL-BL	3 ml	green	100 pcs	30 x 100 pcs
005ML-3CZ-LL-BL	5 ml	green	100 pcs	24 x 100 pcs
010ML-3CZ-LL-BL	10 ml	green	100 pcs	16 x 100 pcs
020ML-3CZ-LL-BL	20 ml	green	50 pcs	16 x 50 pcs
030ML-3CZ-LL-BL	30 ml	green	50 pcs	16 x 50 pcs
050ML-3CZ-LL-BL	50 ml	green	25 pcs	16 x 25 pcs

#### amber type

050ML-3CZ-LL-B-BL	50 ml	white	25 pcs	16 x 25 pcs
-------------------	-------	-------	--------	-------------



# vaginal speculum

## cusco type, sterile

### features

- both blades made of transparent polystyrene
- locking bolt made of polyethylene
- perfectly smooth and streamlined edges
- colour coded bolts depending on the size
- single-use
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./foil

### indication

- device designed for gynecological examination of the cervix and vagina

REF	width	colour	size
WG-XXS	16 mm	yellow	XXS
WG-XS	20 mm	white	XS
WG-S	24 mm	blue	S
WG-M	26 mm	red	M
WG-L	30 mm	green	L



bulk packaging:  
100 pcs



**BESTSELLER**



# dicoSPIKE

## withdrawal cannula, sterile

### features

- ergonomic design enables easy handling
- sharp spike enables hermetic and secure connection
- possibility of collecting medicines from packages of various capacities
- hermetic self-locking cap that closes the connector to provide maximum protection against contamination
- reliable protection against microbial contamination by using a 1,2 µm air filter
- available in version with bacterial and particle filter 5 µm
- compatible with luer and luer lock connectors
- latex-free, phthalate-free
- PVC-free
- non-pyrogenic
- single-use
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- device designed for medicine withdrawal from multi-dose vials and bottles of various capacities

REF	type of filter	colour	intermediate packaging
CPHZ	with bacterial filter 1,2 µm	green	25 pcs
CPHN	with bacterial filter 1,2 µm and particle filter 5 µm	blue	25 pcs



bulk packaging:  
16 x 25 pcs



**BESTSELLER**



# easyFLOW IS

## infusion set, sterile

### features

- 2-way sharp closure-piercing device of the drip chamber with anti-slip surface that guarantees tight and reliable connection with fluid containers/bags
- air inlet with anti-bacterial filter and coloured (blue) flap
- pliable drip chamber, size 6 cm, equipped with additional pressure wings to facilitate insertion into containers with liquids
- dropper: 20 drops = 1 ml +/- 0,1 ml
- fluid filter protecting against larger particles with pore size 15 µm
- min. 150 cm-long, soft, flexible tubing with luer lock conical fitting
- precise safe flow regulator with integrated holder for the closure-piercing device and with hook for securing the tubing
- name of the manufacturer placed on the flow regulator
- both tips of the device additionally secured with protective caps
- device available in a version containing phthalates and without phthalates
- single-use
- non-pyrogenic, non-toxic
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil with a coloured code (blue) identifying the device

### indication

- device for fluid transfer in infusion therapy

REF	version
IS	with phthalates
IS-BF	without phthalates

  
bulk packaging:  
250 pcs

  
BESTSELLER



# extension tube for infusion pump

## sterile

### features

- tubing made of PVC
- device available in a transparent and amber version for photosensitive medicines
- diameter of the tubing - outer: 2,4 mm; inner: 1,24 mm
- luer lock fitting - male and female
- single-use
- latex-free, phthalate-free
- non-pyrogenic, non-toxic
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- device used to extend infusion line

REF	colour of tube	length	intermediate packaging
P450-BF	transparent	45 cm	50 pcs
P1500-BF	transparent	150 cm	50 pcs
PB1500-BF	amber	150 cm	50 pcs

  
bulk packaging:  
24 x 50 pcs



# easyFLOW TS

## transfusion set, sterile

### features

- 2-way sharp closure-piercing device of the drip chamber with anti-slip surface that guarantees tight and reliable connection with containers/bags
- air inlet with anti-bacterial filter and a coloured (red) flap
- pliable drip chamber
- dropper: 20 drops = 1 ml +/- 0,1 ml
- special blood filter with large area, pore size 200 µm
- min. 150 cm-long, soft, flexible tubing
- universal luer lock fitting at the end of tubing
- precise safe flow regulator with integrated holder for the closure-piercing device and with hook for securing the tubing
- name of the manufacturer placed on the flow regulator
- both tips of the device additionally secured with protective caps
- device available in a version containing phthalates and without phthalates
- single-use
- non-pyrogenic, non-toxic
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil with a coloured code (red) identifying the device

### indication

- device used for the administration of blood and blood products

REF	version
TS	with phthalates
TS-BF	without phthalates

 **bulk packaging:**  
250 pcs



# 3-way stopcock

## sterile

### features

- made of polycarbonate
- transparent housing
- clear optical identifier of open/close position (marked flow directions) operating in 360 degrees
- consistent, straight flow channels and an optimal internal diameter ensure correct pressure measurement
- rotating male luer lock
- all inlets protected with caps
- resistant to lipids
- latex-free, phthalate-free
- single-use
- non-pyrogenic, non-toxic
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- device designed for managing the flow of infusion fluids during administration
- enables switching the infusion flow path
- for blood pressure monitoring
- for direct medicine/fluid supply

REF	colour	intermediate packaging
KT-002	blue	50 pcs

 **bulk packaging:**  
20 x 50 pcs





## 3-way stopcock with extension tube

### sterile

#### features

- three-way stopcock with an extension tube of various lengths (from 7 cm to 100 cm)
- transparent housing
- clear optical identifier of open/close position (marked flow directions)
- three-way stopcock made of polycarbonate, extension tube made of PVC
- all inlets protected with caps
- resistant to lipids
- latex-free, phthalate-free
- single-use
- non-pyrogenic, non-toxic
- EO sterilized
- packaging: 1 pc./paper-foil

#### indication

- device designed for managing the flow of infusion fluids during administration
- enables switching the infusion flow path
- for blood pressure monitoring
- for direct medicine/fluid supply

REF	length of tube	intermediate packaging
KTP-7	7 cm	50 pcs
KTP-10	10 cm	50 pcs
KTP-25	25 cm	50 pcs
KTP-50	50 cm	50 pcs
KTP-75	75 cm	50 pcs
KTP-100	100 cm	50 pcs



bulk packaging:  
20 x 50 pcs



## needle-free valve

### sterile

#### features

- body made of transparent material - polycarbonate
- high-quality silicone membrane allows multiple port injections
- flat injection surface - smooth and evenly ended port membrane that facilitates disinfection
- metal-free, suitable for MRI examination
- male connector of the transparent port is secured with a cap allowing for aseptic removal of the item from the packaging
- may be used for 7 days or up to 350 activations
- priming capacity: 0,09 ml
- high flow rate: 350 ml/min
- withstands injection fluid pressure of 3 bars (44 PSI)
- withstands back pressure of 2 bars (29 PSI)
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

#### indication

- intended for closing infusion ports
- device intended for multiple, needle-free injections (liquid drug administration, blood sample taking)
- protects infusion lines from contamination and infection during infusion therapy
- does not require using safety caps
- dedicated for standard luer and luer lock connectors

REF	colour	intermediate packaging
PB-N	blue	100 pcs
PB-T	transparent	100 pcs



bulk packaging:  
20 x 100 pcs



# cannula stopper


## sterile

### features

- precisely and safely closes standard ports
- luer lock stopper has only one male tip
- combi stopper with male and female tip especially dedicated for securing luer lock fitting in infusion and transfusion sets
- single-use
- non-pyrogenic
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- as a stopper of intravenous cannulas, ports and catheters
- intended to be used in combination with other devices during infusion therapy, protecting against the outflow of blood through the cannula and protecting against contamination and infection

REF	type	intermediate packaging	 bulk packaging
KDKLL	luer lock	250 pcs	10 x 250 pcs
KDKC	combi	100 pcs	50 x 100 pcs



# oxygen mask

## with tubing, sterile

### features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
- equipped with a 210 cm (+/- 5%) long tubing with universal connectors
- tubing with star cross-section that is resistant to bending
- revolving connector that allows adjusting to patient's position
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- designed to deliver oxygen with precise regulation of concentration, for medium oxygen concentration

REF	length of tubing	size
MTS-S	210 cm +/- 5%	S
MTS-M	210 cm +/- 5%	M
MTS-L	210 cm +/- 5%	L
MTS-XL	210 cm +/- 5%	XL



bulk packaging:  
50 x 1 pc.



# non-rebreather mask

## with tubing, sterile

### features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
- equipped with a 210 cm (+/- 5%) long tubing with universal connectors
- tubing with star cross-section that is resistant to bending
- 1000 ml oxygen reservoir
- revolving connector that allows adjusting to patient's position
- silicone valves on the connector and ventilation openings
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- designed to deliver oxygen with precise regulation of concentration, for high oxygen concentration

REF	length of tubing	size
MTW-S	210 cm +/- 5%	S
MTW-M	210 cm +/- 5%	M
MTW-L	210 cm +/- 5%	L
MTW-XL	210 cm +/- 5%	XL



bulk packaging:  
50 x 1 pc.



# nebulizer mask

with tubing, sterile

### features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
- equipped with a 210 cm (+/- 5%) long tubing with universal connectors
- tubing with star cross-section that is resistant to bending
- 8 ml nebulizer (graduated every 1 ml)
- average size of the molecule at a flow of 6l / min - 3,23 µm
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- for producing aerosol containing a comminuted medicine, that can be delivered directly to the respiratory system as the patient breathes

REF	length of tubing	size
MTN-S	210 cm +/- 5%	S
MTN-M	210 cm +/- 5%	M
MTN-L	210 cm +/- 5%	L
MTN-XL	210 cm +/- 5%	XL



bulk packaging:  
50 x 1 pc.



49

# multi-vent mask

with tubing, sterile

### features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
- equipped with a 210 cm (+/- 5%) long tubing with universal connectors
- tubing with star cross-section that is resistant to bending
- equipped with 2 jets - white to set mid flow concentration (35%, 40% and 50%) and green to set low concentration (24%, 28% and 30%)
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./foil

### indication

- designed to deliver oxygen with precise regulation of concentration, regardless of way of patient's breathing

REF	length of tubing	size
MTDV-L	210 cm +/- 5%	L
MTDV-XL	210 cm +/- 5%	XL



bulk packaging:  
100 x 1 pc.



# nasal oxygen cannula


## sterile

### features

- made of medical PVC
- very soft tips with smooth edges
- fastening under the chin with a soft, sliding adjustment ring
- various spacing of the nasal part of the cannula depending on the size
- universal connector compatible with any source of oxygen
- tubing with star cross-section that is resistant to bending
- available in 3 sizes: for adults, for children and for infants with 140 cm, 200 cm, 300 cm and 500 cm long tubing
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./foil

### indication

- designed to deliver oxygen through the nose

REF	length of tubing	purpose	intermediate packaging	 bulk packaging
CTNN-200	200 cm	for infants	25 pcs	10 x 25 pcs
CTNZ-200	200 cm	for children	25 pcs	10 x 25 pcs
CTND-140	140 cm	for adults	30 pcs	10 x 30 pcs
CTND-200	200 cm	for adults	25 pcs	10 x 25 pcs
CTND-300	300 cm	for adults	15 pcs	10 x 15 pcs
CTND-500	500 cm	for adults	10 pcs	10 x 10 pcs



# oxygen tubing


## sterile

### features

- made of transparent, non-toxic PVC
- tubing with star cross-section that is resistant to bending, with reinforcing straps along the entire length
- standardized connectors at the end of the tubing allowing connection to oxygen devices
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- for transporting oxygen from an oxygen source to another medical device for oxygen supply, e.g. oxygen mask

REF	length of tubing	 bulk packaging
DT2100	210 cm +/- 2%	100 x 1 pc.
DT4260	426 cm +/- 2%	50 x 1 pc.
DT7620	762 cm +/- 2%	25 x 1 pc.



# intubation stylet

sterile

## features

- made of PVC-coated aluminium
- special material for both stiffness and pliability
- intended for use during difficult intubation
- size and diameter markings
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

## indication

- allows you to give the endotracheal tube the right curvature
- introduced to the endotracheal tube facilitates intubation in routine and difficult cases, when the laryngeal inlet is not visible

REF	size	diameter	length	endotracheal tube I.D.	intermediate packaging	bulk packaging
PRI-06	6 Fr	2,0 mm	310 mm (±10)	from 2.0 to 4.0	50 pcs	10 x 50 pcs
PRI-10	10 Fr	3,3 mm	390 mm (±10)	from 4.5 to 6.5	50 pcs	10 x 50 pcs
PRI-14	14 Fr	4,7 mm	390 mm (±10)	from 7.0 to 10.0	40 pcs	10 x 40 pcs



# endotracheal tube

uncuffed, sterile

## features

- made of flexible PVC
- radiopaque line over the entire tube length
- equipped with lateral Murphy eye
- graduated every 1 cm
- double depth marker to control the position of the tube
- tube size marked in 3 places (on the connector and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

## indication

- for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure

REF	size	intermediate packaging
RIB-20	I.D. (mm) 2.0	20 pcs
RIB-25	I.D. (mm) 2.5	20 pcs
RIB-30	I.D. (mm) 3.0	20 pcs
RIB-35	I.D. (mm) 3.5	20 pcs
RIB-40	I.D. (mm) 4.0	20 pcs
RIB-45	I.D. (mm) 4.5	20 pcs
RIB-50	I.D. (mm) 5.0	20 pcs
RIB-55	I.D. (mm) 5.5	20 pcs
RIB-60	I.D. (mm) 6.0	20 pcs
RIB-65	I.D. (mm) 6.5	20 pcs
RIB-70	I.D. (mm) 7.0	20 pcs
RIB-75	I.D. (mm) 7.5	20 pcs
RIB-80	I.D. (mm) 8.0	20 pcs
RIB-85	I.D. (mm) 8.5	20 pcs
RIB-90	I.D. (mm) 9.0	20 pcs
RIB-95	I.D. (mm) 9.5	20 pcs
RIB-100	I.D. (mm) 10.0	20 pcs



bulk packaging:  
10 x 20 pcs



# endotracheal tube

cuffed, sterile

### features

- made of flexible PVC
- equipped with lateral Murphy eye and radiopaque line over the entire tube length
- graduated every 1 cm, double depth marker to control the position of the tube
- low-pressure, high-volume cuff
- tube size marked in 4 places (on the connector, on the pilot balloon and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
- pilot balloon with LOT and size indication
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure

REF	size	intermediate packaging
RIM-30	I.D. (mm) 3.0	20 pcs
RIM-35	I.D. (mm) 3.5	20 pcs
RIM-40	I.D. (mm) 4.0	20 pcs
RIM-45	I.D. (mm) 4.5	20 pcs
RIM-50	I.D. (mm) 5.0	20 pcs
RIM-55	I.D. (mm) 5.5	20 pcs
RIM-60	I.D. (mm) 6.0	20 pcs
RIM-65	I.D. (mm) 6.5	20 pcs
RIM-70	I.D. (mm) 7.0	20 pcs
RIM-75	I.D. (mm) 7.5	20 pcs
RIM-80	I.D. (mm) 8.0	20 pcs
RIM-85	I.D. (mm) 8.5	20 pcs
RIM-90	I.D. (mm) 9.0	20 pcs
RIM-95	I.D. (mm) 9.5	20 pcs
RIM-100	I.D. (mm) 10.0	20 pcs



bulk packaging:  
10 x 20 pcs



# reinforced endotracheal tube

cuffed, sterile

### features

- made of flexible PVC
- reinforcing within the wall of the entire tube
- equipped with lateral Murphy eye and radiopaque line over the entire tube length
- graduated every 1 cm, double depth marker to control the position of the tube
- tube size marked in 4 places (on the connector, on the pilot balloon and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

### indication

- for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure
- for intubation of the patient in an unusual position, with a high risk of kinking the endotracheal tube

REF	size	intermediate packaging
RIMZP-30	I.D. (mm) 3.0	10 pcs
RIMZP-35	I.D. (mm) 3.5	10 pcs
RIMZP-40	I.D. (mm) 4.0	10 pcs
RIMZP-45	I.D. (mm) 4.5	10 pcs
RIMZP-50	I.D. (mm) 5.0	10 pcs
RIMZP-55	I.D. (mm) 5.5	10 pcs
RIMZP-60	I.D. (mm) 6.0	10 pcs
RIMZP-65	I.D. (mm) 6.5	10 pcs
RIMZP-70	I.D. (mm) 7.0	10 pcs
RIMZP-75	I.D. (mm) 7.5	10 pcs
RIMZP-80	I.D. (mm) 8.0	10 pcs
RIMZP-85	I.D. (mm) 8.5	10 pcs
RIMZP-90	I.D. (mm) 9.0	10 pcs
RIMZP-95	I.D. (mm) 9.5	10 pcs
RIMZP-100	I.D. (mm) 10.0	10 pcs



bulk packaging:  
10 x 10 pcs





# dual-limb breathing circuit

sterile

features


- made of high quality EVA material, without PVC
- 15F/22M and 22F universal connector fits compatible products and devices for mechanical ventilation or anesthesia machine
- expandable arms with maximum length of 160 cm
- adjustable length of circuit enabling adjustment of length of respiratory system and optimization of dead space
- equipped with latex-free breathing bag: 3l (for adults) or 1l (for children)
- additional expandable tube, length: 100 cm
- elbow with luer lock port
- single-use
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./foil

indication

- for patient's mechanical ventilation
- it enables transporting breathing mixture from equipment (ventilator, anesthesia machine) to respiratory protection device (e.g. tracheal tube, tracheostomy mask) and vice versa

REF	purpose	capacity of bag
OBWD-1601L	for children	1 liter
OBWD-1603L	for adults	3 liters

  
bulk packaging:  
40 x 1 pc.



# catheter mount/double swivel connector

sterile

features

- standard version made of medical PVC
- expandable version made of high quality EVA material, PVC-free and phthalate-free
- 22M/15F - 15M universal connector fits compatible products
- expandable version characterized by shape memorizing and by the ability to control the position of the connector
- double swivel elbow connector
- port for suctioning and bronchoscope secured with a stopper
- available in versions: standard and expandable
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

- used to connect the tracheostomy tube or endotracheal tube with the breathing circuit of the ventilation device
- provides greater mobility and rotation of the connection, increasing patient comfort and safety

REF	version	length
PM-15	standard	15 cm
PMR-15	expandable	9-18 cm

  
bulk packaging:  
250 x 1 pc.



# surgical suction set

with Yankauer cannula, standard, sterile

## CANNULA

- completely transparent for full possibility of observing the sucked secretion
- light and perfectly balanced handle ensures high comfort of work and reduces hand fatigue
- perfectly smooth inner surface prevents blocking or retaining the sucked content, ensuring correct and optimal flow
- cannula with double bend of curvature
- four lateral eyes, which prevent the tip from sticking to the tissues and one central opening
- universal stepped connector ensures tight connection with a wide range of suction connecting tubes

## TUBE

- made of soft and flexible PVC
- along the tube a special longitudinal reinforcement to prevent bending and sucking of the tube
- perfectly smooth inner surface of tube prevents the sucked content from settling on the walls, ensuring correct and optimal flow
- connector type funnel-funnel cut-to-fit with the possibility of cutting in the marked places of the connector and matching to any type of medical suction device (for the diameter of 8 mm to 18 mm)
- funnel connector equipped with a special bending system, enabling convenient manipulation of the tube
- tube connectors compatible with the standard suction cannulas, enabling their reliable, effective and tight connection

## features

- available with or without suction control
- single-use
- latex-free
- EO sterilized
- packaging: 1 set/double packaging: internal- foil, external- paper-foil

## indication

- evacuating secretions and body fluids from the operating field in general surgery

REF	size of cannula/ size of tube	length of tube	version
ZO-212400104	CH 21 / CH 24	210 cm	without suction control, funnel-funnel
ZO-212400114	CH 21 / CH 24	210 cm	with suction control, funnel-funnel
ZO-402423104	CH 21 / CH 24	400 cm	without suction control, funnel-funnel
ZO-402423114	CH 21 / CH 24	400 cm	with suction control, funnel-funnel
ZO-2124001041	CH 21 / CH 24	210 cm	without suction control, funnel-funnel cut-to-fit
ZO-2124001141	CH 21 / CH 24	210 cm	with suction control, funnel-funnel cut-to-fit

  
bulk packaging:  
50 x 1 set



# microscope slides

## non-sterile

features

- made of high-quality transparent glass
- smooth surface
- dimensions meet international standards
- flat, even and durable surface
- even specimens, good staining of preparations
- box wrapped in foil for additional protection against humidity
- dimensions: 76 mm x 26 mm x 1 mm
- non-sterile
- packaging: 50 pcs/double packaging: box and foil

indication

- designed for holding specimens for microscopic study

REF	version	intermediate packaging
SP-01	unground edges	50 pcs
SP-11	ground edges with frosted description field	50 pcs

  
bulk packaging:  
50 x 50 pcs



# entrance mat

## non-sterile

features

- blue mat consisting of 30 layers - thin sticky sheets
- each of the sticky sheets made of polyethylene resin
- does not contain heavy metals
- excellent adhesive properties
- the first and last sheets secured with a non-adhesive foil
- low mat profile: app. 2 mm thick
- the bottom surface adheres very well to the floor over the entire surface, preventing adverse movement of the mat, allowing trouble-free passage of trolleys with equipment or beds, without the risk of curling up the mat or tearing
- no need to clean the mat - as soon as the surface of the mat is contaminated, it should be torn off to uncover a new, clean sheet
- there is numbering of sheets on a white non-adhesive material in the mat corner facilitate quick identification and easy removal of subsequent sheets
- light, easy to spread
- non-sterile

indication

- preventing spreading of contamination brought on shoe soles and wheelchairs to operating rooms

REF	dimensions	intermediate packaging
M001	45 cm x 115 cm	10 pcs

  
bulk packaging:  
5 x 10 pcs





## NONVI lux S



REF	dimensions	grammage	packaging unit paper-foil	bulk packaging box
NL052-S	5 cm x 5 cm	30 g/m <sup>2</sup>	2 pcs	25 x 2 pcs
NL053-S	5 cm x 5 cm	30 g/m <sup>2</sup>	3 pcs	25 x 3 pcs
NL055-S	5 cm x 5 cm	30 g/m <sup>2</sup>	5 pcs	25 x 5 pcs
NL0510-S	5 cm x 5 cm	30 g/m <sup>2</sup>	10 pcs	10 x 10 pcs
NL052-S-40	5 cm x 5 cm	40 g/m <sup>2</sup>	2 pcs	25 x 2 pcs
NL053-S-40	5 cm x 5 cm	40 g/m <sup>2</sup>	3 pcs	25 x 3 pcs
NL055-S-40	5 cm x 5 cm	40 g/m <sup>2</sup>	5 pcs	25 x 5 pcs
NL0510-S-40	5 cm x 5 cm	40 g/m <sup>2</sup>	10 pcs	10 x 10 pcs
NL752-S	7,5 cm x 7,5 cm	30 g/m <sup>2</sup>	2 pcs	25 x 2 pcs
NL753-S	7,5 cm x 7,5 cm	30 g/m <sup>2</sup>	3 pcs	25 x 3 pcs
NL755-S	7,5 cm x 7,5 cm	30 g/m <sup>2</sup>	5 pcs	25 x 5 pcs
NL7510-S	7,5 cm x 7,5 cm	30 g/m <sup>2</sup>	10 pcs	10 x 10 pcs
NL752-S-40	7,5 cm x 7,5 cm	40 g/m <sup>2</sup>	2 pcs	25 x 2 pcs
NL753-S-40	7,5 cm x 7,5 cm	40 g/m <sup>2</sup>	3 pcs	25 x 3 pcs
NL755-S-40	7,5 cm x 7,5 cm	40 g/m <sup>2</sup>	5 pcs	25 x 5 pcs
NL7510-S-40	7,5 cm x 7,5 cm	40 g/m <sup>2</sup>	10 pcs	10 x 10 pcs
NL7520-S-40	7,5 cm x 7,5 cm	40 g/m <sup>2</sup>	20 pcs	5 x 20 pcs
NL102-S	10 cm x 10 cm	30 g/m <sup>2</sup>	2 pcs	25 x 2 pcs
NL103-S	10 cm x 10 cm	30 g/m <sup>2</sup>	3 pcs	25 x 3 pcs
NL105-S	10 cm x 10 cm	30 g/m <sup>2</sup>	5 pcs	20 x 5 pcs
NL1010-S	10 cm x 10 cm	30 g/m <sup>2</sup>	10 pcs	10 x 10 pcs
NL102-S-40	10 cm x 10 cm	40 g/m <sup>2</sup>	2 pcs	25 x 2 pcs
NL103-S-40	10 cm x 10 cm	40 g/m <sup>2</sup>	3 pcs	25 x 3 pcs
NL105-S-40	10 cm x 10 cm	40 g/m <sup>2</sup>	5 pcs	20 x 5 pcs
NL1010-S-40	10 cm x 10 cm	40 g/m <sup>2</sup>	10 pcs	10 x 10 pcs
NL1020-S-40	10 cm x 10 cm	40 g/m <sup>2</sup>	20 pcs	5 x 20 pcs

Sterilization method:

- -S – EO sterilized product
- -SS – steam sterilized product



# Y

swab with  
„Y“ incision

## NONVI lux S with Y-incision



### features

- hydrophilic medical non-woven 40 g/m<sup>2</sup>
- 4-ply
- Y-incision for precise, aseptic protection of the outlet of various types of medical drains

### indication

- securing the outlet of drains, catheters, tracheostomy tubes etc.

REF sterilized by EO	REF sterilized by steam	dimensions	packaging unit paper-foil	bulk packaging box
NL150-S-40Y	NL105-SS-40Y	10 cm x 10 cm	5 pcs	25 x 5 pcs


## ABSORBENT WOUND DRESSINGS

### features

- layered structure: non-woven - cellulose - cellulose pulp
- increased absorption capacity due to the high absorbent cellulose layer
- bottom layer of the dressing covered with waterproof blue non-woven

### indication

- removing the exudate from strongly oozing wounds
- covering wounds after surgical procedures



## ABD pads, multi-layer

### MULTIabsorb



**non-sterile**

Before use on open wounds, the device must be sterilized in accordance with a validated sterilization method. It can be sterilized with ethylene oxide or radiation.

REF	dimensions	packaging unit foil bag	bulk packaging carton
ABD1010	10 cm x 10 cm	50 pcs	40 x 50 pcs
ABD1020	10 cm x 20 cm	50 pcs	20 x 50 pcs
ABD2025	20 cm x 25 cm	50 pcs	12 x 50 pcs



## MULTIabsorb S



**sterile**

REF	dimensions	packaging unit paper-foil	intermediate packaging box	bulk packaging carton
ABD1010-S	10 cm x 10 cm	1 pc.	25 x 1 pc.	24 x 25 pcs
ABD1020-S	10 cm x 20 cm	1 pc.	25 x 1 pc.	18 x 25 pcs
ABD2025-S	20 cm x 25 cm	1 pc.	15 x 1 pc.	18 x 15 pcs
ABD2040-S	20 cm x 40 cm	1 pc.	8 x 1 pc.	12 x 8 pcs

## ADHESIVE TAPES

### features

- flexible, conforms to the body's contours, guarantees freedom of movement
- characterized by adequate air and water vapour permeability
- good adhesion
- can be divided lengthwise and widthwise without the use of scissors
- hypoallergenic

### indication

- stabilization, protection and fixation of primary, non-adhesive dressings, applied directly to wounds and skin damages
- stabilization, protection and fixation of drains, catheters, medical tubes that do not require specialized fixing in the place of their insertion



## adhesive fabric tape, white

### SENSIplast



non-sterile

REF	dimensions	packaging unit box	bulk packaging carton
STA12505W	1,25 cm x 5 m	24 pcs	30 x 24 pcs
STA25005W	2,5 cm x 5 m	12 pcs	30 x 12 pcs
STA50005W	5 cm x 5 m	6 pcs	30 x 6 pcs
STA12509W	1,25 cm x 9,14 m	24 pcs	30 x 24 pcs
STA25009W	2,5 cm x 9,14 m	12 pcs	30 x 12 pcs
STA50009W	5 cm x 9,14 m	6 pcs	30 x 6 pcs



## adhesive fabric tape, skin colour

### PLASTIplast



non-sterile

REF	dimensions	packaging unit box	bulk packaging carton
SZO12505S	1,25 cm x 5 m	24 pcs	30 x 24 pcs
SZO25005S	2,5 cm x 5 m	12 pcs	30 x 12 pcs
SZO50005S	5 cm x 5 m	6 pcs	30 x 6 pcs



## SELF-ADHESIVE DRESSINGS WITH ABSORBENT PAD

### features

- self-adhesive dressings with centrally situated absorbent pad, made of hydrophobic non-woven, covered with acrylic glue
- absorbent pad coated with a polyethylene mesh that prevents sticking to the wound, absorbs a small and medium amount of exudate and protects against the influence of external factors
- rounded edges prevent accidental removal of the dressing
- silicone backing paper facilitates the precise, painless and efficient application
- micropores in the structure of the non-woven provide adequate vapor permeability, thanks to which a proper gas exchange between the dressing and the skin takes place
- hypoallergenic

88



## non-woven dressing with absorbent pad

### elastopor STERIL



sterile

#### indication

- especially recommended for covering surgical wounds
- for treating wounds with a small and medium amount of exudate

REF	dimensions	packaging unit paper-paper	bulk packaging box
801001	5 cm x 7,2 cm	1 pc.	100 x 1 pc.
801012	6 cm x 10 cm	1 pc.	50 x 1 pc.
801002	8 cm x 10 cm	1 pc.	30 x 1 pc.
801013	10 cm x 10 cm	1 pc.	30 x 1 pc.
801021	10 cm x 12 cm	1 pc.	30 x 1 pc.
801014	10 cm x 15 cm	1 pc.	30 x 1 pc.
801003	6 cm x 15 cm	1 pc.	50 x 1 pc.
801004	8 cm x 15 cm	1 pc.	30 x 1 pc.
801005	8 cm x 20 cm	1 pc.	30 x 1 pc.
801015	10 cm x 20 cm	1 pc.	25 x 1 pc.
801016	10 cm x 25 cm	1 pc.	25 x 1 pc.
801017	10 cm x 30 cm	1 pc.	25 x 1 pc.
801018	10 cm x 35 cm	1 pc.	25 x 1 pc.



## non-woven dressing with absorbent pad, incision and O-hole

### elastopor STERIL D




sterile

#### indication

- dressing application around the inserted drain
- securing the outlet of drains and catheters
- for treating wounds with a small and medium amount of exudate

REF	dimensions	packaging unit paper-paper	bulk packaging box
801031	9 cm x 10 cm	1 pc.	30 x 1 pc.
801030	12 cm x 14 cm	1 pc.	25 x 1 pc.





white  
colour

**BESTSELLER**

## non-woven IV cannula dressing

### elastopor IV

**STERILE** sterile

#### features

- centrally situated absorbent pad protects the non-woven material from sticking to the injection site
- non-woven lining should be placed under cannula's wings, which prevents it from causing damage to the skin

#### indication

- dressing application around the inserted cannula
- stabilization, protection and fixation of intravenous cannulas

REF	dimensions	packaging unit paper-paper	bulk packaging box
811013	6 cm x 8 cm	1 pc.	100 x 1 pc.
811012	5,1 cm x 7,6 cm	1 pc.	100 x 1 pc.
811023	6 cm x 8 cm	1 pc.	50 x 1 pc.
811022	5,1 cm x 7,6 cm	1 pc.	50 x 1 pc.



Conforms well to facial contours thanks to the oval shape.

white or skin  
colour

## non-woven eye dressing with absorbent pad

### elastopor EYE

**STERILE** sterile

#### indication

- covering an eye and its area after ophthalmic procedures and surgical procedures
- sight correction in strabismus therapy

REF	dimensions	shape	colour	packaging unit paper-paper	bulk packaging box
803010	5,8 cm x 8,3 cm		absorbent pad - white	1 pc.	50 x 1 pc.
803011	6,5 cm x 9,4 cm		non-woven material - white	1 pc.	50 x 1 pc.
803212	5 cm x 7,5 cm		absorbent pad - white non-woven material - skin colour	1 pc.	50 x 1 pc.



## HOW TO CHOOSE A DRESSING PROPERLY?

When choosing the proper type of dressing, pay special attention to:

- absorption rate and absorption capacity,
- vapor permeability,
- possibility of an atraumatic dressing change,
- safety of use.

## SHOE COVERS

### non-sterile

#### features:

- made of polyethylene or polypropylene non-woven 30 g/m<sup>2</sup> or 40 g/m<sup>2</sup> (for shoe covers with anti-skid layer)
- elastic rubber band at the opening
- protection against contaminating rooms where higher cleanliness standards are required
- increased durability
- single-use

REF	material	grammage	size	colour	packaging unit
BT-010-G	non-woven	30 g/m <sup>2</sup>	38 cm x 17 cm	green	100 pcs
BT-010-B	non-woven	30 g/m <sup>2</sup>	38 cm x 17 cm	blue	100 pcs
BT-011-B	non-woven with anti-skid layer	40 g/m <sup>2</sup>	38 cm x 17 cm	blue	100 pcs
BT-002-PEB	polyethylene		41 cm x 15 cm	blue	100 pcs



available colours:



BESTSELLER



## SHOE COVERS

### calf-high, non-sterile

#### features:

- made of polypropylene non-woven 30 g/m<sup>2</sup>
- elastic rubber band at the opening
- protection against contaminating rooms where higher cleanliness standards are required
- increased durability
- single-use

REF	material	grammage	size	packaging unit
BT-013-B	PP non-woven	30 g/m <sup>2</sup>	47 cm x 38,5 cm	100 pcs



available colours:



## DISPOSABLE SLIPPERS

### non-sterile

#### features:

- made of polypropylene non-woven 90 + 30 g/m<sup>2</sup>
- dimensions: approx. 28 cm x 12 cm
- single-use

REF	packaging unit
BT-003-W	50 pairs



bulk packaging:  
10 x 50 pairs



available colours:



## DISPOSABLE MEDICAL BEDDING SET

### non-sterile

#### features:

- made of polypropylene non-woven
- components:
  - bed sheet: 150 cm x 210 cm
  - quilt cover: 160 cm x 210 cm
  - pillow case: 70 cm x 80 cm



REF	grammage	colour	packaging unit
BT-ZES-25G3	25 g/m <sup>2</sup>	green	1 set
BT-ZES-40G3	40 g/m <sup>2</sup>	green	1 set
BT-ZES-40W3	40 g/m <sup>2</sup>	white	1 set



bulk packaging:  
25 x 1 set



available colours:



## DISPOSABLE ABSORBENT UNDERPAD

### non-sterile

#### features:

- composed of five layers:
  - laminate + cellulose wadding + cellulose pulp + cellulose wadding + PP nonwoven
- absorbent insert made of cellulose pulp
- impermeable foiled bottom



REF	dimensions	packaging unit
BT-PC4060	40 cm x 60 cm	25 pcs
BT-PC6060	60 cm x 60 cm	25 pcs
BT-PC6090	60 cm x 90 cm	25 pcs



bulk packaging:  
4 x 25 pcs

## DISPOSABLE ABSORBENT UNDERPAD

### for operating table, non-sterile

#### features:

- quilted absorbent layer with addition of SAP (superabsorbent)
- composed of layers: polypropylene nonwoven, cellulose wadding, cellulose pulp with superabsorbent SAP, cellulose wadding, PE foil
- colour: absorbent layer - white, laminate - blue
- dimensions: 100 cm x 225 cm (absorbent layer 50 cm x 208 cm)





REF	dimensions	packaging unit
BT-PC100225	100 cm x 225 cm	10 pcs



bulk packaging:  
2 x 10 pcs


## STERILE DRAPEs WITH CELLULOSE LAYER - 2-LAYERED


ref.	dimensions	packaging unit	 bulk packaging
AT-PF-S 1	50cm x 50cm	1 pc.	700 pcs
AT-PF-S 3	50cm x 70cm	1 pc.	450 pcs
AT-PF-S 5	80cm x 80cm	1 pc.	200 pcs
AT-PF-S 6	75cm x 90cm	1 pc.	250 pcs
AT-PF-S 8	90cm x 150cm	1 pc.	125 pcs



135


## STERILE SURGICAL DRAPEs - 2-LAYERED


ref.	dimensions	packaging unit	 bulk packaging
AT-NF-S 21 E	37cm x 45cm	100 pcs	4 x 100 pcs
AT-NF-S 1 E	45cm x 45cm	100 pcs	4 x 100 pcs
AT-NF-S 3 E	45cm x 60cm	100 pcs	4 x 100 pcs
AT-NF-S 4 E	45cm x 75cm	100 pcs	4 x 100 pcs
AT-NF-S 5 E	75cm x 75cm	50 pcs	4 x 50 pcs
AT-NF-S 9 E	75cm x 90cm	50 pcs	4 x 50 pcs
AT-NF-S 13 E	100cm x 150cm	50 pcs	4 x 50 pcs
AT-NF-S 15 E	150cm x 180cm	20 pcs	4 x 20 pcs




economic  
version

## STERILE SURGICAL DRAPEs - 2-LAYERED

ref.	dimensions	packaging unit	 bulk packaging
AT-NF-S 1	45cm x 45cm	1 pc.	240 pcs
AT-NF-S 2	50cm x 50cm	1 pc.	200 pcs
AT-NF-S 3	50cm x 60cm	1 pc.	280 pcs
AT-NF-S 4	50cm x 70cm	1 pc.	160 pcs
AT-NF-S 5	75cm x 75cm	1 pc.	150 pcs
AT-NF-S 9	75cm x 90cm	1 pc.	150 pcs
AT-NF-S 10	90cm x 120cm	1 pc.	80 pcs
AT-NF-S 13	100cm x 150cm	1 pc.	50 pcs
AT-NF-S 14	120cm x 150cm	1 pc.	50 pcs
AT-NF-S 15	150cm x 180cm	1 pc.	20 pcs
AT-NF-S 16	150cm x 200cm	1 pc.	20 pcs
AT-NF-S 17	180cm x 180cm	1 pc.	20 pcs
AT-NF-S 20	150cm x 240cm	1 pc.	20 pcs
AT-NF-S 22	170cm x 300cm	1 pc.	20 pcs



## STERILE SURGICAL DRAPEs WITH ADHESIVE EDGE - 2-LAYERED

ref.	dimensions	packaging unit	 bulk packaging
AT-NFA-S 1 E	45cm x 45cm	100 pcs	4 x 100 pcs
AT-NFA-S 4 E	45cm x 75cm	100 pcs	4 x 100 pcs
AT-NFA-S 9 E	75cm x 90cm	50 pcs	4 x 50 pcs
AT-NFA-S 10 E	90cm x 120cm	50 pcs	4 x 50 pcs
AT-NFA-S 13 E	90cm x 150cm	50 pcs	4 x 50 pcs
AT-NFA-S 15 E	150cm x 175cm	20 pcs	4 x 20 pcs
AT-NFA-S 16 E	150cm x 200cm	20 pcs	4 x 20 pcs
AT-NFA-S 20 E	150cm x 240cm	20 pcs	4 x 20 pcs



adhesive tape  
on the longer  
side of drape



economic  
version

**EC Certificate**  
**Directive 93/42/EEC Annex V**  
**Production Quality Assurance**  
**Medical Devices**

**Registration No.:** DD 60139535 0001

**Report No.:** 26300232 017

**Manufacturer:** ZARYS International Group  
Spolka z ograniczona odpowiedzialnoscia,  
spolka komandytowa  
ul. Pod Borem 18  
41-808 Zabrze  
Polska

**Products:** (see attachments for products and sites included)

Replaces EC Certificate, Registration No.: DD 60117020 0001

**Expiry Date:** 2024-05-27

The Notified Body hereby declares that the requirements of Annex V of the directive 93/42/EEC have been met for the listed products. The above named manufacturer has established and applies a quality assurance system, which is subject to periodic surveillance, defined by Annex V, section 4 of the aforementioned directive. For placing on the market of class IIb and class III devices covered by this certificate an EC type-examination certificate according to Annex III is required.

**Effective Date:** 2019-06-09

**Date:** 2019-05-27

**Notified Body**

Rafal Byczkowski



**TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg**

TÜV Rheinland LGA Products GmbH is a Notified Body according to Directive 93/42/EEC  
concerning medical devices with the identification number 0197.



**TÜV Rheinland**  
**LGA Products GmbH**  
**Tillystraße 2, 90431 Nürnberg**

Doc. 1/6, Rev. 0

**Attachment to  
Certificate**

**Registration No.:** DD 60139535 0001  
**Report No.:** 26300232 017

**Manufacturer:** ZARYS International Group  
Spolka z ograniczona odpowiedzialnoscia,  
spolka komandytowa  
ul. Pod Borem 18  
41-808 Zabrze  
Polska

**Products included:**

- Sterile and non-sterile cutting gauze
- Non-sterile dressing gauze
- Sterile and non-sterile gauze swabs  
(with or without X-ray thread)
- Sterile and non-sterile gauze lap sponges  
(with X-ray thread/ with X-ray chip)
- Sterile and non-sterile gauze balls  
(with or without X-ray thread)
- Sterile and non-sterile gauze rolls  
(with or without X-ray thread)
- Sterile and non-sterile non-woven swabs  
(with or without X-ray thread)
- Sterile paraffin gauze dressings
- Sterile three-way stopcocks
- Sterile transfusion sets for single use
- Sterile infusion sets for single use
- Sterile extension tubes for infusion pump

**Notified Body**

**Date: 2019-05-27**

  
**Rafal Byczkowski**



**TÜV Rheinland**  
**LGA Products GmbH**  
**Tillystraße 2, 90431 Nürnberg**

Doc. 2/6, Rev. 0

**Attachment to  
Certificate**

**Registration No.:** DD 60139535 0001  
**Report No.:** 26300232 017

**Manufacturer:** ZARYS International Group  
Spolka z ograniczona odpowiedzialnoscia,  
spolka komandytowa  
ul. Pod Borem 18  
41-808 Zabrze  
Polska

**Products included:**

- Sterile endotracheal tubes
- Sterile tracheostomy tubes
- Sterile breathing circuits
- Sterile catheter mounts
- Non-sterile anaesthetic masks
- Sterile laryngeal masks
- Sterile oxygen masks
- Sterile Multi-Vent masks
- Sterile non-rebreath masks
- Sterile nebulizer masks
- Sterile nasal oxygen cannulas
- Sterile nebulizer sets
- Sterile oxygen tubing
- Sterile suction catheters
- Sterile abdominal drains
- Sterile feeding tubes
- Sterile stomach and duodenal tubes
- Sterile urology catheters
- Sterile surgical suction sets
- Sterile surgical suction cannulas
- Sterile syringes for single use

**Date: 2019-05-27**

**Notified Body**

**Rafal Byczkowski**





**TÜV Rheinland**  
**LGA Products GmbH**  
**Tillystraße 2, 90431 Nürnberg**

Doc. 3/6, Rev. 0

**Attachment to  
Certificate**

**Registration No.:** DD 60139535 0001  
**Report No.:** 26300232 017

**Manufacturer:** ZARYS International Group  
Spolka z ograniczoną odpowiedzialnością,  
spółka komandytowa  
ul. Pod Borem 18  
41-808 Zabrze  
Polska

**Products included:**

- Sterile insulin syringes
- Sterile tuberculin syringes
- Sterile hypodermic needles
- Sterile insulin pen needles
- Sterile blood lancets
- Sterile IV cannulas
- Sterile needle free valves
- Sterile surgical gloves

**Notified Body**

**Date: 2019-05-27**

  
**Rafal Byczkowski**



**TÜV Rheinland**  
**LGA Products GmbH**  
**Tillystraße 2, 90431 Nürnberg**

Doc. 4/6, Rev. 0

**Attachment to  
Certificate**

**Registration No.:** DD 60139535 0001  
**Report No.:** 26300232 017

**Manufacturer:** ZARYS International Group  
Spolka z ograniczona odpowiedzialnoscia,  
spolka komandytowa  
ul. Pod Borem 18  
41-808 Zabrze  
Polska

**Products included:**

For the following medical devices the scope covers  
only the aspects of manufacture concerned with  
securing and maintaining sterile conditions:

- Adhesive cannula fixation dressings
- Adhesive wound dressings
- Eye pads
- Incise films
- Transparent film dressings
- Foam dressings
- Absorbent wound dressings
- Surgical gowns
- Surgical drapes
- Sets of surgical drapes
- Fluid collection pouches
- Nelaton catheters

**Notified Body**

**Date:** 2019-05-27

  
**Rafal Byczkowski**



**TÜV Rheinland**  
**LGA Products GmbH**  
**Tillystraße 2, 90431 Nürnberg**

Doc. 5/6, Rev. 0

**Attachment to  
Certificate**

**Registration No.:** DD 60139535 0001  
**Report No.:** 26300232 017

**Manufacturer:** ZARYS International Group  
Spolka z ograniczona odpowiedzialnoscia,  
spolka komandytowa  
ul. Pod Borem 18  
41-808 Zabrze  
Polska

**Products included:**

For the following medical devices the scope covers  
only the aspects of manufacture concerned with  
securing and maintaining sterile conditions:

- Vaginal speculums
- Cervical brushes
- Urine bags
- Tongue depressors
- Guedel airways
- Intubation stylets
- Endotracheal tube holders
- Suction tubes
- Withdrawal cannulas
- Alginate dressings
- Cannula stoppers
- Umbilical cord clamps

**Date: 2019-05-27**

**Notified Body**

**Rafal Byczkowski**





**TÜV Rheinland**  
**LGA Products GmbH**  
**Tillystraße 2, 90431 Nürnberg**

Doc. 6/6, Rev. 0

**Attachment to  
Certificate**

**Registration No.:** DD 60139535 0001  
**Report No.:** 26300232 017

**Manufacturer:** ZARYS International Group  
Spolka z ograniczona odpowiedzialnoscia,  
spolka komandytowa  
ul. Pod Borem 18  
41-808 Zabrze  
Polska

**Products included:**

ZARYS International Group  
Spolka z ograniczona odpowiedzialnoscia,  
spolka komandytowa  
ul. Gustawa Eiffel'a 15  
44-109 Gliwice  
Poland

**Activity:** Production

**Notified Body**

**Date:** 2019-05-27

  
**Rafal Byczkowski**



# Certificate

**Quality Management System**  
**EN ISO 13485:2016**



Registration No.: SX 1023663-1

Organization: ZARYS International Group  
Spółka z ograniczoną odpowiedzialnością,  
spółka komandytowa  
ul. Pod Borem 18  
41-808 Zabrze  
Poland

Scope: Design and development, manufacture and distribution of sterile:  
surgical kits, procedure sets, surgical drapes and sets of surgical  
drapes.  
Manufacture and distribution of sterile and non-sterile disposable  
medical devices and non-sterile reusable medical devices.  
Distribution of in-vitro medical devices.

The Certification Body of TÜV Rheinland LGA Products GmbH certifies that the organization has established and applies a quality management system for medical devices.  
Proof has been furnished that the requirements specified in the above mentioned standard are fulfilled. The quality management system is subject to yearly surveillance.

Report No.: 84947434 020

Effective date: 2020-06-10

Expiry date: 2023-06-08

Issue date: 2020-06-10



Rafał Byczkowski  
TR LGA Products GmbH  
Tillystraße 2 · 90431 Nürnberg · Germany

1 / 2