

<b>Anexa nr.18 Lampa germicida (varianta mobila), cod 130130</b>		
<b>Descriere</b>	Lampă de cuarț pentru sterilizarea aoului în încăperi, coridoare etc	
<b>Parametrul</b>	<b>Specificația solicitata</b>	<b>Specificatia tehnica oferita</b>
<b>Alimentare</b>	220V,50Hz	230V,50Hz
Suportul dotat cu min 3 roți	da	4 roți
Miner pentru transportare	da	da
Roti	2 cu frina	Da, 2 cu frina
Lampile fara reflector	da	da
Numar de tuburi	3 tuburi 30 W $\geq$ 30 m <sup>2</sup>	3 tuburi, 30 W $\geq$ 30 m <sup>2</sup>
Tuburile incluse in set	da	da
Timpul de functionare	$\geq$ 8000 ore	Da, 9000 ore
Spectru de raze	UV+vizibil	UV+vizibil
Unghiul de iradiere	360 grade	360 grade

# EC-Declaration of Conformity



Document number: EC-OCNFL-100315 1/4  
Manufacturer or representative: OSRAM China Lighting Co. Ltd  
Address: No.1 North Industrial Road FoShan, GuangDong, P.R.China  
Brand name or trade mark: OSRAM  
Product type: Double-capped fluorescent lamp  
Product designation:  
 See attached list

The designated product(s) is (are) in conformity with the provisions of the following European Directives.

- |                                     |                                      |  |
|-------------------------------------|--------------------------------------|--|
| <input checked="" type="checkbox"/> | <b>2006/95/EC</b><br>and amendments  | <b>Directive of the European Parliament and of the Council of 12 December 2006 on the harmonisation of the laws of Member States relating to electrical equipment designed for use within certain voltage limits</b>   |
| <input type="checkbox"/>            | <b>2004/108/EC</b><br>and amendments | <b>Directive of the European Parliament and of the Council of 15 September 2004 on the approximation of the laws of the Member States relating to electromagnetic compatibility</b>  |
| <input type="checkbox"/>            | <b>2000/55/EC</b><br>and amendments  | <b>Directive of the European Parliament and of the Council of 18 September 2000 on energy efficiency requirements for ballasts for fluorescent lighting</b><br><br>(to be repealed by 13 April 2010)   |
| <input checked="" type="checkbox"/> | <b>2009/125/EC</b><br>and amendments | <b>Directive of the European Parliament and of the Council of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products</b>   |
| <input type="checkbox"/>            | <b>244/2009</b><br>and amendments    | <b>Commission Regulation (EC) implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for non-directional household lamps</b>  |
| <input checked="" type="checkbox"/> | <b>245/2009</b><br>and amendments    | <b>Commission Regulation (EC) implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballasts and luminaires able to operate such lamps ...</b> |

Further information regarding compliance with these Directives is given in the annex which constitutes a part of this declaration.

Last two digits of the year in which the CE marking was affixed:

Place and date of signatures:

Signatures:

Plant Manager  
Manager

Product  
Quality Manager

Names and contact addresses:

This declaration certifies compliance with the indicated Directives, but implies no warranty of properties.

# EC-Declaration of Conformity

## Annex

Document number: 2010/01 FS

The conformity of the designated product(s) with the provisions of the European Directive **2006/95/EC** is given by the compliance with the following European Standard(s). If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- |                                     |  |   |
|-------------------------------------|--|---|
| <input type="checkbox"/>            | <b>EN 60155:</b><br>1995 + A1:1995 +<br>A2:2007      | Glow-starters for fluorescent lamps   |
| <input type="checkbox"/>            | <b>EN 60432-1:</b><br>2000 + A1:2005                 | Incandescent lamps — Safety specifications — Part 1: Tungsten filament lamps for domestic and similar general lighting purposes     |
| <input type="checkbox"/>            | <b>EN 60432-2:</b><br>2000 + A1:2005                 | Incandescent lamps — Safety specifications — Part 2: Tungsten filament lamps for domestic and similar general lighting purposes     |
| <input type="checkbox"/>            | <b>EN 60432-3:</b><br>2003 + A1:2005 +<br>A2:2008    | Incandescent lamps — Safety specifications — Part 3: Tungsten halogen lamps (non-vehicle)   |
| <input type="checkbox"/>            | <b>EN 60598-1:</b><br>2008                           | Luminaires — Part 1: General requirements and tests   |
| <input type="checkbox"/>            | <b>EN 60598-2-1:</b><br>1989                         | Luminaires — Part 2-1: Particular requirements — Fixed general purpose luminaires   |
| <input type="checkbox"/>            | <b>EN 60598-2-2:</b><br>1996 + A1:1997               | Luminaires — Part 2-2: Particular requirements — Recessed luminaires  |
| <input type="checkbox"/>            | <b>EN 60598-2-4:</b><br>1997                         | Luminaires — Part 2-4: Particular requirements — Portable general purpose luminaires  |
| <input type="checkbox"/>            | <b>EN 60598-2-5:</b><br>1998                         | Luminaires — Part 2-5: Particular requirements — Floodlights  |
| <input type="checkbox"/>            | <b>EN 60598-2-6:</b><br>1994 + A1:1997               | Luminaires — Part 2-6: Particular requirements — Luminaires with built-in transformers for filament lamps                           |
| <input type="checkbox"/>            | <b>EN 60598-2-7:</b><br>1989 + A2:1996 +<br>A13:1997 | Luminaires — Part 2-7: Particular requirements — Portable luminaires for garden use   |
| <input type="checkbox"/>            | <b>EN 60598-2-8:</b><br>1997+ A1:2000 +<br>A2:2008   | Luminaires — Part 2-8 : Particular requirements — Handlamps   |
| <input type="checkbox"/>            | <b>EN 60598-2-10:</b><br>2003                        | Luminaires — Part 2-10: Particular requirements — Portable luminaires for children  |
| <input type="checkbox"/>            | <b>EN 60598-2-13:</b><br>2006                        | Luminaires — Part 2-13: Particular requirements — Ground recessed luminaires  |
| <input type="checkbox"/>            | <b>EN 60598-2-20:</b><br>1997 + A1:1998 +<br>A2:2004 | Luminaires — Part 2: Particular requirements — Lighting chains  |
| <input type="checkbox"/>            | <b>EN 60968:</b><br>1990 + A1:1993 +<br>A2:1999      | Self-ballasted lamps for general lighting services — Safety requirements  |
| <input checked="" type="checkbox"/> | <b>EN 61195:</b><br>1999                             | Double-capped fluorescent lamps — Safety specifications   |
| <input type="checkbox"/>            | <b>EN 61199:</b><br>1999                             | Single-capped fluorescent lamps — Safety specifications   |
| <input type="checkbox"/>            | <b>EN 61347-1:</b><br>2008                           | Lamp controlgear — Part 1: General and safety requirements  |
| <input type="checkbox"/>            | <b>EN 61347-2-2:</b><br>2001 + A1:2006 +<br>A2:2006  | Lamp controlgear — Part 2-2: Particular requirements for d. c. or a. c. supplied electronic step-down converters for filament lamps |

- EN 61347-2-3:** 2001+A1:2004 + A2:2006 Lamp controlgear — Part 2-3: Particular requirements for a. c. supplied electronic ballasts for fluorescent lamps
- EN 61347-2-12:** 2005 Lamp controlgear — Part 2-12: Particular requirements for d. c. or a. c. supplied electronic ballasts for discharge lamps (excluding fluorescent lamps)
- EN 61347-2-13:** 2007 Lamp controlgear — Part 2-13: Particular requirements for d. c. or a. c. supplied electronic controlgear for LED modules
- EN 61549:** 2003 + A1:2005 Miscellaneous lamps
- EN 62031:** 2008 LED modules for general lighting — Safety specifications
- EN 62035:** 2000 + A1:2003 Discharge lamps (excluding fluorescent lamps) — Safety specifications
- EN 62471:** 2008 Photobiological safety of lamps and lamp systems  
NOTE: This is a horizontal standard. It is not applicable where photobiological safety is covered by product standards.
- EN 62560:** XXXX Self-ballasted LED-lamps for general lighting services by voltage > 50 V — Safety specifications
- IEC 60081:** 1997+A1:2000+A2:2003+A3:2005 Double-capped fluorescent lamps - Performance specifications
- 

The conformity of the designated product(s) with the provisions of the European Directive **2004/108/EC** is given by the compliance with the following European Standard(s). If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- EN 55015:** 2006 + A1:2007 + A2:2009 Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
- EN 61000-3-2:** 2006 Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
- EN 61000-3-3:** 1995 + A1:2001 + A2:2005 Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional connection
- EN 61547:** 1995 + A1:2000 Equipment for general lighting purposes — EMC immunity requirements
- 

The conformity of the designated product(s) with the provisions of the European Directive **2000/55/EC** is given by the compliance with the following European Standard(s). If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- EN 50294:** 1998 Measurement method of total input power of ballast-lamp circuits

---

## EC-Declaration of Conformity Attached list

Document number: EC-OCNFL-100315

---

A61924700DC	HNS 15W G13 20X1	OSRAM
A61926100DC	HNS 30W G13 10X1	OSRAM



IQNet, the association of the world's first class certification bodies, is the largest provider of management System Certification in the world.  
IQNet is composed of more than 30 bodies and counts over 150 subsidiaries all over the globe.

**СЕРТИФІКАТ №**  
**CERTIFICATE No.**

**DM/21/228/S**

ЦИМ ЗАСВІДЧУЄТЬСЯ, ЩО СИСТЕМА МЕНЕДЖМЕНТУ ЯКОСТІ  
*IT IS HEREBY CERTIFIED THAT THE QUALITY MANAGEMENT SYSTEM OF*

**ZAVET COMPANY SUBSIDIARY**

PIVNICHNO-SYRETSKA ST, 3, KYIV, UKRAINE, 04136

В НАСТУПНИХ ВИРОБНИЧИХ ДІЛЬНИЦЯХ / *IN THE FOLLOWING OPERATIONAL UNITS:*

PIVNICHNO-SYRETSKA ST, 3, KYIV, UKRAINE, 04136

ВІДПОВІДАЄ СТАНДАРТУ / *IS IN COMPLIANCE WITH THE STANDARD*

**EN ISO 13485:2016**

ДЛЯ НАСТУПНОЇ СФЕРИ ДІЯЛЬНОСТІ / *FOR THE FOLLOWING FIELD(S) OF ACTIVITIES:*

ПРОЕКТУВАННЯ, ВИРОБНИЦТВО, ПРОДАЖ ТА ОБСЛУГОВУВАННЯ МЕДИЧНИХ ЛІЖОК, МЕДИЧНИХ  
КУШЕТОК, МЕДИЧНИХ КРИСЕЛ ТА ТАБЛИЦЬ ДЛЯ ПЕРЕВІРКИ ЗОРУ

*DESIGN, MANUFACTURING, SALES AND SERVICE OF MEDICAL STRETCHERS, MEDICAL BEDS, MEDICAL  
CHAIRS AND EYE CHARTS*

Дійсність даного сертифікату залежить від щорічних/піврічних аудитів та повної перевірки системи менеджменту кожні три роки  
*The validity of this certificate is dependent on an annual/six monthly audit and on a complete review, every three years, of the management system*

Для отримання детальної інформації щодо виключення вимог стандарту необхідно звернутися до Настанови з якості  
*Reference is to be made to the Quality Manual for details regarding the exemptions from the requirements of the standard*

Використання та термін дії цього сертифікату залежать від відповідності документу RINA: Правила сертифікації систем управління якістю в  
наступному секторі Медичні вироби  
*The use and validity of this certificate are subject to compliance with the RINA document: Rules for the Certification of Quality Management Systems in the  
Medical Devices Sector*

Система менеджменту сертифікована з:  
*Organization with Management System certified since:*

11/07/2017

Перше видання  
*First Issue* 26/02/2021

Чинний до  
*Expiry Date* 25/12/2022

Дата перегляду  
*Revision date* 26/02/2021

Alessandro Romei  
Certification EMEA Region  
Senior Director

**RINA Services S.p.A.**  
Via Corsica 12 – 16128 Genova Italy



SGQ N° 002 A

Signatory of EA, IAF and ILAC  
Mutual Recognition Agreements



www.cisq.com


CISQ - Італійська Федерація Органів  
Сертифікації Систем Управління

CISQ is the Italian Federation of management  
system Certification Bodies

# ОБЛУЧАТЕЛЬ БАКТЕРИЦИДНЫЙ (КВАРЦЕВЫЙ) ПЕРЕДВИЖНОЙ ОБПЕ-225М

Передвижной бактерицидный облучатель ОБПе-225м используется для быстрого обеззараживания воздуха и поверхностей в помещениях большого и среднего объема. Благодаря своей конструкции и легкости перемещении рекомендуется для поочередной дезинфекции нескольких помещений. Корпус облучателя изготовлен из высококачественной стали, окрашенной порошковой краской. Облучатель комплектуется тремя открытыми бактерицидными лампами мощностью 30Вт. Для удобства перемещения и защиты ламп от удара на стойке установлена металлическая ручка. По Вашему желанию так же возможно на облучатели установить безозоновые лампы Philips и Osram.

Габаритные размеры ОБПе-225м: 360\*360\*1120 мм.



Характеристики	
Производитель	Завет
Тип	Открытый
Мощность лампы, Вт	30
Количество ламп TUV, шт	3

Характеристики	
Таймер	Нет
Тип установки	Мобильный
Способ установки	Напольный
Вид	Бактерицидный облучатель
Гарантия, мес	12
Габаритные размеры	
Длина, мм	370
Ширина, мм	370
Высота, мм	1115