



EU Declaration of Conformity according to Regulation (EU) 2017/745 on Medical Devices

Trade name	KLS Martin
Subject of declaration	TD-00069 Slide shaft instruments
Basic UDI-DI	405760537NP
Classification	Class Ir, Rule 6.3, Annex VIII of Regulation (EU) 2017/745
Intended Purpose	The slide shaft instruments are reusable surgically invasive instruments that are not used in connection to an active product and whose function is in the transient preparation and removal of cartilage, bones, and tissues during a surgical use.
SRN Manufacturer	DE-MF-000005551
We hereby declare	KLS Martin SE & Co. KG KLS Martin Platz 1 78532 Tuttlingen Germany

under our sole responsibility that the mentioned medical devices have been subjected to a conformity assessment procedure in accordance with Article 52 and that the products meet all applicable requirements of Regulation (EU) 2017/745 on medical devices.

Conformity assessment procedure according to:
Annex IX, Chapter I and III of Regulation (EU) 2017/745

Common specifications
A complete list of all Common Specifications (CS) and standards applied is available upon request.

Additional relevant Union legislation
REGULATION 1907/2006 (REACH)

Notified Body	DQS Medizinprodukte GmbH August-Schanz-Straße 21 60433 Frankfurt am Main Germany
----------------------	---

Identification Number Notified Body	0297
--	------

Certificate number of the annex certificate	210299 MDR2017Q
--	-----------------

Period of validity	2027-05-24
---------------------------	------------



Tuttlingen, 2024-03

DocuSigned by:
Martin, Michael
 Name des Unterzeichners: Martin, Michael
 Signiergrund: Ich genehmige dieses Dokument
 Signierzeit: 2024-03-10 | 9:31 PM MEZ
 948601B2DB1742E6B58B410BA865A399

DocuSigned by:
Rösler, Ursula
 Name des Unterzeichners: Rösler, Ursula
 Signiergrund: Ich genehmige dieses Dokument
 Signierzeit: 2024-03-07 | 3:42 PM MEZ
 23146E9441084B3CBC60F91DAE5DD035

Michael Martin
Managing Director

KLS Martin SE & Co. KG

Ursula Rösler
Person Responsible for Regulatory Compliance (PRRC)

KLS Martin SE & Co. KG

This declaration of conformity is only valid with the attached product list.

Item number	Item description	Classification: Class	Classification: Rule
09-010-10-07	Punch, 40°, 3 mm, 40 cm	lr	6.3
09-010-11-07	Punch, 40°, 4 mm, 40 cm	lr	6.3
09-010-12-07	Punch, 40°, 5 mm, 40 cm	lr	6.3
09-010-13-07	Punch, 40°, 6 mm, 40 cm	lr	6.3
09-010-14-07	Punch, 40°, downw., 2mm, 30cm	lr	6.3
09-010-15-07	Punch, 40°, downw., 3mm, 30cm	lr	6.3
09-010-16-07	Punch, 40°, downw., 4mm, 30cm	lr	6.3
09-010-17-07	Punch, 40°, downw., 5mm, 30cm	lr	6.3
09-010-18-07	Punch, 40°, downw., 6mm, 30cm	lr	6.3
09-010-19-07	Punch, 40°, downw., 2mm, 40cm	lr	6.3
09-010-20-07	Punch, 40°, downw., 3mm, 40cm	lr	6.3
09-010-21-07	Punch, 40°, downw., 4mm, 40cm	lr	6.3
09-010-22-07	Punch, 40°, downw., 5mm, 40cm	lr	6.3
09-010-23-07	Punch, 40°, downw., 6mm, 40cm	lr	6.3
09-010-24-07	Punch, 40°, curved, 2 mm, 25 cm	lr	6.3
09-010-25-07	Punch, 40°, curved, 3 mm, 25 cm	lr	6.3
09-010-26-07	Punch, 40°, curved, 4 mm, 25 cm	lr	6.3
09-010-27-07	Punch, 40°, 8mm, 40cm	lr	6.3
09-010-28-07	Punch, 40°, downw., 8mm, 40cm	lr	6.3
09-010-29-07	Rongeur, Caspar, downw.,w/t,2mm,18cm	lr	6.3
09-010-30-07	Rongeur, Caspar, downw.,w/t,3mm,18cm	lr	6.3
09-010-31-07	Rongeur, Caspar, downw.,w/t,4mm,18cm	lr	6.3
09-010-32-07	Rongeur, Caspar, downw.,w/t,5mm,18cm	lr	6.3
09-010-33-07	Rongeur, Caspar, downw.,w/t,2mm,25cm	lr	6.3
09-010-34-07	Rongeur, Caspar, downw.,w/t,3mm,25cm	lr	6.3
09-010-35-07	Rongeur, Caspar, downw.,w/t,5mm,25cm	lr	6.3
09-010-36-07	Rongeur, Caspar, downw.,w/t,2mm,30cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
09-010-37-07	Rongeur, Caspar, downw.,w/t,3mm,30cm	lr	6.3
09-010-38-07	Rongeur, Caspar, downw.,w/t,5mm,30cm	lr	6.3
09-010-39-07	Rongeur, Caspar, upw., w/t, 2mm,18cm	lr	6.3
09-010-40-07	Rongeur, Caspar, upw., w/t, 3mm,18cm	lr	6.3
09-010-41-07	Rongeur, Caspar, upw., w/t, 4mm,18cm	lr	6.3
09-010-42-07	Rongeur, Caspar, upw., w/t, 5mm,18cm	lr	6.3
09-010-43-07	Rongeur, Caspar, upw., w/t, 2mm,25cm	lr	6.3
09-010-44-07	Rongeur, Caspar, upw., w/t, 3mm,25cm	lr	6.3
09-010-45-07	Rongeur, Caspar, upw., w/t, 5mm,25cm	lr	6.3
09-010-46-07	Rongeur, Caspar, upw., w/t, 2mm,30cm	lr	6.3
09-010-47-07	Rongeur, Caspar, upw., w/t, 3mm,30cm	lr	6.3
09-010-48-07	Rongeur, Caspar, upw., w/t, 5mm,30cm	lr	6.3
09-010-49-07	Rongeur, Caspar, str., w/t, 2mm,18cm	lr	6.3
09-010-50-07	Rongeur, Caspar, str., w/t, 3mm,18cm	lr	6.3
09-010-51-07	Rongeur, Caspar, str., w/t, 5mm,18cm	lr	6.3
09-010-52-07	Rongeur, Caspar, str., w/t, 2mm,25cm	lr	6.3
09-010-53-07	Rongeur, Caspar, str., w/t, 3mm,25cm	lr	6.3
09-010-54-07	Rongeur, Caspar, str., w/t, 5mm,25cm	lr	6.3
09-010-55-07	Rongeur, Caspar, str., w/t, 2mm,30cm	lr	6.3
09-010-56-07	Rongeur, Caspar, str., w/t, 3mm,30cm	lr	6.3
09-010-57-07	Rongeur, Caspar, str., w/t, 5mm,30cm	lr	6.3
09-010-58-07	Punch,bone,Hajek-Kof.,turnab.,3.5mm,16cm	lr	6.3
09-010-74-07	Rongeur, Caspar, down.,w/t,1,5mm,18cm	lr	6.3
09-010-75-07	Rongeur, Caspar, upw., w/t, 1,5mm, 18cm	lr	6.3
23-679-11-07	TENDON SEIZING FORCEPS, CVD., 11.5 CM	lr	6.3
24-156-01-07	Aortic Punch, Ø 3.0 mm, 15 cm	lr	6.3
24-156-02-07	Aortic Punch, Ø 3.5 mm, 15 cm	lr	6.3
24-156-03-07	Aortic Punch, Ø 4.0 mm, 15 cm	lr	6.3
24-156-04-07	Aortic Punch, Ø 4.5 mm, 15 cm	lr	6.3
24-156-05-07	Aortic Punch, Ø 5.0 mm, 15 cm	lr	6.3
24-156-06-07	Aortic Punch, Ø 6.0 mm, 15 cm	lr	6.3
24-156-24-07	Drainage forceps, without lock, 24 cm	lr	6.3
24-157-36-07	Drainage forceps, w. lock, 34 cm	lr	6.3
24-978-01-07	Punch, 40°, 1mm, 18cm	lr	6.3
24-978-01-14	Punch, 40°, 1mm, 18cm	lr	6.3
24-978-02-07	Punch, 90°, 1mm, 18cm	lr	6.3
24-978-02-14	Punch, 90°, 1mm, 18cm	lr	6.3
24-978-03-07	Punch, 40°, 1mm, 20cm	lr	6.3
24-978-03-14	Punch, 40°, 1mm, 20cm	lr	6.3
24-978-04-07	Punch, 90°, 1mm, 20cm	lr	6.3
24-978-04-14	Punch, 90°, 1mm, 20cm	lr	6.3
24-978-05-07	Punch, 40°, 1mm, 23cm	lr	6.3
24-978-05-14	Punch, 40°, 1mm, 23cm	lr	6.3
24-978-06-07	Punch, 90°, 1mm, 23cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-978-06-14	Punch, 90°, 1mm, 23cm	lr	6.3
24-978-07-07	Punch, 40°, 1mm, 28cm	lr	6.3
24-978-07-14	Punch, 40°, 1mm, 28cm	lr	6.3
24-978-08-07	Punch, 90°, 1mm, 28cm	lr	6.3
24-978-08-14	Punch, 90°, 1mm, 28cm	lr	6.3
24-978-09-07	Punch, 40°, 2mm, 18cm	lr	6.3
24-978-09-14	Punch, 40°, 2mm, 18cm	lr	6.3
24-978-10-07	Punch, 90°, 2mm, 18cm	lr	6.3
24-978-10-14	Punch, 90°, 2mm, 18cm	lr	6.3
24-978-11-07	Punch, 40°, 2mm, 20cm	lr	6.3
24-978-11-14	Punch, 40°, 2mm, 20cm	lr	6.3
24-978-12-07	Punch, 90°, 2mm, 20cm	lr	6.3
24-978-12-14	Punch, 90°, 2mm, 20cm	lr	6.3
24-978-13-07	Punch, 40°, 2mm, 23cm	lr	6.3
24-978-13-14	Punch, 40°, 2mm, 23cm	lr	6.3
24-978-14-07	Punch, 90°, 2mm, 23cm	lr	6.3
24-978-14-14	Punch, 90°, 2mm, 23cm	lr	6.3
24-978-15-07	Punch, 40°, 2mm, 28cm	lr	6.3
24-978-15-14	Punch, 40°, 2mm, 28cm	lr	6.3
24-978-16-07	Punch, 90°, 2mm, 28cm	lr	6.3
24-978-16-14	Punch, 90°, 2mm, 28cm	lr	6.3
24-978-17-07	Punch, 40°, 3mm, 18cm	lr	6.3
24-978-17-14	Punch, 40°, 3mm, 18cm	lr	6.3
24-978-18-07	Punch, 90°, 3mm, 18cm	lr	6.3
24-978-18-14	Punch, 90°, 3mm, 18cm	lr	6.3
24-978-19-07	Punch, 40°, 3mm, 20cm	lr	6.3
24-978-19-14	Punch, 40°, 3mm, 20cm	lr	6.3
24-978-20-07	Punch, 90°, 3mm, 20cm	lr	6.3
24-978-20-14	Punch, 90°, 3mm, 20cm	lr	6.3
24-978-21-07	Punch, 40°, 3mm, 23cm	lr	6.3
24-978-21-14	Punch, 40°, 3mm, 23cm	lr	6.3
24-978-22-07	Punch, 90°, 3mm, 23cm	lr	6.3
24-978-22-14	Punch, 90°, 3mm, 23cm	lr	6.3
24-978-23-07	Punch, 40°, 3mm, 28cm	lr	6.3
24-978-23-14	Punch, 40°, 3mm, 28cm	lr	6.3
24-978-24-07	Punch, 90°, 3mm, 28cm	lr	6.3
24-978-24-14	Punch, 90°, 3mm, 28cm	lr	6.3
24-978-25-07	Punch, 40°, 4mm, 18cm	lr	6.3
24-978-25-14	Punch, 40°, 4mm, 18cm	lr	6.3
24-978-26-07	Punch, 90°, 4mm, 18cm	lr	6.3
24-978-26-14	Punch, 90°, 4mm, 18cm	lr	6.3
24-978-27-07	Punch, 40°, 4mm, 20cm	lr	6.3
24-978-27-14	Punch, 40°, 4mm, 20cm	lr	6.3
24-978-28-07	Punch, 90°, 4mm, 20cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-978-28-14	Punch, 90°, 4mm, 20cm	lr	6.3
24-978-29-07	Punch, 40°, 4mm, 23cm	lr	6.3
24-978-29-14	Punch, 40°, 4mm, 23cm	lr	6.3
24-978-30-07	Punch, 90°, 4mm, 23cm	lr	6.3
24-978-30-14	Punch, 90°, 4mm, 23cm	lr	6.3
24-978-31-07	Punch, 40°, 4mm, 28cm	lr	6.3
24-978-31-14	Punch, 40°, 4mm, 28cm	lr	6.3
24-978-32-07	Punch, 90°, 4mm, 28cm	lr	6.3
24-978-32-14	Punch, 90°, 4mm, 28cm	lr	6.3
24-978-33-07	Punch, 40°, 5mm, 18cm	lr	6.3
24-978-33-14	Punch, 40°, 5mm, 18cm	lr	6.3
24-978-34-07	Punch, 90°, 5mm, 18cm	lr	6.3
24-978-34-14	Punch, 90°, 5mm, 18cm	lr	6.3
24-978-35-07	Punch, 40°, 5mm, 20cm	lr	6.3
24-978-35-14	Punch, 40°, 5mm, 20cm	lr	6.3
24-978-36-07	Punch, 90°, 5mm, 20cm	lr	6.3
24-978-36-14	Punch, 90°, 5mm, 20cm	lr	6.3
24-978-37-07	Punch, 40°, 5mm, 23cm	lr	6.3
24-978-37-14	Punch, 40°, 5mm, 23cm	lr	6.3
24-978-38-07	Punch, 90°, 5mm, 23cm	lr	6.3
24-978-38-14	Punch, 90°, 5mm, 23cm	lr	6.3
24-978-39-07	Punch, 40°, 5mm, 28cm	lr	6.3
24-978-39-14	Punch, 40°, 5mm, 28cm	lr	6.3
24-978-40-07	Punch, 90°, 5mm, 28cm	lr	6.3
24-978-40-14	Punch, 90°, 5mm, 28cm	lr	6.3
24-978-41-07	Punch, 40°, 6mm, 18cm	lr	6.3
24-978-41-14	Punch, 40°, 6mm, 18cm	lr	6.3
24-978-42-07	Punch, 90°, 6mm, 18cm	lr	6.3
24-978-42-14	Punch, 90°, 6mm, 18cm	lr	6.3
24-978-43-07	Punch, 40°, 6mm, 20cm	lr	6.3
24-978-43-14	Punch, 40°, 6mm, 20cm	lr	6.3
24-978-44-07	Punch, 90°, 6mm, 20cm	lr	6.3
24-978-44-14	Punch, 90°, 6mm, 20cm	lr	6.3
24-978-45-07	Punch, 40°, 6mm, 23cm	lr	6.3
24-978-45-14	Punch, 40°, 6mm, 23cm	lr	6.3
24-978-46-07	Punch, 90°, 6mm, 23cm	lr	6.3
24-978-46-14	Punch, 90°, 6mm, 23cm	lr	6.3
24-978-47-07	Punch, 40°, 6mm, 28cm	lr	6.3
24-978-47-14	Punch, 40°, 6mm, 28cm	lr	6.3
24-978-48-07	Punch, 90°, 6mm, 28cm	lr	6.3
24-978-48-14	Punch, 90°, 6mm, 28cm	lr	6.3
24-978-50-07	Punch, 40°, downw., 1mm, 18cm	lr	6.3
24-978-50-14	Punch, 40°, downw., 1mm, 18cm	lr	6.3
24-978-51-07	Punch, 90°, downw., 1mm, 18cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-978-51-14	Punch, 90°, downw., 1mm, 18cm	lr	6.3
24-978-52-07	Punch, 40°, downw., 1mm, 20cm	lr	6.3
24-978-52-14	Punch, 40°, downw., 1mm, 20cm	lr	6.3
24-978-53-07	Punch, 90°, downw., 1mm, 20cm	lr	6.3
24-978-53-14	Punch, 90°, downw., 1mm, 20cm	lr	6.3
24-978-54-07	Punch, 40°, downw., 1mm, 23cm	lr	6.3
24-978-54-14	Punch, 40°, downw., 1mm, 23cm	lr	6.3
24-978-55-07	Punch, 90°, downw., 1mm, 23cm	lr	6.3
24-978-55-14	Punch, 90°, downw., 1mm, 23cm	lr	6.3
24-978-56-07	Punch, 40°, downw., 2mm, 18cm	lr	6.3
24-978-56-14	Punch, 40°, downw., 2mm, 18cm	lr	6.3
24-978-57-07	Punch, 90°, downw., 2mm, 18cm	lr	6.3
24-978-57-14	Punch, 90°, downw., 2mm, 18cm	lr	6.3
24-978-58-07	Punch, 40°, downw., 2mm, 20cm	lr	6.3
24-978-58-14	Punch, 40°, downw., 2mm, 20cm	lr	6.3
24-978-59-07	Punch, 90°, downw., 2mm, 20cm	lr	6.3
24-978-59-14	Punch, 90°, downw., 2mm, 20cm	lr	6.3
24-978-60-07	Punch, 40°, downw., 2mm, 23cm	lr	6.3
24-978-60-14	Punch, 40°, downw., 2mm, 23cm	lr	6.3
24-978-61-07	Punch, 90°, downw., 2mm, 23cm	lr	6.3
24-978-61-14	Punch, 90°, downw., 2mm, 23cm	lr	6.3
24-978-62-07	Punch, 40°, downw., 3mm, 18cm	lr	6.3
24-978-62-14	Punch, 40°, downw., 3mm, 18cm	lr	6.3
24-978-63-07	Punch, 90°, downw., 3mm, 18cm	lr	6.3
24-978-63-14	Punch, 90°, downw., 3mm, 18cm	lr	6.3
24-978-64-07	Punch, 40°, downw., 3mm, 20cm	lr	6.3
24-978-64-14	Punch, 40°, downw., 3mm, 20cm	lr	6.3
24-978-65-07	Punch, 90°, downw., 3mm, 20cm	lr	6.3
24-978-65-14	Punch, 90°, downw., 3mm, 20cm	lr	6.3
24-978-66-07	Punch, 40°, downw., 3mm, 23cm	lr	6.3
24-978-66-14	Punch, 40°, downw., 3mm, 23cm	lr	6.3
24-978-67-07	Punch, 90°, downw., 3mm, 23cm	lr	6.3
24-978-67-14	Punch, 90°, downw., 3mm, 23cm	lr	6.3
24-978-68-07	Punch, 40°, downw., 4mm, 18cm	lr	6.3
24-978-68-14	Punch, 40°, downw., 4mm, 18cm	lr	6.3
24-978-69-07	Punch, 90°, downw., 4mm, 18cm	lr	6.3
24-978-69-14	Punch, 90°, downw., 4mm, 18cm	lr	6.3
24-978-70-07	Punch, 40°, downw., 4mm, 20cm	lr	6.3
24-978-70-14	Punch, 40°, downw., 4mm, 20cm	lr	6.3
24-978-71-07	Punch, 90°, downw., 4mm, 20cm	lr	6.3
24-978-71-14	Punch, 90°, downw., 4mm, 20cm	lr	6.3
24-978-72-07	Punch, 40°, downw., 4mm, 23cm	lr	6.3
24-978-72-14	Punch, 40°, downw., 4mm, 23cm	lr	6.3
24-978-73-07	Punch, 90°, downw., 4mm, 23cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-978-73-14	Punch, 90°, downw., 4mm, 23cm	lr	6.3
24-978-74-07	Punch, 40°, downw., 5mm, 18cm	lr	6.3
24-978-74-14	Punch, 40°, downw., 5mm, 18cm	lr	6.3
24-978-75-07	Punch, 90°, downw., 5mm, 18cm	lr	6.3
24-978-75-14	Punch, 90°, downw., 5mm, 18cm	lr	6.3
24-978-76-07	Punch, 40°, downw., 5mm, 20cm	lr	6.3
24-978-76-14	Punch, 40°, downw., 5mm, 20cm	lr	6.3
24-978-77-07	Punch, 90°, downw., 5mm, 20cm	lr	6.3
24-978-77-14	Punch, 90°, downw., 5mm, 20cm	lr	6.3
24-978-78-07	Punch, 40°, downw., 5mm, 23cm	lr	6.3
24-978-78-14	Punch, 40°, downw., 5mm, 23cm	lr	6.3
24-978-79-07	Punch, 90°, downw., 5mm, 23cm	lr	6.3
24-978-79-14	Punch, 90°, downw., 5mm, 23cm	lr	6.3
24-978-80-07	Punch, 40°, downw., 6mm, 18cm	lr	6.3
24-978-80-14	Punch, 40°, downw., 6mm, 18cm	lr	6.3
24-978-81-07	Punch, 90°, downw., 6mm, 18cm	lr	6.3
24-978-81-14	Punch, 90°, downw., 6mm, 18cm	lr	6.3
24-978-82-07	Punch, 40°, downw., 6mm, 20cm	lr	6.3
24-978-82-14	Punch, 40°, downw., 6mm, 20cm	lr	6.3
24-978-83-07	Punch, 90°, downw., 6mm, 20cm	lr	6.3
24-978-83-14	Punch, 90°, downw., 6mm, 20cm	lr	6.3
24-978-84-07	Punch, 40°, downw., 6mm, 23cm	lr	6.3
24-978-84-14	Punch, 40°, downw., 6mm, 23cm	lr	6.3
24-978-85-07	Punch, 90°, downw., 6mm, 23cm	lr	6.3
24-978-85-14	Punch, 90°, downw., 6mm, 23cm	lr	6.3
24-978-90-07	Punch, 40°, long str., 1mm, 18cm	lr	6.3
24-978-90-14	Punch, 40°, long str., 1mm, 18cm	lr	6.3
24-978-91-07	Punch, 40°, long str., 2mm, 18cm	lr	6.3
24-978-91-14	Punch, 40°, long str., 2mm, 18cm	lr	6.3
24-978-92-07	Punch, 40°, long str., 3mm, 18cm	lr	6.3
24-978-92-14	Punch, 40°, long str., 3mm, 18cm	lr	6.3
24-978-93-07	Punch, 40°, long str., 4mm, 18cm	lr	6.3
24-978-93-14	Punch, 40°, long str., 4mm, 18cm	lr	6.3
24-978-94-07	Punch, 40°, long str., 5mm, 18cm	lr	6.3
24-978-94-14	Punch, 40°, long str., 5mm, 18cm	lr	6.3
24-978-95-07	Punch, 40°, long str., 6mm, 18cm	lr	6.3
24-978-95-14	Punch, 40°, long str., 6mm, 18cm	lr	6.3
24-979-01-07	Punch, 40°, 1mm, slim, 18cm	lr	6.3
24-979-01-14	Punch, 40°, 1mm, slim, 18cm	lr	6.3
24-979-02-07	Punch, 90°, 1mm, slim, 18cm	lr	6.3
24-979-02-14	Punch, 90°, 1mm, slim, 18cm	lr	6.3
24-979-03-07	Punch, 40°, 1mm, slim, 20cm	lr	6.3
24-979-03-14	Punch, 40°, 1mm, slim, 20cm	lr	6.3
24-979-04-07	Punch, 90°, 1mm, slim, 20cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-979-04-14	Punch, 90°, 1mm, slim, 20cm	lr	6.3
24-979-05-07	Punch, 40°, 1mm, slim, 23cm	lr	6.3
24-979-05-14	Punch, 40°, 1mm, slim, 23cm	lr	6.3
24-979-06-07	Punch, 90°, 1mm, slim, 23cm	lr	6.3
24-979-06-14	Punch, 90°, 1mm, slim, 23cm	lr	6.3
24-979-07-07	Punch, 40°, 1mm, slim, 28cm	lr	6.3
24-979-07-14	Punch, 40°, 1mm, slim, 28cm	lr	6.3
24-979-08-07	Punch, 90°, 1mm, slim, 28cm	lr	6.3
24-979-08-14	Punch, 90°, 1mm, slim, 28cm	lr	6.3
24-979-09-07	Punch, 40°, 2mm, slim, 18cm	lr	6.3
24-979-09-14	Punch, 40°, 2mm, slim, 18cm	lr	6.3
24-979-10-07	Punch, 90°, 2mm, slim, 18cm	lr	6.3
24-979-10-14	Punch, 90°, 2mm, slim, 18cm	lr	6.3
24-979-11-07	Punch, 40°, 2mm, slim, 20cm	lr	6.3
24-979-11-14	Punch, 40°, 2mm, slim, 20cm	lr	6.3
24-979-12-07	Punch, 90°, 2mm, slim, 20cm	lr	6.3
24-979-12-14	Punch, 90°, 2mm, slim, 20cm	lr	6.3
24-979-13-07	Punch, 40°, 2mm, slim, 23cm	lr	6.3
24-979-13-14	Punch, 40°, 2mm, slim, 23cm	lr	6.3
24-979-14-07	Punch, 90°, 2mm, slim, 23cm	lr	6.3
24-979-14-14	Punch, 90°, 2mm, slim, 23cm	lr	6.3
24-979-15-07	Punch, 40°, 2mm, slim, 28cm	lr	6.3
24-979-15-14	Punch, 40°, 2mm, slim, 28cm	lr	6.3
24-979-16-07	Punch, 90°, 2mm, slim, 28cm	lr	6.3
24-979-16-14	Punch, 90°, 2mm, slim, 28cm	lr	6.3
24-979-17-07	Punch, 40°, 3mm, slim, 18cm	lr	6.3
24-979-17-14	Punch, 40°, 3mm, slim, 18cm	lr	6.3
24-979-18-07	Punch, 90°, 3mm, slim, 18cm	lr	6.3
24-979-18-14	Punch, 90°, 3mm, slim, 18cm	lr	6.3
24-979-19-07	Punch, 40°, 3mm, slim, 20cm	lr	6.3
24-979-19-14	Punch, 40°, 3mm, slim, 20cm	lr	6.3
24-979-20-07	Punch, 90°, 3mm, slim, 20cm	lr	6.3
24-979-20-14	Punch, 90°, 3mm, slim, 20cm	lr	6.3
24-979-21-07	Punch, 40°, 3mm, slim, 23cm	lr	6.3
24-979-21-14	Punch, 40°, 3mm, slim, 23cm	lr	6.3
24-979-22-07	Punch, 90°, 3mm, slim, 23cm	lr	6.3
24-979-22-14	Punch, 90°, 3mm, slim, 23cm	lr	6.3
24-979-23-07	Punch, 40°, 3mm, slim, 28cm	lr	6.3
24-979-23-14	Punch, 40°, 3mm, slim, 28cm	lr	6.3
24-979-24-07	Punch, 90°, 3mm, slim, 28cm	lr	6.3
24-979-24-14	Punch, 90°, 3mm, slim, 28cm	lr	6.3
24-979-25-07	Punch, 40°, 4mm, slim, 18cm	lr	6.3
24-979-25-14	Punch, 40°, 4mm, slim, 18cm	lr	6.3
24-979-26-07	Punch, 90°, 4mm, slim, 18cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-979-26-14	Punch, 90°, 4mm, slim, 18cm	lr	6.3
24-979-27-07	Punch, 40°, 4mm, slim, 20cm	lr	6.3
24-979-27-14	Punch, 40°, 4mm, slim, 20cm	lr	6.3
24-979-28-07	Punch, 90°, 4mm, slim, 20cm	lr	6.3
24-979-28-14	Punch, 90°, 4mm, slim, 20cm	lr	6.3
24-979-29-07	Punch, 40°, 4mm, slim, 23cm	lr	6.3
24-979-29-14	Punch, 40°, 4mm, slim, 23cm	lr	6.3
24-979-30-07	Punch, 90°, 4mm, slim, 23cm	lr	6.3
24-979-30-14	Punch, 90°, 4mm, slim, 23cm	lr	6.3
24-979-31-07	Punch, 40°, 4mm, slim, 28cm	lr	6.3
24-979-31-14	Punch, 40°, 4mm, slim, 28cm	lr	6.3
24-979-32-07	Punch, 90°, 4mm, slim, 28cm	lr	6.3
24-979-32-14	Punch, 90°, 4mm, slim, 28cm	lr	6.3
24-979-33-07	Punch, 40°, 5mm, slim, 18cm	lr	6.3
24-979-33-14	Punch, 40°, 5mm, slim, 18cm	lr	6.3
24-979-34-07	Punch, 90°, 5mm, slim, 18cm	lr	6.3
24-979-34-14	Punch, 90°, 5mm, slim, 18cm	lr	6.3
24-979-35-07	Punch, 40°, 5mm, slim, 20cm	lr	6.3
24-979-35-14	Punch, 40°, 5mm, slim, 20cm	lr	6.3
24-979-36-07	Punch, 90°, 5mm, slim, 20cm	lr	6.3
24-979-36-14	Punch, 90°, 5mm, slim, 20cm	lr	6.3
24-979-37-07	Punch, 40°, 5mm, slim, 23cm	lr	6.3
24-979-37-14	Punch, 40°, 5mm, slim, 23cm	lr	6.3
24-979-38-07	Punch, 90°, 5mm, slim, 23cm	lr	6.3
24-979-38-14	Punch, 90°, 5mm, slim, 23cm	lr	6.3
24-979-39-07	Punch, 40°, 5mm, slim, 28cm	lr	6.3
24-979-39-14	Punch, 40°, 5mm, slim, 28cm	lr	6.3
24-979-40-07	Punch, 90°, 5mm, slim, 28cm	lr	6.3
24-979-40-14	Punch, 90°, 5mm, slim, 28cm	lr	6.3
24-979-41-07	Punch, 40°, 6mm, slim, 18cm	lr	6.3
24-979-41-14	Punch, 40°, 6mm, slim, 18cm	lr	6.3
24-979-42-07	Punch, 90°, 6mm, slim, 18cm	lr	6.3
24-979-42-14	Punch, 90°, 6mm, slim, 18cm	lr	6.3
24-979-43-07	Punch, 40°, 6mm, slim, 20cm	lr	6.3
24-979-43-14	Punch, 40°, 6mm, slim, 20cm	lr	6.3
24-979-44-07	Punch, 90°, 6mm, slim, 20cm	lr	6.3
24-979-44-14	Punch, 90°, 6mm, slim, 20cm	lr	6.3
24-979-45-07	Punch, 40°, 6mm, slim, 23cm	lr	6.3
24-979-45-14	Punch, 40°, 6mm, slim, 23cm	lr	6.3
24-979-46-07	Punch, 90°, 6mm, slim, 23cm	lr	6.3
24-979-46-14	Punch, 90°, 6mm, slim, 23cm	lr	6.3
24-979-47-07	Punch, 40°, 6mm, slim, 28cm	lr	6.3
24-979-47-14	Punch, 40°, 6mm, slim, 28cm	lr	6.3
24-979-48-07	Punch, 90°, 6mm, slim, 28cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-979-48-14	Punch, 90°, 6mm, slim, 28cm	lr	6.3
24-980-21-07	Punch, 40°, long str., bayon., 1mm, 18cm	lr	6.3
24-980-21-14	Punch, 40°, long str., bayon., 1mm, 18cm	lr	6.3
24-980-22-07	Punch, 40°, long str., bayon., 2mm, 18cm	lr	6.3
24-980-22-14	Punch, 40°, long str., bayon., 2mm, 18cm	lr	6.3
24-980-23-07	Punch, 40°, long str., bayon., 3mm, 18cm	lr	6.3
24-980-23-14	Punch, 40°, long str., bayon., 3mm, 18cm	lr	6.3
24-980-24-07	Punch, 40°, long str., bayon., 4mm, 18cm	lr	6.3
24-980-24-14	Punch, 40°, long str., bayon., 4mm, 18cm	lr	6.3
24-980-25-07	Punch, 40°, long str., bayon., 5mm, 18cm	lr	6.3
24-980-25-14	Punch, 40°, long str., bayon., 5mm, 18cm	lr	6.3
24-980-30-07	Punch, 40°, cvd., 1mm, 20cm	lr	6.3
24-980-30-14	Punch, 40°, cvd., 1mm, 20cm	lr	6.3
24-980-31-07	Punch, 40°, cvd.le., 1mm, 20cm	lr	6.3
24-980-31-14	Punch, 40°, cvd.le., 1mm, 20cm	lr	6.3
24-980-32-07	Punch, 40°, cvd.ri, 1mm, 20cm	lr	6.3
24-980-32-14	Punch, 40°, cvd.ri, 1mm, 20cm	lr	6.3
24-980-33-07	Punch, 40°, cvd., 2mm, 20cm	lr	6.3
24-980-33-14	Punch, 40°, cvd., 2mm, 20cm	lr	6.3
24-980-34-07	Punch, 40°, cvd.le., 2mm, 20cm	lr	6.3
24-980-34-14	Punch, 40°, cvd.le., 2mm, 20cm	lr	6.3
24-980-35-07	Punch, 40°, cvd.ri, 2mm, 20cm	lr	6.3
24-980-35-14	Punch, 40°, cvd.ri, 2mm, 20cm	lr	6.3
24-980-36-07	Punch, 40°, cvd., 3mm, 20cm	lr	6.3
24-980-36-14	Punch, 40°, cvd., 3mm, 20cm	lr	6.3
24-980-37-07	Punch, 40°, cvd.le., 3mm, 20cm	lr	6.3
24-980-37-14	Punch, 40°, cvd.le., 3mm, 20cm	lr	6.3
24-980-38-07	Punch, 40°, cvd.ri, 3mm, 20cm	lr	6.3
24-980-38-14	Punch, 40°, cvd.ri, 3mm, 20cm	lr	6.3
24-980-39-07	Punch, 40°, cvd., 4mm, 20cm	lr	6.3
24-980-39-14	Punch, 40°, cvd., 4mm, 20cm	lr	6.3
24-980-40-07	Punch, 40°, cvd.le., 4mm, 20cm	lr	6.3
24-980-40-14	Punch, 40°, cvd.le., 4mm, 20cm	lr	6.3
24-980-41-07	Punch, 40°, cvd.ri, 4mm, 20cm	lr	6.3
24-980-41-14	Punch, 40°, cvd.ri, 4mm, 20cm	lr	6.3
24-980-42-07	Punch, 40°, cvd., 5mm, 20cm	lr	6.3
24-980-42-14	Punch, 40°, cvd., 5mm, 20cm	lr	6.3
24-980-43-07	Punch, 40°, cvd.le., 5mm, 20cm	lr	6.3
24-980-43-14	Punch, 40°, cvd.le., 5mm, 20cm	lr	6.3
24-980-44-07	Punch, 40°, cvd.ri, 5mm, 20cm	lr	6.3
24-980-44-14	Punch, 40°, cvd.ri, 5mm, 20cm	lr	6.3
24-980-50-07	Punch, 40°, cvd., bayon., 3mm, 15cm	lr	6.3
24-981-05-07	Rongeur, Caspar, str., 2 mm, 15 cm	lr	6.3
24-981-05-14	Rongeur, Caspar, str., 2 mm, 15 cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-981-06-07	Rongeur, Caspar, str., 3 mm, 15 cm	lr	6.3
24-981-06-14	Rongeur, Caspar, str., 3 mm, 15 cm	lr	6.3
24-981-07-07	Rongeur, Caspar, str., 4 mm, 15 cm	lr	6.3
24-981-07-14	Rongeur, Caspar, str., 4 mm, 15 cm	lr	6.3
24-981-08-07	Rongeur, Caspar, str., 5 mm, 15 cm	lr	6.3
24-981-08-14	Rongeur, Caspar, str., 5 mm, 15 cm	lr	6.3
24-981-09-07	Rongeur, Caspar, str., 2 mm, 18 cm	lr	6.3
24-981-09-14	Rongeur, Caspar, str., 2 mm, 18 cm	lr	6.3
24-981-10-07	Rongeur, Caspar, str., 3 mm, 18 cm	lr	6.3
24-981-10-14	Rongeur, Caspar, str., 3 mm, 18 cm	lr	6.3
24-981-11-07	Rongeur, Caspar, str., 4 mm, 18 cm	lr	6.3
24-981-11-14	Rongeur, Caspar, str., 4 mm, 18 cm	lr	6.3
24-981-12-07	Rongeur, Caspar, str., 5 mm, 18 cm	lr	6.3
24-981-12-14	Rongeur, Caspar, str., 5 mm, 18 cm	lr	6.3
24-981-13-07	Rongeur, Caspar, str., 2 mm, 20 cm	lr	6.3
24-981-13-14	Rongeur, Caspar, str., 2 mm, 20 cm	lr	6.3
24-981-14-07	Rongeur, Caspar, str., 3 mm, 20 cm	lr	6.3
24-981-14-14	Rongeur, Caspar, str., 3 mm, 20 cm	lr	6.3
24-981-15-07	Rongeur, Caspar, str., 4 mm, 20 cm	lr	6.3
24-981-15-14	Rongeur, Caspar, str., 4 mm, 20 cm	lr	6.3
24-981-16-07	Rongeur, Caspar, str., 5 mm, 20 cm	lr	6.3
24-981-16-14	Rongeur, Caspar, str., 5 mm, 20 cm	lr	6.3
24-981-25-07	Rongeur, Caspar, upw., 2 mm, 15 cm	lr	6.3
24-981-25-14	Rongeur, Caspar, upw., 2 mm, 15 cm	lr	6.3
24-981-26-07	Rongeur, Caspar, upw., 3 mm, 15 cm	lr	6.3
24-981-26-14	Rongeur, Caspar, upw., 3 mm, 15 cm	lr	6.3
24-981-27-07	Rongeur, Caspar, upw., 4 mm, 15 cm	lr	6.3
24-981-27-14	Rongeur, Caspar, upw., 4 mm, 15 cm	lr	6.3
24-981-28-07	Rongeur, Caspar, upw., 5 mm, 15 cm	lr	6.3
24-981-28-14	Rongeur, Caspar, upw., 5 mm, 15 cm	lr	6.3
24-981-29-07	Rongeur, Caspar, upw., 2 mm, 18 cm	lr	6.3
24-981-29-14	Rongeur, Caspar, upw., 2 mm, 18 cm	lr	6.3
24-981-30-07	Rongeur, Caspar, upw., 3 mm, 18 cm	lr	6.3
24-981-30-14	Rongeur, Caspar, upw., 3 mm, 18 cm	lr	6.3
24-981-31-07	Rongeur, Caspar, upw., 4 mm, 18 cm	lr	6.3
24-981-31-14	Rongeur, Caspar, upw., 4 mm, 18 cm	lr	6.3
24-981-32-07	Rongeur, Caspar, upw., 5 mm, 18 cm	lr	6.3
24-981-32-14	Rongeur, Caspar, upw., 5 mm, 18 cm	lr	6.3
24-981-33-07	Rongeur, Caspar, upw., 2 mm, 20 cm	lr	6.3
24-981-33-14	Rongeur, Caspar, upw., 2 mm, 20 cm	lr	6.3
24-981-34-07	Rongeur, Caspar, upw., 3 mm, 20 cm	lr	6.3
24-981-34-14	Rongeur, Caspar, upw., 3 mm, 20 cm	lr	6.3
24-981-35-07	Rongeur, Caspar, upw., 4 mm, 20 cm	lr	6.3
24-981-35-14	Rongeur, Caspar, upw., 4 mm, 20 cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-981-36-07	Rongeur, Caspar, upw., 5 mm, 20 cm	lr	6.3
24-981-36-14	Rongeur, Caspar, upw., 5 mm, 20 cm	lr	6.3
24-981-45-07	Rongeur, Caspar, downw., 2 mm, 15 cm	lr	6.3
24-981-45-14	Rongeur, Caspar, downw., 2 mm, 15 cm	lr	6.3
24-981-46-07	Rongeur, Caspar, downw., 3 mm, 15 cm	lr	6.3
24-981-46-14	Rongeur, Caspar, downw., 3 mm, 15 cm	lr	6.3
24-981-47-07	Rongeur, Caspar, downw., 4 mm, 15 cm	lr	6.3
24-981-47-14	Rongeur, Caspar, downw., 4 mm, 15 cm	lr	6.3
24-981-48-07	Rongeur, Caspar, downw., 5 mm, 15 cm	lr	6.3
24-981-48-14	Rongeur, Caspar, downw., 5 mm, 15 cm	lr	6.3
24-981-49-07	Rongeur, Caspar, downw., 2 mm, 18 cm	lr	6.3
24-981-49-14	Rongeur, Caspar, downw., 2 mm, 18 cm	lr	6.3
24-981-50-07	Rongeur, Caspar, downw., 3 mm, 18 cm	lr	6.3
24-981-50-14	Rongeur, Caspar, downw., 3 mm, 18 cm	lr	6.3
24-981-51-07	Rongeur, Caspar, downw., 4 mm, 18 cm	lr	6.3
24-981-51-14	Rongeur, Caspar, downw., 4 mm, 18 cm	lr	6.3
24-981-52-07	Rongeur, Caspar, downw., 5 mm, 18 cm	lr	6.3
24-981-52-14	Rongeur, Caspar, downw., 5 mm, 18 cm	lr	6.3
24-981-53-07	Rongeur, Caspar, downw., 2 mm, 20 cm	lr	6.3
24-981-53-14	Rongeur, Caspar, downw., 2 mm, 20 cm	lr	6.3
24-981-54-07	Rongeur, Caspar, downw., 3 mm, 20 cm	lr	6.3
24-981-54-14	Rongeur, Caspar, downw., 3 mm, 20 cm	lr	6.3
24-981-55-07	Rongeur, Caspar, downw., 4 mm, 20 cm	lr	6.3
24-981-55-14	Rongeur, Caspar, downw., 4 mm, 20 cm	lr	6.3
24-981-56-07	Rongeur, Caspar, downw., 5 mm, 20 cm	lr	6.3
24-981-56-14	Rongeur, Caspar, downw., 5 mm, 20 cm	lr	6.3
24-981-65-07	Rongeur, Caspar, str.bayon., 2 mm, 18 cm	lr	6.3
24-981-65-14	Rongeur, Caspar, str.bayon., 2 mm, 18 cm	lr	6.3
24-981-66-07	Rongeur, Caspar, str.bayon., 3 mm, 18 cm	lr	6.3
24-981-66-14	Rongeur, Caspar, str.bayon., 3 mm, 18 cm	lr	6.3
24-981-67-07	Rongeur, Caspar, str.bayon., 4 mm, 18 cm	lr	6.3
24-981-67-14	Rongeur, Caspar, str.bayon., 4 mm, 18 cm	lr	6.3
24-981-68-07	Rongeur, Caspar, str.bayon., 5 mm, 18 cm	lr	6.3
24-981-68-14	Rongeur, Caspar, str.bayon., 5 mm, 18 cm	lr	6.3
24-981-75-07	Rongeur, Caspar, upw.bayon., 2 mm, 18cm	lr	6.3
24-981-75-14	Rongeur, Caspar, upw.bayon., 2 mm, 18cm	lr	6.3
24-981-76-07	Rongeur, Caspar, upw.bayon., 3 mm, 18cm	lr	6.3
24-981-76-14	Rongeur, Caspar, upw.bayon., 3 mm, 18cm	lr	6.3
24-981-77-07	Rongeur, Caspar, upw.bayon., 4 mm, 18cm	lr	6.3
24-981-77-14	Rongeur, Caspar, upw.bayon., 4 mm, 18cm	lr	6.3
24-981-78-07	Rongeur, Caspar, upw.bayon., 5 mm, 18cm	lr	6.3
24-981-78-14	Rongeur, Caspar, upw.bayon., 5 mm, 18cm	lr	6.3
24-981-80-07	Rongeur, Caspar, upw., 4 mm, 18 cm	lr	6.3
24-981-80-14	Rongeur, Caspar, upw., 4 mm, 18 cm	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
24-981-81-07	Rongeur, Caspar, upw., 4 mm, 30 cm	lr	6.3
24-981-81-14	Rongeur, Caspar, upw., 4 mm, 30 cm	lr	6.3
24-981-82-07	Rongeur, Caspar, downw., 4 mm, 18 cm	lr	6.3
24-981-82-14	Rongeur, Caspar, downw., 4 mm, 18 cm	lr	6.3
24-981-83-07	Rongeur, Caspar, downw., 4 mm, 30 cm	lr	6.3
24-981-83-14	Rongeur, Caspar, downw., 4 mm, 30 cm	lr	6.3
24-981-84-07	Rongeur, Wagner, upw., 4 mm, 20 cm	lr	6.3
24-981-84-14	Rongeur, Wagner, upw., 4 mm, 20 cm	lr	6.3
24-981-85-07	Rongeur, Wagner, upw., 4 mm, 30 cm	lr	6.3
24-981-85-14	Rongeur, Wagner, upw., 4 mm, 30 cm	lr	6.3
24-981-86-07	Rongeur, Wagner, downw., 4 mm, 20 cm	lr	6.3
24-981-86-14	Rongeur, Wagner, downw., 4 mm, 20 cm	lr	6.3
24-981-87-07	Rongeur, Wagner, downw., 4 mm, 30 cm	lr	6.3
24-981-87-14	Rongeur, Wagner, downw., 4 mm, 30 cm	lr	6.3
24-981-91-07	Rongeur, Wagner, strong mod., 3 mm, 20cm	lr	6.3
24-981-91-14	Rongeur, Wagner, strong mod., 3 mm, 20cm	lr	6.3
24-981-92-07	Rongeur, Wagner, strong mod., 4 mm, 20cm	lr	6.3
24-981-92-14	Rongeur, Wagner, strong mod., 4 mm, 20cm	lr	6.3
24-981-93-07	Rongeur, Wagner, strong mod., 5 mm, 20cm	lr	6.3
24-981-93-14	Rongeur, Wagner, strong mod., 5 mm, 20cm	lr	6.3
24-982-10-07	Rongeur, Richter, str., 1 mm, 18 cm	lr	6.3
24-982-10-14	Rongeur, Richter, str., 1 mm, 18 cm	lr	6.3
24-982-11-07	Rongeur, Richter, upw., 1 mm, 18 cm	lr	6.3
24-982-11-14	Rongeur, Richter, upw., 1 mm, 18 cm	lr	6.3
24-982-12-07	Rongeur, Richter, str., 1,5 mm, 18 cm	lr	6.3
24-982-12-14	Rongeur, Richter, str., 1,5 mm, 18 cm	lr	6.3
24-982-13-07	Rongeur, Richter, upw., 1,5 mm, 18 cm	lr	6.3
24-982-13-14	Rongeur, Richter, upw., 1,5 mm, 18 cm	lr	6.3
24-991-02-07	RONGEUR, 2 MM, 90° UPW., SHAFT 18 CM	lr	6.3
24-991-03-07	RONGEUR, 3 MM, 90° UPW., SHAFT 18 CM	lr	6.3
24-991-04-07	RONGEUR, 4 MM, 90° UPW., SHAFT 18 CM	lr	6.3
24-991-05-07	RONGEUR, 5 MM, 90° UPW., SHAFT 18 CM	lr	6.3
24-992-02-07	RONGEUR, 2 MM, 90° DOWN, SHAFT 18 CM	lr	6.3
24-992-03-07	RONGEUR, 3 MM, 90° DOWN, SHAFT 18 CM	lr	6.3
24-992-04-07	RONGEUR, 4 MM, 90° DOWN, SHAFT 18 CM	lr	6.3
24-992-05-07	RONGEUR, 5 MM, 90° DOWN, SHAFT 18 CM	lr	6.3
24-992-06-07	RONGEUR, 6 MM, 90° DOWN, SHAFT 18 CM	lr	6.3
24-993-02-07	RONGEUR, 2 MM, 40° UPW., SHAFT 18 CM	lr	6.3
24-993-03-07	RONGEUR, 3 MM, 40° UPW., SHAFT 18 CM	lr	6.3
24-993-04-07	RONGEUR, 4 MM, 40° UPW., SHAFT 18 CM	lr	6.3
24-993-05-07	RONGEUR, 5 MM, 40° UPW., SHAFT 18 CM	lr	6.3
24-996-08-07	LAMINECT. FORCEPS, 4X10 MM, DOWN, 15 CM	lr	6.3
30-741-38-07	ATR. BIOPSY GRASP. FORCEPS, 15 MM, 38 CM	lr	6.3
31-811-20-07	FOREIGN BODY FCPS., MATHIEU, SHAFT 20 CM	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
31-811-28-07	FOREIGN BODY FCPS., MATHIEU, SHAFT 30 CM	lr	6.3
32-857-28-07	BIOPSY FORCEPS, ALEXANDER, 28 CM	lr	6.3
32-859-32-07	CERVICAL BIOPSY FCPS., KEVORKIAN, 25 CM	lr	6.3
32-861-02-07	BIOPSY FORCEPS, SCHUMACHER, 24 CM	lr	6.3
36-001-01-07	MICRO-EAR FORCEPS, STR., 4X0.8 MM	lr	6.3
36-001-01-14	Micro-ear forceps, str., smooth, 4x0.8mm	lr	6.3
36-001-06-07	MICRO-EAR FORCEPS, STR., 4X0.8 MM	lr	6.3
36-001-06-14	Micro-ear forceps, str., 4x0.8 mm	lr	6.3
36-001-07-02	MICRO-EAR FORCEPS, CVD. UP, 4X0.8 MM	lr	6.3
36-001-07-07	MICRO-EAR FORCEPS, CVD. UP, 4X0.8 MM	lr	6.3
36-001-07-14	Micro-ear forceps, cvd. up, 4x0.8 mm	lr	6.3
36-001-08-02	MICRO-EAR FORCEPS, R., 4X0.8 MM	lr	6.3
36-001-08-07	MICRO-EAR FORCEPS, R., 4X0.8 MM	lr	6.3
36-001-08-14	Micro-ear forceps, r., 4x0.8 mm	lr	6.3
36-001-09-02	MICRO-EAR FORCEPS, L., 4X0.8 MM	lr	6.3
36-001-09-07	MICRO-EAR FORCEPS, L., 4X0.8 MM	lr	6.3
36-001-09-14	Micro-ear forceps, l., 4x0.8 mm	lr	6.3
36-001-11-02	MINI-ALLIGATOR FORCEPS, MCGEE, SMOOTH	lr	6.3
36-001-11-07	MINI-ALLIGATOR FORCEPS, MCGEE, SMOOTH	lr	6.3
36-001-11-14	Mini-alligator forceps, McGee, smooth	lr	6.3
36-001-16-02	MINI-ALLIGATOR FORCEPS, MCGEE, SERRATED	lr	6.3
36-001-16-07	MINI-ALLIGATOR FORCEPS, MCGEE, SERRATED	lr	6.3
36-001-16-14	Mini-alligator forceps, McGee, serrated	lr	6.3
36-001-21-07	MICRO-EAR FORCEPS, STR., 4X0.6 MM	lr	6.3
36-001-21-14	Micro-ear forceps, str., smooth, 4x0.6mm	lr	6.3
36-001-26-07	MICRO-EAR FORCEPS, STR., 4X0.6 MM	lr	6.3
36-001-26-14	Micro-ear forceps, str., 4x0.6 mm	lr	6.3
36-001-27-02	MICRO-EAR FORCEPS, CVD. UP, 4X0.6 MM	lr	6.3
36-001-27-07	MICRO-EAR FORCEPS, CVD. UP, 4X0.6 MM	lr	6.3
36-001-27-14	Micro-ear forceps, cvd. up, 4x0.6 mm	lr	6.3
36-001-28-02	MICRO-EAR FORCEPS, R., 4X0.6 MM	lr	6.3
36-003-01-07	MICRO-CUP SHAPED FORCEPS, STR., 4X0.9 MM	lr	6.3
36-003-01-14	Micro-cup shaped forceps, str., 4x0.9mm	lr	6.3
36-003-02-02	MICRO-CUP SHAPED FORCEPS, CVD., 4X0.9 MM	lr	6.3
36-003-02-07	MICRO-CUP SHAPED FORCEPS, CVD., 4X0.9 MM	lr	6.3
36-003-03-07	MICRO-CUP SHAPED FORCEPS, R., 4X0.9 MM	lr	6.3
36-003-03-14	Micro-cup shaped forceps, r., 4x0.9 mm	lr	6.3
36-003-04-07	MICRO-CUP SHAPED FORCEPS, L., 4X0.9 MM	lr	6.3
36-003-04-14	Micro-cup shaped forceps, l., 4x0.9 mm	lr	6.3
36-003-11-07	MICRO-CUP SHAPED FCPS., STR., 3.5X0.5 MM	lr	6.3
36-003-11-14	Micro-cup shaped fcps., str., 3.5x0.7 mm	lr	6.3
36-003-12-07	MICRO-CUP SHAPED FCPS., CVD., 3.5X0.5 MM	lr	6.3
36-003-12-14	Micro-cup sharped fcps., cvd., 3.5x0.7 m	lr	6.3
36-003-13-02	MICRO-CUP SHAPED FCPS., R., 3.5X0.5 MM	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
36-003-13-07	MICRO-CUP SHAPED FCPS., R., 3.5X0.5 MM	lr	6.3
36-003-13-14	Micro-cup shaped fcps., r., 3.5x0.7 mm	lr	6.3
36-003-14-02	MICRO-CUP SHAPED FCPS., L., 3.5X0.5 MM	lr	6.3
36-003-14-07	MICRO-CUP SHAPED FCPS., L., 3.5X0.5 MM	lr	6.3
36-003-14-14	Micro-cup shaped fcps., l., 3.5x0.7 mm	lr	6.3
36-005-01-07	MICRO-EAR SCISSORS, BELLUCI, STR., 4 MM	lr	6.3
36-005-01-14	Micro-ear scissors, Bellucci, str., 4mm	lr	6.3
36-005-02-14	Micro-ear scissors, Bellucci, cvd., 4mm	lr	6.3
36-005-03-07	MICRO-EAR SCISSORS, BELLUCI, R., 4 MM	lr	6.3
36-005-03-14	Micro-ear scissors, Bellucci, r., 4mm	lr	6.3
36-005-04-07	MICRO-EAR SCISSORS, BELLUCI, L., 4 MM	lr	6.3
36-005-04-14	Micro-ear scissors, Bellucci, l., 4mm	lr	6.3
36-005-51-07	MIC.-EAR SCISSORS, WULLSTEIN, STR., 4 MM	lr	6.3
36-005-51-14	Micro-ear scissors, Wullst., str., 4mm	lr	6.3
36-005-52-14	Micro-ear sciss., Wullst., cvd. up, 4mm	lr	6.3
36-005-53-07	MIC.-EAR SCISSORS, WULLSTEIN, R., 4 MM	lr	6.3
36-005-53-14	Micro-ear scissors, Wullst., r., 4 mm	lr	6.3
36-005-54-14	Micro-ear scissors, Wullst, l., 4 mm	lr	6.3
36-010-11-07	WIRE CLOSING FORCEPS, MCGEE, 3.5X0.8 MM	lr	6.3
36-010-11-14	Wire closing forceps, McGee, 3.5x0.8 mm	lr	6.3
36-010-12-07	WIRE CLOSING FORCEPS, MCGEE, 6X0.8 MM	lr	6.3
36-010-12-14	Wire closing forceps, McGee, 6x0.8 mm	lr	6.3
36-011-01-07	MALLEUS NIPPER, UPWARDS, 1.3 MM	lr	6.3
36-011-01-14	Malleus nipper, upwards, 1.5 mm	lr	6.3
36-011-02-02	MALLEUS NIPPER, DOWNWARDS, 1.3 MM	lr	6.3
36-011-02-07	MALLEUS NIPPER, DOWNWARDS, 1.3 MM	lr	6.3
36-011-02-14	Malleus nipper, downwards, 1.5 mm	lr	6.3
36-011-06-02	MALLEUS NIPPER, RIGHT, 1.3 MM	lr	6.3
36-011-06-07	MALLEUS NIPPER, RIGHT, 1.3 MM	lr	6.3
36-011-06-14	Malleus nipper, right, 1.5 mm	lr	6.3
36-011-07-02	MALLEUS NIPPER, LEFT, 1.3 MM	lr	6.3
36-011-07-07	MALLEUS NIPPER, LEFT, 1.3 MM	lr	6.3
36-011-07-14	Malleus nipper, left, 1.5 mm	lr	6.3
36-013-01-07	INTRODUCING FORCEPS, FULLER	lr	6.3
36-013-01-14	Introducing forceps, Fuller	lr	6.3
36-316-11-07	Nasal fcps., Henckel-Tilley, 6.5mm, 11cm	lr	6.3
36-416-11-07	FOREIGN BODY FORCEPS, BUCK, 11.5 CM	lr	6.3
36-425-08-07	EAR POLYPUS FCPS., HARTMANN-WULLS., 8 CM	lr	6.3
36-427-08-07	EAR POLYPUS FCPS., HARTMANN-WULLS., 1 MM	lr	6.3
36-430-08-07	EAR POLYPUS FORCPES, HARTMANN, 8 CM	lr	6.3
36-430-14-07	EAR POLYPUS FORCPES, HARTMANN, 14 CM	lr	6.3
36-442-81-07	EAR FCPS., SPOON-SHA., HARTMANN, 2.0 MM	lr	6.3
36-442-82-07	EAR FCPS., SPOON-SHA., HARTMANN, 2.5 MM	lr	6.3
36-442-83-07	EAR FCPS., SPOON-SHA., HARTMANN, 3.0 MM	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
36-445-08-07	EAR POLYPUS FORCEPS, HARTMANN, 3.0 MM	lr	6.3
36-448-08-07	EAR POLYPUS FORCEPS, STRUEMPEL, 8 CM	lr	6.3
36-456-08-07	EAR POLYP. FORCEPS, HARTM.-HOFF., 2.0 MM	lr	6.3
36-461-17-07	BONE PUNCH, CITELLI, 3 MM	lr	6.3
36-463-19-07	BONE PUNCH, BEYER, 2 MM	lr	6.3
36-466-14-07	BONE PUNCH, BEYER, 1 MM	lr	6.3
37-235-12-07	ETHMOID. FORCEPS, TAKAHASHI, STR., 19 CM	lr	6.3
37-237-12-07	ETHMOID. FORCEPS, TAKAHASHI, CVD., 19 CM	lr	6.3
37-241-10-07	ETHMOID. FCPS., WATSON-W., SERR., 19 CM	lr	6.3
37-241-12-07	ETHMOID. FCPS., WATSON-WILLIAMS, 19 CM	lr	6.3
37-249-12-07	NASAL CUTTING FORCEPS, WEIL, 19 CM	lr	6.3
37-255-01-07	NASAL CUTT. FCPS., WEIL-BLAKES., 3.0 MM	lr	6.3
37-255-02-07	NASAL CUTT. FCPS., WEIL-BLAKES., 3.5 MM	lr	6.3
37-255-03-07	NASAL CUTT. FCPS., WEIL-BLAKES., 4.5 MM	lr	6.3
37-255-04-07	NASAL CUTT. FCPS., WEIL-BLAKES., 5.5 MM	lr	6.3
37-255-05-07	NASAL CUTT. FCPS., WEIL-BLAKES., 6.0 MM	lr	6.3
37-256-01-07	ETHMOID. FCPS., 45° UPW., NO. 1, 3.0 MM	lr	6.3
37-256-02-07	ETHMOID. FCPS., 45° UPW., NO. 2, 3.5 MM	lr	6.3
37-256-03-07	ETHMOID. FCPS., 45° UPW., NO. 3, 4.5 MM	lr	6.3
37-256-04-07	ETHMOID. FCPS., 45° UPW., NO. 4, 5.0 MM	lr	6.3
37-258-01-07	ETHMOID. FCPS., 90° UPW., NO. 1, 3.0 MM	lr	6.3
37-258-02-07	ETHMOID. FCPS., 90° UPW., NO. 2, 3.5 MM	lr	6.3
37-258-03-07	ETHMOID. FCPS., 90° UPW., NO. 3, 4.5 MM	lr	6.3
37-258-04-07	ETHMOID. FCPS., 90° UPW., NO. 4, 5.0 MM	lr	6.3
37-285-01-07	NASAL CUTTING FCPS., 0.9 MM, 19 CM	lr	6.3
37-308-01-07	ANTRUM PUNCH, 2.5 MM, RETROGRADE, UPW.	lr	6.3
37-308-02-07	ANTRUM PUNCH, 2.5 MM, RETROGRADE, RIGHT	lr	6.3
37-308-03-07	ANTRUM PUNCH, 2.5 MM, RETROGRADE, LEFT	lr	6.3
37-309-01-07	NASAL CUTTING FCPS., JAW Ø 5 MM, 19 CM	lr	6.3
37-309-02-07	NASAL CUTTING FCPS., JAW Ø 7 MM, 19 CM	lr	6.3
37-309-03-07	NASAL CUTTING FCPS., JAW Ø 9 MM, 19 CM	lr	6.3
37-309-04-07	NASAL CUTTING FCPS., JAW Ø 11 MM, 19 CM	lr	6.3
37-340-13-07	SPHENOIDAL PUNCH, HAJEK, UPW., 4X4 MM	lr	6.3
37-341-13-07	SPHENOIDAL PUNCH, HAJEK, DOWNW., 4X4 MM	lr	6.3
37-342-12-07	SPHENOIDAL PUNCH, UPW., 3.5X3.5 MM	lr	6.3
37-343-12-07	SPHENOIDAL PUNCH, DOWN, 3.5X3.5 MM	lr	6.3
37-356-17-07	SPHENOIDAL PUNCH, UPW., 3X3 MM, 18 CM	lr	6.3
37-357-17-07	SPHENOIDAL PUNCH, DOWN, 3X3 MM, 18 CM	lr	6.3
37-360-17-07	SPHENOIDAL PUNCH, UPW., 5X5 MM, 18 CM	lr	6.3
37-361-17-07	SPHENOIDAL PUNCH, DOWN, 5X5 MM, 18 CM	lr	6.3
37-362-03-07	SPHENOIDAL PUNCH, OBLIQ. UP, 3 MM, 18 CM	lr	6.3
37-362-05-07	SPHENOIDAL PUNCH, OBLIQ. UP, 5 MM, 18 CM	lr	6.3
37-389-00-07	ANTRUM PUNCH, UPWARDS, 3X3 MM, 9 CM	lr	6.3
37-389-01-07	ANTRUM PUNCH, UPWARDS, 4X4 MM, 9 CM	lr	6.3



Item number	Item description	Classification: Class	Classification: Rule
37-389-02-07	ANTRUM PUNCH, UPWARDS, 5X5 MM, 9 CM	lr	6.3
37-389-03-07	ANTRUM PUNCH, UPWARDS, 6X6 MM, 9 CM	lr	6.3
39-541-13-07	TONSIL FORCEPS, HARTMANN, JAW Ø 13 MM	lr	6.3
39-541-15-07	TONSIL FORCEPS, HARTMANN, JAW Ø 15 MM	lr	6.3
39-581-01-07	UNIV. HANDLE F. LARYNG. FORCEPS, HUBER	lr	6.3
39-584-20-07	EXTENSION TUBE, STR., 22 CM	lr	6.3
39-584-30-07	EXTENSION TUBE, STR., 32 CM	lr	6.3
39-584-40-07	EXTENSION TUBE, STR., 41 CM	lr	6.3
39-587-20-07	EXTENSION TUBE, BRUENINGS, CVD., 18 CM	lr	6.3
39-600-01-07	TIP F. LARYN. FCPS., FRAENKEL, SERR.	lr	6.3
39-604-01-07	TIP F. LARYN. FCPS., SEIFFERT, COARSE	lr	6.3
39-608-01-07	TIP F. LARYN. FCPS., FRAENKEL, OVAL	lr	6.3
39-616-02-07	TIP F. FCPS., BRUENINGS, NO. 2, Ø 3 MM	lr	6.3
39-616-03-07	TIP F. FCPS., BRUENINGS, NO. 3, Ø 4 MM	lr	6.3
39-618-02-07	TIP F. FCPS., BRUENINGS, NO. 2, OVAL	lr	6.3
39-618-03-07	TIP F. FCPS., BRUENINGS, NO. 3, OVAL	lr	6.3
39-624-01-07	TIP F. LARYN. FCPS., LANGE, OVAL	lr	6.3
39-628-01-07	TIP F. LARYN. FCPS., KRAUSE, NO. 1, OVAL	lr	6.3
39-628-02-07	TIP F. LARYN. FCPS., KRAUSE, NO. 2, OVAL	lr	6.3
39-632-01-07	TIP F. LARYN. FCPS., KRAUSE, HIGH ARCH	lr	6.3
39-647-01-07	TIP F. LARYN. FCPS., CORDES, ROUND	lr	6.3