

Manufacturer: BAS STEEL PROFILE SRL str. Voczaliniaia 28, Taraclia, Moldova Phone: +373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1) 2046 Date: 28.03.2024		Transport: A10			
Customer: METALICA-ZUEV		No. A06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded		B12 Total weight, Kg 22761		B08 Pieces: 1680	
Contract No. 1D		A07 Package wrapped with 6 straps through the side 100% NDT on the weld seam. NOT on the weld seam acc. EN ISO 1088 ,		EN 10219-1/2 S235JRH		Total Length, m 10 080,00 (meters)	
Order No. 0021/1D		Plain ends, straight cut from mill				Bundles: 21	
Destination Moldova							

Product description

Nr.	Nr. Bundles	Heat	Product	Dimension(mm)	Thickness(mm)	Length(mm)	Deviation	Bundles	Pieces	Netto Weight (Kg)	Brutto weight, kg	Meters
1	2609\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1070	-	480
2	2610\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1080	-	480
3	2611\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1080	-	480
4	2612\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1090	-	480
5	2613\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1090	-	480
6	2591\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1066	-	480
7	2592\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1062	-	480
8	2601\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1075	-	480
9	2602\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1085	-	480
10	2603\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1095	-	480
11	2604\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1090	-	480
12	2607\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1090	-	480
13	2608\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1060	-	480
14	2636\76	140298	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1075	-	480
15	2637\76	140298	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1032	-	480
16	2638\76	140298	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1072	-	480
17	2635\76	1224093	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1093	-	480
18	2634\76	613616-9	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1116	-	480
19	2633\76	613616-9	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1130	-	480
20	2606\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1125	-	480
21	2605\76	1224089	S235JRH-EN 10219-1/2	50x30	2	6 000	+50/-0	1	80	1085	-	480

«BAS STEEL PROFILE» S.R.L.
OTK

Manufacturer: BAS STEEL PROFILE SRL str. Vocălnia 28, Taraclia, Moldova Phone: +373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1) No. 2046 Date: 28.03.2024		Transport: A10			
Customer: METALICA-ZUEV		A06 Welded cold sized tubes STEEL Grade S235JRH, Direct welded		B12 Total weight, Kg 22761		B08 Pieces: 1680	
Contract No. 1D Specification № 0021/1D Order No. Moldova		A07 Package wrapped with 6 straps through the side 100% NOT on the weld seam. NOT on the weld seam acc. EN ISO 1088, Plain ends, straight cut from mill		EN 10219-3/2 S235JRH		 2174	

Chemical Composition										C71-C92				
B09	B08	Steel	B07	C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al
Dimension(mm)	W.T.(mm)	Grade	Nr. Bundles	Heat	x100	x100	x1000	x1000	x100	x100	x100	x100	x1000	x1000
50x30	2	S235JRH	2609\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2610\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2611\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2612\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2613\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2591\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2592\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2601\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2602\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2603\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2604\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2607\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2608\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2636\76	140298	11,0	1,3	38,0	12,0	2,0	1,0	1,0		9	
50x30	2	S235JRH	2637\76	140298	11,0	1,3	38,0	12,0	2,0	1,0	1,0		9	
50x30	2	S235JRH	2638\76	140298	11,0	1,3	38,0	12,0	2,0	1,0	1,0		9	
50x30	2	S235JRH	2635\76	1224093	12,0	1,8	43,0	26,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2634\76	613616-9	12,0	1,9	42,0	24,0	6,0	1,0	1,0		9	
50x30	2	S235JRH	2633\76	613616-9	12,0	1,9	42,0	24,0	6,0	1,0	1,0		9	
50x30	2	S235JRH	2606\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	
50x30	2	S235JRH	2605\76	1224089	12,0	1,2	37,0	13,0	4,0	1,0	1,0		9	

«BAS STEEL PROFILE» S.R.L.
OTK

Manufacturer: BAS STEEL PROFILE SRL str. Voczalinaia 28, Taraclia, Moldova Phone: +373 78 436 481		MILL'S TEST CERTIFICATE (ACC.TO EN10204 / 3.1) No. 2046 Date: 28.03.2024		Transport: A10			
Customer: METALICA-ZUEV		Welded cold sized tubes STEEL Grade S235JR/H, Direct welded Package wrapped with 6 straps through the side 100% NOT on the weld seam. NOT on the weld seam acc. EN ISO 1088 , Plain ends, straight cut from mill		B12 Total weight, Kg 22761 EN 10219-1/2 S235JR/H		B08 Pieces: 1680 Bundles: 21	
Contract No. 1D Specification Ng 0021/1D Order No. 0021/1D Destination Moldova		 2174					

B09		B10		Steel	B07	Heat	Mechanical Test		C03	C11			C12	C13	D02	D03
		W.T.(mm)	Grade				Nr. Bundles	Direction of the		Test	test pieces	temperature				
50x30				2 S235JRH	2609\76		1224089	L	ambient							
50x30				2 S235JRH	2610\76		1224089	L	ambient							
50x30				2 S235JRH	2611\76		1224089	L	ambient							
50x30				2 S235JRH	2612\76		1224089	L	ambient							
50x30				2 S235JRH	2613\76		1224089	L	ambient							
50x30				2 S235JRH	2591\76		1224089	L	ambient							
50x30				2 S235JRH	2592\76		1224089	L	ambient							
50x30				2 S235JRH	2601\76		1224089	L	ambient							
50x30				2 S235JRH	2602\76		1224089	L	ambient							
50x30				2 S235JRH	2603\76		1224089	L	ambient							
50x30				2 S235JRH	2604\76		1224089	L	ambient							
50x30				2 S235JRH	2607\76		1224089	L	ambient							
50x30				2 S235JRH	2608\76		1224089	L	ambient							
50x30				2 S235JRH	2636\76		140298	L	ambient							
50x30				2 S235JRH	2637\76		140298	L	ambient							
50x30				2 S235JRH	2638\76		140298	L	ambient							
50x30				2 S235JRH	2635\76		1224093	L	ambient							
50x30				2 S235JRH	2634\76		613616-9	L	ambient							
50x30				2 S235JRH	2633\76		613616-9	L	ambient							
50x30				2 S235JRH	2606\76		1224089	L	ambient							
50x30				2 S235JRH	2605\76		1224089	L	ambient							



We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.
 Visual inspection: checked without any objection
 Tolerances on dimensions and shape: pass

Drawn up,
 Eng. Filippov Nicolai

Signature of the QCD representative,
 Eng. Netit Yuri