

Platinum II Taq Hot-Start DNA Polymerase

Invitrogen™ Platinum™ II *Taq* Hot-Start DNA Polymerase is designed to get you to your PCR results, faster. A universal primer annealing feature simplifies optimization steps and allows co-cycling of all assays. The unique combination of innovative buffer, high-performance *Taq* DNA polymerase, and stringent hot-start technology delivers robust PCR results, even in the toughest applications.

Features

- Universal primer annealing at 60°C—reduces tedious optimization steps and enables co-cycling of all assays
- Inhibitor resistance and 4x faster DNA synthesis allows fast cycling and successful amplification, even in the presence of inhibitors
- Invitrogen™ Platinum™ hot-start technology—offers superior specificity, sensitivity, and yields; allows for room-temperature reaction setup
- Green buffer formats—help reduce pipetting errors with direct gel loading

Platinum II PCR buffer

Figure 1. Universal primer annealing. The innovative Platinum II PCR buffer contains molecules that isostabilize primer–template structures, reducing mispriming and enabling universal annealing of primers with different melting temperatures.

Platinum II *Taq* Hot-Start DNA Polymerase is ideal for:

- Amplification of low-input and low-quality DNA
- Direct PCR with whole blood
- Genotyping
- Sanger sequencing
- GC-rich PCR
- Colony PCR
- Broad-range PCR of bacterial 16S rRNA genes
- Fast PCR
- High-throughput PCR

Find out more about using Platinum II *Taq* Hot-Start DNA Polymerase for:



High-throughput PCR

Direct PCR with blood

Mouse genotyping

Bacterial DNA detection

Multiplex PCR

SNP detection

Download the application notes at **thermofisher.com/platinumiitaq**



Save time and streamline your workflow with a universal protocol

PCR assays with conventional DNA polymerase

1st PCR assay 2nd PCR assay 3rd PCR assay 5rd PCR assay 5r

Platinum II *Taq* Hot-Start DNA Polymerase allows universal annealing temperature and flexible extension for co-cycling of all assays




Figure 2. Save time with a universal protocol. Platinum II *Taq* Hot-Start DNA Polymerase allows different PCR assays to be cycled together, using the same protocol with universal primer annealing temperature and extension step selected for the longest fragment to be amplified. Platinum II *Taq* Hot-Start DNA Polymerase is fast, delivering PCR results in as little as 30 minutes.

Technical specifications Universal annealing protocol Yes Flexible extension step* Yes Speed 15 sec/kb Inhibitor resistance Yes Up to 5 kb Target length Hot-start modification Antibody-mediated Fidelity versus Tag 1x **DNA** Polymerase Blunt or 3'-A end 3'-A Benchtop stability of assembled 24 hr PCR reactions GC-rich amplification Yes <1 copy/ Residual bacterial gDNA enzyme unit **Formats** Master mix Colorless/green** Stand-alone enzyme Colorless/green[†]

Ordering information

| Product | Quantity | Cat. No. |
|--|-----------------|-----------|
| Platinum II <i>Taq</i> Hot-Start DNA Polymerase | 100 reactions | 14966-001 |
| | 500 reactions | 14966-005 |
| | 2,500 reactions | 14966-025 |
| Platinum II Hot-Start PCR Master Mix (2X) | 50 reactions | 14000-012 |
| | 200 reactions | 14000-013 |
| | 1,000 reactions | 14000-014 |
| Platinum II Hot-Start Green PCR Master Mix (2X) | 50 reactions | 14001-012 |
| | 200 reactions | 14001-013 |
| | 1,000 reactions | 14001-014 |

Tip: Use Applied Biosystems[™] thermal cyclers and PCR plastics to deliver reliable, enhanced PCR performance. Learn more at **thermofisher.com/pcrworkflow**



 $^{^{\}star}$ The extension step can be extended up to 60 sec/kb without affecting specificity.

^{**} Direct gel loading with green buffer options.

[†] Green buffer available as separate item for use with stand-alone enzyme.