


# PRODUCT CATALOGUE 2017 - EUROPE

## Peripheral Vascular



# Product Catalogue

## Ordering Locations

<b>AUSTRIA</b>	Bard Medica SA, MGC-Top Nr. D36, 3.OG Ebene, Modecenterstraße 22, 1030 Wien, Austria Tel: +43 1 49 49130 Fax: +43 1 49 49130 30
<b>BENELUX</b>	Bard Benelux n.v., Hagelberg 2, 2250 Olen, Belgium Tel: +32 14 28 69 50 Fax: +32 14 28 69 66
<b>CZECH REPUBLIC</b>	Bard Czech Republic s.r.o, Taborska 619, 140 00 Prague, Czech Republic Tel: +420 242 408630 Fax: +420 242 410185
<b>FRANCE</b>	Bard France SAS, Av Joseph Kessel 164-166, Parkile-P 14, 78960 Voisins-le-Bretonneux, France Tel: +33 1 39 30 58 58 Fax: +33 1 39 30 58 59
<b>GERMANY</b>	C. R. Bard GmbH, Wachhausstrasse 6, 76227 Karlsruhe, Germany Tel: +49 721 9445 0 Fax: +49 721 9445 5111
<b>GREECE</b>	Bard Hellas SA, 1, Filellinon Str & Megalou Alexandrou, 16452 Argyroupoli Tel: +30 210 969 0770 Fax: +30 210 962 8810
<b>IRELAND</b>	Bard Ltd, Arena House, Arena Road, Sandyford, Dublin 18, Ireland Tel: +353 121 30706 Fax: +353 121 30604
<b>ITALY</b>	Bard S.r.l, Via Cina 444, 00144 Roma, Italy Tel: +39 06 52 4931 Fax: +39 06 52 95 852
<b>NETHERLANDS</b>	C.R. Bard Netherlands Sales B.V., Lorenzlaan 4, 3401 MX IJsselstein, the Netherlands Tel: +31 88 01 22 5200 Fax: +31 88 01 22 501
<b>NORDIC</b>	Bard Norden AB, Rönnowsgatan 10, 252 25 Helsingborg, Sweden Tel: +46 42 38 60 00 Fax: +46 42 38 60 10
<b>POLAND</b>	Bard Poland sp.z.o.o, ul. Cybernetyki 9, 02-677 Warsaw, Poland Tel: +48 22 321 0930 Fax: +48 22 321 0938
<b>SPAIN</b>	Bard de España S.A.U, Plaza Europa 41-43 5a Planta (Torre Realía), 08908 L'Hospitalet de Llobregat, Spain Tel: +34 93 253 78 00 Fax: +34 93 253 78 34
<b>SWITZERLAND</b>	Bard Medica SA, Seestrasse 64, 8942 Oberrieden, Zurich, Switzerland Tel: +41 44 722 53 60 Fax: +41 44 722 53 70
<b>UK</b>	Bard Limited, Forest House, Tilgate Forest Business Park, Brighton Road, Crawley, West Sussex RH11 9BP, United Kingdom Tel: +44 1293 527 888 Fax: +44 1293 552 428



# Peripheral Vascular

## SECTION 1 - Interventional Products

**Self Expanding Stents**

**Balloon Expandable Stents**

**Stent Grafts**

**Angioplasty Catheters**

**Drug Coated Balloons**

**Inflation Devices**

**CTO Management**

**Thrombus Management**

**Angiography Catheters**

**Guide Wires**

**Introducers**

**Angiography Accessories**

**Vena Cava Filters**

**Self Expanding Stent Non Vascular**

## SECTION 2 - Surgical Products

**Vascular Bypass Grafts – ePTFE**

**Vascular Grafts – for Haemodialysis**

**Vascular Grafts – Polyester**

**Fabrics, Felts, Pledgets, Tapes and Patches**

**Vascular Catheters**

**Carotid Shunts**

**Tunneler Sets**

**Vascular Accessories**


# Section 1 - Interventional Products

<b>Self Expanding Stents</b>	<b>5</b>
E•LUMINEXX® Vascular Stent	5-6
LIFESTAR® Vascular Stent System	7
LIFESTENT® Vascular Stent	8-9
LIFESTENT® XL Vascular Stent	10
LIFESTENT® SOLO™ Vascular Stent System	11
VENOVO™ Venous Stent System	12
VIVEXX™ Carotid Stent	13
<b>Balloon Expandable Stents</b>	<b>14</b>
VALEO® Vascular Stent	14
<b>Stent Grafts</b>	<b>15</b>
FLUENCY® Plus Vascular Stent Graft	15-16
LIFESTREAM™ Balloon Expandable Vascular Covered Stent	17
COVERA™ Vascular Covered Stent	18
<b>Angioplasty Catheters</b>	<b>19</b>
ULTRAVERSE® 035 PTA Catheter	19-20
CLEARPAC™ Ω PTA Catheter	21
DORADO® PTA Catheter	22-23
ULTRAVERSE® 014 PTA Catheter	24-25
BANTAM™ α PTA Catheter	26
ULTRAVERSE® RX PTA Catheter	27-28
LITEPAC™ RX PTA Catheter	29-30
ULTRAVERSE® 018 PTA Catheter	31-32
BANTAM™ PTA Catheter	33-34
CONQUEST® PTA Catheter	35
CONQUEST® 40 PTA Catheter	36
BANTAM™ Florian PTA Catheter	37
ATLAS® Gold PTA Catheter	38
VASCUTRAK™ PTA Catheter	39-40
REEKROSS™ PTA Catheter	41-43
REFLEX™ PTA Catheter	44
<b>Drug Coated Balloon</b>	<b>45</b>
LUTONIX® 035 Drug Coated Balloon - SFA	45-46
LUTONIX® 035 Drug Coated Balloon - AV Access	47-48
LUTONIX® 014 Drug Coated Balloon - BTK	49
<b>Inflation Devices</b>	<b>50</b>
CALIBER™ Inflation Device	50
Presto™ Inflation Device	50
<b>CTO Management</b>	<b>51</b>
CROSSER® CTO Recanalisation Catheter	51
Generator	51
FLOWMATE® Injector	51
USHER®	52
SIDEKICK® Support Catheter	52
SEEKER™ Crossing Support Catheter	53
<b>Thrombus Management</b>	<b>54</b>
Haemostatic Valve	54
Aspiration Catheter	54
Fragmentation Basket	55
JET-LYSIS® Catheters	56
JET-LYSIS® Accessories	56
Infusion-Lysis Catheters	57
<b>Angiography Catheters</b>	<b>58</b>
High-Flow Radiopaque	58
Angiopass Plus	59-61
Special Catheters	62
<b>Guide Wires</b>	<b>63</b>
T-Wire	63
TJ-Wire	64
TB-Wire	65
TBJ-Wire	65
Amplatz Wire	65
The Blue Wire	66
The Black Wire	66
<b>Introducers</b>	<b>67</b>
Input Introducer Set	67
Percutaneous Introducer Set	67
<b>Angiography Accessories</b>	<b>68</b>
High-Flex Connectors	68
Stopcocks	69
Universal Adaptors	70-71
Needles	72
Vessel Dilator and Split Sheath	72
<b>Vena Cava Filters</b>	<b>73</b>
RECOVERY® Cone System	73
DENALI™	74
Bard Snare	74
<b>Self Expanding Stent Non Vascular</b>	<b>75</b>
E•LUMINEXX® Biliary Stent	75

# Self Expanding Stents

## E•LUMINEXX® Vascular Stent

- Incorporates BARD® S.A.F.E.® deployment system and PERFORMAXX® Grip
- 6F Deployment system
- .035" Guide wire compatible



Product Code for 80cm Deployment System	Product Code for 135cm Deployment System	Expanded Stent Diameter (mm)	Stent Length (mm)
<b>ZVM04020</b>	<b>ZVL04020</b>	4	20
<b>ZVM04030</b>	<b>ZVL04030</b>	4	30
<b>ZVM04040</b>	<b>ZVL04040</b>	4	40
<b>ZVM04050</b>	<b>ZVL04050</b>	4	50
<b>ZVM04060</b>	<b>ZVL04060</b>	4	60
<b>ZVM04080</b>	<b>ZVL04080</b>	4	80
<b>ZVM04100</b>	<b>ZVL04100</b>	4	100
<b>ZVM04120</b>	<b>ZVL04120</b>	4	120
<b>ZVM05020</b>	<b>ZVL05020</b>	5	20
<b>ZVM05030</b>	<b>ZVL05030</b>	5	30
<b>ZVM05040</b>	<b>ZVL05040</b>	5	40
<b>ZVM05050</b>	<b>ZVL05050</b>	5	50
<b>ZVM05060</b>	<b>ZVL05060</b>	5	60
<b>ZVM05080</b>	<b>ZVL05080</b>	5	80
<b>ZVM05100</b>	<b>ZVL05100</b>	5	100
<b>ZVM05120</b>	<b>ZVL05120</b>	5	120
<b>ZVM06020</b>	<b>ZVL06020</b>	6	20
<b>ZVM06030</b>	<b>ZVL06030</b>	6	30
<b>ZVM06040</b>	<b>ZVL06040</b>	6	40
<b>ZVM06050</b>	<b>ZVL06050</b>	6	50
<b>ZVM06060</b>	<b>ZVL06060</b>	6	60
<b>ZVM06080</b>	<b>ZVL06080</b>	6	80
<b>ZVM06100</b>	<b>ZVL06100</b>	6	100
<b>ZVM06120</b>	<b>ZVL06120</b>	6	120
<b>ZVM07020</b>	<b>ZVL07020</b>	7	20
<b>ZVM07030</b>	<b>ZVL07030</b>	7	30
<b>ZVM07040</b>	<b>ZVL07040</b>	7	40
<b>ZVM07050</b>	<b>ZVL07050</b>	7	50
<b>ZVM07060</b>	<b>ZVL07060</b>	7	60
<b>ZVM07080</b>	<b>ZVL07080</b>	7	80
<b>ZVM07100</b>	<b>ZVL07100</b>	7	100
<b>ZVM07120</b>	<b>ZVL07120</b>	7	120

# Self Expanding Stents

## E•LUMINEXX® Vascular Stent


- Incorporates BARD® S.A.F.E.® deployment system and PERFORMAXX® Grip
- 6F Deployment system
- .035" Guide wire compatible

Product Code for 80cm Deployment System	Product Code for 135cm Deployment System	Expanded Stent Diameter (mm)	Stent Length (mm)
<b>ZVM08020</b>	<b>ZVL08020</b>	8	20
<b>ZVM08030</b>	<b>ZVL08030</b>	8	30
<b>ZVM08040</b>	<b>ZVL08040</b>	8	40
<b>ZVM08050</b>	<b>ZVL08050</b>	8	50
<b>ZVM08060</b>	<b>ZVL08060</b>	8	60
<b>ZVM08080</b>	<b>ZVL08080</b>	8	80
<b>ZVM08100</b>	<b>ZVL08100</b>	8	100
<b>ZVM08120</b>	<b>ZVL08120</b>	8	120
<b>ZVM09020</b>	<b>ZVL09020</b>	9	20
<b>ZVM09030</b>	<b>ZVL09030</b>	9	30
<b>ZVM09040</b>	<b>ZVL09040</b>	9	40
<b>ZVM09050</b>	<b>ZVL09050</b>	9	50
<b>ZVM09060</b>	<b>ZVL09060</b>	9	60
<b>ZVM09080</b>	<b>ZVL09080</b>	9	80
<b>ZVM09100</b>	<b>ZVL09100</b>	9	100
<b>ZVM09120</b>	<b>ZVL09120</b>	9	120
<b>ZVM10020</b>	<b>ZVL10020</b>	10	20
<b>ZVM10030</b>	<b>ZVL10030</b>	10	30
<b>ZVM10040</b>	<b>ZVL10040</b>	10	40
<b>ZVM10050</b>	<b>ZVL10050</b>	10	50
<b>ZVM10060</b>	<b>ZVL10060</b>	10	60
<b>ZVM10080</b>	<b>ZVL10080</b>	10	80
<b>ZVM10100</b>	<b>ZVL10100</b>	10	100
<b>ZVM10120</b>	<b>ZVL10120</b>	10	120
<b>ZVM12020</b>	<b>ZVL12020</b>	12	20
<b>ZVM12030</b>	<b>ZVL12030</b>	12	30
<b>ZVM12040</b>	<b>ZVL12040</b>	12	40
<b>ZVM12050</b>	<b>ZVL12050</b>	12	50
<b>ZVM12060</b>	<b>ZVL12060</b>	12	60
<b>ZVM12080</b>	<b>ZVL12080</b>	12	80
<b>ZVM12100</b>	<b>ZVL12100</b>	12	100
<b>ZVM12120</b>	<b>ZVL12120</b>	12	120
<b>ZVM14020</b>	<b>ZVL14020</b>	14	20
<b>ZVM14030</b>	<b>ZVL14030</b>	14	30
<b>ZVM14040</b>	<b>ZVL14040</b>	14	40
<b>ZVM14050</b>	<b>ZVL14050</b>	14	50
<b>ZVM14060</b>	<b>ZVL14060</b>	14	60
<b>ZVM14080</b>	<b>ZVL14080</b>	14	80
<b>ZVM14100</b>	<b>ZVL14100</b>	14	100
<b>ZVM14120</b>	<b>ZVL14120</b>	14	120

# Self Expanding Stents

## LIFESTAR™ Vascular Stent System

- 6F Deployment system
- .035" Guide wire compatible
- Pin-and Pull delivery system



Product Code	Stent Length (mm)	Expanded Stent Diameter (mm)	Catheter Length (cm)
<b>VIES07020*</b>	20	7	80
<b>VIES07030*</b>	30	7	80
<b>VIES07040*</b>	40	7	80
<b>VIES07060*</b>	60	7	80
<b>VIES07080*</b>	80	7	80
<b>VIES07100*</b>	100	7	80
<b>VIES08020*</b>	20	8	80
<b>VIES08030*</b>	30	8	80
<b>VIES08040*</b>	40	8	80
<b>VIES08060*</b>	60	8	80
<b>VIES08080*</b>	80	8	80
<b>VIES08100</b>	100	8	80
<b>VIES09020*</b>	20	9	80
<b>VIES09030*</b>	30	9	80
<b>VIES09040*</b>	40	9	80
<b>VIES09060*</b>	60	9	80
<b>VIES09080*</b>	80	9	80
<b>VIES09100*</b>	100	9	80
<b>VIES10020*</b>	20	10	80
<b>VIES10030*</b>	30	10	80
<b>VIES10040*</b>	40	10	80
<b>VIES10060*</b>	60	10	80
<b>VIES10080*</b>	80	10	80
<b>VIES10100*</b>	100	10	80


\*Please consult your Bard Representative for local availability





# Self Expanding Stents


## LIFESTENT® Vascular Stent System


- 6F Deployment system
- .035" Guide wire compatible



Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	80	5	20	<b>EX050201C</b>
			30	<b>EX050301C</b>
			40	<b>EX050401C</b>
			60	<b>EX050601C</b>
			80	<b>EX050801C</b>
		6	20	<b>EX060201C</b>
			30	<b>EX060301C</b>
			40	<b>EX060401C</b>
			60	<b>EX060601C</b>
			80	<b>EX060801C</b>
		7	20	<b>EX070201C</b>
			30	<b>EX070301C</b>
			40	<b>EX070401C</b>
			60	<b>EX070601C</b>
			80	<b>EX070801C</b>

Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	130	5	20	<b>EX050203C</b>
			30	<b>EX050303C</b>
			40	<b>EX050403C</b>
			60	<b>EX050603C</b>
			80	<b>EX050803C</b>
		6	20	<b>EX060203C</b>
			30	<b>EX060303C</b>
			40	<b>EX060403C</b>
			60	<b>EX060603C</b>
			80	<b>EX060803C</b>
		7	20	<b>EX070203C</b>
			30	<b>EX070303C</b>
			40	<b>EX070403C</b>
			60	<b>EX070603C</b>
			80	<b>EX070803C</b>


Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	80	5	100	<b>EX51001C</b>
			120	<b>EX51201C</b>
			150	<b>EX51501C</b>
			170	<b>EX51701C</b>
		6	100	<b>EX061001C</b>
			120	<b>EX061201C</b>
			150	<b>EX061501C</b>
			170	<b>EX061701C</b>
		7	100	<b>EX071001C</b>
			120	<b>EX071201C</b>
			150	<b>EX071501C</b>
			170	<b>EX071701C</b>


Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	130	5	100	<b>EX051003C</b>
			120	<b>EX051203C</b>
			150	<b>EX051503C</b>
			170	<b>EX051703C</b>
		6	100	<b>EX061003C</b>
			120	<b>EX061203C</b>
			150	<b>EX061503C</b>
			170	<b>EX061703C</b>
		7	100	<b>EX071003C</b>
			120	<b>EX071203C</b>
			150	<b>EX071503C</b>
			170	<b>EX071703C</b>


# Self Expanding Stents

## LIFESTENT® Vascular Stent System

- 6F Deployment system
- .035" Guide wire compatible




Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	80	8	20	<b>EX080201C</b>
			30	<b>EX080301C</b>
			40	<b>EX080401C</b>
			60	<b>EX080601C</b>
			80	<b>EX080801C</b>
		9	20	<b>EX090201C</b>
			30	<b>EX090301C</b>
			40	<b>EX090401C</b>
			60	<b>EX090601C</b>
			80	<b>EX090801C</b>
		10	20	<b>EX100201C</b>
			30	<b>EX100301C</b>
			40	<b>EX100401C</b>
			60	<b>EX100601C</b>
			80	<b>EX100801C</b>


Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	130	8	20	<b>EX080203C</b>
			30	<b>EX080303C</b>
			40	<b>EX080403C</b>
			60	<b>EX080603C</b>
			80	<b>EX080803C</b>
		9	20	<b>EX090203C</b>
			30	<b>EX090303C</b>
			40	<b>EX090403C</b>
			60	<b>EX090603C</b>
			80	<b>EX090803C</b>
		10	20	<b>EX100203C</b>
			30	<b>EX100303C</b>
			40	<b>EX100403C</b>
			60	<b>EX100603C</b>
			80	<b>EX100803C</b>


# Self Expanding Stents

## LIFESTENT® LX Vascular Stent System

- 6F Deployment system
- .035" Guide wire compatible




Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	80	5	100	<b>EX051001C</b>
			120	<b>EX051201C</b>
			150	<b>EX051501C</b>
			170	<b>EX051701C</b>
		6	100	<b>EX061001C</b>
			120	<b>EX061201C</b>
			150	<b>EX061501C</b>
			170	<b>EX061701C</b>
		7	100	<b>EX071001C</b>
			120	<b>EX071201C</b>
			150	<b>EX071501C</b>
			170	<b>EX071701C</b>


Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	130	5	100	<b>EX051003C</b>
			120	<b>EX051203C</b>
			150	<b>EX051503C</b>
			170	<b>EX051703C</b>
		6	100	<b>EX061003C</b>
			120	<b>EX061203C</b>
			150	<b>EX061503C</b>
			170	<b>EX061703C</b>
		7	100	<b>EX071003C</b>
			120	<b>EX071203C</b>
			150	<b>EX071503C</b>
			170	<b>EX071703C</b>

# Self Expanding Stents

## LIFESTENT® SOLO™ Vascular Stent System


- 6F Deployment system
- .035" Guide wire compatible

Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	80	6	200	<b>EX062001L</b>
		7	200	<b>EX072001L</b>

Deployment System	Catheter Length (cm)	Stent Diameter (mm)	Stent Length (mm)	Product Code
	135	6	200	<b>EX062003L</b>
		7	200	<b>EX072003L</b>

\*Please consult your Bard Representative for local availability

# Self Expanding Stents



## VENOVO™ Venous Stent System

- Dedicated stent design for iliac and femoral veins
- Tri-axial delivery system
  - 80 cm workable length
  - .035" guide wire
- Dual speed thumb-wheel delivery

Product Code		Stent Length (mm)	Expanded Stent Diameter (mm)	Sheath Compatibility (F)
80 cm	120 cm			
<b>VENEM10040</b>	<b>VENEL10040*</b>	40	10	8
<b>VENEM10060</b>	<b>VENEL10060</b>	60	10	8
<b>VENEM10080</b>	<b>VENEL10080</b>	80	10	8
<b>VENEM10100</b>	<b>VENEL10100</b>	100	10	8
<b>VENEM10120</b>	<b>VENEL10120</b>	120	10	8
<b>VENEM10140</b>	<b>VENEL10140</b>	140	10	8
<b>VENEM10160</b>	<b>VENEL10160</b>	160	10	8
<b>VENEM12040</b>	<b>VENEL12040*</b>	40	12	8
<b>VENEM12060</b>	<b>VENEL12060</b>	60	12	8
<b>VENEM12080</b>	<b>VENEL12080</b>	80	12	8
<b>VENEM12100</b>	<b>VENEL12100</b>	100	12	8
<b>VENEM12120</b>	<b>VENEL12120</b>	120	12	8
<b>VENEM12140</b>	<b>VENEL12140</b>	140	12	8
<b>VENEM12160</b>	<b>VENEL12160</b>	160	12	8
<b>VENEM14040</b>	<b>VENEL14040*</b>	40	14	9
<b>VENEM14060</b>	<b>VENEL14060</b>	60	14	9
<b>VENEM14080</b>	<b>VENEL14080</b>	80	14	9
<b>VENEM14100</b>	<b>VENEL14100</b>	100	14	9
<b>VENEM14120</b>	<b>VENEL14120</b>	120	14	9
<b>VENEM14140</b>	<b>VENEL14140</b>	140	14	9
<b>VENEM14160</b>	<b>VENEL14160</b>	160	14	9
<b>VENEM16040</b>	<b>VENEL16040*</b>	40	16	10
<b>VENEM16060</b>	<b>VENEL16060</b>	60	16	10
<b>VENEM16080</b>	<b>VENEL16080</b>	80	16	10
<b>VENEM16100</b>	<b>VENEL16100</b>	100	16	10
<b>VENEM16120</b>	<b>VENEL16120</b>	120	16	10
<b>VENEM16140</b>	<b>VENEL16140</b>	140	16	10
<b>VENEM16160</b>	<b>VENEL16160</b>	160	16	10
<b>VENEM18040</b>	<b>VENEL18040*</b>	40	18	10
<b>VENEM18060</b>	<b>VENEL18060</b>	60	18	10
<b>VENEM18080</b>	<b>VENEL18080</b>	80	18	10
<b>VENEM18100</b>	<b>VENEL18100</b>	100	18	10
<b>VENEM18120</b>	<b>VENEL18120</b>	120	18	10
<b>VENEM18140</b>	<b>VENEL18140</b>	140	18	10
<b>VENEM18160</b>	<b>VENEL18160</b>	160	18	10
<b>VENEM20040</b>	<b>VENEL20040*</b>	40	20	10
<b>VENEM20060</b>	<b>VENEL20060</b>	60	20	10
<b>VENEM20080</b>	<b>VENEL20080</b>	80	20	10
<b>VENEM20100</b>	<b>VENEL20100</b>	100	20	10
<b>VENEM20120</b>	<b>VENEL20120</b>	120	20	10
<b>VENEM20140</b>	<b>VENEL20140</b>	140	20	10
<b>VENEM20160</b>	<b>VENEL20160</b>	160	20	10


\*Please consult your Bard Representative for local availability

# Self Expanding Stents

## VIVEXX® Carotid Stent

- Incorporates BARD® S.A.F.E.® deployment system and PERFORMAXX® Grip
- Mounted on a 5F, RX (monorail) hypotube delivery system
- .014" Guide wire compatible

## VIVEXX® Cylindrical



Product Code	Expanded Stent Diameter (mm)	Stent Length (mm)	Catheter Length (cm)
VCE05020	5	20	135
VCE05030	5	30	135
VCE05040	5	40	135
VCE06020	6	20	135
VCE06030	6	30	135
VCE06040	6	40	135
VCE07020	7	20	135
VCE07030	7	30	135
VCE07040	7	40	135
VCE08020	8	20	135
VCE08030	8	30	135
VCE08040	8	40	135
VCE09020	9	20	135
VCE09030	9	30	135
VCE09040	9	40	135
VCE10020	10	20	135
VCE10030	10	30	135
VCE10040	10	40	135
VCE12020	12	20	135
VCE12030	12	30	135
VCE12040	12	40	135

## VIVEXX® Tapered




Product Code	Expanded Stent Diameter (mm)	Stent Length (mm)	Catheter Length (cm)
VTE06830	6-8	30	135
VTE06840	6-8	40	135
VTE71030	7-10	30	135
VTE71040	7-10	40	135
VTE81230	8-12	30	135
VTE81240	8-12	40	135

# Balloon Expandable Stents

## VALEO® Vascular Stent

• .035" Guide wire compatible




Product Code for 80cm Deployment System	Product Code for 120cm Deployment System	Expanded Stent Diameter (mm)	Stent Length (mm)	Introducer Compatibility (F)
<b>EV06181C</b>	<b>EV06182C</b>	6	18	6
<b>EV06261C</b>	<b>EV06262C</b>	6	26	6
<b>EV06361C</b>	<b>EV06362C</b>	6	36	6
<b>EV07181C</b>	<b>EV07182C</b>	7	18	6
<b>EV07261C</b>	<b>EV07262C</b>	7	26	6
<b>EV07361C</b>	<b>EV07362C</b>	7	36	6
<b>EV07561C</b>	<b>EV07562C</b>	7	56	6
<b>EV08181C</b>	<b>EV08182C</b>	8	18	6
<b>EV08261C</b>	<b>EV08262C</b>	8	26	6
<b>EV08361C</b>	<b>EV08362C</b>	8	36	6
<b>EV08561C</b>	<b>EV08562C</b>	8	56	7
<b>EV09171C</b>	<b>EV09172C</b>	9	17	7
<b>EV09261C</b>	<b>EV09262C</b>	9	26	7
<b>EV09361C</b>	<b>EV09362C</b>	9	36	7
<b>EV10171C</b>	<b>EV10172C</b>	10	17	7
<b>EV10261C</b>	<b>EV10262C</b>	10	26	7
<b>EV10361C</b>	<b>EV10362C</b>	10	36	7

# Stent Grafts

## FLUENCY® Plus Vascular Stent Graft

- Incorporates BARD® S.A.F.E.® deployment system
- Two ultra thin layers of ePTFE, luminal surface of the ePTFE is carbon impregnated
- Self expandable
- .035" Guide wire compatible



Product Code for 80cm Deployment System	Product Code for 117cm Deployment System	Expanded stent Diameter (mm)	Stent Graft Length (mm)	Delivery System Diameter (F)
<b>FVM05020</b>	<b>FVL05020</b>	5	20	8
<b>FVM05030</b>	<b>FVL05030</b>	5	30	8
<b>FVM05040</b>	<b>FVL05040</b>	5	40	8
<b>FVM05060</b>	<b>FVL05060</b>	5	60	8
<b>FVM05080</b>	<b>FVL05080</b>	5	80	8
<b>FVM05100</b>	<b>FVL05100</b>	5	100	8
<b>FVM05120</b>	<b>FVL05120</b>	5	120	8
<b>FVM06020</b>	<b>FVL06020</b>	6	20	8
<b>FVM06030</b>	<b>FVL06030</b>	6	30	8
<b>FVM06040</b>	<b>FVL06040</b>	6	40	8
<b>FVM06060</b>	<b>FVL06060</b>	6	60	8
<b>FVM06080</b>	<b>FVL06080</b>	6	80	8
<b>FVM06100</b>	<b>FVL06100</b>	6	100	8
<b>FVM06120</b>	<b>FVL06120</b>	6	120	8
<b>FVM07020</b>	<b>FVL07020</b>	7	20	8
<b>FVM07030</b>	<b>FVL07030</b>	7	30	8
<b>FVM07040</b>	<b>FVL07040</b>	7	40	8
<b>FVM07060</b>	<b>FVL07060</b>	7	60	8
<b>FVM07080</b>	<b>FVL07080</b>	7	80	9
<b>FVM07100</b>	<b>FVL07100</b>	7	100	9
<b>FVM07120</b>	<b>FVL07120</b>	7	120	9



# Stent Grafts

## FLUENCY® Plus Vascular Stent Graft

- Self Expandable
- Incorporates BARD® S.A.F.E.® deployment system
- Two ultra thin layers of ePTFE, luminal surface of the ePTFE is carbon impregnated
- .035" Guide wire compatible

Product Code for 80cm Deployment System	Product Code for 117cm Deployment System	Expanded stent Diameter (mm)	Stent Graft Length (mm)	Delivery System Diameter (F)
<b>FVM08020</b>	<b>FVL08020</b>	8	20	9
<b>FVM08030</b>	<b>FVL08030</b>	8	30	9
<b>FVM08040</b>	<b>FVL08040</b>	8	40	9
<b>FVM08060</b>	<b>FVL08060</b>	8	60	9
<b>FVM08080</b>	<b>FVL08080</b>	8	80	9
<b>FVM08100</b>	<b>FVL08100</b>	8	100	9
<b>FVM08120</b>	<b>FVL08120</b>	8	120	9
<b>FVM09030</b>	<b>FVL09030</b>	9	30	9
<b>FVM09040</b>	<b>FVL09040</b>	9	40	9
<b>FVM09060</b>	<b>FVL09060</b>	9	60	9
<b>FVM09080</b>	<b>FVL09080</b>	9	80	9
<b>FVM09100</b>	<b>FVL09100</b>	9	100	9
<b>FVM09120</b>	<b>FVL09120</b>	9	120	9
<b>FVM10030</b>	<b>FVL10030</b>	10	30	9
<b>FVM10040</b>	<b>FVL10040</b>	10	40	9
<b>FVM10060</b>	<b>FVL10060</b>	10	60	9
<b>FVM10080</b>	<b>FVL10080</b>	10	80	9
<b>FVM10100</b>	<b>FVL10100</b>	10	100	9
<b>FVM10120</b>	<b>FVL10120</b>	10	120	9
<b>FVM12030</b>	<b>FVL12030</b>	12	30	10
<b>FVM12040</b>	<b>FVL12040</b>	12	40	10
<b>FVM12060</b>	<b>FVL12060</b>	12	60	10
<b>FVM12080</b>	<b>FVL12080</b>	12	80	10
<b>FVM12100</b>	<b>FVL12100</b>	12	100	10
<b>FVM12120</b>	<b>FVL12120</b>	12	120	10
<b>FVM14030</b>	<b>FVL14030</b>	13.5	30	10
<b>FVM14040</b>	<b>FVL14040</b>	13.5	40	10
<b>FVM14060</b>	<b>FVL14060</b>	13.5	60	10
<b>FVM14080</b>	<b>FVL14080</b>	13.5	80	10
<b>FVM14100</b>	<b>FVL14100</b>	13.5	100	10
<b>FVM14120</b>	<b>FVL14120</b>	13.5	120	10


# Stent Grafts

## LIFESTREAM™ Balloon Expandable Vascular Covered Stent

- Balloon expandable
- Two ultra thin layers of ePTFE
- .035" Guide wire compatible

Catheter Length		Expanded Stent Diameter (mm)	Compressed Stent Length (F)	Introducer Compatibility
80cm	135cm			
<b>LSM0800526</b>	<b>LSM1350526</b>	5	26	6
<b>LSM0800537</b>	<b>LSM1350537</b>	5	37	6
<b>LSM0800616</b>	<b>LSM1350616</b>	6	16	6
<b>LSM0800626</b>	<b>LSM1350626</b>	6	26	6
<b>LSM0800637</b>	<b>LSM1350637</b>	6	37	6
<b>LSM0800658</b>	<b>LSM1350658</b>	6	58	7
<b>LSM0800716</b>	<b>LSM1350716</b>	7	16	6
<b>LSM0800726</b>	<b>LSM1350726</b>	7	26	6
<b>LSM0800737</b>	<b>LSM1350737</b>	7	37	7
<b>LSM0800758</b>	<b>LSM1350758</b>	7	58	7
<b>LSM0800816</b>	<b>LSM1350816</b>	8	16	7
<b>LSM0800826</b>	<b>LSM1350826</b>	8	26	7
<b>LSM0800837</b>	<b>LSM1350837</b>	8	37	7
<b>LSM0800858</b>	<b>LSM1350858</b>	8	58	7
<b>LSM0800938</b>	<b>LSM1350938</b>	9	38	7
<b>LSM0800958</b>	<b>LSM1350958</b>	9	58	7
<b>LSM0801038</b>	<b>LSM1351038</b>	10	38	8
<b>LSM0801058</b>	<b>LSM1351058</b>	10	58	8
<b>LSM0801238</b>	<b>LSM1351238</b>	12	38	8
<b>LSM0801258</b>	<b>LSM1351258</b>	12	58	8

# Stent Grafts



## Covera™ Vascular Covered Stent

- For the treatment of stenoses in the upper extremity venous outflow of patients dialyzing with an arterio-venous (AV) access graft or fistula
- Carbon impregnation
- Straight and Flared end configurations


Product Code 80cm Catheter Length		Covered Stent Diameter (mm)	Covered Stent Length (mm)	Recommended Introducer (F)
Straight Configuration	Flared Configuration			
<b>AVSME06030</b>		6	30	8
<b>AVSME06040</b>	<b>AVFME06040</b>	6	40	8
<b>AVSME06060</b>	<b>AVFME06060</b>	6	60	8
<b>AVSME06080</b>	<b>AVFME06080</b>	6	80	8
<b>AVSME06100</b>	<b>AVFME06100</b>	6	100	8
<b>AVSME07030</b>		7	30	8
<b>AVSME07040</b>	<b>AVFME07040</b>	7	40	8
<b>AVSME07060</b>	<b>AVFME07060</b>	7	60	8
<b>AVSME07080</b>	<b>AVFME07080</b>	7	80	8
<b>AVSME07100</b>	<b>AVFME07100</b>	7	100	8
<b>AVSME08030</b>		8	30	8
<b>AVSME08040</b>	<b>AVFME08040</b>	8	40	8
<b>AVSME08060</b>	<b>AVFME08060</b>	8	60	8
<b>AVSME08080</b>	<b>AVFME08080</b>	8	80	8
<b>AVSME08100</b>	<b>AVFME08100</b>	8	100	9
<b>AVSME09030</b>		9	30	8
<b>AVSME09040</b>	<b>AVFME09040</b>	9	40	8
<b>AVSME09060</b>	<b>AVFME09060</b>	9	60	8
<b>AVSME09080</b>	<b>AVFME09080</b>	9	80	8
<b>AVSME09100</b>	<b>AVFME09100</b>	9	100	9
<b>AVSME10030</b>		10	30	8
<b>AVSME10040</b>	<b>AVFME10040</b>	10	40	8
<b>AVSME10060</b>	<b>AVFME10060</b>	10	60	8
<b>AVSME10080</b>	<b>AVFME10080</b>	10	80	9
<b>AVSME10100</b>	<b>AVFME10100</b>	10	100	9

Product Code 120cm Catheter Length		Covered Stent Diameter (mm)	Covered Stent Length (mm)	Recommended Introducer (F)
Straight Configuration	Flared Configuration			
<b>AVSLE06030</b>		6	30	8
<b>AVSLE06040</b>	<b>AVFLE06040</b>	6	40	8
<b>AVSLE06060</b>	<b>AVFLE06060</b>	6	60	8
<b>AVSLE06080</b>	<b>AVFLE06080</b>	6	80	8
<b>AVSLE06100</b>	<b>AVFLE06100</b>	6	100	8
<b>AVSLE07030</b>		7	30	8
<b>AVSLE07040</b>	<b>AVFLE07040</b>	7	40	8
<b>AVSLE07060</b>	<b>AVFLE07060</b>	7	60	8
<b>AVSLE07080</b>	<b>AVFLE07080</b>	7	80	8
<b>AVSLE07100</b>	<b>AVFLE07100</b>	7	100	8
<b>AVSLE08030</b>		8	30	8
<b>AVSLE08040</b>	<b>AVFLE08040</b>	8	40	8
<b>AVSLE08060</b>	<b>AVFLE08060</b>	8	60	8
<b>AVSLE08080</b>	<b>AVFLE08080</b>	8	80	8
<b>AVSLE08100</b>	<b>AVFLE08100</b>	8	100	9
<b>AVSLE09030</b>		9	30	8
<b>AVSLE09040</b>	<b>AVFLE09040</b>	9	40	8
<b>AVSLE09060</b>	<b>AVFLE09060</b>	9	60	8
<b>AVSLE09080</b>	<b>AVFLE09080</b>	9	80	8
<b>AVSLE09100</b>	<b>AVFLE09100</b>	9	100	9
<b>AVSLE10030</b>		10	30	8
<b>AVSLE10040</b>	<b>AVFLE10040</b>	10	40	8
<b>AVSLE10060</b>	<b>AVFLE10060</b>	10	60	8
<b>AVSLE10080</b>	<b>AVFLE10080</b>	10	80	9
<b>AVSLE10100</b>	<b>AVFLE10100</b>	10	100	9

# Angioplasty Catheters

## ULTRAVERSE® 035 PTA Dilatation Catheter

- CHECKER™ Flex Points
- Geographic alignment markerbands
- .035" Guide wire compatible




Shaft Length		Balloon Size		Sheath Size (F)	RBP (atm)
75cm	130cm	Diameter (mm)	Length (cm)		
<b>U357532</b>	<b>U3513032</b>	3	20	5	21
<b>U357534</b>	<b>U3513034</b>	3	40	5	21
<b>U357536</b>	<b>U3513036</b>	3	60	5	21
<b>U357538</b>	<b>U3513038</b>	3	80	5	21
<b>U3575310</b>	<b>U35130310</b>	3	100	5	19
<b>U3575312</b>	<b>U35130312</b>	3	120	5	19
<b>U3575315</b>	<b>U35130315</b>	3	150	5	19
<b>U3575320</b>	<b>U35130320</b>	3	200	5	19
<b>U3575325</b>	<b>U35130325</b>	3	250	5	19
<b>U3575330</b>	<b>U35130330</b>	3	300	5	19
<b>U357542</b>	<b>U3513042</b>	4	20	5	20
<b>U357544</b>	<b>U3513044</b>	4	40	5	20
<b>U357546</b>	<b>U3513046</b>	4	60	5	20
<b>U357548</b>	<b>U3513048</b>	4	80	5	20
<b>U3575410</b>	<b>U35130410</b>	4	100	5	19
<b>U3575412</b>	<b>U35130412</b>	4	120	5	19
<b>U3575415</b>	<b>U35130415</b>	4	150	5	19
<b>U3575420</b>	<b>U35130420</b>	4	200	5	19
<b>U3575425</b>	<b>U35130425</b>	4	250	5	19
<b>U3575430</b>	<b>U35130430</b>	4	300	5	19
<b>U357552</b>	<b>U3513052</b>	5	20	5	17
<b>U357554</b>	<b>U3513054</b>	5	40	5	17
<b>U357556</b>	<b>U3513056</b>	5	60	5	17
<b>U357558</b>	<b>U3513058</b>	5	80	5	17
<b>U3575510</b>	<b>U35130510</b>	5	100	5	16
<b>U3575512</b>	<b>U35130512</b>	5	120	5	16
<b>U3575515</b>	<b>U35130515</b>	5	150	5	16
<b>U3575520</b>	<b>U35130520</b>	5	200	5	16
<b>U3575525</b>	<b>U35130525</b>	5	250	5	16
<b>U3575530</b>	<b>U35130530</b>	5	300	5	16
<b>U357562</b>	<b>U3513062</b>	6	20	5	15
<b>U357564</b>	<b>U3513064</b>	6	40	5	15
<b>U357566</b>	<b>U3513066</b>	6	60	5	15
<b>U357568</b>	<b>U3513068</b>	6	80	5	15
<b>U3575610</b>	<b>U35130610</b>	6	100	5	14
<b>U3575612</b>	<b>U35130612</b>	6	120	5	14
<b>U3575615</b>	<b>U35130615</b>	6	150	5	14
<b>U3575620</b>	<b>U35130620</b>	6	200	5	14
<b>U3575625</b>	<b>U35130625</b>	6	250	5	14
<b>U3575630</b>	<b>U35130630</b>	6	300	5	14

# Angioplasty Catheters

## ULTRAVERSE® 035 PTA Dilatation Catheter

- CHECKER™ Flex Points
- Geographical alignment markerbands
- .035" Guide wire compatible



Shaft Length			Balloon Size		Sheath Size (F)	RBP (atm)
75cm	100cm	130cm	Diameter (mm)	Length (cm)		
<b>U357572</b>	<b>U3510072</b>	<b>U3513072</b>	7	20	5	14
<b>U357574</b>	<b>U3510074</b>	<b>U3513074</b>	7	40	5	14
<b>U357576</b>	<b>U3510076</b>	<b>U3513076</b>	7	60	5	14
<b>U357578</b>	<b>U3510078</b>	<b>U3513078</b>	7	80	5	14
<b>U3575710</b>	<b>U35100710</b>	<b>U35130710</b>	7	100	5	11
<b>U3575712</b>		<b>U35130712</b>	7	120	5	11
<b>U3575715</b>		<b>U35130715</b>	7	150	5	11
<b>U3575720</b>		<b>U35130720</b>	7	200	5	11
<b>U3575725</b>		<b>U35130725</b>	7	250	5	11
<b>U3575730</b>		<b>U35130730</b>	7	300	5	11
<b>U357582</b>		<b>U3513082</b>	8	20	5	10
<b>U357584</b>		<b>U3513084</b>	8	40	5	10
<b>U357586</b>		<b>U3513086</b>	8	60	5	10
<b>U357588</b>		<b>U3513088</b>	8	80	5	10
<b>U3575810</b>		<b>U35130810</b>	8	100	5	13
<b>U3575812</b>		<b>U35130812</b>	8	120	5	13
<b>U3575815</b>		<b>U35130815</b>	8	150	5	13
<b>U3575820</b>		<b>U35130820</b>	8	200	5	13
<b>U357592</b>		<b>U3513092</b>	9	20	6	12
<b>U357594</b>		<b>U3513094</b>	9	40	6	12
<b>U357596</b>		<b>U3513096</b>	9	60	6	11
<b>U357598</b>		<b>U3513098</b>	9	80	6	11
<b>U3557599</b>			9	100	6	11
<b>U3575102</b>		<b>U35130102</b>	10	20	6	11
<b>U3575104</b>		<b>U35130104</b>	10	40	6	11
<b>U3575106</b>		<b>U35130106</b>	10	60	6	10
<b>U3575108</b>		<b>U35130108</b>	10	80	6	10
<b>U35751010</b>			10	100	6	10
<b>U3575122</b>		<b>U35130122</b>	12	20	7	11
<b>U3575124</b>		<b>U35130124</b>	12	40	7	11
<b>U3575126</b>		<b>U35130126</b>	12	60	7	9
<b>U3575128</b>		<b>U35130128</b>	12	80	7	9
<b>U35751212</b>			12	100	7	9

# Angioplasty Catheters

## CLEARPAC™ Ω PTA Dilatation Catheter

- QUADFLEX™ balloon material
- SiLX® coating
- .035" Guide wire compatible




Shaft Length			Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
75cm	100cm	130cm	Diameter (mm)	Length (cm)			
<b>28730020*</b>	<b>28830020</b>	<b>31030020</b>	3	2	5	6	16
<b>28730040*</b>	<b>28830040</b>	<b>31030040</b>	3	4	5	6	16
<b>28730060*</b>	<b>28830060</b>	<b>31030060</b>	3	6	5	6	16
<b>28730080*</b>	<b>28830080</b>	<b>31030080</b>	3	8	5	6	15
<b>28730100*</b>	<b>28830100</b>	<b>31030100</b>	3	10	5	6	15
<b>28730120*</b>	<b>28830120</b>	<b>31030120</b>	3	12	5	6	15
<b>28730150*</b>	<b>28830150</b>	<b>31030150</b>	3	15	5	6	15
<b>28730220*</b>	<b>28830220</b>	<b>31030220</b>	3	22	5	6	15
<b>28740020</b>	<b>28840020</b>	<b>31040020</b>	4	2	5	6	16
<b>28740040</b>	<b>28840040</b>	<b>31040040</b>	4	4	5	6	16
<b>28740060</b>	<b>28840060</b>	<b>31040060</b>	4	6	5	6	16
<b>28740080</b>	<b>28840080</b>	<b>31040080</b>	4	8	5	6	15
<b>28740100</b>	<b>28840100</b>	<b>31040100</b>	4	10	5	6	15
<b>28740120</b>	<b>28840120</b>	<b>31040120</b>	4	12	5	6	15
<b>28740150</b>	<b>28840150</b>	<b>31040150</b>	4	15	5	6	15
<b>28740220</b>	<b>28840220</b>	<b>31040220</b>	4	22	5	6	15
<b>28750020</b>	<b>28850020</b>	<b>31050020</b>	5	2	5	6	14
<b>28750040</b>	<b>28850040</b>	<b>31050040</b>	5	4	5	6	14
<b>28750060</b>	<b>28850060</b>	<b>31050060</b>	5	6	5	6	14
<b>28750080</b>	<b>28850080</b>	<b>31050080</b>	5	8	5	6	13
<b>28750100</b>	<b>28850100</b>	<b>31050100</b>	5	10	5	6	13
<b>28750120</b>	<b>28850120</b>	<b>31050120</b>	5	12	5	6	13
<b>28750150</b>	<b>28850150</b>	<b>31050150</b>	5	15	5	6	13
<b>28750220</b>	<b>28850220</b>	<b>31050220</b>	5	22	5	6	13
<b>28760020</b>	<b>28860020</b>		6	2	5	6	13
<b>28760040</b>	<b>28860040</b>		6	4	5	6	13
<b>28760060</b>	<b>28860060</b>		6	6	5	6	13
<b>28760080</b>	<b>28860080</b>		6	8	5	6	12
<b>28760100</b>	<b>28860100</b>		6	10	5	6	12
<b>28760120</b>	<b>28860120</b>		6	12	5	6	12
<b>28760150</b>	<b>28860150</b>		6	15	5	6	12
<b>28760220</b>	<b>28860220</b>		6	22	5	6	12
<b>28770020</b>	<b>28870020</b>		7	2	6	6	12
<b>28770040</b>	<b>28870040</b>		7	4	6	6	12
<b>28770060</b>	<b>28870060</b>		7	6	6	6	12
<b>28780020</b>	<b>28880020</b>		8	2	6	6	12
<b>28780040</b>	<b>28880040</b>		8	4	6	6	12
<b>28780060</b>	<b>28880060</b>		8	6	6	6	12
<b>28790020</b>	<b>28890020</b>		9	2	7	6	11
<b>28790040</b>	<b>28890040</b>		9	4	7	6	11
<b>28790060</b>	<b>28890060</b>		9	6	7	6	11
<b>28710020</b>	<b>28810020</b>		10	2	7	6	11
<b>28710040</b>	<b>28810040</b>		10	4	7	6	11
<b>28710060</b>	<b>28810060</b>		10	6	7	6	11
<b>28712020</b>	<b>28812020</b>		12	2	8	6	10
<b>28712040</b>	<b>28812040</b>		12	4	8	6	10

\*Please consult your Bard Representative for local availability

# Angioplasty Catheters

## DORADO® PTA Dilatation Catheter

- Ultra non-compliant
- CHECKER™ Flex Points
- .035" Guide wire compatible



Shaft Length				Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
40cm	80cm	120cm	135cm	Diameter (mm)	Length (cm)			
	<b>DR8032</b>		<b>DR13532</b>	3	2	5	8	24
	<b>DR8034</b>		<b>DR13534</b>	3	4	5	8	24
	<b>DR80310</b>		<b>DR135310</b>	3	10	5	8	24
<b>DR4042</b>	<b>DR8042</b>		<b>DR13542</b>	4	2	5	8	24
<b>DR4044</b>	<b>DR8044</b>	<b>DR12044</b>	<b>DR13544</b>	4	4	5	8	24
	<b>DR80410</b>	<b>DR120410</b>	<b>DR135410</b>	4	10	5	8	24
			<b>DR135412</b>	4	12	6	8	24
			<b>DR135415</b>	4	15	6	8	24
			<b>DR135417</b>	4	17	6	8	24
			<b>DR135420</b>	4	20	6	8	24
<b>DR4052</b>	<b>DR8052</b>	<b>DR12052</b>	<b>DR13552</b>	5	2	5	8	24
<b>DR4054</b>	<b>DR8054</b>	<b>DR12054</b>	<b>DR13554</b>	5	4	5	8	24
	<b>DR8056</b>		<b>DR13556</b>	5	6	5	8	24
	<b>DR8058</b>		<b>DR13558</b>	5	8	5	8	24
	<b>DR80510</b>	<b>DR120510</b>	<b>DR135510</b>	5	10	5	8	24
			<b>DR135512</b>	5	12	6	8	24
			<b>DR135515</b>	5	15	6	8	24
			<b>DR135517</b>	5	17	6	8	24
			<b>DR135520</b>	5	20	6	8	24

# Angioplasty Catheters

## DORADO® PTA Dilatation Catheter

- Ultra non-compliant
- CHECKER™ Flex Points
- .035" Guide wire compatible


Shaft Length				Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
40cm	80cm	120cm	135cm	Diameter (mm)	Length (cm)			
<b>DR4062</b>	<b>DR8062</b>	<b>DR12062</b>	<b>DR13562</b>	6	2	6	8	24
<b>DR4064</b>	<b>DR8064</b>	<b>DR12064</b>	<b>DR13564</b>	6	4	6	8	24
	<b>DR8066</b>		<b>DR13566</b>	6	6	6	8	24
	<b>DR8068</b>		<b>DR13568</b>	6	8	6	8	24
	<b>DR80610</b>	<b>DR120610</b>	<b>DR135610</b>	6	10	6	8	22
	<b>DR80612</b>		<b>DR135612</b>	6	12	6	8	22
	<b>DR80615</b>		<b>DR135615</b>	6	15	6	8	22
	<b>DR80617</b>		<b>DR135617</b>	6	17	6	8	22
	<b>DR80620</b>		<b>DR135620</b>	6	20	6	8	22
<b>DR4072</b>	<b>DR8072</b>		<b>DR13572</b>	7	2	6	8	22
<b>DR4074</b>	<b>DR8074</b>	<b>DR12074</b>	<b>DR13574</b>	7	4	6	8	22
	<b>DR8076</b>			7	6	6	8	22
	<b>DR8078</b>			7	8	6	8	22
	<b>DR80710</b>	<b>DR120710</b>	<b>DR135710</b>	7	10	6	8	22
	<b>DR80712</b>		<b>DR135712</b>	7	12	6	8	22
	<b>DR80715</b>		<b>DR135715</b>	7	15	6	8	22
	<b>DR80717</b>		<b>DR135717</b>	7	17	6	8	22
	<b>DR80720</b>		<b>DR135720</b>	7	20	6	8	22
<b>DR4082</b>	<b>DR8082</b>		<b>DR13582</b>	8	2	6	8	22
<b>DR4084</b>	<b>DR8084</b>	<b>DR12084</b>	<b>DR13584</b>	8	4	6	8	22
	<b>DR8086</b>			8	6	6	8	22
	<b>DR8088</b>			8	8	6	8	22
	<b>DR80810</b>		<b>DR135810</b>	8	10	6	8	20
	<b>DR8092</b>			9	2	6	8	20
<b>DR4094</b>	<b>DR8094</b>		<b>DR13594</b>	9	4	6	8	20
	<b>DR8098</b>			9	8	6	8	20
	<b>DR80102</b>		<b>DR135102</b>	10	2	6	8	20
	<b>DR80104</b>	<b>DR120104</b>	<b>DR135104</b>	10	4	6	8	20
	<b>DR80108</b>			10	8	7	8	20



# Angioplasty Catheters

## ULTRAVERSE® 014 PTA Dilatation Catheter

- CHECKER™ Flex Points
- ULTRA-CROSS™ Dual Layer Hydrophilic Coating
- .014" Guide wire compatible



Shaft Length	Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
	Diameter (mm)	Length (cm)			
150cm					
<b>U41501H2</b>	1.5	2	4	6	16
<b>U41501H4</b>	1.5	4	4	6	16
<b>U41501H12</b>	1.5	12	4	6	16
<b>U415022*</b>	2	2	4	6	16
<b>U415024</b>	2	4	4	6	16
<b>U415028</b>	2	8	4	6	15
<b>U4150210*</b>	2	10	4	6	15
<b>U4150212</b>	2	12	4	6	15
<b>U4150215</b>	2	15	4	6	15
<b>U4150222</b>	2	22	4	6	15
<b>U4150230*</b>	2	30	4	6	15
<b>U41502H2*</b>	2.5	2	4	6	16
<b>U41502H4</b>	2.5	4	4	6	16
<b>U41502H8</b>	2.5	8	4	6	15
<b>U41505H10*</b>	2.5	10	4	6	15
<b>U41502H12</b>	2.5	12	4	6	15
<b>U41502H15</b>	2.5	15	4	6	15
<b>U41502H22</b>	2.5	22	4	6	15
<b>U41502H30*</b>	2.5	30	4	6	15
<b>U415032*</b>	3	2	4	6	16
<b>U415034</b>	3	4	4	6	16
<b>U415038</b>	3	8	4	6	15
<b>U4150310*</b>	3	10	4	6	15
<b>U4150312</b>	3	12	4	6	15
<b>U4150315</b>	3	15	4	6	15
<b>U4150322</b>	3	22	4	6	15
<b>U4150330*</b>	3	30	4	6	15
<b>U41503H2*</b>	3.5	2	4	6	16
<b>U41503H4</b>	3.5	4	4	6	16
<b>U41503H8</b>	3.5	8	4	6	15
<b>U41503H10*</b>	3.5	10	4	6	15
<b>U41503H12</b>	3.5	12	4	6	15
<b>U41503H15*</b>	3.5	15	4	6	15
<b>U41503H22*</b>	3.5	22	4	6	15
<b>U41503H30*</b>	3.5	30	4	6	15

# Angioplasty Catheters

## ULTRAVERSE® 014 PTA Dilatation Catheter

- CHECKER™ Flex Points
- ULTRA-CROSS™ Dual Layer Hydrophilic Coating
- .014" Guide wire compatible

Shaft Length	Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
	Diameter (mm)	Length (cm)			
150cm					
<b>U415042*</b>	4	2	4	6	16
<b>U415044</b>	4	4	4	6	16
<b>U415048</b>	4	8	4	6	15
<b>U4150410*</b>	4	10	4	6	15
<b>U415412</b>	4	12	4	6	15
<b>U4150415*</b>	4	15	5	6	15
<b>U4150422*</b>	4	22	5	6	15
<b>U4150430*</b>	4	30	5	6	15
<b>U415052*</b>	5	2	5	6	14
<b>U415054</b>	5	4	5	6	14
<b>U415058</b>	5	8	5	6	13
<b>U4150510*</b>	5	10	5	6	13
<b>U4150512</b>	5	12	5	6	13
<b>U4150515*</b>	5	15	5	6	13
<b>U4150522*</b>	5	22	5	6	13
<b>U4150530*</b>	5	30	5	6	13

\*Please consult your Bard Representative for local availability

# Angioplasty Catheters

## BANTAM™ α PTA Dilatation Catheter

- QUADFLEX™ balloon material
- SiLX® Coating
- .014" Guide wire compatible



Shaft Length			Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
100cm	130cm	150cm	Diameter (mm)	Length (cm)			
		<b>50212515</b>	1.25	1.5	4	6	14
		<b>50215015</b>	1.5	1.5	4	6	14
<b>50015020</b>	<b>50115020</b>	<b>50215020</b>	1.5	2	4	6	16
<b>50015040</b>	<b>50115040</b>	<b>50215040</b>	1.5	4	4	6	16
<b>50015080</b>	<b>50115080</b>	<b>50215080</b>	1.5	8	4	6	16
<b>50015100</b>	<b>50115100</b>	<b>50215100</b>	1.5	10	4	6	16
<b>50015120</b>	<b>50115120</b>	<b>50215120</b>	1.5	12	4	6	16
<b>50020040</b>	<b>50120040</b>	<b>50220040</b>	2	4	4	6	16
<b>50020080</b>	<b>50120080</b>	<b>50220080</b>	2	8	4	6	15
<b>50020100</b>	<b>50120100</b>	<b>50220100</b>	2	10	4	6	15
<b>50020120</b>	<b>50120120</b>	<b>50220120</b>	2	12	4	6	15
<b>50020150</b>	<b>50120150</b>	<b>50220150</b>	2	15	4	6	15
<b>50020220</b>	<b>50120220</b>	<b>50220220</b>	2	22	4	6	15
<b>50025040</b>	<b>50125040</b>	<b>50225040</b>	2.5	4	4	6	16
<b>50025080</b>	<b>50125080</b>	<b>50225080</b>	2.5	8	4	6	15
<b>50025100</b>	<b>50125100</b>	<b>50225100</b>	2.5	10	4	6	15
<b>50025120</b>	<b>50125120</b>	<b>50225120</b>	2.5	12	4	6	15
<b>50025150</b>	<b>50125150</b>	<b>50225150</b>	2.5	15	4	6	15
<b>50025220</b>	<b>50125220</b>	<b>50225220</b>	2.5	22	4	6	15
<b>50030040*</b>	<b>50130040</b>	<b>50230040*</b>	3	4	4	6	16
<b>50030080</b>	<b>50130080</b>	<b>50230080*</b>	3	8	4	6	15
<b>50030100*</b>	<b>50130100</b>	<b>50230100*</b>	3	10	4	6	15
<b>50030120</b>	<b>50130120</b>	<b>50230120*</b>	3	12	4	6	15
<b>50030150</b>	<b>50130150</b>	<b>50230150*</b>	3	15	4	6	15
<b>50030220*</b>	<b>50130220</b>	<b>50230220*</b>	3	22	4	6	15
<b>50035040*</b>	<b>50135040</b>	<b>50235040*</b>	3.5	4	4	6	16
<b>50035080*</b>	<b>50135080</b>	<b>50235080*</b>	3.5	8	4	6	15
<b>50035100*</b>	<b>50135100</b>	<b>50235100*</b>	3.5	10	4	6	15
<b>50035120*</b>	<b>50135120</b>	<b>50235120*</b>	3.5	12	4	6	15
<b>50040040*</b>	<b>50140040</b>	<b>50240040*</b>	4	4	4	6	16
<b>50040080*</b>	<b>50140080</b>	<b>50240080*</b>	4	8	4	6	15
<b>50040100*</b>	<b>50140100</b>	<b>50240100*</b>	4	10	4	6	15
<b>50040120*</b>	<b>50140120</b>	<b>50240120*</b>	4	12	4	6	15
<b>50050040*</b>	<b>50150040</b>	<b>50250040*</b>	5	4	4	6	14
<b>50050080*</b>	<b>50150080</b>	<b>50250080*</b>	5	8	4	6	13
<b>50050100*</b>	<b>50150100</b>	<b>50250100*</b>	5	10	4	6	13
<b>50050120*</b>	<b>50150120</b>	<b>50250120*</b>	5	12	4	6	13

\*Please consult your Bard Representative for local availability

# Angioplasty Catheters

## ULTRAVERSE™ RX PTA Dilatation Catheter

- CHECKER™ Flex Points
- ULTRA-CROSS™ Dual Layer Hydrophilic Coating
- .014" Guide wire compatible



Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
150cm	200cm	Diameter (mm)	Length (cm)			
<b>U41501Q1HRX</b>		1.25	15	4	6	16
<b>U41501Q2RX</b>		1.25	20	4	6	16
<b>U41501Q4RX</b>		1.25	40	4	6	16
<b>U41501H1HRX</b>		1.5	15	4	6	16
<b>U41501H2RX</b>		1.5	20	4	6	16
<b>U41501H4RX</b>		1.5	40	4	6	16
<b>U41501H8RX</b>		1.5	80	4	6	16
<b>U41501H12RX</b>		1.5	120	4	6	16
<b>U415022RX</b>		2	20	4	6	16
<b>U415024RX</b>	<b>U420024RX</b>	2	40	4	6	16
<b>U415028RX</b>		2	80	4	6	15
	<b>U4200210RX</b>	2	100	4	6	15
<b>U4150212RX</b>		2	120	4	6	15
<b>U4150215RX</b>		2	150	4	6	15
<b>U4150220RX</b>		2	200	4	6	15
<b>U4150230RX</b>		2	300	4	6	15
<b>U41502H2RX</b>		2.5	20	4	6	16
<b>U41502H4RX</b>	<b>U42002H4RX</b>	2.5	40	4	6	16
<b>U41502H8RX</b>		2.5	80	4	6	15
	<b>U42002H10RX</b>	2.5	100	4	6	15
<b>U41502H12RX</b>		2.5	120	4	6	15
<b>U41502H20RX</b>		2.5	200	4	6	15
<b>U41502H30RX</b>		2.5	300	4	6	15
<b>U415032RX</b>		3	20	4	6	16
<b>U415034RX</b>	<b>U420034RX</b>	3	40	4	6	16
<b>U415038RX</b>		3	80	4	6	15
	<b>U4200310RX</b>	3	100	4	6	15
<b>U4150312RX</b>		3	120	4	6	15
<b>U4150315RX</b>		3	150	4	6	15
<b>U4150320RX</b>	<b>U4200320RX</b>	3	200	4	6	15
<b>U4150330RX</b>		3	300	4	6	15

# Angioplasty Catheters

## ULTRAVERSE™ RX PTA Dilatation Catheter

- CHECKER™ Flex Points
- ULTRA-CROSS™ Dual Layer Hydrophilic Coating
- .014" Guide wire compatible



Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
150cm	200cm	Diameter (mm)	Length (cm)			
<b>U41503H4RX</b>	<b>U42003H4RX</b>	3.5	40	4	6	16
<b>U41503H8RX</b>		3.5	80	4	6	15
	<b>U42003H10RX</b>	3.5	100	4	6	15
<b>U41503H12RX</b>		3.5	120	4	6	15
<b>U41503H20RX</b>		3.5	200	4	6	15
<b>U41503H30RX</b>		3.5	300	4	6	15
<b>U415042RX</b>		4	20	4	6	16
<b>U415044RX</b>		4	40	4	6	16
<b>U415048RX</b>		4	80	4	6	15
<b>U4150412RX</b>		4	120	4	6	15
<b>U4150415RX</b>		4	150	5	6	15
<b>U4150420RX</b>		4	200	5	6	15
<b>U4150430RX</b>		4	300	5	6	15
<b>U415054RX</b>		5	40	5	6	14
<b>U415058RX</b>		5	80	5	6	13
<b>U4150512RX</b>		5	120	5	6	13
<b>U4150515RX</b>		5	150	5	6	13
<b>U4150520RX</b>		5	200	5	6	13
<b>U4150530RX</b>		5	300	5	6	13
<b>U415064RX</b>		6	40	5	6	14
<b>U415074RX</b>		7	40	5	6	12

# Angioplasty Catheters

## LITEPAC™ RX PTA Dilatation Catheter

- Rapid exchange
- QUADFLEX™ balloon material
- SiLX® Coating
- .014" Guide wire compatible



Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
150cm	155cm	Diameter (mm)	Length (cm)			
<b>68202117</b>		2	1.5	4	6	16
<b>68202118</b>		2	2	4	6	16
<b>68202119</b>		2	3	4	6	16
<b>68202120</b>		2	4	4	6	16
<b>68202121</b>		2	5	4	6	16
<b>68202122</b>		2	6	4	6	16
<b>68202123</b>		2	8	4	6	15
<b>68202124</b>		2	10	4	6	15
<b>68202125</b>		2	12	4	6	15
	<b>68202144</b>	2	15	4	6	15
	<b>68202146</b>	2	22	4	6	15
<b>68202126</b>		2.5	1.5	4	6	16
<b>68202127</b>		2.5	2	4	6	16
<b>68202128</b>		2.5	3	4	6	16
<b>68202129</b>		2.5	4	4	6	16
<b>68202130</b>		2.5	5	4	6	16
<b>68202131</b>		2.5	6	4	6	16
<b>68202132</b>		2.5	8	4	6	15
<b>68202133</b>		2.5	10	4	6	15
<b>68202134</b>		2.5	12	4	6	15
	<b>68202147</b>	2.5	15	4	6	15
	<b>68202149</b>	2.5	22	4	6	15
<b>68202075</b>		3	1.5	4	6	16
<b>68202080</b>		3	2	4	6	16
<b>68202085</b>		3	3	4	6	16
<b>68202090</b>		3	4	4	6	16
<b>68202095</b>		3	5	4	6	16
<b>68202100</b>		3	6	4	6	16
<b>68202105</b>		3	8	4	6	15
<b>68202109</b>		3	10	4	6	15
<b>68202113</b>		3	12	4	6	15
	<b>68202150</b>	3	15	4	6	15
	<b>68202152</b>	3	22	4	6	15
<b>68202135</b>		3.5	1.5	4	6	16
<b>68202136</b>		3.5	2	4	6	16
<b>68202137</b>		3.5	3	4	6	16
<b>68202138</b>		3.5	4	4	6	16
<b>68202139</b>		3.5	5	4	6	16
<b>68202140</b>		3.5	6	4	6	16
<b>68202141</b>		3.5	8	4	6	15
<b>68202142</b>		3.5	10	4	6	15
<b>68202143</b>		3.5	12	4	6	15
	<b>68202153</b>	3.5	15	4	6	15
	<b>68202155</b>	3.5	22	4	6	15

# Angioplasty Catheters

## LITEPAC™ RX PTA Dilatation Catheter


- Rapid exchange
- QUADFLEX™ balloon material
- SiLX® Coating
- .014" Guide wire compatible

Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
150cm	155cm	Diameter (mm)	Length (cm)			
<b>68202076</b>		4	1.5	4	6	16
<b>68202081</b>		4	2	4	6	16
<b>68202086</b>		4	3	4	6	16
<b>68202091</b>		4	4	4	6	16
<b>68202096</b>		4	5	4	6	16
<b>68202101</b>		4	6	4	6	16
<b>68202106</b>		4	8	4	6	15
<b>68202110</b>		4	10	4	6	15
<b>68202114</b>		4	12	4	6	15
	<b>68202156</b>	4	15	4	6	15
	<b>68202158</b>	4	22	4	6	15
<b>68202077</b>		5	1.5	4	6	14
<b>68202082</b>		5	2	4	6	14
<b>68202087</b>		5	3	4	6	14
<b>68202092</b>		5	4	4	6	14
<b>68202097</b>		5	5	4	6	14
<b>68202102</b>		5	6	4	6	14
<b>68202107</b>		5	8	4	6	13
<b>68202111</b>		5	10	4	6	13
<b>68202115</b>		5	12	4	6	13
<b>68202164</b>		5.5	2	4	6	14
<b>68202078</b>		6	1.5	5	6	14
<b>68202083</b>		6	2	5	6	14
<b>68202088</b>		6	3	5	6	14
<b>68202093</b>		6	4	5	6	14
<b>68202098</b>		6	5	5	6	14
<b>68202103</b>		6	6	5	6	14
<b>68202079</b>		7	1.5	5	6	12
<b>68202084</b>		7	2	5	6	12
<b>68202089</b>		7	3	5	6	12
<b>68202094</b>		7	4	5	6	12
<b>68202099</b>		7	5	5	6	12
<b>68202104</b>		7	6	5	6	12

# Angioplasty Catheters

## ULTRAVERSE® 018 PTA Dilatation Catheter

- CHECKER™ Flex Points
- ULTRA-CROSS™ Dual Layer Hydrophilic Coating
- .018" Guide wire compatible



Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
75cm	130cm	Diameter (mm)	Length (cm)			
<b>U87522</b>	<b>U813022</b>	2	2	4	6	16
<b>U87524</b>	<b>U813024</b>	2	4	4	6	16
	<b>U813026</b>	2	6	4	6	16
	<b>U813028</b>	2	8	4	6	15
<b>U875210</b>	<b>U8130210</b>	2	10	4	6	15
<b>U875212</b>	<b>U8130212</b>	2	12	4	6	15
<b>U875215</b>	<b>U8130215</b>	2	15	4	6	15
<b>U875222</b>	<b>U8130222</b>	2	22	4	6	15
	<b>U8130230*</b>	2	30	4	6	15
<b>U8752H2</b>	<b>U81302H2</b>	2.5	2	4	6	16
<b>U8752H4</b>	<b>U81302H4</b>	2.5	4	4	6	16
	<b>U81302H6</b>	2.5	6	4	6	16
	<b>U81302H8</b>	2.5	8	4	6	15
<b>U8752H10</b>	<b>U81302H10</b>	2.5	10	4	6	15
	<b>U81302H12</b>	2.5	12	4	6	15
<b>U8752H15</b>	<b>U81302H15</b>	2.5	15	4	6	15
	<b>U81302H22</b>	2.5	22	4	6	15
	<b>U81302H30*</b>	2.5	30	4	6	15
<b>U87532</b>	<b>U813032</b>	3	2	4	6	16
<b>U87534</b>	<b>U813034</b>	3	4	4	6	16
	<b>U813036</b>	3	6	4	6	16
	<b>U813038</b>	3	8	4	6	15
<b>U875310</b>	<b>U8130310</b>	3	10	4	6	15
<b>U875312</b>	<b>U8130312</b>	3	12	4	6	15
<b>U875315</b>	<b>U8130315</b>	3	15	4	6	15
<b>U875322</b>	<b>U8130322</b>	3	22	4	6	15
	<b>U8130330*</b>	3	30	4	6	15
<b>U8753H2</b>	<b>U81303H2</b>	3.5	2	4	6	16
<b>U8753H4</b>	<b>U81303H4</b>	3.5	4	4	6	16
	<b>U81303H6</b>	3.5	6	4	6	16
	<b>U81303H8</b>	3.5	8	4	6	15
<b>U8753H10</b>	<b>U81303H10</b>	3.5	10	4	6	15
	<b>U81303H12</b>	3.5	12	4	6	15
<b>U8753H15</b>	<b>U81303H15</b>	3.5	15	4	6	15
	<b>U81303H22</b>	3.5	22	4	6	15
	<b>U81303H30*</b>	3.5	30	4	6	15



# Angioplasty Catheters

## ULTRAVERSE® 018 PTA Dilatation Catheter


- CHECKER™ Flex Points
- ULTRA-CROSS™ Dual Layer Hydrophilic Coating
- .018" Guide wire compatible

Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
75cm	130cm	Diameter (mm)	Length (cm)			
<b>U87542</b>	<b>U813042</b>	4	2	4	6	16
<b>U87544</b>	<b>U813044</b>	4	4	4	6	16
<b>U87546</b>	<b>U813046</b>	4	6	4	6	16
	<b>U813048</b>	4	8	4	6	15
<b>U875410</b>	<b>U8130410</b>	4	10	4	6	15
<b>U875412</b>	<b>U8130412</b>	4	12	4	6	15
<b>U875415</b>	<b>U8130415</b>	4	15	5	6	15
<b>U875422</b>	<b>U8130422</b>	4	22	5	6	15
	<b>U8130430*</b>	4	30	4	6	15
<b>U87552</b>	<b>U813052</b>	5	2	5	6	14
<b>U87554</b>	<b>U813054</b>	5	4	5	6	14
<b>U87556</b>	<b>U813056</b>	5	6	5	6	14
	<b>U813058</b>	5	8	5	6	13
<b>U875510</b>	<b>U8130510</b>	5	10	5	6	13
<b>U875512</b>	<b>U8130512</b>	5	12	5	6	13
<b>U875515</b>	<b>U8130515</b>	5	15	5	6	13
<b>U875522</b>	<b>U8130522</b>	5	22	5	6	13
	<b>U8130530*</b>	5	30	4	6	13
<b>U87562</b>	<b>U813062</b>	6	2	5	6	14
<b>U87564</b>	<b>U813064</b>	6	4	5	6	14
<b>U87566</b>	<b>U813066</b>	6	6	5	6	14
	<b>U813068</b>	6	8	5	6	12
<b>U875610</b>	<b>U8130610</b>	6	10	5	6	12
<b>U875612</b>	<b>U8130612</b>	6	12	5	6	12
<b>U875615</b>	<b>U8130615</b>	6	15	5	6	12
<b>U875622</b>	<b>U8130622</b>	6	22	5	6	12
	<b>U8130630*</b>	6	30	4	6	12
<b>U87574</b>	<b>U813074</b>	7	4	5	6	12
<b>U87584</b>	<b>U813084</b>	8	4	6	6	12
<b>U87594</b>	<b>U813094</b>	9	4	6	6	11

# Angioplasty Catheters

## BANTAM™ PTA Dilatation Catheter

- QUADFLEX™ balloon material
- SILX® Coating
- .018" Guide wire compatible



Shaft Length					Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
75cm	90cm	130cm	150cm	180cm	Diameter (mm)	Length (cm)			
<b>48402020*</b>		<b>48502020</b>			2	2	4	6	16
<b>48404020*</b>	<b>48804020</b>	<b>48504020</b>		<b>48004020*</b>	2	4	4	6	16
<b>48406020*</b>		<b>48506020</b>			2	6	4	6	16
<b>48408020*</b>	<b>48808020</b>	<b>48508020</b>		<b>48008020*</b>	2	8	4	6	15
<b>48410020*</b>		<b>48510020</b>		<b>48010020*</b>	2	10	4	6	15
<b>48412020*</b>	<b>48812020</b>	<b>48512020</b>			2	12	4	6	15
<b>48415020*</b>		<b>48515020</b>			2	15	4	6	15
<b>48422020*</b>		<b>48522020</b>			2	22	4	6	15
		<b>48528020</b>			2	28	4	6	15
<b>48402025*</b>		<b>48502025</b>			2.5	2	4	6	16
<b>48404025*</b>	<b>48804025</b>	<b>48504025</b>		<b>48004025*</b>	2.5	4	4	6	16
<b>48406025*</b>		<b>48506025</b>			2.5	6	4	6	16
<b>48408025*</b>	<b>48808025</b>	<b>48508025</b>		<b>48008025*</b>	2.5	8	4	6	15
<b>48410025*</b>		<b>48510025</b>		<b>48010025</b>	2.5	10	4	6	15
<b>48412025*</b>	<b>48812025</b>	<b>48512025</b>			2.5	12	4	6	15
<b>48415025*</b>		<b>48515025</b>			2.5	15	4	6	15
<b>48422025*</b>	<b>48822025</b>	<b>48522025</b>			2.5	22	4	6	15
		<b>48528025</b>			2.5	28	4	6	15
<b>48402030*</b>		<b>48502030</b>			3	2	4	6	16
<b>48404030*</b>	<b>48804030</b>	<b>48504030</b>		<b>48004030*</b>	3	4	4	6	16
<b>48406030*</b>		<b>48506030</b>			3	6	4	6	16
<b>48408030*</b>	<b>48808030</b>	<b>48508030</b>		<b>48008030*</b>	3	8	4	6	15
<b>48410030*</b>		<b>48510030</b>		<b>48010030</b>	3	10	4	6	15
<b>48412030*</b>	<b>48812030</b>	<b>48512030</b>			3	12	4	6	15
<b>48415030*</b>		<b>48515030</b>			3	15	4	6	15
<b>48422030*</b>	<b>48822030</b>	<b>48522030</b>			3	22	4	6	15
		<b>48528030</b>			3	28	4	6	15
<b>48402035*</b>		<b>48502035</b>			3.5	2	4	6	16
<b>48404035*</b>		<b>48504035</b>		<b>48004035*</b>	3.5	4	4	6	16
<b>48406035*</b>		<b>48506035</b>			3.5	6	4	6	16
<b>48408035*</b>		<b>48508035</b>		<b>48008035*</b>	3.5	8	4	6	15
<b>48410035*</b>		<b>48510035</b>		<b>48010035*</b>	3.5	10	4	6	15
<b>48412035*</b>		<b>48512035</b>			3.5	12	4	6	15
<b>48415035*</b>		<b>48515035</b>			3.5	15	4	6	15
<b>48422035*</b>		<b>48522035</b>			3.5	22	4	6	15
		<b>48528035</b>			3.5	28	4	6	15

\*Please consult your Bard Representative for local availability

# Angioplasty Catheters

## BANTAM™ PTA Dilatation Catheter

- QUADFLEX™ balloon material
- SiLX® Coating
- .018" Guide wire compatible

Shaft Length					Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
75cm	90cm	130cm	150cm	180cm	Diameter (mm)	Length (cm)			
<b>48402040</b>		<b>48502040</b>			4	2	4	6	16
<b>48404040</b>		<b>48504040</b>		<b>48004040*</b>	4	4	4	6	16
<b>48406040</b>		<b>48506040</b>			4	6	4	6	16
<b>48408040</b>		<b>48508040</b>		<b>48008040*</b>	4	8	4	6	15
<b>48410040</b>		<b>48510040</b>		<b>48010040*</b>	4	10	4	6	15
<b>48412040</b>		<b>48512040</b>			4	12	4	6	15
<b>48415040</b>		<b>48515040</b>			4	15	4	6	15
<b>48422040</b>		<b>48522040</b>			4	22	4	6	15
		<b>48528040</b>			4	28	4	6	15
<b>48402050</b>		<b>48502050</b>			5	2	4	6	14
<b>48404050</b>		<b>48504050</b>	<b>47904050*</b>		5	4	4	6	14
<b>48406050</b>		<b>48506050</b>			5	6	4	6	14
<b>48408050</b>		<b>48508050</b>	<b>47908050*</b>		5	8	4	6	13
<b>48410050</b>		<b>48510050</b>	<b>47910050*</b>		5	10	4	6	13
<b>48412050</b>		<b>48512050</b>	<b>47912050*</b>		5	12	4	6	13
<b>48415050</b>		<b>48515050</b>			5	15	4	6	13
<b>48422050</b>		<b>48522050</b>			5	22	4	6	13
		<b>48528050</b>			5	28	4	6	13
<b>48402060</b>		<b>48502060</b>			6	2	5	6	14
<b>48404060</b>		<b>48504060</b>	<b>47904060*</b>		6	4	5	6	14
<b>48406060</b>		<b>48506060</b>			6	6	5	6	14
<b>48408060</b>		<b>48508060</b>	<b>47908060*</b>		6	8	5	6	12
<b>48410060</b>		<b>48510060</b>	<b>47910060*</b>		6	10	5	6	12
<b>48412060</b>		<b>48512060</b>	<b>47912060*</b>		6	12	5	6	12
<b>48415060</b>		<b>48515060</b>			6	15	5	6	12
<b>48422060</b>		<b>48522060</b>			6	22	5	6	12
		<b>48528060</b>			6	28	5	6	12
<b>48404070*</b>		<b>48504070</b>			7	4	5	6	12
<b>48406070*</b>		<b>48506070</b>			7	6	5	6	12
<b>48404080*</b>		<b>48504080</b>			8	4	6	6	12
<b>48406080*</b>		<b>48506080</b>			8	6	6	6	12
<b>48404090*</b>		<b>48504090</b>			9	4	6	6	11
<b>48406090*</b>		<b>48506090</b>			9	6	6	6	11

\*Please consult your Bard Representative for local availability

# Angioplasty Catheters

## CONQUEST® PTA Dilatation Catheter

- High pressure
- Indicated for vascular access
- .035" Guide wire compatible



Shaft Length			Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
50cm	75cm	120cm	Diameter (mm)	Length (cm)			
<b>CQ5052</b>	<b>CQ7552</b>		5	2	6	8	30
<b>CQ5054</b>	<b>CQ7554</b>	<b>CQ12054*</b>	5	4	6	8	30
<b>CQ5058</b>	<b>CQ7558</b>		5	8	6	8	27
<b>CQ5062</b>	<b>CQ7562</b>	<b>CQ12062*</b>	6	2	6	8	30
<b>CQ5064</b>	<b>CQ7564</b>	<b>CQ12064*</b>	6	4	6	8	30
<b>CQ5068</b>	<b>CQ7568</b>		6	8	6	8	27
<b>CQ5072</b>	<b>CQ7572</b>	<b>CQ12072*</b>	7	2	6	8	30
<b>CQ5074</b>	<b>CQ7574</b>	<b>CQ12074*</b>	7	4	6	8	30
<b>CQ5076</b>	<b>CQ7576</b>		7	6	6	8	27
<b>CQ5078</b>	<b>CQ7578</b>		7	8	6	8	27
<b>CQ5082</b>	<b>CQ7582</b>	<b>CQ12082*</b>	8	2	6	8	27
<b>CQ5083</b>	<b>CQ7583</b>		8	3	6	8	27
<b>CQ5084</b>	<b>CQ7584</b>	<b>CQ12084*</b>	8	4	6	8	27
<b>CQ5086</b>	<b>CQ7586</b>		8	6	6	8	25
<b>CQ5088</b>	<b>CQ7588</b>		8	8	6	8	25
<b>CQ5092</b>	<b>CQ7592</b>		9	2	7	8	26
<b>CQ5094</b>	<b>CQ7594</b>	<b>CQ12094*</b>	9	4	7	8	26
	<b>CQ75102</b>		10	2	7	8	24
	<b>CQ75104</b>	<b>CQ120104*</b>	10	4	7	8	24
	<b>CQ75122</b>		12	2	8	8	20
	<b>CQ75124</b>		12	4	8	8	20

\*Please consult your Bard Representative for local availability

# Angioplasty Catheters

## CONQUEST® 40 PTA Dilatation Catheter

- Up to 40 ATM Rated Burst Pressure
- 4-12 Diameters
- 2-10 cm lengths
- New Smaller Tapered Tip
- New Tighter fiber pattern
- Delivers maximum dilatation forces to areas of most resistance
- True to size 8 ATM to 40 ATM – Allows higher pressures without vessel over expansion
- Stent/Stent Graft Indication



Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
50cm	75cm	Diameter (mm)	Length (cm)			
<b>CQF5042</b>	<b>CQF7542</b>	4	2	6	8	40
<b>CQF5044</b>	<b>CQF7544</b>	4	4	6	8	40
<b>CQF5046</b>	<b>CQF7546</b>	4	6	6	8	40
<b>CQF5048</b>	<b>CQF7548</b>	4	8	6	8	40
<b>CQF50410</b>	<b>CQF75410</b>	4	10	6	8	40
<b>CQF5052</b>	<b>CQF7552</b>	5	2	6	8	40
<b>CQF5054</b>	<b>CQF7554</b>	5	4	6	8	40
<b>CQF5056</b>	<b>CQF7556</b>	5	6	6	8	40
<b>CQF5058</b>	<b>CQF7558</b>	5	8	6	8	40
<b>CQF50510</b>	<b>CQF7510</b>	5	10	6	8	40
<b>CQF5062</b>	<b>CQF7562</b>	6	2	6	8	40
<b>CQF5064</b>	<b>CQF7564</b>	6	4	6	8	40
<b>CQF5066</b>	<b>CQF7566</b>	6	6	6	8	40
<b>CQF5068</b>	<b>CQF7568</b>	6	8	6	8	40
<b>CQF50610</b>	<b>CQF75610</b>	6	10	6	8	40
<b>CQF5072</b>	<b>CQF7572</b>	7	2	6	8	40
<b>CQF5074</b>	<b>CQF7574</b>	7	4	6	8	40
<b>CQF5076</b>	<b>CQF7576</b>	7	6	6	8	40
<b>CQF5078</b>	<b>CQF7578</b>	7	8	6	8	40
<b>CQF50710</b>	<b>CQF75710</b>	7	10	6	8	40
<b>CQF5082</b>	<b>CQF7582</b>	8	2	6	8	40
<b>CQF5083</b>	<b>CQF7583</b>	8	3	6	8	40
<b>CQF5084</b>	<b>CQF7584</b>	8	4	6	8	40
<b>CQF5086</b>	<b>CQF7586</b>	8	6	6	8	35
<b>CQF5088</b>	<b>CQF7588</b>	8	8	6	8	35
<b>CQF50810</b>	<b>CQF75810</b>	8	10	6	8	35
<b>CQF5092</b>	<b>CQF7592</b>	9	2	7	8	35
<b>CQF5094</b>	<b>CQF7594</b>	9	4	7	8	35
<b>CQF5098</b>	<b>CQF7598</b>	9	8	7	8	35
	<b>CQF75102</b>	10	2	7	8	35
	<b>CQF75104</b>	10	4	7	8	35
	<b>CQF75108</b>	10	8	7	8	35
	<b>CQF75122</b>	12	2	8	8	35
	<b>CQF75124</b>	12	4	8	8	35

# Angioplasty Catheters

## BANTAM™ Florian PTA Catheter

- QUADFLEX™ balloon material
- SiLX® Coating
- 45cm shaft for easy dialysis dilatation
- .018" Guide wire compatible



Shaft Length	Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
	Diameter (mm)	Length (cm)			
45cm					
<b>47804050</b>	5	4	4	6	14
<b>47804060</b>	6	4	5	6	14
<b>47804070</b>	7	4	5	6	12

# Angioplasty Catheters

## ATLAS® Gold PTA Dilatation Catheter

- Large diameter
- Flexibility to deliver either low or high pressure
- Short shoulders
- .035" Guide wire compatible




Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
80cm	120cm	Diameter (mm)	Length (cm)			
<b>ATG80122*</b>	<b>ATG120122*</b>	12	2	7	6	18
<b>ATG80124*</b>	<b>ATG120124*</b>	12	4	7	6	18
<b>ATG80126*</b>	<b>ATG120126*</b>	12	6	7	6	18
<b>ATG50142*</b>	<b>ATG120142*</b>	14	2	7	6	18
<b>ATG80144*</b>	<b>ATG120144*</b>	14	4	7	6	18
<b>ATG80146*</b>	<b>ATG120146*</b>	14	6	8	6	18
<b>ATG80162*</b>	<b>ATG120162*</b>	16	2	8	6	18
<b>ATG80164*</b>	<b>ATG120164*</b>	16	4	8	6	18
<b>ATG80166*</b>	<b>ATG120166*</b>	16	6	8	6	16
<b>ATG80182*</b>	<b>ATG120182*</b>	18	2	8	6	16
<b>ATG80184*</b>	<b>ATG120184*</b>	18	4	8	6	16
<b>ATG80186*</b>	<b>ATG120186*</b>	18	6	9	6	16
<b>ATG80202*</b>	<b>ATG120202*</b>	20	2	9	6	16
<b>ATG80204*</b>	<b>ATG120204*</b>	20	4	9	6	16
<b>ATG80222*</b>	<b>ATG120222*</b>	22	2	10	4	14
<b>ATG80224*</b>	<b>ATG120224*</b>	22	4	10	4	14
<b>ATG80242*</b>	<b>ATG120242*</b>	24	2	10	4	14
<b>ATG80244*</b>	<b>ATG120244*</b>	24	4	10	4	14
<b>ATG80262*</b>	<b>ATG120262*</b>	26	2	12	4	12
<b>ATG80264*</b>	<b>ATG120264*</b>	26	4	12	4	12

\*Please consult your Bard Representative for local availability

# Angioplasty Catheters

## VASCUTRAK™ PTA Dilatation Catheter

- Focused Force for low pressure dilatation
- Short Rapid Exchange



Shaft Length	Balloon Size		Guide Wire (inch)	Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
	Diameter (mm)	Length (cm)				
140cm - RX						
<b>V142020</b>	2	2	.014	5	8	12
<b>V142040</b>	2	4	.014	5	8	12
<b>V142060</b>	2	6	.014	5	8	12
<b>V142080</b>	2	8	.014	5	8	12
<b>V1420100</b>	2	10	.014	5	8	12
<b>V1420120</b>	2	12	.014	5	8	12
<b>V1420150</b>	2	15	.014	5	8	12
<b>V1420200</b>	2	20	.014	5	8	12
<b>V1420250</b>	2	25	.014	5	8	12
<b>V1420300</b>	2	30	.014	5	8	12
<b>V142520</b>	2.5	2	.014	5	8	12
<b>V142540</b>	2.5	4	.014	5	8	12
<b>V142560</b>	2.5	6	.014	5	8	12
<b>V142580</b>	2.5	8	.014	5	8	12
<b>V1425100</b>	2.5	10	.014	5	8	12
<b>V1425120</b>	2.5	12	.014	5	8	12
<b>V1425150</b>	2.5	15	.014	5	8	12
<b>V1425200</b>	2.5	20	.014	5	8	12
<b>V1425250</b>	2.5	25	.014	5	8	12
<b>V1425300</b>	2.5	30	.014	5	8	12
<b>V143020</b>	3	2	.014	5	8	12
<b>V143040</b>	3	4	.014	5	8	12
<b>V143060</b>	3	6	.014	5	8	12
<b>V143080</b>	3	8	.014	5	8	12
<b>V1430100</b>	3	10	.014	5	8	12
<b>V1430120</b>	3	12	.014	5	8	12
<b>V1430150</b>	3	15	.014	5	8	12
<b>V1430200</b>	3	20	.014	5	8	12
<b>V1430250</b>	3	25	.014	5	8	12
<b>V1430300</b>	3	30	.014	5	8	12
<b>V143520</b>	3.5	2	.014	5	8	12
<b>V143540</b>	3.5	4	.014	5	8	12
<b>V143560</b>	3.5	6	.014	5	8	12
<b>V143580</b>	3.5	8	.014	5	8	12
<b>V1435100</b>	3.5	10	.014	5	8	12
<b>V1435120</b>	3.5	12	.014	5	8	12
<b>V1435150</b>	3.5	15	.014	5	8	12
<b>V1435200</b>	3.5	20	.014	5	8	12
<b>V1435250</b>	3.5	25	.014	5	8	12
<b>V1435300</b>	3.5	30	.014	5	8	12



# Angioplasty Catheters

## VASCUTRAK™ PTA Dilatation Catheter

- Focused Force for low pressure dilatation
- Short Rapid Exchange

Shaft Length		Balloon Size		Guide Wire (inch)	Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
140cm - RX	80cm - RX	Diameter (mm)	Length (cm)				
<b>V184020</b>	<b>V184020S</b>	4	2	.018	5	6	12
<b>V184040</b>	<b>V184040S</b>	4	4	.018	5	6	12
<b>V184060</b>	<b>V184060S</b>	4	6	.018	5	6	12
<b>V184080</b>	<b>V184080S</b>	4	8	.018	5	6	12
<b>V1840100</b>	<b>V1840100S</b>	4	10	.018	5	6	12
<b>V1840120</b>		4	12	.018	5	6	12
<b>V1840150</b>	<b>V1840150S</b>	4	15	.018	5	6	12
<b>V1840200</b>	<b>V1840200S</b>	4	20	.018	5	6	12
<b>V1840250</b>		4	25	.018	5	6	12
<b>V1840300</b>	<b>V1840300S</b>	4	30	.018	5	6	12
<b>V185020</b>	<b>V185020S</b>	5	2	.018	6	6	12
<b>V185040</b>	<b>V185040S</b>	5	4	.018	6	6	12
<b>V185060</b>	<b>V185060S</b>	5	6	.018	6	6	12
<b>V185080</b>	<b>V185080S</b>	5	8	.018	6	6	12
<b>V1850100</b>	<b>V1850100S</b>	5	10	.018	6	6	12
<b>V1850120</b>		5	12	.018	6	6	12
<b>V1850150</b>	<b>V1850150S</b>	5	15	.018	6	6	12
<b>V1850200</b>	<b>V1850200S</b>	5	20	.018	6	6	12
<b>V1850250</b>		5	25	.018	6	6	12
<b>V1850300</b>	<b>V1850300S</b>	5	30	.018	6	6	12
<b>V186020</b>	<b>V186020S</b>	6	2	.018	7	6	12
<b>V186040</b>	<b>V186040S</b>	6	4	.018	7	6	12
<b>V186060</b>	<b>V186060S</b>	6	6	.018	7	6	12
<b>V186080</b>	<b>V186080S</b>	6	8	.018	7	6	12
<b>V1860100</b>	<b>V1860100S</b>	6	10	.018	7	6	12
<b>V1860120</b>		6	12	.018	7	6	12
<b>V1860150</b>	<b>V1860150S</b>	6	15	.018	7	6	12
<b>V1860200</b>	<b>V1860200S</b>	6	20	.018	7	6	12
<b>V1860250</b>		6	25	.018	7	6	12
<b>V1860300</b>	<b>V1860300S</b>	6	30	.018	7	6	12
<b>V187020</b>	<b>V187020S</b>	7	2	.018	7	6	12
<b>V187040</b>	<b>V187040S</b>	7	4	.018	7	6	12
<b>V187060</b>	<b>V187060S</b>	7	6	.018	7	6	12
<b>V187080</b>	<b>V187080S</b>	7	8	.018	7	6	12
<b>V1870100</b>	<b>V1870100S</b>	7	10	.018	7	6	12
<b>V1870120</b>		7	12	.018	7	6	12
<b>V1870150</b>		7	15	.018	7	6	12
<b>V1870200</b>		7	20	.018	7	6	12
<b>V1870250</b>		7	25	.018	7	6	12
<b>V1870300</b>		7	30	.018	7	6	12

# Angioplasty Catheters

## REEKROSS™ PTA Dilatation Catheter

- Special CTO PTA catheter for antegrade approach
- QUADFLEX™ balloon material
- SiLX® coating
- Available as .035", .018" and .014" versions



Shaft Length		Balloon Size		Guide Wire (inch)	Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
75cm	110cm	Diameter (mm)	Length (cm)				
	<b>37722040*</b>	2	4	.035	5	6	16
	<b>37722080*</b>	2	8	.035	5	6	15
	<b>37722120*</b>	2	12	.035	5	6	15
	<b>37722150*</b>	2	15	.035	5	6	15
	<b>37722220*</b>	2	22	.035	5	6	15
	<b>37722540*</b>	2.5	4	.035	5	6	16
	<b>37722580*</b>	2.5	8	.035	5	6	15
	<b>37722502*</b>	2.5	12	.035	5	6	15
	<b>37722503*</b>	2.5	15	.035	5	6	15
	<b>37722505*</b>	2.5	22	.035	5	6	15
<b>37713040*</b>	<b>37723040</b>	3	4	.035	5	6	16
<b>37713080*</b>	<b>37723080</b>	3	8	.035	5	6	15
<b>37713120*</b>	<b>37723120</b>	3	12	.035	5	6	15
<b>37713150*</b>	<b>37723150</b>	3	15	.035	5	6	15
<b>37713220*</b>	<b>37723220</b>	3	22	.035	5	6	15
<b>37713540*</b>	<b>37723540*</b>	3.5	4	.035	5	6	16
<b>37713580*</b>	<b>37723580*</b>	3.5	8	.035	5	6	15
<b>37713502*</b>	<b>37723502*</b>	3.5	12	.035	5	6	15
<b>37713503*</b>	<b>37723503*</b>	3.5	15	.035	5	6	15
<b>37713505*</b>	<b>37723505*</b>	3.5	22	.035	5	6	15
<b>37714040</b>	<b>37724040</b>	4	4	.035	5	6	16
<b>37714080</b>	<b>37724080</b>	4	8	.035	5	6	15
<b>37714120</b>	<b>37724120</b>	4	12	.035	5	6	15
<b>37714150</b>	<b>37724150</b>	4	15	.035	5	6	15
<b>37714220</b>	<b>37724220</b>	4	22	.035	5	6	15
<b>37715040</b>	<b>37725040</b>	5	4	.035	5	6	14
<b>37715120</b>	<b>37725120</b>	5	12	.035	5	6	13
<b>37715220</b>		5	22	.035	5	6	13
<b>37716040</b>		6	4	.035	6	6	13

\*Please consult your Bard Representative for local availability

# Angioplasty Catheters

## REEKROSS™ PTA Dilatation Catheter

- Special CTO PTA catheter for antegrade approach
- QUADFLEX™ balloon material
- SiLX® coating
- Available as .035", .018" and .014" versions

Shaft Length	Balloon Size		Guide Wire (inch)	Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
	Diameter (mm)	Length (cm)				
130cm						
<b>37920040</b>	2	4	.018	4	6	16
<b>37920080</b>	2	8	.018	4	6	15
<b>37920120</b>	2	12	.018	4	6	15
<b>37920150</b>	2	15	.018	4	6	15
<b>37920220</b>	2	22	.018	4	6	15
<b>37925040</b>	2.5	4	.018	4	6	16
<b>37925080</b>	2.5	8	.018	4	6	15
<b>37925120</b>	2.5	12	.018	4	6	15
<b>37925150</b>	2.5	15	.018	4	6	15
<b>37925220</b>	2.5	22	.018	4	6	15
<b>37930040</b>	3	4	.018	4	6	16
<b>37930080</b>	3	8	.018	4	6	15
<b>37930120</b>	3	12	.018	4	6	15
<b>37930150</b>	3	15	.018	4	6	15
<b>37930220</b>	3	22	.018	4	6	15
<b>37935040</b>	3.5	4	.018	4	6	16
<b>37935080</b>	3.5	8	.018	4	6	15
<b>37935120</b>	3.5	12	.018	4	6	15
<b>37935150</b>	3.5	15	.018	4	6	15
<b>37935220</b>	3.5	22	.018	4	6	15
<b>37940040</b>	4	4	.018	4	6	16
<b>37940080</b>	4	8	.018	4	6	15
<b>37940120</b>	4	12	.018	4	6	15
<b>37940150</b>	4	15	.018	4	6	15
<b>37940220</b>	4	22	.018	4	6	15
<b>37950040</b>	5	4	.018	4	6	14
<b>37950080</b>	5	8	.018	4	6	13
<b>37950120</b>	5	12	.018	4	6	13
<b>37950150</b>	5	15	.018	4	6	13
<b>37950220</b>	5	22	.018	4	6	13

# Angioplasty Catheters

## REEKROSS™ PTA Dilatation Catheter

- Special CTO PTA catheter for antegrade approach
- QUADFLEX™ balloon material
- SiLX® coating
- Available as .035", .018" and .014" versions

Shaft Length	Balloon Size		Guide Wire (inch)	Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
	Diameter (mm)	Length (cm)				
140cm						
<b>38020040</b>	2	4	.014	4	6	16
<b>38020080</b>	2	8	.014	4	6	15
<b>38020120</b>	2	12	.014	4	6	15
<b>38020150</b>	2	15	.014	4	6	15
<b>38020220</b>	2	22	.014	4	6	15
<b>38025040</b>	2.5	4	.014	4	6	16
<b>38025080</b>	2.5	8	.014	4	6	15
<b>38025120</b>	2.5	12	.014	4	6	15
<b>38025150</b>	2.5	15	.014	4	6	15
<b>38025220</b>	2.5	22	.014	4	6	15
<b>38030040</b>	3	4	.014	4	6	16
<b>38030080</b>	3	8	.014	4	6	15
<b>38030120</b>	3	12	.014	4	6	15
<b>38030150</b>	3	15	.014	4	6	15
<b>38030220</b>	3	22	.014	4	6	15
<b>38035040</b>	3.5	4	.014	4	6	16
<b>38035080</b>	3.5	8	.014	4	6	15
<b>38035120</b>	3.5	12	.014	4	6	15
<b>38035150</b>	3.5	15	.014	4	6	15
<b>38035220</b>	3.5	22	.014	4	6	15
<b>38040040</b>	4	4	.014	4	6	16
<b>38040080</b>	4	8	.014	4	6	15
<b>38040120</b>	4	12	.014	4	6	15
<b>38040150</b>	4	15	.014	4	6	15
<b>38040220</b>	4	22	.014	4	6	15
<b>38050040</b>	5	4	.014	4	6	14
<b>38050080</b>	5	8	.014	4	6	13
<b>38050120</b>	5	12	.014	4	6	13
<b>38050150</b>	5	15	.014	4	6	13
<b>38050220</b>	5	22	.014	4	6	13

# Angioplasty Catheters

## REEFLEX™ PTA Dilatation Catheter

- Special CTO PTA catheter for contralateral approach
- QUADFLEX™ balloon material
- SiLX® coating
- .035" guide wire compatible



Shaft Length	Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
	Diameter (mm)	Length (cm)			
110cm					
<b>37733040*</b>	3	4	5	6	16
<b>37733080*</b>	3	8	5	6	15
<b>37733120*</b>	3	12	5	6	15
<b>37733150*</b>	3	15	5	6	15
<b>37733220*</b>	3	22	5	6	15
<b>37733540*</b>	3.5	4	5	6	16
<b>37733580*</b>	3.5	8	5	6	15
<b>37733502*</b>	3.5	12	5	6	15
<b>37733503*</b>	3.5	15	5	6	15
<b>37733505*</b>	3.5	22	5	6	15
<b>37734040</b>	4	4	5	6	16
<b>37734080</b>	4	8	5	6	15
<b>37734120</b>	4	12	5	6	15
<b>37734150</b>	4	15	5	6	15
<b>37734220</b>	4	22	5	6	15
<b>37735040</b>	5	4	5	6	14
<b>37735120</b>	5	12	5	6	13
<b>37735220</b>	5	22	5	6	13

\*Please consult your Bard Representative for local availability

# Drug Coated Balloons

## LUTONIX® 035 Drug Coated Balloon - SFA

- Paclitaxel coated balloon
- .035" guide wire compatible
- 130cm & 100cm shaft



Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
130cm	100cm	Diameter (mm)	Length (cm)			
<b>9004400043</b>	<b>9020410 400040</b>	4	4	5	6	12
<b>9004400063</b>	<b>9020410 400060</b>	4	6	5	6	12
<b>9020413400080</b>	<b>9020410 400080</b>	4	8	5	6	12
<b>9004400103</b>	<b>9020410 400100</b>	4	10	5	6	12
<b>9020413400120</b>	<b>9020410 400120</b>	4	12	5	6	12
<b>9020413400150</b>	<b>9020410 400150</b>	4	15	5	6	12
<b>9004500043</b>	<b>9020410 500040</b>	5	4	5	6	12
<b>9004500063</b>	<b>9020410 500060</b>	5	6	5	6	12
<b>9020413500080</b>	<b>9020410 500080</b>	5	8	5	6	12
<b>9004500103</b>	<b>9020410 500100</b>	5	10	5	6	12
<b>9020413500120</b>	<b>9020410 500120</b>	5	12	5	6	12
<b>9020413500150</b>	<b>9020410 500150</b>	5	15	5	6	12
<b>9004600043</b>	<b>9020410 600040</b>	6	4	6	7	12
<b>9004600063</b>	<b>9020410 600060</b>	6	6	6	7	12
<b>9020413600080</b>	<b>9020410 600080</b>	6	8	6	7	12
<b>9004600103</b>	<b>9020410 600100</b>	6	10	6	7	12
<b>9020413600120</b>	<b>9020410 600120</b>	6	12	6	7	12
<b>9020413600150</b>	<b>9020410 600150</b>	6	15	6	7	12

# Drug Coated Balloons

## LUTONIX® 035 Drug Coated Balloon - SFA

- Paclitaxel coated balloon
- .035" guide wire compatible
- 130cm & 100cm shaft
- 5F & GEOALIGN®



Shaft Length		Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
100cm	130cm	Diameter (mm)	Length (cm)			
<b>9090410 400040</b>	<b>9090413 400040</b>	4	4	5	6	12
<b>9090410 400060</b>	<b>9090413 400060</b>	4	6	5	6	12
<b>9090410 400080</b>	<b>9090413 400080</b>	4	8	5	6	12
<b>9090410 400100</b>	<b>9090413 400100</b>	4	10	5	6	12
<b>9090410 400120</b>	<b>9090413 400120</b>	4	12	5	6	12
<b>9090410 400150</b>	<b>9090413 400150</b>	4	15	5	6	12
<b>9090410 500040</b>	<b>9090413 500040</b>	5	4	5	6	12
<b>9090410 500060</b>	<b>9090413 500060</b>	5	6	5	6	12
<b>9090410 500080</b>	<b>9090413 500080</b>	5	8	5	6	12
<b>9090410 500100</b>	<b>9090413 500100</b>	5	10	5	6	12
<b>9090410 500120</b>	<b>9090413 500120</b>	5	12	5	6	12
<b>9090410 500150</b>	<b>9090413 500150</b>	5	15	5	6	12
<b>9090410 600040</b>	<b>9090413 600040</b>	6	4	5	7	12
<b>9090410 600060</b>	<b>9090413 600060</b>	6	6	5	7	12
<b>9090410 600080</b>	<b>9090413 600080</b>	6	8	5	7	12
<b>9090410 600100</b>	<b>9090413 600100</b>	6	10	5	7	12
<b>9090410 600120</b>	<b>9090413 600120</b>	6	12	5	7	12
<b>9090410 600150</b>	<b>9090413 600150</b>	6	15	5	7	12

# Drug Coated Balloons

## LUTONIX® 035 Drug Coated Balloon - AV Access

- Paclitaxel coated balloon
- .035" guide wire compatible

Shaft Length	Balloon Size		Sheath Size (F)	RBP (atm)
	Diameter (mm)	Length (cm)		
75cm				
<b>9020475 500040</b>	5	4	5	12
<b>9020475 500060</b>	5	6	5	12
<b>9020475 500080</b>	5	8	5	12
<b>9020457 600040</b>	6	4	6	12
<b>9020475 600060</b>	6	6	6	12
<b>9020475 600080</b>	6	8	6	12
<b>9020475 700040</b>	7	4	7	12
<b>9020475 700060</b>	7	6	7	12
<b>9020475 800040</b>	8	4	7	12
<b>9020475 800060</b>	8	6	7	12
<b>9020475 900040</b>	9	4	7	11
<b>9020475 900060</b>	9	6	7	11
<b>9020475 100040</b>	10	4	8	11
<b>9020475 100060</b>	10	6	8	11
<b>9020475 120040</b>	12	4	10	10



# Drug Coated Balloons

## LUTONIX® 035 Drug Coated Balloon - AV Access

- Paclitaxel coated balloon
- .035" guide wire compatible
- 5F available until 7mm diameter
- GEOALIGN® available on all diameters

Shaft Length	Balloon Size		Sheath Size (F)	RBP (atm)
	Diameter (mm)	Length (cm)		
75cm				
<b>9090475 500040</b>	5	4	5	12
<b>9090475 500060</b>	5	6	5	12
<b>9090475 500080</b>	5	8	5	12
<b>9090475 600040</b>	6	4	5	12
<b>9090475 600060</b>	6	6	5	12
<b>9090475 600080</b>	6	8	5	12
<b>9090475 700040</b>	7	4	5	12
<b>9090475 700060</b>	7	6	5	12
<b>9090475 800040</b>	8	4	7	12
<b>9090475 800060</b>	8	6	7	12
<b>9090475 900040</b>	9	4	7	11
<b>9090475 900060</b>	9	6	7	11
<b>9090475 100040</b>	10	4	8	11
<b>9090475 100060</b>	10	6	8	11
<b>9090475 120040</b>	12	4	10	10

# Drug Coated Balloons

## LUTONIX® 014 Drug Coated Balloon - BTK

- Paclitaxel coated balloon
- .014" guide wire compatible
- 150cm shaft

Shaft Length 150cm	Balloon Size		Sheath Size (F)	Nominal Pressure (atm)	RBP (atm)
	Diameter (mm)	Length (cm)			
<b>9020515 200040*</b>	2	4	5	6	15
<b>9020515 200080*</b>	2	8	5	6	15
<b>9020515 200120*</b>	2	12	5	6	15
<b>9020515 200150</b>	2	15	5	6	15
<b>9020515 250040*</b>	2.5	4	5	6	15
<b>9020515 250080*</b>	2.5	8	5	6	15
<b>9020515 250120*</b>	2.5	12	5	6	15
<b>9020515 250150</b>	2.5	15	5	6	15
<b>9020515 300040*</b>	3	4	5	6	15
<b>9020515 300080*</b>	3	8	5	6	15
<b>9020515 300100*</b>	3	10	5	6	15
<b>9020515 300120*</b>	3	12	5	6	15
<b>9020515 300150</b>	3	15	5	6	15
<b>9020515 350040*</b>	3.5	4	5	6	15
<b>9020515 350080*</b>	3.5	8	5	6	15
<b>9020515 350100*</b>	3.5	10	5	6	15
<b>9020515 350120*</b>	3.5	12	5	6	15
<b>9020515 350150</b>	3.5	15	5	6	15
<b>9020515 400040*</b>	4	4	5	6	15
<b>9020515 400080*</b>	4	8	5	6	15
<b>9020515 400120*</b>	4	12	5	6	15
<b>9020515 400150</b>	4	15	5	6	15

\*Please consult your Bard Representative for local availability

# Inflation Devices

## Accessories

### CALIBER™ Inflation Device

- Larger 30cc barrel provides maximum vacuum for rapid and easy deflation
- 30ATM gauge for high-pressure applications
- Ergonomic design allows for comfortable handling



Product Code	Pack Quantity
<b>CL3030</b>	6/box

### PRESTO™ Inflation Device

- Ergonomic Design Allows for Comfortable Handling
- Highest Pressure Inflation Device on the Market – Up to 40 ATM
- 30cc barrel
- Large Barrel Allows for Rapid and Easy Deflation




Product Code	Pack Quantity
<b>ID4030</b>	5/box

# CTO Management

## CROSSER™ CTO Recanalisation Catheter - Peripheral

- High-frequency, mechanical vibration
- Hydrophilic Coating
- Over the Wire (OTW), no wire versions and Rapid Exchange (RX)



Product Code	Type	Tip Configuration	Working Length (cm)	Guide Wire (inch)	Sheath Size (F)
<b>CRES106</b>	RX	Support-taper	106	.014	5
<b>CREOS106</b>	OTW	Support-taper	106	.014	5
<b>CRE14S</b>	RX	Support-taper	146	.014	5
<b>CRE014S</b>	OTW	Support-taper	146	.014	5
<b>CRES6*</b>	No Wire	-	-	-	5
<b>CRES6106</b>	No Wire	-	106	-	-

## Generator



Product Code	Description
<b>GEN200</b>	CROSSER® Generator System Electronics

## FLOWMATE® Injector




Product Code	Description
<b>INJ100</b>	FLOWMATE™ Injector

\*Please consult your Bard Representative for local availability

# CTO Management

## USHER®

- For use with peripheral CROSSER® CTO Recanalisation Catheter 14P and 14S
- Supportive, thin wall technology
- Braided shaft



Product Code	Tip Configuration	Length (cm)	Sheath Size (F)
<b>USH83T</b>	Tapered	83	-
<b>USH130T</b>	Tapered	130	-
<b>USH83AT</b>	Angled Tapered	83	-
<b>USH130AT</b>	Angled Tapered	130	-

## SideKick® Support Catheters

- For use with peripheral CROSSER® CTO Recanalisation Catheters S6
- Supportive, thin wall technology
- Braided shaft




Product Code	Tip Configuration	Length (cm)	Sheath Size (F)
<b>SD70</b>	Straight	70	7
<b>SD110</b>	Straight	110	7
<b>SD70T</b>	Straight Tapered	70	7
<b>SD110T</b>	Straight Tapered	110	7
<b>SD70A</b>	Angled	70	7
<b>SD110A</b>	Angled	110	7
<b>SD70AT</b>	Angled Tapered	70	7
<b>SD110AT</b>	Angled Tapered	110	7

\*Please consult your Bard Representative for local availability

# CTO Management

## SEEKER™ Crossing Support Catheter

- Hydrophilic Coating
- 1cm radiopaque markers positioned 1cm apart totaling 30cm




Product Code	Length (cm)	Guide Wire (inch)	Sheath Size (F)	Pack Quantity
<b>SK6535M</b>	65	.035	5	5
<b>SK9018</b>	90	.018	4	5
<b>SK9035M</b>	90	.035	5	5
<b>SK13514</b>	135	.014	4	5
<b>SK13518</b>	135	.018	4	5
<b>SK13535M</b>	135	.035	5	5
<b>SK15014</b>	150	.014	4	5
<b>SK15018</b>	150	.018	4	5
<b>SK15035M</b>	150	.035	5	5

# Thrombus Management

## Haemostatic valve


Fits all catheters up to 8.5F



Product Code	Pack Quantity
<b>1900341*</b>	10

## Aspiration Catheter

• Single lumen




Product Code	Outer Diameter (F)	Inner Diameter (inch)	Length (cm)
<b>21660010*</b>	5	.049	100
<b>21660020*</b>	5	.049	120
<b>21660030*</b>	6	.056	100
<b>21660040*</b>	7	.065	90
<b>21660050*</b>	8	.074	80
<b>21660060*</b>	9	.084	60

\*Please consult your Bard Representative for local availability

# Thrombus Management

## Fragmentation Basket


- With flexible ball-tip
- For use with Aspiration Catheter



Product Code	Diameter (F)	Length (cm)
<b>21920010*</b>	5	100
<b>21920020*</b>	5	120
<b>21920030*</b>	6	100
<b>21920040*</b>	7	90
<b>21920050*</b>	8	80

## Fragmentation Basket

- With ball-tip
- For use with Aspiration Catheter



Product Code	Diameter (F)	Length (cm)
<b>21922010*</b>	5	100
<b>21922030*</b>	6	100
<b>21922040*</b>	7	90
<b>21922050*</b>	8	80


\*Please consult your Bard Representative for local availability



# Thrombus Management

## JET-LYSIS® Catheter

- Catheter with y-adapter and guide wire preassembled
- 1ml syringe and 3-way stopcock are included



Product Code	Diameter (F)	Catheter Length (cm)	Distance with Side Holes (cm)	Guide Wire Diameter (inch)	Guide Wire Length (cm)
<b>21860210</b> *1	2.7*	90	5	.014	120
<b>21860220</b> *1	2.7*	90	10	.014	120
<b>21860230</b> *1	2.7*	90	15	.014	120
<b>21860410</b> *1	2.7*	120	5	.014	150
<b>21860420</b> *1	2.7*	120	10	.014	150
<b>21860430</b> *1	2.7*	120	15	.014	150
<b>21860610</b> *1	2.7*	150	5	.014	180
<b>21860620</b> *1	2.7*	150	10	.014	180
<b>21860630</b> *1	2.7*	150	15	.014	180
<b>21862010</b>	5	60	5	.035	90
<b>21862020</b>	5	60	10	.035	90
<b>21862030</b>	5	60	15	.035	90
<b>21862210</b>	5	90	5	.035	120
<b>21862220</b>	5	90	10	.035	120
<b>21862230</b>	5	90	15	.035	120
<b>21862410</b>	5	120	5	.035	150
<b>21862420</b>	5	120	10	.035	150
<b>21862430</b>	5	120	15	.035	150

\* Marker diameter 3.0F, catheter diameter 2.7F


## Accessories

Product Code	Description	Pack Quantity
<b>21870000</b>	2-ring-grip-syringe 10ml with rotational adapter	10
<b>20055000</b>	Y-adapter	10

\*Please consult your Bard Representative for local availability

# Thrombus Management


## Infusion-Lysis catheters



Product Code	Diameter (F)	Length (cm)	Guide Wire (inch)	Pack Quantity
<b>00090088</b>	3	100	.021	10
<b>00100041</b>	4	65	.035	10
<b>00100051</b>	4	90	.035	10
<b>00100058</b>	4	150	.035	10

## Infusion-Lysis catheters

- With radiopaque tip




Product Code	Diameter (F)	Length (cm)	Guide Wire (inch)	Pack Quantity
<b>00230030</b>	4	65	.035	10
<b>00230015</b>	4	90	.035	10

# Angiography Catheters

HIGH-FLOW Radiopaque Tip

## Straight


- Non braided



Product Code	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00230040</b>	4	65	8	.035	17ml/sec-1200psi	10
<b>00230030</b>	4	65	-	.035	16ml/sec-1200psi	10
<b>00230015</b>	4	90	-	.035	15ml/sec-1200psi	10
<b>00230055</b>	4	100	8	.035	15ml/sec-1200psi	10
<b>00240040</b>	5	65	8	.035	26ml/sec-1200psi	10
<b>00240053</b>	5	100	8	.035	22ml/sec-1200psi	10

## Pigtail

- Non braided



Product Code	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00230010</b>	4	65	8	.035	18ml/sec-1200psi	10
<b>00230020</b>	4	90	8	.035	16ml/sec-1200psi	10
<b>00230025</b>	4	100	8	.035	15ml/sec-1200psi	10
<b>00240010</b>	5	65	8	.035	26ml/sec-1200psi	10
<b>00240020</b>	5	90	8	.035	23ml/sec-1200psi	10
<b>00240030</b>	5	110	8	.035	20ml/sec-1200psi	10

# Angiography Catheters

## ANGIOPASS PLUS

### Straight


- Braided
- Soft Tip



Product Code	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00760090</b>	5	100	6	.035	15ml/sec-1200psi	10

### Pigtail


- Braided
- Soft Tip



Product Code	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00760020</b>	5	65	8	.035	18ml/sec-900psi	10
<b>00760040</b>	5	90	8	.035	14ml/sec-900psi	10
<b>00760050</b>	5	100	8	.035	15ml/sec-1200psi	10
<b>00760060</b>	5	110	8	.035	13ml/sec-900psi	10
<b>00770020</b>	6	65	8	.035	20ml/sec-900psi	10
<b>00770040</b>	6	90	8	.035	17ml/sec-900psi	10
<b>00770050</b>	6	100	8	.035	18ml/sec-1200psi	10
<b>00770060</b>	6	110	8	.035	16ml/sec-900psi	10

### Multipurpose

- Braided
- Soft Tip



Product Code	Diameter (F)	Length (cm)	Side Holes	Guide wire (inch)	Max. Flow Rate	Pack Quantity
<b>00760800</b>	5	100	2	.035	15ml/sec-900psi	10
<b>00770800</b>	6	100	2	.035	18ml/sec-900psi	10

# Angiography Catheters

## ANGIOPASS PLUS

### Visceral


- Braided
- Soft Tip



Product Code	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00760780</b>	5	100	-	.035	16ml/sec-900psi	10
<b>00770780</b>	6	100	-	.035	16ml/sec-900psi	10

### Cobra


- Braided
- Soft Tip



Product Code	Configuration	Diameter (F)	Length (cm)	Side Holes	Guide wire (inch)	Max. Flow Rate	Pack Quantity
<b>00760380</b>	Cobra I	5	65	-	.035	18ml/sec-900psi	10
<b>00760390</b>	Cobra I	5	80	-	.035	19ml/sec-1200psi	10
<b>00760400</b>	Cobra I	5	100	-	.035	16ml/sec-900psi	10
<b>00770380</b>	Cobra I	6	65	-	.035	20ml/sec-900psi	10
<b>00770390</b>	Cobra I	6	80	-	.035	21ml/sec-1200psi	10
<b>00770400</b>	Cobra I	6	100	-	.035	18ml/sec-900psi	10
<b>00760420</b>	Cobra II	5	65	-	.035	18ml/sec-900psi	10
<b>00760430</b>	Cobra II	5	80	-	.035	19ml/sec-1200psi	10
<b>00760440</b>	Cobra II	5	100	-	.035	16ml/sec-900psi	10
<b>00770420</b>	Cobra II	6	65	-	.035	20ml/sec-900psi	10
<b>00770430</b>	Cobra II	6	80	-	.035	21ml/sec-1200psi	10
<b>00770440</b>	Cobra II	6	100	-	.035	18ml/sec-900psi	10
<b>00760470</b>	Cobra III	5	80	-	.035	19ml/sec-1200psi	10
<b>00770470</b>	Cobra III	6	80	-	.035	21ml/sec-1200psi	10

### Headhunter

- Braided
- Soft Tip




Product Code	Configuration	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00760500</b>	Headhunter I	5	100	-	.035	14ml/sec-900psi	10
<b>00770500</b>	Headhunter I	6	100	-	.035	17ml/sec-900psi	10
<b>00760560</b>	Headhunter III	5	100	-	.035	16ml/sec-1200psi	10

# Angiography Catheters

ANGIOPASS PLUS

## Simmons Sidewinder

- Braided
- Soft Tip



Product Code	Configuration	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00760580</b>	Simmons Sidewinder I	5	100	-	.035	15ml/sec-900psi	10
<b>00770580</b>	Simmons Sidewinder I	6	100	-	.035	18ml/sec-900psi	10
<b>00760640</b>	Simmons Sidewinder II	5	100	-	.035	15ml/sec-900psi	10
<b>00770640</b>	Simmons Sidewinder II	6	100	-	.035	28ml/sec-900psi	10
<b>00760700</b>	Simmons Sidewinder III	5	100	-	.035	15ml/sec-900psi	10
<b>00770700</b>	Simmons Sidewinder III	6	100	-	.035	18ml/sec-900psi	10

## Hook

- Braided
- Soft Tip



Product Code	Configuration	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00761010</b>	Hook I	5	80	-	.035	19ml/sec-1200psi	10
<b>00761040</b>	Hook II	5	80	-	.035	19ml/sec-1200psi	10

## Shepherd Hook

- Braided
- Soft Tip



Product Code	Configuration	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Max. Flow Rate	Pack Quantity
<b>00760890</b>	Shepherd Hook I	5	80	-	.035	19ml/sec-1200psi	10
<b>00760920</b>	Shepherd Hook II	5	80	-	.035	19ml/sec-1200psi	10


# Angiography Catheters

Special Catheters

## Measuring Catheter


- Radiopaque markers

### Straight



Product Code	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Pack Quantity
<b>20850040*</b>	5	65	-	.035	10
<b>20850050*</b>	5	90	-	.035	10
<b>20850060*</b>	5	110	-	.035	10

### Pigtail



Product Code	Diameter (F)	Length (cm)	Side Holes	Guide Wire (inch)	Pack Quantity
<b>20850010*</b>	5	65	8	.035	10
<b>20850020*</b>	5	90	8	.035	10
<b>20850030*</b>	5	110	8	.035	10


\*Please consult your Bard Representative for local availability

# Guide Wires

PTFE Coated

## T-wire


PTFE coated – fixed core - straight - flexible tip



Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>02200020</b>	.018	80	10
<b>02200040</b>	.018	125	10
<b>02200050</b>	.018	150	10
<b>02200080</b>	.018	260	10
<b>02310020</b>	.035	80	10
<b>02310030</b>	.035	100	10
<b>02310040</b>	.035	125	10
<b>02310050</b>	.035	150	10
<b>02310060</b>	.035	200	10
<b>02310070</b>	.035	220	10
<b>02310080</b>	.035	260	10
<b>02310090</b>	.035	300	10
<b>02310100</b>	.035	400	10
<b>02310110</b>	.035	500	10
<b>02330025</b>	.038	80	10
<b>02330030</b>	.038	100	10
<b>02330040</b>	.038	125	10
<b>02330050</b>	.038	150	10
<b>02330060</b>	.038	200	10
<b>02330070</b>	.038	220	10
<b>02330080</b>	.038	260	10

## TJ-Wire Double-Ended 3.0mm

PTFE coated, fixed core, straight/J-curved 3.0mm, 2 flexible tips



Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>04570050</b>	.035	150	10




# Guide Wires

PTFE Coated

## TJ-Wire 1.5mm


PTFE coated, fixed core, J-curved 1.5mm  
– flexible tip



Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>03070040</b>	.035	125	10
<b>03070050</b>	.035	150	10
<b>03100060</b>	.035	200	10

## TJ-Wire 3.0mm


PTFE coated – fixed core – J-curved 3mm  
– flexible tip



Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>03410020</b>	.035	80	10
<b>03410030</b>	.035	100	10
<b>03410040</b>	.035	125	10
<b>03410050</b>	.035	150	10
<b>03410055</b>	.035	175	10
<b>03410060</b>	.035	200	10
<b>03410070</b>	.035	220	10
<b>03410080</b>	.035	260	10
<b>03430030</b>	.038	100	10
<b>03430050</b>	.038	150	10
<b>03430080</b>	.038	260	10

## TJ-Wire 6.0mm

PTFE coated – fixed core – J-curved 6.0mm  
– flexible tip




Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>03670050</b>	.035	150	10

# Guide Wires

PTFE Coated

## TB-Wire


PTFE coated – movable core – straight  
– flexible tip



Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>02720030</b>	.035	100	10
<b>02720040</b>	.035	125	10
<b>02720050</b>	.035	150	10
<b>02720060</b>	.035	200	10
<b>02720080</b>	.035	260	10
<b>02720100</b>	.035	400	10

## TBJ-Wire 1.5mm


PTFE coated – movable core – J-curved 1.5mm  
– flexible tip



Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>04310050</b>	.035	150	10

## TBJ-Wire 3.0mm

PTFE coated – movable core – J-curved 3.0mm  
– flexible tip



Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>04320030</b>	.035	100	10
<b>04320040</b>	.035	125	10
<b>04320050</b>	.035	150	10
<b>04320060</b>	.035	200	10
<b>04320080</b>	.035	260	10
<b>04340040</b>	.038	125	10
<b>04340050</b>	.038	150	10
<b>04340060</b>	.038	200	10

## Amplatz BJ-Wire 3.0mm

PTFE coated – movable core – J-curved 3.0mm  
– flexible tip (inner core with olive tip)


Product Code	Diameter (inch)	Length (cm)	Pack Quantity
<b>05100050</b>	.035	150	10

# Guide Wires

Bard Nitinol

## The Blue Wire

- TORQUE Guide Wire
- Flexible shaft



Product Code	Diameter (inch)	Length (cm)	Tip Length (cm)	Configuration
<b>05420010</b>	.035	145	4	Straight
<b>05420020</b>	.035	145	8	Straight
<b>05420030</b>	.035	145	15	Straight
<b>05420210</b>	.035	220	4	Straight
<b>05420220</b>	.035	220	8	Straight
<b>05420261</b>	.035	260	8	Straight
<b>05420090</b>	.035	400	4	Straight
<b>05420100</b>	.035	400	8	Straight
<b>05421010</b>	.035	145	4	Angled
<b>05421020</b>	.035	145	8	Angled
<b>05421030</b>	.035	145	15	Angled

## The Black Wire

- ULTRA-TORQUE Guide wire
- Stiff shaft

Product Code	Diameter (inch)	Length (cm)	Tip Length (cm)	Configuration
<b>05410000</b>	.035	145	4	Straight
<b>05410010</b>	.035	145	8	Straight
<b>05410220</b>	.035	220	8	Straight
<b>05410090</b>	.035	400	4	Straight
<b>05410100</b>	.035	400	8	Straight
<b>05411010</b>	.035	145	8	Angled

# Introducers

## Percutaneous Introducer Set

### Input Introducer SET A

- Vessel dilator
- PEBAX™ sheath with flat top and side port with 3-way stopcock

Product Code	Color Code	Diameter Sheath (F)	Length Sheath (cm)	Length Dilator (cm)	Guide Wire (inch)	Pack Quantity
<b>050A12</b>	grey	5	11	17	.035	5
<b>060A12</b>	green	6	11	17	.035	5
<b>070A12</b>	orange	7	11	17	.035	5
<b>080A12</b>	blue	8	11	17	.035	5

### Input Introducer SET B

- Vessel dilator
- PEBAX™ sheath with flat top and side port with 3-way stopcock
- Stainless steel guide wire with fixed core, double-ended (40cm)
- Percutaneous needle (18G)

Product Code	Color Code	Diameter Sheath (F)	Length Sheath (cm)	Length Dilator (cm)	Guide Wire (inch)	Pack Quantity
<b>050A11</b>	grey	5	11	17	.035	5
<b>060A11</b>	green	6	11	17	.035	5
<b>070A11</b>	orange	7	11	17	.035	5
<b>080A11</b>	blue	8	11	17	.035	5

### Percutaneous Introducer Set

- Vessel dilator
- FEP sheath with a flat-top valve and a side port with a 3-way stopcock
- Stainless steel guide wire with fixed core, double-ended (40cm)
- Percutaneous needle (18G)

Product Code	Color Code	Diameter (F)	Length Sheath (cm)	Length Dilator (cm)	Guide Wire (inch)	Pack Quantity
<b>15091040</b>	red	4*	11	17	.025	10
<b>15091050</b>	grey	5	11	17	.035	10
<b>15091060</b>	green	6	11	17	.035	10
<b>15091070</b>	orange	7	11	17	.035	10
<b>15091080</b>	blue	8	11	17	.035	10
<b>15091090</b>	black	9	11	17	.035	10


\* available only with the one side cap and 19G needle

# Angiography Accessories

Connecting Tubes and Stopcocks

## High-Flex Connectors


Transparent, braid-reinforced PUR (polyurethane)



Product Code	Description	Length (cm)	Pressure (psi)	Pack Quantity
<b>15520010</b>	Female and male Luer-Lock	30	1000	10
<b>15520020</b>	Female and male Luer-Lock	60	1000	10
<b>15520030</b>	Female and male Luer-Lock	90	1000	10
<b>15520040</b>	Female and male Luer-Lock	120	1000	10

## High-Flex Connector with Rotation Adapter


• Transparent, braid-reinforced PUR (polyurethane)



Product Code	Description	Length (cm)	Pressure (psi)	Pack Quantity
<b>15521010</b>	Female Luer-Lock, male rotation adapter	30	1000	10
<b>15521020</b>	Female Luer-Lock, male rotation adapter	60	1000	10
<b>15521030</b>	Female Luer-Lock, male rotation adapter	90	1000	10
<b>15521040</b>	Female Luer-Lock, male rotation adapter	120	1000	10

## 2-way stopcock with Luer-Lock fitting


with 1 female and 1 male Luer-Lock



Product Code	Pressure (psi)	Pack Quantity
<b>15380010</b>	1000	10

## 3-way stopcock with Luer-Lock fitting

with 2 female and 1 male Luer-Lock




Product Code	Pressure (psi)	Pack Quantity
<b>15400010</b>	1200	10

# Angiography Accessories

## Universal Adapters

### Adapter UAR-TK


- Reducing piece fits tubes from 7.5 to 10.5mm  $\varnothing$
- Funnel (small) fits reducing units from 6 to 8mm  $\varnothing$



Product code	Tube Length	Pack quantity
<b>64200010</b>	10cm	10

### Adapter UAR-WH


- Reducing piece fits tubes from 7.5 to 10.5mm  $\varnothing$
- 2-way stopcock with female Luer-Lock



Product code	Tube Length	Pack quantity
<b>64200020</b>	14cm	10

### Adapter UAW-R


- Female Luer-Lock
- Reducing piece fits tubes from 7.5 to 10.5mm  $\varnothing$



Product code	Tube Length	Pack quantity
<b>64220010</b>	10cm	10

### Adapter UAM-R


- Male Luer-Lock
- Reducing piece fits tubes from 7.5 to 10.5mm  $\varnothing$



Product Code	Tube Length	Pack Quantity
<b>64230010</b>	10cm	10

### Adapter UAM-TK

- Male Luer-Lock
- Funnel (small) fits reducing pieces from 6 to 8mm  $\varnothing$




Product Code	Tube Length	Pack Quantity
<b>64230030</b>	5cm	10
<b>64230031</b>	10cm	10
<b>64230032</b>	15cm	10
<b>64230033</b>	20cm	10
<b>64230034</b>	25cm	10
<b>64230035</b>	30cm	10

# Angiography Accessories

## Connecting Tubes and Adapters

### Adapter UAM-T


- Male Luer-Lock
- Funnel (large) fits reducing pieces from 9 to 12mm  $\varnothing$



Product Code	Tube Length	Pack Quantity
<b>64230019</b>	20cm	10
<b>64230020</b>	25cm	10

### Adapter UAS-TK


- Connecting piece
- Funnel (small) fits reducing pieces from 6 to 8mm  $\varnothing$



Product Code	Tube Length	Pack Quantity
<b>64210020</b>	10cm	10

### Adapter UAW-S


- Female Luer-Lock
- Male connecting piece



Product Code	Tube Length	Pack Quantity
<b>64220031</b>	20cm	10

### Adapter UAW-M

- Female Luer-Lock
- Male Luer-Lock




Product Code	Tube Length	Pack Quantity
<b>64220040</b>	10cm	10
<b>64220042</b>	20cm	10

# Angiography Accessories

## Needles

### Super 4 Needle


- Rounded, blunt outer cannula
- Bevel-edged stylet
- Accepts .035" guide wires



Product Code	Diameter (mm/G)	Length (mm)	Pack Quantity
<b>15820010</b>	1.07/19	75	10
<b>15820012</b>	1.07/19	150	10

### Super 4 Needle - modified acc. to Jantsch


- Rounded, blunt outer cannula
- Bevel-edged hollow stylet
- Accepts .035" guide wires



Product Code	Diameter (mm/G)	Length (mm)	Pack Quantity
<b>15820011</b>	1.07/19	70	10

### Arterial Puncture Needle - with winged hub

- Single part, bevel-edged
- Accepts .035" guide wire



Product Code	Diameter (mm/G)	Length (mm)	Pack Quantity
<b>15853010</b>	1.07/19	70	10
<b>15853020</b>	1.27/18	70	10




# Angiography Accessories

## Vessel Dilator



Product Code	Diameter (F)	Guide Wire Adaptation (inch)	Pack Quantity
<b>15000040</b>	4	.025	10
<b>15000050</b>	5	.035/.038	10
<b>15000060</b>	6	.035/.038	10
<b>15000070</b>	7	.035/.038	10
<b>15000080</b>	8	.035/.038	10
<b>15000090</b>	9	.035/.038	10
<b>15000100</b>	10	.035/.038	10
<b>15000120</b>	12	.035/.038	10
<b>15000140</b>	14	.035/.038	10
<b>15000160</b>	16	.035/.038	10

## Split Sheath




Product Code	Diameter (F)	Guide Wire Adaptation (inch)	Pack Quantity
<b>15200010</b>	6	.035/.038	10
<b>15200020</b>	7	.035/.038	10
<b>15200030</b>	8	.035/.038	10
<b>15200040</b>	9	.035/.038	10
<b>15200050</b>	10	.035/.038	10
<b>15200070</b>	12	.035/.038	10
<b>15200090</b>	14	.035/.038	10

# Vena Cava Filters

## RECOVERY® Cone System

- Urethane cone
- 10F profile




Product Code	Description
<b>RC-15*</b>	RECOVERY® Cone Retrieval System

\*Please consult your Bard Representative for local availability

# Vena Cava Filters

## DENALI™


- Snare retrievable
- Vena Cava diameter up to 28mm



Product Code	Description
<b>DL950F*</b>	DENALI™ Filter - Femoral Delivery Kit
<b>DL950J*</b>	DENALI™ Filter - Jugular Delivery Kit

## Bard Snare

- Retrieval snare for DENALI™ Filter
- 90° loop shape




Product Code	Description
<b>SRK35</b>	Dual Sheath Snare Retrieval kit, 20mm

\*Please consult your Bard Representative for local availability

# Self Expanding Stent Non Vascular

## E•LUMINEXX® Biliary Stent

- Incorporates BARD® S.A.F.E.® deployment system and PERFORMAXX® Grip
- 6F Deployment system
- .035" Guide wire compatible



Product Code for 60cm Deployment System	Expanded Stent Diameter (mm)	Stent Length (mm)
<b>ZBS08040</b>	8	40
<b>ZBS08060</b>	8	60
<b>ZBS08080</b>	8	80
<b>ZBS08100</b>	8	100
<b>ZBS10040</b>	10	40
<b>ZBS10060</b>	10	60
<b>ZBS10080</b>	10	80
<b>ZBS10100</b>	10	100

# PRODUCT CATALOGUE - EUROPE

## Peripheral Vascular

### Section 2 - Surgical Products



# Peripheral Vascular

## SECTION 1 - Interventional Products

**Self Expanding Stents**

**Balloon Expandable Stents**

**Stent Grafts**

**Angioplasty Catheters**

**Drug Coated Balloon**

**CTO Management**

**Thrombus Management**

**Angiography Catheters**

**Guide Wires**

**Introducers**

**Angiography Accessories**

**Vena Cava Filters**

**Self Expanding Stent Non Vascular**

## SECTION 2 - Surgical Products

**Vascular Bypass Grafts – ePTFE**

**Vascular Grafts – for Haemodialysis**

**Vascular Grafts – Polyester**

**Fabrics, Felts, Pledgets, Tapes and Patches**

**Vascular Catheters**

**Carotid Shunts**

**Tunneler Sets**

**Vascular Accessories**

## Section 2 - Surgical Products

<b>Vascular Bypass Grafts – ePTFE</b>	<b>79</b>
CARBOFLO® Bypass Graft	79-82
DISTAFLO® Bypass Graft	83
DYNAFLO™ Bypass Graft	84
<b>Vascular Grafts – for Haemodialysis</b>	<b>85</b>
CARBOFLO® Graft	85-86
VENAFLO™ II Graft	87-88
VECTRA® Access Graft	89
<b>Vascular Grafts – Polyester</b>	<b>90</b>
DIALINE® II Graft	90-91
WOVEX™ Graft	92-93
Thermocutter	93
<b>Fabrics, Felts, Pledgets, Tapes and Patches</b>	<b>94</b>
Cardiovascular Fabrics	94-95
Surgical Felts	96-97
PTFE Felt Pledgets	97
Braided Tapes	98
ePTFE Cardiovascular Patches	99
<b>Vascular Catheters</b>	<b>100</b>
Embolectomy Catheters	100
Thrombectomy Catheters	101
<b>Carotid Shunts</b>	<b>102</b>
JAVID™ Shunt	102
BRENER™ Shunt	102
BURBANK™ Shunt	102
BARD® Straight Shunt	102
<b>Tunneler Sets</b>	<b>103</b>
PV Sheath Tunneler	103
AV Sheath Tunneler	104
<b>Vascular Accessories</b>	<b>105</b>
Vessel Loops	105
CARDIAL™ Surgical Glue	105
CARDIAL™ Chevalier Valvulotome	106
Vein Stripper	106

# Vascular Bypass Grafts - ePTFE

## CARBOFLO® Straight

- Regular wall
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>10S04C</b>	10	4
<b>10S05C</b>	10	5
<b>10S06C</b>	10	6
<b>10S07C</b>	10	7
<b>10S08C</b>	10	8
<b>20S06C</b>	20	6
<b>30S06C</b>	30	6
<b>40S05C</b>	40	5
<b>40S06C</b>	40	6
<b>40S07C</b>	40	7
<b>40S08C</b>	40	8
<b>50S05C</b>	50	5
<b>50S06C</b>	50	6
<b>50S07C</b>	50	7
<b>50S08C</b>	50	8
<b>70S06C</b>	70	6
<b>70S07C</b>	70	7
<b>70S08C</b>	70	8
<b>80S06C</b>	80	6
<b>80S07C</b>	80	7
<b>80S08C</b>	80	8



# Vascular Bypass Grafts - ePTFE

## CARBOFLO® Straight

- Thinwall
- With carbon




Product Code	Length (cm)	Diameter (mm)
<b>10S04TWC</b>	10	4
<b>10S05TWC</b>	10	5
<b>10S06TWC</b>	10	6
<b>10S07TWC</b>	10	7
<b>10S08TWC</b>	10	8
<b>40S06TWC</b>	40	6
<b>40S08TWC</b>	40	8
<b>50S05TWC</b>	50	5
<b>50S06TWC</b>	50	6
<b>50S07TWC</b>	50	7
<b>50S08TWC</b>	50	8
<b>70S05TWC</b>	70	5
<b>70S06TWC</b>	70	6
<b>70S07TWC</b>	70	7
<b>70S08TWC</b>	70	8
<b>80S05TWC</b>	80	5
<b>80S06TWC</b>	80	6
<b>80S07TWC</b>	80	7
<b>80S08TWC</b>	80	8

# Vascular Bypass Grafts - ePTFE

## CARBOFLO® Flex Straight


- Regular wall
- With a removable spiral
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>F4006C</b>	40	6
<b>F4008C</b>	40	8
<b>F5006C</b>	50	6
<b>F5008C</b>	50	8
<b>F6006C</b>	60	6
<b>F6008C</b>	60	8
<b>F7006C</b>	70	6
<b>F7007C</b>	70	7
<b>F7008C</b>	70	8
<b>F8006C</b>	80	6
<b>F8007C</b>	80	7
<b>F8008C</b>	80	8
<b>F8010C</b>	80	10

## CARBOFLO® Flex Straight

- Regular wall, small beading
- With a removable spiral
- With carbon




Product Code	Length (cm)	Diameter (mm)
<b>F5006SC</b>	50	6
<b>F7006SC</b>	70	6
<b>F7008SC</b>	70	8
<b>F8006SC</b>	80	6
<b>F8008SC</b>	80	8

# Vascular Bypass Grafts - ePTFE

## CARBOFLO® Flex Straight


- Thinwall, small beading
- With a removable spiral
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>F1004TWSC</b>	10	4
<b>F3006TWSC</b>	30	6
<b>F3008TWSC</b>	30	8
<b>F5006TWSC</b>	50	6
<b>F5008TWSC</b>	50	8
<b>F6006TWSC</b>	60	6
<b>F7005TWSC</b>	70	5
<b>F7006TWSC</b>	70	6
<b>F7007TWSC</b>	70	7
<b>F7008TWSC</b>	70	8
<b>F8006TWSC</b>	80	6
<b>F8007TWSC</b>	80	7
<b>F8008TWSC</b>	80	8

## CARBOFLO® Tapered


- Thinwall
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>70T7-4TWC</b>	70	7-4
<b>70T8-5TWC</b>	70	8-5

## CARBOFLO® Flex - Tapered

- Thinwall, small beading
- With a removable spiral
- With carbon




Product Code	Length (cm)	Diameter (mm)
<b>F70T74TSC</b>	70	7-4
<b>F70T85TSC</b>	70	8-5

# Vascular Bypass Grafts - ePTFE

Below the Knee

## DISTAFLO® Bypass Graft - Regular Cuff


- Flex small beading
- With a removable spiral
- 1 mm taper over distal 25cm
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>DF5006SC</b>	50	6
<b>DF5007SC</b>	50	7
<b>DF5008SC</b>	50	8
<b>DF6006SC</b>	60	6
<b>DF6007SC</b>	60	7
<b>DF6008SC</b>	60	8
<b>DF7006SC</b>	70	6
<b>DF7007SC</b>	70	7
<b>DF7008SC</b>	70	8
<b>DF8006SC</b>	80	6
<b>DF8007SC</b>	80	7
<b>DF8008SC</b>	80	8

## DISTAFLO® Bypass Graft - Small Cuff


- Flex small beading
- With a removable spiral
- 1 mm taper over distal 25cm
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>DFM5006SC</b>	50	6
<b>DFM6006SC</b>	60	6
<b>DFM7006SC</b>	70	6
<b>DFM8006SC</b>	80	6

## DISTAFLO® Bypass Graft - Mini Cuff

- Flex small beading
- With a removable spiral
- 2mm taper over distal 25cm
- With carbon




Product Code	Length (cm)	Diameter (mm)
<b>DFX6006SC</b>	60	6
<b>DFX7006SC</b>	70	6
<b>DFX8006SC</b>	80	6
<b>DFX9006SC</b>	90	6

# Vascular Bypass Grafts - ePTFE

Above the Knee

## DYNAFLO® Bypass Graft


- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>DN5007C</b>	50	7
<b>DN5008C</b>	50	8
<b>DN6007C</b>	60	7
<b>DN6008C</b>	60	8

## DYNAFLO® Bypass Graft

- Flex small beading
- With a removable spiral
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>DNF5007SC</b>	50	7
<b>DNF5008SC</b>	50	8
<b>DNF6007SC</b>	60	7
<b>DNF6008SC</b>	60	8
<b>DNF7007SC</b>	70	7
<b>DNF7008SC</b>	70	8
<b>DNF8007SC</b>	80	7
<b>DNF8008SC</b>	80	8

# Vascular Grafts ePTFE - for Haemodialysis

## CARBOFLO® Straight


- Regular wall
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>10S04C</b>	10	4
<b>10S05C</b>	10	5
<b>10S06C</b>	10	6
<b>10S07C</b>	10	7
<b>10S08C</b>	10	8
<b>20S06S</b>	20	6
<b>30S06C</b>	30	6
<b>40S05C</b>	40	5
<b>40S06C</b>	40	6
<b>40S07C</b>	40	7
<b>40S08C</b>	40	8
<b>50S05C</b>	50	5
<b>50S06C</b>	50	6
<b>50S07C</b>	50	7
<b>50S08C</b>	50	8

## CARBOFLO® Straight CENTERFLEX™

- CENTERFLEX™
- Regular wall
- With a non-removable spiral
- With carbon




Product Code	Length (cm)	Diameter (mm)
<b>CF4006C</b>	40	6
<b>CF5006C</b>	50	6

# Vascular Grafts ePTFE - for Haemodialysis

## CARBOFLO® Short Tapered


- Regular wall
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>40A6-4C</b>	40	6-4
<b>40A7-4C</b>	40	7-4

## CARBOFLO® Short Tapered CENTERFLEX™

- CENTERFLEX™ short tapered
- Regular wall
- With a non-removable spiral
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>CF40A7-4C</b>	40	7-4

## CARBOFLO® Stepped


- Regular wall
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>T454-6C</b>	45	4-6
<b>T454-7C</b>	45	4-7
<b>T455-8C</b>	45	5-8

## CARBOFLO® Stepped CENTERFLEX™

- CENTERFLEX™, stepped
- Regular wall
- With a non-removable spiral
- With carbon




Product Code	Length (cm)	Diameter (mm)
<b>CFT454-7C</b>	45	4-7

# Vascular Grafts ePTFE - for Haemodialysis

## VENAFLO® II Graft Straight


- Cuff with trim lines
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>VL1006C</b>	10	6
<b>VL1007C</b>	10	7
<b>VL2006C</b>	20	6
<b>VL2007C</b>	20	7
<b>VL3006C</b>	30	6
<b>VL3007C</b>	30	7
<b>VL4006C</b>	40	6
<b>VL4007C</b>	40	7
<b>VL5006C</b>	50	6
<b>VL5007C</b>	50	7

## VENAFLO® II Graft Stepped

- Cuff with trim lines
- With carbon




Product Code	Length (cm)	Diameter (mm)
<b>VLT2046C</b>	20	4-6
<b>VLT2047C</b>	20	4-7
<b>VLT2546C</b>	25	4-6
<b>VLT2547C</b>	25	4-7
<b>VLT3046C</b>	30	4-6
<b>VLT3047C</b>	30	4-7
<b>VLT3546C</b>	35	4-6
<b>VLT3547C</b>	35	4-7
<b>VLT4046C</b>	40	4-6
<b>VLT4047C</b>	40	4-7
<b>VLT4546C</b>	45	4-6
<b>VLT4547C</b>	45	4-7



# Vascular Grafts ePTFE - for Haemodialysis

## VENAFLO® II Graft Straight CENTERFLEX™


- CENTERFLEX™
- With a non-removable spiral
- Cuff with trim lines
- With carbon



Product Code	Length (cm)	Diameter (mm)
<b>CVL4006C</b>	40	6
<b>CVL4007C</b>	40	7
<b>CVL5006C</b>	50	6

## VENAFLO® II Grafts Stepped CENTERFLEX™

- CENTERFLEX™, stepped
- With a non-removable spiral
- Cuff with trim lines
- With carbon




Product Code	Length (cm)	Diameter (mm)
<b>CVLT4547C</b>	45	4-7

# Vascular Grafts - for Haemodialysis

## VECTRA® Access Graft

- Unique, Self-Binded, Tri-Layer THORALON™ Design
- Early access



Product Code	Length (cm)	Diameter (mm)
<b>10002-5040-001</b>	40	5
<b>10002-6040-001</b>	40	6
<b>10002-5050-001</b>	50	5
<b>10002-6050-001</b>	50	6

## VECTRA® Revision Graft\*

- 4-5 W.P.C.

Product Code	Length (cm)	Diameter (mm)
<b>10002-5020-002</b>	20	5
<b>10002-6020-002</b>	20	6

## VECTRA® Revision Graft\*

- 9.5-12.5 W.P.C.

Product Code	Length (cm)	Diameter (mm)
<b>10002-5020-003</b>	20	5
<b>10002-6020-003</b>	20	6

\*For graft revision use only

Wall thickness of each graft is approximately 1.0mm  
W.P.C.: wraps per centimeter


Each reinforcement monofilament is wound circumferentially in graduated concentrations along the length of the graft, with an unreinforced area at either end.

The concentration of the wraps increases from 4-5 W.P.C. at either end of the graft to 9.5-12.5 W.P.C. in the mid-portion of the graft for added kink resistance in the apex when used in a loop configuration.

# Vascular Grafts - Polyester

## DIALINE® II Graft

- Straight
- Collagen impregnated
- Knitted




Product Code	Length (cm)	Diameter (mm)
<b>242C206</b>	20	6
<b>242C207</b>	20	7
<b>242C208</b>	20	8
<b>242C210</b>	20	10
<b>242C212</b>	20	12
<b>242C214</b>	20	14
<b>242C216</b>	20	16
<b>242C218</b>	20	18
<b>242C220</b>	20	20
<b>242C222</b>	20	22
<b>242C224</b>	20	24
<b>242C406</b>	40	6
<b>242C407</b>	40	7
<b>242C408</b>	40	8
<b>242C410</b>	40	10
<b>242C412</b>	40	12
<b>242C414</b>	40	14
<b>242C416</b>	40	16
<b>242C418</b>	40	18
<b>242C420</b>	40	20
<b>242C422</b>	40	22
<b>242C424</b>	40	24

# Vascular Grafts - Polyester

## DIALINE® II Graft


- Straight
- Collagen impregnated
- Knitted



Product Code	Length (cm)	Diameter (mm)
<b>242C606</b>	60	6
<b>242C607</b>	60	7
<b>242C608</b>	60	8
<b>242C610</b>	60	10
<b>242C612</b>	60	12
<b>242C614</b>	60	14
<b>242C616</b>	60	16
<b>242C618</b>	60	18
<b>242C620</b>	60	20
<b>242C622</b>	60	22
<b>242C624</b>	60	24

## DIALINE® II Graft

- Bifurcated
- Collagen impregnated
- Knitted




Product Code	Length (cm)	Diameter (mm)
<b>241C126</b>	40	12 × 6
<b>241C147</b>	40	14 × 7
<b>241C168</b>	40	16 × 8
<b>241C189</b>	40	18 × 9
<b>241C200</b>	40	20 × 10
<b>241C221</b>	40	22 × 11
<b>241C242</b>	40	24 × 12

# Vascular Grafts - Polyester

## WOVEX™ Graft

- Straight
- Collagen impregnated
- Woven




Product Code	Length (cm)	Diameter (mm)
<b>W42C206</b>	20	6
<b>W42C207</b>	20	7
<b>W42C208</b>	20	8
<b>W42C209</b>	20	9
<b>W42C210</b>	20	10
<b>W42C212</b>	20	12
<b>W42C214</b>	20	14
<b>W42C216</b>	20	16
<b>W42C218</b>	20	18
<b>W42C220</b>	20	20
<b>W42C222</b>	20	22
<b>W42C224</b>	20	24
<b>W42C226</b>	20	26
<b>W42C228</b>	20	28
<b>W42C230</b>	20	30
<b>W42C232</b>	20	32
<b>W42C234</b>	20	34
<b>W42C236</b>	20	36
<b>W42C238</b>	20	38
<b>W42C406</b>	40	6
<b>W42C407</b>	40	7
<b>W42C408</b>	40	8
<b>W42C409</b>	40	9
<b>W42C410</b>	40	10
<b>W42C412</b>	40	12
<b>W42C414</b>	40	14
<b>W42C416</b>	40	16
<b>W42C418</b>	40	18
<b>W42C420</b>	40	20
<b>W42C422</b>	40	22
<b>W42C424</b>	40	24
<b>W42C426</b>	40	26
<b>W42C428</b>	40	28
<b>W42C430</b>	40	30
<b>W42C432</b>	40	32
<b>W42C434</b>	40	34
<b>W42C436</b>	40	36
<b>W42C438</b>	40	38

# Vascular Grafts - Polyester

## WOVEX™ Graft


- Straight (continued)
- Collagen impregnated
- Woven



Product Code	Length (cm)	Diameter (mm)
<b>W42C706</b>	70	6
<b>W42C707</b>	70	7
<b>W42C708</b>	70	8
<b>W42C709</b>	70	9
<b>W42C710</b>	70	10

## WOVEX™ Graft

- Bifurcated
- Collagen impregnated
- Woven



Product Code	Length (cm)	Diameter (mm)
<b>W41C126</b>	50	12 x 6
<b>W41C147</b>	50	14 x 7
<b>W41C168</b>	50	16 x 8
<b>W41C189</b>	50	18 x 9
<b>W41C200</b>	50	20 x 10
<b>W41C221</b>	50	22 x 11
<b>W41C242</b>	50	24 x 12

## Thermocutter

Product Code	Pack Quantity
<b>AA05</b>	10

# Fabrics, Felts, Pledgets, Tapes and Patches

## BARD® SAUVAGE® Filamentous Fabric


- Recommended for patch graft angioplasty such as in carotid endarterectomy procedures and ASD/VSD repairs



Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>007940</b>	1×15.2	0.61	1800 max.	10
<b>007942</b>	2.5×10.2	0.61	1800 max.	10
<b>007943</b>	5.1×5.1	0.61	1800 max.	10
<b>007944</b>	5.1×10.2	0.61	1800 max.	10
<b>007828</b>	10.2×10.2	0.61	1800 max.	5
<b>007829</b>	15.2×15.2	0.61	1800 max.	5

## BARD® DEBAKEY® Woven Fabric

- A thin, lower porosity fabric for use in outflow tract repairs, patch graft angioplasty and septal defects




Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>007957</b>	5.1 × 10.2	0.25	220 max.	10
<b>007955</b>	10.2 × 10.2	0.25	220 max.	5
<b>007956</b>	15.2 × 15.2	0.25	220 max.	5

# Fabrics, Felts, Pledgets, Tapes and Patches

## BARD® DEBAKEY® Double Velour Fabric


- Used for patch graft angioplasty and repair of intracardiac defects



Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>007937</b>	2.5 × 10.2	1.5	3800 max.	10
<b>007939</b>	5.1 × 10.2	1.5	3800 max.	10
<b>007826</b>	10.2 × 10.2	1.5	3800 max.	5
<b>007827</b>	15.2 × 15.2	1.5	3800 max.	5

## BARD® DEBAKEY® Elastic Knit Fabric

- Used for patch graft angioplasty and repair of intracardiac defects



Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>007830</b>	10.2 × 10.2	0.57	2300 mean	5
<b>007831</b>	15.2 × 15.2	0.57	2300 mean	5

## BARD® Edwards Outflow Tract Fabric

- Lower porosity material used for aortic and pulmonary outflow tract patching and intracardiac defects



Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>007979</b>	5.1 × 10.2	0.91	250 max.	10
<b>007834</b>	10.2 × 10.2	0.91	250 max.	5
<b>007835</b>	15.2 × 15.2	0.91	250 max.	5



# Fabrics, Felts, Pledgets, Tapes and Patches

## BARD® PTFE Felt

- Used as a buttress for sutures and friable tissue



Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>007974</b>	0.6×5.1	1.65	1700 max.	10
<b>007975</b>	1.2×10.2	1.65	1700 max.	10
<b>007973</b>	2.5×2.5	1.65	1700 max.	10
<b>007968</b>	2.5×10.2	1.65	1700 max.	10
<b>007976</b>	2.5×15.2	1.65	1700 max.	10
<b>007977</b>	5.1×5.1	1.65	1700 max.	10
<b>007836</b>	10.2×10.2	1.65	1700 max.	5
<b>007837</b>	15.2×15.2	1.65	1700 max.	5

## BARD® Low Porosity PTFE Felt

- Low porosity helps to control bleeding



Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>007021</b>	2.5×2.5	1.85	<550 mean	5
<b>007838</b>	10.2×10.2	1.85	<550 mean	5
<b>007839</b>	15.2×15.2	1.85	<550 mean	5

# Fabrics, Felts, Pledgets, Tapes and Patches

## BARD® Polyester Felt

- Used as a buttress for sutures and friable tissue

Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>008972</b>	15.2 × 15.2	1.65	3017 mean	5


## BARD® PTFE Felt (thick)

- Extra thickness provides added support to tissue

Product Code	Size (cm)	Nominal Thickness (mm)	Approx. Water Porosity (ml/cm <sup>2</sup> /mn)	Pack Quantity
<b>007018</b>	1 × 15.2	2.87	750 max.	20
<b>007019</b>	2.5 × 2.5	2.87	750 max.	5
<b>007958</b>	10.2 × 10.2	2.87	750 max.	5
<b>007959</b>	15.2 × 15.2	2.87	750 max.	5

## BARD® PTFE Felt Pledgets

- Used as buttresses under sutures when there is a possibility of sutures tearing through tissue. These pledgets are used in various surgical suturing procedures, such as vascular closure, septal repair, myocardial closure, hepatic repair and valvular suturing.




Product Code	Size (mm)	Shape	Nominal Thickness (mm)	Pack Quantity
<b>007984</b>	4.8	round	1.65	10 per pouch, 25 pouches per box
<b>007971</b>	6	round	2.87	10 per pouch, 25 pouches per box
<b>007969</b>	4.8 × 6	oval	1.65	10 per pouch, 25 pouches per box
<b>007970</b>	4.8 × 6	rectangle	1.65	10 per pouch, 25 pouches per box
<b>007963</b>	9.5 × 4.8	rectangle	1.65	10 per pouch, 25 pouches per box
<b>007965</b>	6 × 6	square	1.65	10 per pouch, 25 pouches per box
<b>007972</b>	7.9 × 7.9	square	1.65	10 per pouch, 25 pouches per box

# Fabrics, Felts, Pledgets, Tapes and Patches

## BARD® Polyester Braided Tape

- For the purpose of tissue approximation, and as a temporary or permanent ligature



Product Code	Size (mm × cm)	Pack Quantity
<b>007915</b>	3 × 61	2 per pouch, 10 pouches per box
<b>007916</b>	3 × 91.4	1 per pouch, 10 pouches per box


## BARD® PTFE Braided Tape

Product Code	Size (mm × cm)	Pack Quantity
<b>007913</b>	2 × 61	2 per pouch, 10 pouches per box
<b>007917</b>	2 × 91.4	2 per pouch, 10 pouches per box
<b>007914</b>	4 × 61	2 per pouch, 10 pouches per box
<b>007918</b>	4 × 91.4	2 per pouch, 10 pouches per box

# Fabrics, Felts, Pledgets, Tapes and Patches

## ePTFE Cardiovascular Patch


- Regular wall (0.6mm thickness)
- Rectangular



Product Code	Size (cm)
<b>25P15006</b>	2.5×15
<b>30P3006</b>	3×3
<b>50P7506</b>	5×7.5
<b>50P15006</b>	5×15
<b>100P15006</b>	10×15

## ePTFE Cardiovascular Patch

- Thinwall (0.4mm thickness)
- Oval










Product Code	Size (cm)
<b>10P9004</b>	1×9
<b>20P9004</b>	2×9
<b>30P6004</b>	3×6

# Vascular Catheters










## Embolectomy Catheter

- Plain Tip

Product Code	Colour	Shaft (F) or (CH)	Length (cm)	Balloon	
				Volume (ml)	Diameter (mm)
<b>CE0340</b>		3	40	0.2	7
<b>CE0380</b>		3	80	0.2	7
<b>CE0440</b>		4	40	0.8	10
<b>CE0480</b>		4	80	0.8	10
<b>CE0580</b>		5	80	1.5	12
<b>CE0680</b>		6	80	2.0	14
<b>CE0780</b>		7	80	2.5	15

## Embolectomy Catheter

- Atraumatic spring tip

Product Code	Colour	Shaft (F) or (CH)	Length (cm)	Balloon	
				Volume (ml)	Diameter (mm)
<b>CE0260ST</b>		2	60	0.08	4.5
<b>CE0280ST</b>		2	80	0.08	4.5
<b>CE0340ST</b>		3	40	0.2	7
<b>CE0380ST</b>		3	80	0.2	7
<b>CE0440ST</b>		4	40	0.8	10
<b>CE0480ST</b>		4	80	0.8	10
<b>CE0580ST</b>		5	80	1.5	12
<b>CE0680ST</b>		6	80	2.0	14
<b>CE0780ST</b>		7	80	2.5	15

## Embolectomy Catheter







- .035" Guide Wire Compatible/Distal Irrigation
- Double lumen

Product Code	Shaft (F) or (CH)	Length (cm)	Balloon	
			Volume (ml)	Diameter (mm)
<b>CE0340DR</b>	5	40	0.15	5
<b>CE0380DR</b>	5	80	0.15	5
<b>CE0440DR</b>	5	40	0.5	9
<b>CE0480DR</b>	5	80	0.5	9
<b>CE0540DR</b>	5	40	0.9	11
<b>CE0580DR</b>	5	80	0.9	11
<b>CE0680DR</b>	5	80	1.4	13

All catheters are latex free

# Vascular Catheters


## Thrombectomy Catheter

Product Code	Colour	Shaft (F) or (CH)	Length (cm)	Balloon	
				Volume (ml)	Diameter (mm)
<b>CT038006</b>		3	80	0.23	7
<b>CT048009</b>		4	80	0.75	10
<b>CT058011</b>		5	80	1.5	12
<b>CT068014</b>		6	80	1.5	13
<b>CT088017</b>		8	80	2.25	14
<b>CT088019</b>		8	80	4.0	20

All catheters are latex free

# Carotid Shunts

## JAVID™ Carotid Shunt



Product Code	Length (cm)	Size (F)	Pack Quantity
<b>007714</b>	27,5	17 tapered to 10	5

## BRENER™ Carotid Shunt



Product Code	Length (cm)	Size (F)	Pack Quantity
<b>007755</b>	13	14 tapered to 8 with access "T" side arm	5

## BURBANK™ Carotid Shunt



Product Code	Length (cm)	Size (F)	Pack Quantity
<b>SGA149001</b>	15,5	15 tapered to 10	5
<b>SGA150001</b>	15,5	12 tapered to 9	5
<b>SGA162001</b>	15,5	18 tapered to 12	5

## BARD® Straight Shunt

- No side hole



Product Code	Length (cm)	Size (F)	Pack Quantity
<b>000671</b>	13	10	5
<b>000673</b>	13	12	5
<b>000675</b>	13	14	5
<b>000677</b>	13	16	5

## BARD® Straight Shunt


- One side hole each end



Product Code	Length (cm)	Size (F)	Pack Quantity
<b>000679</b>	13	10	5
<b>000681</b>	13	12	5
<b>000683</b>	13	14	5
<b>000685</b>	13	16	5

# Tunneler Sets

## Peripheral Vascular Sheath Tunneler Set



Product Code	
<b>PVT1000</b>	Complete Set*

\*The set comprises one of each component

## Replacement Parts

Product Code		Length (cm)	Diameter (mm)
<b>PVT0100</b>	Cassette		
<b>PVT0200</b>	Handle		
<b>PVT0300</b>	Short Sheath	48	8.5
<b>PVT0400</b>	Short Sheath	48	11
<b>PVT0500</b>	Long Sheath	58	11
<b>PVT0600</b>	Short Rod		
<b>PVT0700</b>	Long Rod		
<b>PVT0800</b>	8.5mm Bullet Tip		
<b>PVT0900</b>	11mm Bullet Tip		



# Tunneler Sets

## AV Access Sheath Tunneler Set



Product Code	
<b>AVST2000</b>	Complete Set*

## Replacement Parts\*

Product Code		Length (cm)
<b>AVSTS0005</b>	5mm Straight Sheath	23
<b>AVSTS0605</b>	5mm 60° Sheath* <sup>1</sup>	22
<b>AVSTS1205</b>	5mm 120° Sheath* <sup>1</sup>	22
<b>AVST0015</b>	5mm Bullet Tip	-
<b>AVST0025</b>	5mm Blunt Tip	-
<b>AVSTS0006</b>	6/7mm Straight Sheath	23
<b>AVSTS0606</b>	6/7mm 60° Sheath* <sup>1</sup>	22
<b>AVSTS1206</b>	6/7mm 120° Sheath* <sup>1</sup>	22
<b>AVSTS1806</b>	6/7mm 180° Sheath	19
<b>AVST0016</b>	6/7mm Bullet Tip	-
<b>AVST0026</b>	6/7mm Blunt Tip	-
<b>AVSTR000</b>	Straight Rod	24.5
<b>AVSTR060</b>	60° Rod	23.5
<b>AVSTR120</b>	120° Rod	23.5
<b>AVSTR180</b>	180° Rod	20.5
<b>AVST0200</b>	Handle	-
<b>AVST0100</b>	Cassette	-

\*<sup>1</sup> 2/set



\* The complete set comprises one of each component and two of each marked with \*<sup>1</sup>

Replacement parts are available on demand. Please contact your Bard representative for further information.

# Vascular Accessories

## BARD® Vessel Loops

- For Identification, Occlusion and Retraction



Product Code	Colour	Size	Length (cm)	X axis (mm)	Y axis (mm)
<b>VLC45W</b>	white	micro	45	0.7	0.5
<b>VLS45R</b>	red	mini	45	1.25	0.95
<b>VLS45Y</b>	yellow	mini	45	1.25	0.95
<b>VLS45W</b>	white	mini	45	1.25	0.95
<b>VLS45B</b>	blue	mini	45	1.25	0.95
<b>VLM45R</b>	red	medium	45	2.5	1.4
<b>VLM45Y</b>	yellow	medium	45	2.5	1.4
<b>VLM45W</b>	white	medium	45	2.5	1.4
<b>VLM45B</b>	blue	medium	45	2.5	1.4
<b>VLL45B</b>	blue	large	45	5.3	1.7

Packaging: Pouch contains 2 loops  
 Shelf box contains 10 pouches (20 loops)  
 Unit of sale is one shelf box

## CARDIAL™ Surgical Glue



Product Code	Adhesive Tube Content (g)
<b>52000</b>	15

Each pack includes:

- Flexible tube containing the Gelatin Resorcinol mixture
- Opaque glass bottle containing the formaldehyde/glutaraldehyde polymerising agent
- Syringe with special extension tube for drawing up and applying the polymerising agent


# Vascular Accessories

## CARDIAL™ Chevalier Valvulotome



Product Code	Length (cm)	Diameter (mm)
<b>40025</b>	70	2.5
<b>40030</b>	70	3.0
<b>40035</b>	70	3.5

## Vein Stripper



Product Code	Description
<b>VE-022</b>	Complete Pack Includes: 2 cables x 100cm, handle and 3 olives (9.5mm, 12.8mm, 15.4mm)
<b>DVS100</b>	Economy Set Includes: 1 cable x 100cm, and 1 9.5 olive

Please consult product labels and inserts for any indication, contraindications, hazards, warnings, precautions, and instructions for use.

Atlas, Bantam, Bard, Brener, Burbank, Caliber, Carboflo, Cardial, CenterFlex, Checker, ClearPAC, Conquest, Crosser, DeBakey, Denali, Dialine, Distaflo, Dorado, Dynaflo, E•Luminexx, FlowMate, Fluency, Javid, Jet Lysis, LifeStar, LifeStent, LifeStream, LitePAC, Lutonix, MicroSheath, Pebax, PerforMAXX, Recovery, ReeFlex, ReeKross, Rival, Sauvage, Seeker, SideKick, SilkenFlex, Solo, Ultraverse, Ultra-Cross, Usher, Valeo, VascuTrak, Vectra, Venaflo, Vivexx, and Wovex are trademarks and/or registered trademarks of C. R. Bard, Inc., or an affiliate.

All other trademarks are the property of their respective owners. © 2017 C. R. Bard, Inc. All Rights Reserved. 0317/4749