

**THE NETHERLANDS
(N E D E R L A N D)****COMMUNICATION**

Concerning ⁽¹⁾:

- ~~approval granted~~
- approval extended
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of tyre for motor vehicles pursuant to Regulation number 30.

Approval number: E4*30R02/20*97667*03

1. Manufacturer's name and address : Shandong Longyue Rubber Co., Ltd.
The South of Yalujiang Road, Wenzhuang
Village Qinghe Agency of Cao County Heze
City, Shandong Province 274400 China (PRC)
2. Tyre type designation ⁽²⁾ :
- 2.1. Brand-name(s)/trademark(s) : GRENLANDER;ARIVO;T
TYRE;CONSTANCY;ILINK;
LUXXAN;RHINO;CRYSTAL;ROCKBLADE;
FRONWAY;SAILWIN;XBRI;ROADMARCH

- 2.2. Trade description(s)/Commercial name(s) : PRIME UHP 07;Envoy;PRIME UHP 08;DIAS ZERO;
ULTRA SPORT ARV7;ULTRA SPORTLINE C7;
SPEEDKING 07;EURUS 07; VENUSATR 07;
SPORTLINE;INSPIRER S6; ROCK 535; ENRI U08;
ULTRA ARZ4;FOUR;THUNDER U09; LY169;
EURUS 08;VENUSATR 08;SPORT+2;INSPIRER S8;
ROCK 525;LY566;L-ZEAL56;ULTRA ARZ5;
INSPIRER S4;EMOTION; Drift;TEN;SPORT+;
SPEEDWAY 56;SPORTWAY 56;ROCK 566;
Winter GL888;Winter IL888;LY888;ICEPOWER 888;
ICEWINNER 888; WINTERCROSS ARW8;ROCK 888S;
GREENWING A/S;MULTIMATCH A/S;
FRONWING A/S;FREIMATCH A/S;Carl/orful A/S;
PRIME A/S;FORTY ONE;ROCK A/S ONE;
INSPIRER A/S 1;Winter GL868;WINMASTER ARW2;
LY868;Winter IL868;SNOWROVER 868;
ROCK 868S;ICEPOWER 868;ICEWINNER 868;
THIRTY TWO;INSPIRER W20;COLO H01;
L-GRIP66;LY168;ECOGREEN 66;VENUSATR 66;
PREMIO ARZ1;ECOLOGY;INSPIRER C4;THREE;
ROCK 515;PRIMESTAR 66;Energize
3. If applicable, name and address of the manufacturer's representative : N/A
4. Summarised description :
- 4.1. Tyre size designation : 235/55R19
- 4.2. Category of use : ~~normal~~/snow/~~special use~~/temporary use⁽¹⁾
- 4.3. Structure : ~~diagonal/bias belted~~/radial/~~run flat~~ tyre⁽¹⁾
- 4.4. Speed category symbol : V
- 4.5. Load-capacity index : 105



Approval number: E4*30R02/20*97667*03

5. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : CSI S.p.A.
Viale Lombardia 20
20021 Bollate (MI)
Italy
6. Date of report issued by that service : 01/11/2018
30/05/2019
7. Number of report issued by that service : 86-R30-3961/18-00
0124\ISP\OMLS\19_30 Rev. 1
8. Reason(s) of extension (if applicable) : Addition of trademark and commercial names
9. Any remarks : Change of technical service
10. Place : Zoetermeer
11. Date : 21 June 2019
12. Signature :



T. Ploshchansky

13. The list of documents in the approval file which are deposited at the administrative service having delivered the approval and which can be obtained upon request.
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 30.
 - The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
 - The test report as mentioned in item 7.

⁽¹⁾ Strike out what does not apply.

⁽²⁾ A list of Brand name(s)/trademark(s) or Trade description(s)/ Commercial name(s) may be annexed to this communication

RAPPORTO DI PROVA / TEST REPORT

NUMBER

0124\ISP\OMLS\19_30 Rev. 1

ISSUE DATE

30/05/2019

DIVISION

AUTOMOTIVE

LABORATORY

Homologation

SPECIMEN DESCRIPTION

Tyre Size

235/55R19**APPROVAL EXTENSION TESTS****MANUFACTURER****Shandong Longyue Rubber Co., Ltd.**

The South of Yalujiang Road, Wenzhuang Village Qinghe Agency of Cao County
Heze City, Shandong Province 274400 China (PRC)

REFERENCE STANDARD**Regulation 30/02**

Supplement 20

(E/ECE/324/ Rev.1/Add.29/Rev.3/Amend.6 – E/ECE/TRANS/505/ Rev.1/Add.29/Rev.3/Amend.6)

GENERAL DATA

Test date:	N/A
Test site:	N/A
Sampling:	N/A
Deviation from test methods:	N/A

DECLARATIONS

Test results contained in this test report pertain exclusively to the tested specimen.

This test report cannot be reproduced partially without the consent of the test center managing director.



PRODUCT IDENTIFICATION

Manufacturer's name	Shandong Longyue Rubber Co., Ltd.
Address(es) of Manufacturing plant(s)	The South of Yalujiang Road, Wenzhuang Village Qinghe Agency of Cao County Heze City, Shandong Province 274400 China (PRC)
Brand-name(s) / trademark(s)	GRENLANDER;ARIVO;T TYRE;CONSTANCY;ILINK; LUXXAN;RHINO;CRYSTAL;ROCKBLADE; FRONWAY;SAILWIN;XBRI;ROADMARCH
Trade description(s) / Commercial name(s)	PRIME UHP 07;Envoy;PRIME UHP 08;DIAS ZERO; ULTRA SPORT ARV7;ULTRA SPORTLINE C7; SPEEDKING 07;EURUS 07; VENUSATR 07; SPORTLINE;INSPIRER S6; ROCK 535; ENRI U08; ULTRA ARZ4;FOUR;THUNDER U09; LY169; EURUS 08;VENUSATR 08;SPORT+2;INSPIRER S8; ROCK 525;LY566;L-ZEAL56;ULTRA ARZ5; INSPIRER S4;EMOTION; Drift;TEN;SPORT+; SPEEDWAY 56;SPORTWAY 56;ROCK 566; Winter GL888;Winter IL888;LY888;ICEPOWER 888; ICEWINNER 888;WINTERCROSS ARW8;ROCK 888S; <u>GREENWING A/S;MULTIMATCH A/S;</u> <u>FRONWING A/S;FREIMATCH A/S;Carlorful A/S;</u> <u>PRIME A/S;FORTY ONE;ROCK A/S ONE;</u> <u>INSPIRER A/S 1;Winter GL868;WINMASTER ARW2;</u> <u>LY868;Winter IL868;SNOWROVER 868;</u> <u>ROCK 868S;ICEPOWER 868;ICEWINNER 868;</u> <u>THIRTY TWO;INSPIRER W20;COLO H01;</u> <u>L-GRIP66;LY168;ECOGREEN 66;VENUSATR 66;</u> <u>PREMIO ARZ1;ECOLOGY;INSPIRER C4;THREE;</u> <u>ROCK 515;PRIMESTAR 66;Energize</u>
Tyre size designation	235/55R19
Category of use	Snow
Tyre structure	Radial
Speed category symbol	V



Load capacity index	105
---------------------	------------

TYRE MAIN FEATURES

See attached Technical Sheet.



APPROVAL STATUS

Approval Number: E4*30R02/20*97667*02 Last amended on: 25/03/2019

For details, see test reports:

- 86-R30-3961/18-00 issued on 01/11/2018 by TÜV Rheinland Krafftahrt GmbH
- 0182\ISP\OMLS\18_13 issued on 06/07/2018
- 17-00768-CX-SHA-00 issued on 27/06/2017 by TUV SUD Auto Service GmbH

REASON FOR EXTENSION

- Addition of trademark and commercial names



SUMMARY OF TEST RESULTS

The results of the previous tests are still valid as no difference can affect tests already performed and all new variant/versions fulfil the requirements of Regulation ECE 30/02.

Tests and verification		PASS	FAIL	N/A	R
1	Test tyre details	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Test results	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	



RESULTS

Following verification and tests performed, we declare that the products submitted for approval comply with all technical requirements of UNECE Regulation 30/02.

DATA
Date

30/05/2019

Settore Omologazioni
Test Engineer

Luca Bolgiani

**Area Omologazioni**
Homologation Area

Ing. Daniele Gervasini



Documento firmato digitalmente ai sensi del D. Lgs. N. 82 del 7 Marzo 2005 e successive modifiche
Digitally signed document in accordance with Legislative Decree n. 82 dated March 7th 2005 and subsequent amendments.



APPLICATION FOR APPROVAL EXTENSION OF A TYPE OF PNEUMATIC TYRE ACCORDING
TO ECE REGULATION No. 30, 02 SERIES OF AMENDMENTS

- | | | |
|------|--|--|
| 1. | Manufacturer's name or trade mark(s) on the tyre type ⁽²⁾ | : GRENLANDER;ARIVO;T TYRE;CONSTANCY;ILINK; LUXXAN;RHINO;CRYSTAL;ROCKBLADE; FRONWAY;SAILWIN;XBRI; <u>ROADMARCH</u> |
| 2. | Tyre type designation by the manufacturer ⁽²⁾ | : <u>PRIME UHP 07;Envoy;PRIME UHP 08;DIAS ZERO; ULTRA SPORT ARV7;ULTRA SPORTLINE C7; SPEEDKING 07;EURUS 07; VENUSATR 07; SPORTLINE;INSPIRER S6; ROCK 535; ENRI U08; ULTRA ARZ4;FOUR;THUNDER U09; LY169; EURUS 08;VENUSATR 08;SPORT+2;INSPIRER S8; ROCK 525;LY566;L-ZEAL56;ULTRA ARZ5; INSPIRER S4;EMOTION; Drift;TEN;SPORT+; SPEEDWAY 56;SPORTWAY 56;ROCK 566; Winter GL888;Winter IL888;LY888;ICEPOWER 888; ICEWINNER 888;WINTERCROSS ARW8;ROCK 888S; GREENWING A/S;MULTIMATCH A/S; FRONWING A/S;FREIMATCH A/S;Carlorful A/S; PRIME A/S;FORTY ONE;ROCK A/S ONE; INSPIRER A/S 1;Winter GL868;WINMASTER ARW2; LY868;Winter IL868;SNOWROVER 868; ROCK 868S;ICEPOWER 868;ICEWINNER 868; THIRTY TWO;INSPIRER W20;COLO H01; L-GRIP66;LY168;ECOGREEN 66;VENUSATR 66; PREMIO ARZ1;ECOLOGY;INSPIRER C4;THREE; ROCK 515;PRIMESTAR 66;Energize</u> |
| 3. | Manufacturer's name and address | : Shandong Longyue Rubber Co., Ltd.
The South of Yalujiang Road, Wenzhuang Village Qinghe Agency of Cao County Heze City, Shandong Province 274400 China(PROC) |
| 4. | If applicable, name and address of the manufacturer's representative | : N.A. |
| 5. | Summarized description | |
| 5.1. | Tyre size designation | : 235/55R19 |
| 5.2. | Category of use | : normal /snow/ special use /temporary use ⁽¹⁾ |
| 5.3. | Structure | : diagonal/bias belted /radial/ run flat tyre ⁽¹⁾ |
| 5.4. | Speed category symbol | V |
| 5.5. | Load-capacity index | 105 |
| 6. | Overall dimensions | : Calculated/ Annex 5 ⁽¹⁾ |
| | overall section width | : 250.8;250.0 |
| | outer diameter | : 745.5;739.1 |
| 7. | Factor 'x' | : 0.7 |
| 8. | Rims on which the tyre can be mounted | : 7 1/2J |
| 9. | Measuring rim and test rim | : See attached test report |
| 10. | State whether the tyre is | : Tubeless / tube type ⁽¹⁾ |
| 11. | State whether the tyre is | : Standard / reinforced ⁽¹⁾ |
| 12. | State if special use tyre | : N.A. |
| | Professional Off-Road | : Yes / no ⁽¹⁾ |
| | Tread depth | : N.A. |
| | Void to fill ratio | : N.A. |
| 13. | Submitted for approval on (date) | : April 11, 2019 |

(1) Strike out what does not apply.

(2) Modified points are underlined for extension.



We herewith declare that we have not applied and will not apply for approval with another Contracting Party of the ECE for the same type of product.

MANUFACTURER'S STAMP



Signature : Ren Hailong

.....




Name: Ren Hailong

THIS APPLICATION IS ACCOMPANIED BY:

- A drawing of the tyre's side wall, tread and dimensioned cross section.
- The test report.



(1) Strike out what does not apply.
(2) Modified points are underlined for extension.




UPPER

LOWER



TREAD PATTERNS
REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; I LINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	ECE APPROVAL MARK
2	LY566; L-ZEAL56; INSPIRER S4; EMOTION; Drift; TEN; SPORTWAY 56; ULTRA ARZ5; SPORT+; SPEEDWAY 56; ROCK 566	9	DOT 17B LRJDPA XXXX (DATE CODE)
3	MADE IN CHINA	10	TUBELESS
4	MOLD No.	11	RADIAL
5	EXTRA LOAD MAX. LOAD 925kg (2039 LBS) MAX. PRESSURE 340kPa (50 PSI)	12	SAFETY WARNING
6	235/55R19 105V M+S	13	PLIES: TREAD 2 POLYESTER 2 STEEL 2 NYLON SIDEWALL 2 POLYESTER
7	OUTSIDE(LOWER)/INSIDE(UPPER)	14	TREADWEAR 300 TRACTION A TEMPERATURE A
		15	RIM: 7 1/2J
		16	DOT 17B LRJDPA


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R19	741	245	190.5	105V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R19 105V



UPPER




LOWER



TREAD PATTERNS
REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	ECE APPROVAL MARK
2	LY566; L-ZEAL56; INSPIRER S4; EMOTION; Drift; TEN; SPORTWAY 56; ULTRA ARZ5; SPORT+; SPEEDWAY 56; ROCK 566	9	DOT 17B LRJDPA XXXX (DATE CODE)
3	MADE IN CHINA	10	TUBELESS
4	MOLD No.	11	RADIAL
5	EXTRA LOAD MAX. LOAD 925kg (2039 LBS) MAX. PRESSURE 340kPa (50 PSI)	12	SAFETY WARNING
6	235/55R19 105V M+S	13	PLIES: TREAD 2 POLYESTER 2 STEEL 1 NYLON SIDEWALL 2 POLYESTER
7	OUTSIDE(LOWER)/INSIDE(UPPER)	14	TREADWEAR 300 TRACTION A TEMPERATURE A
		15	RIM:7 1/2J
		16	DOT 17B LRJDPA


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R19	741	245	190.5	105V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R19 105V



UPPER




LOWER



TREAD PATTERNS
REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	MAX. LOAD 925kg (2039 LBS) MAX. PRESS. 340kPa (50PSI) EXTRA LOAD
2	ULTRA ARZ4; ENRI U08; FOUR; THUNDER U09; LY169; EURUS 08; VENUSATR 08; SPORT+2; INSPIRER SB; ROCK 525; Envoy; PRIME UHP_08	9	MADE IN CHINA
3	PLIES: TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	DOT 17B XXXXXX XXXX (DATE CODE)
4	RIM: 7 1/2J	11	ECE APPROVAL MARK
5	RADIAL TUBELESS	12	TREADWEAR XXX TRACTION X TEMPERATURE X
6	MOLD No.	13	SAFETY WARNING
7	235/55R19 105VXL M+S	14	DOT 17B XXXXXX
		15	OUTSIDE (LOWER) / INSIDE (UPPER)


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R19	741	245	190.5	105V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R19 105V



UPPER



LOWER



TREAD PATTERNS
REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	MAX. LOAD 925kg (2039 LBS) MAX. PRESS. 340kPa (50PSI) EXTRA LOAD
2	DIAS ZERO; ROCK 535; SPEEDKING 07; ULTRA SPORTLINE C7; EURUS 07; VENUSATR 07; SPORTLINE; INSPIRER S6; ULTRA SPORT ARV7; PRIME UHP 07	9	MADE IN CHINA
3	PLIES: TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	DOT 17B XXXXXX XXXX(DATE CODE)
4	RIM: 7 1/2J	11	ECE APPROVAL MARK
5	RADIAL TUBELESS	12	TREADWEAR XXX TRACTION X TEMPERATURE X
6	MOLD No.	13	SAFETY WARNING
7	235/55R19 105VXL M+S	14	DOT 17B XXXXXX
		15	ROTATION


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R19	741	245	190.5	105V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R19 105V



UPPER




LOWER



TREAD PATTERNS
REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	MAX. LOAD 925kg (2039 LBS) MAX. PRESS. 340kPa (50PSI) EXTRA LOAD
2	Winter GL888; Winter IL888; LY888; ICEPOWER 888; ICEWINNER 888; WINTERCROSS ARW8; ROCK 888S	9	MADE IN CHINA
3	PLIES:TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	DOT 17B XXXXXX XXXX<DATE CODE>
4	RIM:7 1/2J	11	ECE APPROVAL MARK
5	RADIAL TUBELESS	12	ROTATION
6	MOLD No.	13	SAFETY WARNING
7	235/55R19 105VXL M+S	14	DOT 17B XXXXXX
		15	


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R19	741	245	190.5	105V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R19 105V



UPPER




LOWER



TREAD PATTERNS
REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	ROTATION
2	GREENWING A/S; MULTIMATCH A/S; FRONWING A/S; FREIMATCH A/S; CARLORFUL A/S; PRIME A/S; FORTY ONE; ROCK A/S ONE; INSPIRER A/S 1	9	MAX. LOAD 925kg (2039 LBS) EXTRA LOAD MAX. PRESS. 340 kPa(50 PSI)
3	PLIES:TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	MADE IN CHINA
4	RIM:7 1/2J	11	DOT 17B XXXXXX XXXX(DATE CODE)
5	RADIAL TUBELESS	12	ECE APPROVAL MARK
6	MOLD No.	13	SAFETY WARNING
7	235/55R19 105VXL M+S	14	ALL SEASONS
		15	DOT 17B XXXXXX


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R19	741	245	190.5	105V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R19 105V



UPPER



LOWER



TREAD PATTERNS
REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	MAX. LOAD 925kg (2039 LBS) MAX. PRESS. 340 kPa(50 PSI) EXTRA LOAD
2	Winter GL868; WINMASTER ARW2; LY868; Winter IL868; SNOWROVER 868; ROCK 868S; ICEPOWER 868; ICEWINNER 868; THIRTY TWO; INSPIRER W20	9	MADE IN CHINA
3	PLIES: TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	DOT 17B XXXXXX XXXX<DATE CODE>
4	RIM: 7 1/2J	11	ECE APPROVAL MARK
5	RADIAL TUBELESS	12	OUTSIDE<LOWER>/INSIDE<UPPER>
6	MOLD No.	13	SAFETY WARNING
7	235/55R19 105VXL M+S	14	DOT 17B XXXXXX
		15	


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R19	741	245	190.5	105V	EXTRA LOAD



SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R19 105V



UPPER



LOWER

TREAD PATTERNS
REFER TO ATTACHMENT NO.11

1	GRENLANDER; CONSTANCY; ILINK; LUXXAN; RHINO; ARIVO; CRYSTAL; T TYRE; ROCKBLADE; FRONWAY; SAILWIN; XBRI; ROADMARCH	8	MAX. LOAD 925kg (2039 LBS) MAX. PRESS. 340kPa (50PSI)	EXTRA LOAD
2	COLO H01; L-GRIP66; LY168; ECOGREEN 66; VENUSATR 66; PREMIO ARZ1; ECOLOGY; INSPIRER C4; THREE; ROCK 515; PRIMESTAR 66; Energize	9	MADE IN CHINA	
3	PLIES: TREAD 2POLYESTER+2STEEL+1NYLON SIDEWALL 2POLYESTER	10	DOT 17B XXXXXX XXXX (DATE CODE)	
4	RIM: 7 1/2J	11	ECE APPROVAL MARK	
5	RADIAL TUBELESS	12	TREADWEAR XXX TRACTION X TEMPERATURE X	
6	MOLD No.	13	SAFETY WARNING	
7	235/55R19 105VXL M+S	14	DOT 17B XXXXXX	


TIRE SIZE	D(mm)	S(mm)	A(mm)	LOAD INDEX SPEED CODE	REMARK
235/55R19	741	245	190.5	105V	EXTRA LOAD




SCALE : FREE	DATE : 2019.4.11	DESIGNED BY	CHECKED BY	APPROVED BY	DRAWING NO.	
SHANDONG LONGYUE RUBBER CO., LTD.		Zhao Yang	Xie Baoshan	Shen Maoqiao	TITLE	235/55R19 105V

ATTACHMENT NO.11


TIRE SIZE 235/55R19 105V




ENRI U08; EURUS 08;
LY189; THUNDER U09;
FOUR; VENUSATR 09;
ULTRA ARZ4; SPORT+ 2;
INSPIRER S8; ROCK 525;
PRIME UHP 08; Envoy




LY566; SPORTWAY 56;
SPEEDWAY 56;
L-ZEAL56; EMOTION; TEN;
ULTRA ARZ5; SPORT+;
INSPIRER S4; Drift;
ROCK 566




DIAS ZERO; ROCK 535;
SPEEDKING 07;
ULTRA SPORTLINE C7;
EURUS 07; VENUSATR 07;
SPORTLINE; INSPIRER S6;
ULTRA SPORT ARV7;
PRIME UHP 07




Winter GL888; Winter IL888;
LY888; ICEPOWER 888;
ICEWINNER 888; WINMASTER ARW2;
ROCK 868S; SNOWROVER 868;
THIRTY TWO; INSPIRER W20;



GREENWING A/S; FRONWING A/S;
FORTY ONE; FREIMATCH A/S;
Carlouful A/S; PRIME A/S;
ROCK A/S ONE; INSPIRER A/S 1;
MULTIMATCH A/S



COLO HOT; L-GRIP66; LY168;
ECOGREEN 66; VENUSATR 66;
Energize; PREMIO ARZ1; THREE;
ECOLOGY; INSPIRER C4;
ROCK 515; PRIMESTAR 66



Winter GL888; Winter IL888;
LY888; ICEPOWER 888;
ICEWINNER 888; ROCK 888S
WINTERCROSS ARW8;

6 TREAD WEAR INDICATORS EQUALLY SPACED



DRAWN BY Wang Tong CHECKED BY Wangshilun APPROVED BY Shen Maoqiao

SHANDONG LONGYUE RUBBER TYRE CO.,LTD.