



EU - Declaration of Conformity

Manufacturer: ETI Elektroelement, d.o.o.

Address: Obrezija 5, SI-1411 Izlake, Slovenia

Product: Molded case circuit breakers ETIBREAK EB2..., EB2S..., ED2..., EB2R... and EB... with accessories
Interrupator automat

This declaration of conformity is issued under the sole responsibility of the manufacturer.

The object(s) of the declaration described above is (are) in conformity with the relevant Union harmonisation legislations:

2014/35/EU (LVD)

Directive of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits; Official Journal of the EU L96, 29/03/2014, p. 357-374 .

2014/30/EU (EMC)

Directive of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility (recast); EU L96, 29/03/2014, p. 79-106

2011/65/EU (RoHS)

Directive of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (recast).

Our products are constructed and manufactured based on our Quality Management System (according to EN ISO 9001) in correspondence to the following standards:


Standards: EN 60947-2:2006 Low-voltage switchgear and controlgear -- Part 2: Circuit-breakers

Marking with CE: On the product / On the packaging


Affixing of the CE-marking: 2011

Place and date of issue: Izlake, 29.01.2018

Manufacturer representative signature and stamp: M. Sc. Franc Jenko



EB2S 160/3SF 125A 3p



Особенности

Артикул	004671836
Наименование	EB2S 160/3SF 125A 3p
Вес	.8
Группа каталога	Промышленные автоматические выключатели EB2S
Назначение	Промышленные автоматические выключатели с низкой отключающей способностью
Отключающая способность (кА)	25/13
Номинальный ток (А)	125
Типоразмер	160A
Тепловая/электромагнитная защита	Фиксированная/Фиксированная
Количество полюсов	3

[Web-страница продукта](#)

Другая документация



[EU сертификат](#)
[Технические данные](#)
[3D Model](#)
[Технические характеристики](#)
[Токо - временные характеристики](#)




ETIM международная спецификация

Номинальный ток	125
Количество полюсов	3
Отключающая способность по EN 60898	25/13
Frame size acc. to IEC	160A



Токо - временные характеристики

EB2S 160



Габаритные размеры

EB2S 160

